

Full Power

WLAN2.4GHz

	Mode	Channel	Frequency (MHz)	Ave 0		Ave 1		Ave 2		Duty Cycle %
				Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	
2.4GHz WLAN	802.11b 1Mbps	1	2412	17.98	19.00	17.71	19.00	20.89	22.00	97.86
		6	2437	17.95	19.00	17.87	19.00	20.92	22.00	
		11	2462	18.22	19.00	17.81	19.00	21.03	22.00	
	802.11g 6Mbps	1	2412	17.89	19.00	17.75	19.00	20.83	22.00	99.32
		6	2437	17.93	19.00	17.78	19.00	20.87	22.00	
		11	2462	18.10	19.00	17.88	19.00	21.00	22.00	
	802.11n-HT20 MCS0	1	2412	16.48	17.00	16.48	17.00	19.49	20.00	100.00
		6	2437	16.64	17.00	16.52	17.00	19.58	20.00	
		11	2462	16.56	17.00	16.02	17.00	19.31	20.00	
	802.11n-HT40 MCS0	3	2422	15.87	16.50	15.81	16.50	18.85	19.50	100.00
		6	2437	15.98	16.50	15.79	16.50	18.90	19.50	
		9	2452	15.51	16.50	15.25	16.50	18.39	19.50	
	802.11ax-HE20 MCS0	1	2412	16.56	17.00	16.34	17.00	19.56	20.00	100.00
		6	2437	16.74	17.00	16.63	17.00	19.70	20.00	
		11	2462	16.69	17.00	16.05	17.00	19.40	20.00	
	802.11ax-HE40 MCS0	3	2422	15.96	16.50	15.86	16.50	18.92	19.50	100.00
		6	2437	16.06	16.50	15.91	16.50	19.00	19.50	
		9	2452	15.62	16.50	15.35	16.50	18.50	19.50	

WLAN5GHz

	Mode	Channel	Frequency (MHz)	Ave 0		Ave 1		Ave 2		Duty Cycle %
				Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	
5.2GHz WLAN	802.11a 6Mbps	36	5180	16.06	17.00	16.34	17.00	19.22	20.00	94.97
		40	5200	16.39	17.00	16.79	17.00	19.61	20.00	
		44	5220	16.35	17.00	16.63	17.00	19.49	20.00	
	802.11n-HT20 MCS0	48	5240	16.04	17.00	16.48	17.00	19.27	20.00	100.00
		36	5180	14.65	15.50	14.19	15.50	17.44	18.50	
		40	5200	14.96	15.50	14.79	15.50	17.59	18.50	
	802.11n-HT40 MCS0	44	5220	14.90	15.50	14.61	15.50	17.80	18.50	100.00
		48	5240	14.75	15.50	14.37	15.50	17.57	18.50	
		36	5180	15.27	16.00	14.33	15.50	17.84	18.50	
	802.11ac-VHT20 MCS0	48	5220	16.94	17.00	16.17	16.50	19.33	19.50	100.00
		36	5180	15.58	16.50	15.77	17.00	18.69	19.50	
		40	5200	15.89	16.50	16.37	17.00	19.15	19.50	
	802.11ac-VHT40 MCS0	44	5220	15.81	16.50	16.12	17.00	19.08	19.50	100.00
		48	5240	15.59	16.50	15.91	17.00	18.76	19.50	
		38	5190	15.58	16.00	14.96	15.50	18.29	18.50	
	802.11ac-VHT80 MCS0	46	5230	15.79	16.00	15.17	15.50	18.50	19.00	100.00
		42	5210	15.02	15.50	14.10	14.50	17.59	18.00	
		36	5180	15.96	17.00	15.36	17.00	18.68	20.00	
	802.11ax-HE20 MCS0	40	5200	16.27	17.00	16.08	17.00	19.19	20.00	100.00
		44	5220	16.21	17.00	15.76	17.00	19.00	20.00	
		48	5240	16.06	17.00	15.36	17.00	18.83	20.00	
	802.11ax-HE40 MCS0	38	5190	15.37	16.00	14.43	15.50	17.94	18.50	100.00
		46	5230	16.16	16.50	15.48	16.00	18.60	19.00	
		42	5210	15.08	15.50	14.16	14.50	17.65	18.00	

	Mode	Channel	Frequency (MHz)	Ave 0		Ave 1		Ave 2		Duty Cycle %
				Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	
5.3GHz WLAN	802.11a 6Mbps	52	5260	15.94	17.00	16.10	17.00	18.99	20.00	94.97
		56	5280	16.11	17.00	16.03	17.00	19.08	20.00	
		60	5300	16.21	17.00	16.06	17.00	19.15	20.00	
	802.11n-HT20 MCS0	64	5320	16.26	17.00	16.21	17.00	19.24	20.00	100.00
		52	5260	14.46	15.50	14.05	15.50	17.27	18.50	
		56	5280	14.75	15.50	14.06	15.50	17.43	18.50	
	802.11n-HT40 MCS0	60	5300	15.02	15.50	14.54	15.50	17.57	18.50	100.00
		64	5320	15.06	15.50	14.07	15.50	17.60	18.50	
		54	5270	16.72	17.00	15.77	16.50	19.28	19.50	
	802.11ac-VHT20 MCS0	62	5310	16.86	17.00	15.82	16.50	19.44	19.50	100.00
		52	5260	15.24	16.50	15.42	17.00	18.34	19.50	
		56	5280	15.55	16.50	15.46	17.00	18.52	19.50	
	802.11ac-VHT40 MCS0	60	5300	15.59	16.50	15.43	17.00	18.52	19.50	100.00
		64	5320	15.67	16.50	15.53	17.00	18.61	19.50	
		54	5270	15.63	16.00	14.75	15.50	18.22	18.50	
	802.11ac-VHT80 MCS0	62	5310	16.03	16.50	14.76	15.50	18.45	19.00	100.00
		58	5290	14.89	15.50	15.12	16.00	18.07	19.00	
		50	5250	13.52	15.00	13.02	15.00	16.29	16.00	
	802.11ax-HE20 MCS0	52	5260	15.86	17.00	15.35	17.00	18.62	20.00	100.00
		56	5280	16.09	17.00	15.19	17.00	18.67	20.00	
		60	5300	16.23	17.00	15.13	17.00	18.73	20.00	
	802.11ax-HE40 MCS0	64	5320	16.33	17.00	15.22	17.00	18.62	20.00	100.00
		54	5270	16.08	16.50	14.86	16.00	18.52	19.00	
		62	5310	16.24	16.50	14.98	16.50	18.67	19.50	
	802.11ax-HE80 MCS0	58	5290	15.02	16.00	15.17	16.00	18.11	19.00	100.00
		50	5250	13.56	15.00	13.07	15.00	16.35	16.00	

	Mode	Channel	Frequency (MHz)	Ave 0		Ave 1		Ave 2		Duty Cycle %
				Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	
5.5GHz WLAN	802.11a 6Mbps	100	5500	16.13	17.00	15.47	16.50	18.83	19.50	94.97
		116	5580	15.69	17.00	14.69	16.00	18.23	19.50	
		132	5660	16.15	17.00	15.07	16.00	18.96	19.50	
		140	5740	16.41	17.00	15.05	16.00	19.29	19.50	
		144	5720	15.91	17.00	14.73	16.00	18.37	19.50	
		148	5700	15.61	17.00	14.35	16.00	18.04	19.50	
	802.11n-HT20 MCS0	100	5500	15.58	16.50	14.67	15.50	18.25	19.00	100.00
		116	5580	14.48	15.00	13.35	14.00	17.05	17.50	
		124	5620	14.86	15.50	13.02	14.50	17.47	18.00	
		132	5660	15.17	15.50	14.12	14.50	17.69	18.00	
		140	5700	14.40	15.50	14.18	14.50	17.38	18.00	
		144	5720	14.24	16.00	14.02	14.50	17.14	17.50	
802.11n-HT40 MCS0	102	5510	15.01	15.50	13.94	15.00	17.92	18.50	100.00	
	110	5550	15.88	16.50	15.02	16.00	18.93	19.50		
	126	5630	16.76	17.50	14.72	16.00	18.87	19.50		
	134	5670	16.93	17.50	14.73	16.00	18.98	19.50		
	142	5710	16.33	17.00	14.81	16.00	18.65	19.50		
	100	5500	15.58	16.50	14.67	15.50	18.25	19.00		
802.11ac-VHT20 MCS0	116	5580	15.17	16.50	14.02	15.50	17.54	19.00	100.00	
	124	5620	15.66	16.50	14.41	15.50	18.09	19.00		
	132	5660	15.97	16.50	14.56	15.50	18.33	19.00		
	140	5700	14.78	15.50	14.60	15.50	17.70	18.00		
	144	5720	14.97	15.00	13.76	14.50	17.42	18.00		
	102	5510	15.09	15.50	13.98	15.00	17.58	18.00		
802.11ac-VHT40 MCS0	110	5550	15.93	16.00	15.08	16.00	18.54	19.00	100.00	
	126	5630	15.88	16.00	14.75	16.00	18.36	19.00		
	134	5670	15.85	16.00	14.76	16.00	18.35	19.00		
	142	5710	15.36	16.00	14.84	16.00	18.12	19.00		
	106	5530	14.19	15.00	13.11	14.00	16.69	17.00		
	112	5570	15.15	16.00	14.28	15.00	17.74	18.50		
802.11ac-VHT80 MCS0	114	5590	14.90	16.00	14.16	15.00	17.57	18.50	100.00	
	118	5670	13.31	16.00	11.80	12.50	16.63	17.50		
	122	5650	15.57	17.00	15.36	17.50	18.65	19.50		
	116	5580	15.68	17.00	14.77	15.50	17.99	19.00		
	124	5620	16.02	17.00	14.02	15.50	18.14	19.00		
	128	5600	16.16	17.00	15.35	16.50	18.80	19.50		
802.11ax-HE20 MCS0	140	5700	14.81	15.00	14.66	15.00	17.75	18.00	100.00	
	144	5720	15.56	17.00	14.48	15.00	18.06	18.50		
	102	5510	15.12	15.50	14.02	15.00	17.62	18.00		
	110	5550	16.21	16.50	14.35	15.00	18.20	18.50		
	126	5630	16.19	16.50	14.42	16.00	18.20	18.50		
	134	5670	16.22	16.50	14.68	16.00	18.33	19.00		
802.11ax-HE40 MCS0	106	5530	14.59	15.00	13.76	14.50	17.04	17.50	100.00	
	108	5550	14.22	16.00	13.14	14.00	16.72	17.00		
	122	5610	15.18	16.00	13.32	15.00	17.78	18.50		
	124	5630	14.98	16.00	14.23	16.00	17.84	18.50		
	114	5570	13.35	16.00	11.83	12.50	16.67	17.50		
	116	5590	13.35	16.00	11.83	12.50	16.67	17.50		

<WIFI 6E> indoor client

					Ant 0		Ant 1		Ant 0+1		Duty Cycle %
	Band	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
WIFI 6E	UNII 5 (5.925-6.425GHz)	802.11a 6Mbps	1	5955	2.71	3.00	2.05	3.00	5.40	6.00	99.32
			45	6175	2.95	3.00	1.97	3.00	5.50	6.00	
			83	6415	2.52	3.00	1.77	3.00	5.17	6.00	
		802.11ax-HE20 MCS0	1	5955	3.08	4.00	2.57	3.00	5.84	6.00	100.00
			45	6175	3.56	4.00	2.22	3.00	5.95	6.00	
			83	6415	3.85	4.00	2.02	3.00	6.04	6.00	
		802.11ax-HE40 MCS0	3	5965	5.95	6.00	4.89	5.50	8.25	8.50	100.00
			43	6165	6.22	7.00	5.33	5.50	8.81	9.00	
			91	6400	6.53	7.00	5.01	5.00	8.85	9.00	
		802.11ax-HE80 MCS0	7	5985	8.84	9.00	7.52	8.00	11.24	11.50	100.00
			39	6145	8.93	9.00	7.45	8.00	11.25	11.50	
			87	6385	8.95	9.00	8.54	9.00	11.56	12.00	
		802.11ax-HE160 MCS0	15	6025	10.70	11.00	10.15	11.00	13.45	14.00	100.00
			47	6185	11.61	12.00	10.42	11.00	14.07	14.50	
			87	6435	4.49	5.00	3.01	4.00	6.82	7.50	
	UNII 6 (6.425-6.925GHz)	802.11a 6Mbps	105	6475	4.75	5.00	3.81	4.00	7.23	7.50	99.32
			113	6515	4.27	5.00	3.01	4.00	6.70	7.50	
			97	6435	5.49	6.00	4.00	4.50	7.82	8.00	
		802.11ax-HE20 MCS0	105	6475	5.24	6.00	4.08	4.50	7.71	8.00	100.00
			113	6515	5.18	6.00	4.05	4.50	7.66	8.00	
			99	6445	7.97	8.00	6.25	7.00	10.21	10.50	
		802.11ax-HE40 MCS0	115	6525	6.88	7.00	5.88	6.00	9.42	9.50	100.00
			103	6485	10.43	11.00	9.23	10.00	12.88	13.00	
			119	6545	9.37	10.00	8.58	9.00	12.00	12.50	
		802.11ax-HE160 MCS0	111	6505	12.59	13.00	11.62	12.00	15.14	15.50	100.00
			117	6535	3.88	4.00	2.52	3.00	6.26	6.50	
			149	6695	3.91	4.00	3.23	4.00	6.59	7.00	
	UNII 7 (6.925-7.425GHz)	802.11a 6Mbps	181	6855	3.21	4.00	2.82	3.00	6.03	6.50	99.32
			117	6535	4.19	5.00	2.81	4.00	6.56	7.00	
			149	6695	4.17	5.00	3.43	4.00	6.94	7.00	
		802.11ax-HE20 MCS0	181	6855	3.82	4.50	3.11	4.00	6.49	7.00	100.00
			123	6950	6.85	7.00	5.95	6.50	9.44	9.50	
			147	6985	6.64	7.00	6.27	6.50	9.47	9.50	
		802.11ax-HE40 MCS0	179	6945	6.71	7.00	5.73	6.50	9.26	9.50	100.00
			135	6825	9.42	10.00	8.68	10.00	12.07	13.00	
			151	6705	9.12	10.00	8.35	10.00	12.21	13.00	
		802.11ax-HE160 MCS0	157	6785	9.19	10.00	8.59	10.00	11.91	13.00	100.00
			143	6865	12.33	13.00	11.87	13.00	15.12	16.00	
			189	6995	3.29	4.00	3.60	4.00	6.46	7.00	
	UNII 8 (7.425-7.925GHz)	802.11a 6Mbps	209	6995	3.74	4.00	4.54	5.00	7.17	7.50	99.32
			229	7095	3.01	4.00	2.51	3.00	5.78	6.00	
			189	6990	4.17	5.00	4.42	5.00	7.31	8.00	
		802.11ax-HE20 MCS0	209	6995	4.49	5.00	3.27	5.00	7.51	8.00	100.00
			229	7095	3.73	4.50	3.34	4.50	6.85	7.50	
			187	6885	6.39	7.00	5.98	7.00	9.20	10.00	
		802.11ax-HE40 MCS0	203	6965	7.25	8.00	7.10	8.00	10.45	11.00	100.00
			227	7085	6.72	7.00	5.65	6.00	9.23	9.50	
			199	6945	9.95	10.00	10.16	10.50	13.07	13.25	
		802.11ax-HE160 MCS0	218	7025	8.11	9.00	8.75	9.00	11.47	12.00	100.00
			207	6985	13.05	13.50	12.45	13.50	15.77	16.50	

<Bluetooth>			Ant 0		
Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	15.53	12.89	12.78
	CH 39	2441	15.33	12.60	12.68
	CH 76	2480	15.39	12.73	12.74
	Tune-up Limit		16	13	13

<LE 1M/2M>			Ant 0		
Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	
LE	CH 00	2402	5.45	5.46	
	CH 19	2440	5.59	5.64	
	CH 39	2480	5.30	5.37	
	Tune-up Limit		6.5	6.5	

<Bluetooth>			Ant 2					
Mode	Channel	Frequency (MHz)	Average power (dBm)					
			1Mbps	Tune-up Limit	2Mbps	Tune-up Limit	3Mbps	Tune-up Limit
BR / EDR	CH 00	2402	14.63	15.00	12.22	13.90	12.15	13.60
	CH 39	2441	14.66	15.00	11.89	12.50	11.89	12.50
	CH 76	2480	12.71	13.00	9.90	11.00	9.91	11.00
	Tune-up Limit							

<LE 1M/2M>			Ant 2		
Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	
LE	CH 00	2402	5.97	5.98	
	CH 19	2440	5.83	5.97	
	CH 39	2480	5.40	5.51	
	Tune-up Limit		6.5	6.5	

Sensor On Power

WLAN2 4GHz										
	Mode	Channel	Frequency (MHz)	Ant 0		Ant 2		Ant 0+2		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
2.4GHz WLAN	802.11b Mbps	1	2412	16.02	17.00	17.71	19.00	19.96	21.00	97.86
		6	2437	16.10	17.00	17.81	19.00	20.08	21.00	
		11	2462	16.29	17.00	17.81	19.00	20.13	21.00	
	802.11g Mbps	1	2412	15.79	17.00	17.75	19.00	19.89	21.00	99.32
		6	2437	15.85	17.00	17.75	19.00	19.93	21.00	
		11	2462	15.97	17.00	17.88	19.00	20.04	21.00	
	802.11n-HT20 MCS0	1	2412	15.47	16.00	16.48	17.00	19.01	19.50	100.00
		6	2437	15.50	16.00	16.52	17.00	19.05	19.50	
		11	2462	15.47	16.00	16.52	17.00	19.19	19.50	
	802.11n-HT40 MCS0	3	2422	15.87	16.50	15.81	16.50	18.85	19.50	100.00
		6	2437	15.98	16.50	15.79	16.50	18.90	19.50	
		9	2452	15.51	16.50	15.25	16.50	18.39	19.50	
	802.11ax-HE20 MCS0	1	2412	15.43	16.00	16.54	17.00	19.03	19.50	100.00
		6	2437	15.66	16.00	16.63	17.00	19.18	19.50	
		11	2462	15.56	16.00	16.06	17.00	18.83	19.50	
	802.11ax-HE40 MCS0	3	2422	15.86	16.50	15.86	16.50	18.92	19.50	100.00
		6	2437	16.06	16.50	15.91	16.50	19.00	19.50	
		9	2452	15.62	16.50	15.35	16.50	18.50	19.50	
WLAN5GHz										
	Mode	Channel	Frequency (MHz)	Ant 0		Ant 1		Ant 0+1		Duty Cycle %
				Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.2GHz WLAN	802.11a Mbps	36	5180	6.43	7.50	16.34	17.00	16.77	17.50	94.97
		40	5200	6.81	7.50	16.79	17.00	17.21	17.50	
		44	5220	6.76	7.50	16.60	17.00	17.03	17.50	
		48	5240	6.51	7.50	16.46	17.00	16.88	17.50	
		36	5180	6.06	7.50	14.19	15.50	14.81	16.00	
		40	5200	6.38	7.50	14.78	15.50	15.38	16.00	
	802.11n-HT20 MCS0	44	5220	6.32	7.50	14.61	15.50	15.21	16.00	100.00
		48	5240	6.22	7.50	14.37	15.50	14.99	16.00	
		36	5180	6.65	7.50	14.33	15.50	15.01	16.00	
		40	5200	7.27	7.50	16.17	16.50	16.70	17.00	
		36	5180	6.05	7.50	15.77	17.00	16.21	17.50	
		40	5200	6.31	7.50	16.37	17.00	16.78	17.50	
	802.11ac-VHT20 MCS0	44	5220	6.27	7.50	16.12	17.00	16.55	17.00	100.00
		48	5240	5.98	7.50	15.91	17.00	16.33	17.50	
		36	5180	6.96	7.50	14.96	15.50	15.60	16.00	
		40	5200	7.21	7.50	15.17	14.50	15.81	14.50	
		42	5210	6.99	7.50	14.10	14.50	14.87	15.00	
		36	5180	6.34	7.50	15.36	17.00	15.87	17.50	
	802.11ax-HE20 MCS0	40	5200	6.71	7.50	16.08	17.00	16.96	17.50	100.00
		44	5220	6.65	7.50	15.76	17.00	16.26	17.50	
		48	5240	6.53	7.50	15.56	17.00	16.07	17.50	
		36	5180	6.80	7.50	14.43	15.00	15.12	16.00	
		40	5200	7.05	7.50	15.48	16.00	16.06	16.50	
		42	5210	6.95	7.50	14.16	14.50	14.92	15.00	
5.3GHz WLAN	802.11a Mbps	52	5260	6.33	7.50	16.10	17.00	16.54	17.50	94.97
		56	5280	6.58	7.50	16.03	17.00	16.50	17.50	
		60	5300	6.67	7.50	16.06	17.00	16.54	17.50	
		64	5320	6.73	7.50	16.21	17.00	16.68	17.50	
		52	5260	5.87	7.50	14.05	15.50	14.66	16.00	
		56	5280	6.17	7.50	14.06	15.50	14.71	16.00	
	802.11n-HT20 MCS0	60	5300	6.45	7.50	14.04	15.50	14.74	16.00	100.00
		64	5320	6.52	7.50	14.07	15.50	14.77	16.00	
		54	5270	7.16	7.50	15.77	16.50	16.33	17.00	
		62	5310	7.45	7.50	15.82	16.50	15.41	17.00	
		52	5260	5.63	7.50	15.42	17.00	15.85	17.50	
		56	5280	5.91	7.50	15.46	17.00	15.92	17.50	
	802.11ac-VHT20 MCS0	60	5300	6.07	7.50	15.43	17.00	15.91	17.50	100.00
		64	5320	6.07	7.50	15.53	17.00	16.00	17.50	
		54	5270	7.10	7.50	14.78	15.50	15.44	16.00	
		62	5310	7.10	7.50	14.76	15.50	15.43	16.00	
		58	5290	6.37	7.50	15.12	16.00	15.65	16.50	
		60	5300	6.32	7.50	13.02	15.00	13.86	15.50	
	802.11ax-HE20 MCS0	52	5260	6.33	7.50	15.35	17.00	15.86	17.50	100.00
		56	5280	6.53	7.50	15.39	17.00	15.88	17.50	
		60	5300	6.62	7.50	15.39	17.00	15.74	17.50	
		64	5320	6.81	7.50	15.13	17.00	15.70	17.50	
		54	5270	7.00	7.50	15.22	17.00	15.81	17.50	
		62	5310	7.00	7.50	15.46	16.50	15.52	17.00	
	802.11ax-HE40 MCS0	58	5290	6.43	7.50	15.17	16.00	15.71	16.50	100.00
		60	5300	6.21	7.50	13.07	15.00	13.88	15.50	
5.8GHz WLAN	802.11a Mbps	100	5500	6.08	7.00	15.47	16.00	15.95	16.50	94.97
		116	5580	5.96	7.00	14.69	16.00	15.50	16.50	
		124	5600	6.11	7.00	15.07	16.00	15.89	16.50	
		132	5620	6.19	7.00	15.05	16.00	15.58	16.50	
		140	5700	5.83	7.00	14.73	16.00	15.26	16.50	
		144	5720	5.54	7.00	14.35	16.00	14.89	16.50	
	802.11n-HT20 MCS0	100	5500	6.00	7.00	14.67	15.00	15.22	16.00	100.00
		116	5580	5.42	7.00	13.55	14.00	14.17	14.50	
		124	5620	5.65	7.00	14.02	14.50	14.63	15.00	
		132	5660	6.08	7.00	14.12	14.50	14.75	15.00	
		140	5700	5.46	7.00	14.18	14.50	14.73	15.00	
		144	5720	5.20	7.00	14.02	14.50	14.36	15.00	
	802.11n-HT40 MCS0	102	5510	6.40	7.00	13.94	14.50	14.64	15.00	100.00
		110	5550	6.48	7.00	15.02	15.50	15.59	16.00	
		126	5630	6.42	7.00	14.72	15.50	15.32	16.00	
		134	5670	6.51	7.00	14.73	15.50	15.34	16.00	
		142	5710	6.31	7.00	14.81	15.50	15.38	16.00	
		100	5500	5.56	7.00	14.87	15.50	15.35	16.00	
	802.11ac-VHT20 MCS0	116	5580	5.12	7.00	14.02	14.50	14.55	14.50	100.00
		124	5620	5.55	7.00	14.41	15.00	14.94	16.00	
		132	5660	5.92	7.00	14.56	15.50	15.12	16.00	
		140	5700	5.74	7.00	14.60	14.50	15.13	15.50	
		144	5720	5.34	7.00	13.76	14.50	14.34	15.00	
		102	5510	6.47	7.00	13.98	14.50	14.69	15.00	
	802.11ac-VHT40 MCS0	110	5550	6.85	7.00	13.08	16.00	15.69	16.50	100.00
		126	5630	6.80	7.00	14.75	16.00	15.40	16.50	
		134	5670	6.62	7.00	14.76	16.00	15.41	16.50	
		142	5710	6.26	7.00	14.84	16.00	15.40	16.50	
		106	5530	6.14	7.00	13.11	14.00	13.91	14.50	
		122	5610	6.02	7.00	14.28	15.00	14.80	15.50	
	802.11ax-VHT160 MCS0	138	5690	5.84	7.00	14.16	15.00	14.77	15.00	100.00
		114	5670	5.91	7.00	11.80	12.50	12.78	13.50	
		100	5500	6.10	7.00	15.04	16.50	15.56	16.00	
		116	5580	5.60	7.00	14.17	15.50	14.74	16.00	100.00
124	5620	5.82	7.00	14.02	14.50	14.64	15.00			
132	5660	6.00	7.00	13.35	15.00	15.83	16.00			
802.11ax-HE20 MCS0	140	5700	5.68	7.00	14.66	15.00	15.18	15.50	100.00	
	144	5720	5.46	7.00	14.68	15.00	15.00	15.50		
	102	5510	6.60	7.00	14.02	14.50	14.73	15.00		
	110	5550	6.67	7.00	14.35	15.00	15.04	15.50	100.00	
126	5630	6.32	7.00	14.42	15.00	15.09	15.50			
134	5670	6.13	7.00	14.68	15.00	15.32	16.00			
802.11ax-HE40 MCS0	142	5710	6.18	7.00	14.34	14.00	14.34	14.50	100.00	
	106	5530	6.18	7.00	14.32	14.00	14.34	14.50		
	112	5610	6.16	7.00	14.32	14.00	14.34	14.50		
	138	5690	5.88	7.00	14.24	15.00	14.83	15.00	100.00	
114	5670	5.72	7.00	11.83	12.50	12.78	13.50			
5.9GHz WLAN	802.11a Mbps	149	5745	5.23	6.50	14.81	15.50	15.27	16.00	94.97
		157	5785	5.47	6.50	14.79	15.50	15.27	16.00	
		164	5745	5.10	6.50	14.77	15.50	15.35	16.00	
		149	5745	5.23	6.50	14.79	15.50	15.35	16.00	
		157	5785	4.76	6.50	14.21	15.50	14.68	16.00	
		164	5745	4.95	6.50	14.35	15.50	14.85	16.00	
	802.11n-HT20 MCS0	155	5795	4.90	6.50	14.75	15.50	15.18	16.00	100.00
		159	5795	4.97	6.50	14.71	15.50	15.18	16.00	
		149	5745	4.51	6.50	13.89	15.00	14.16	16.00	
		157	5785	4.87	6.50	13.84	15.00	14.36	16.00	
		155	5795	5.00	6.50	13.95	15.50	14.46	16.00	
		159	5795	5.06	6.50	14.62	15.50	15.26	16.00	
	802.11ac-VHT40 MCS0	151	5775	5.26	6.50	14.44	15.50	14.94	16.00	100.00
		149	5745	4.80	6.50	14.35	15.50	14.73	16.00	
		155	5795	5.26	6.50	14.62	15.50	14.85	16.00	
		157	5785	4.85	6.50	14.29	15.50	14.89	16.00	
		155	5795	4.85	6.50	14.39	15.50	14.89	16.00	
		159	5795	5.04	6.50	15.08	15.50	15.49	16.00	
802.11ax-HE40 MCS0	159	5795	5.04	6.50	15.08	15.50	15.65	16.00	100.00	
	151	5775	5.41	6.50	14.59	15.50	15.10	16.00		
	149	5745	5.23	6.50	14.59	15.50	15.10	16.00		
	157	5785	5.03	6.50	14.59	15.50	15.10	16.00		

<WIFI 6E> Indoor client

					Ant 0		Ant 1		Ant 0+1		Duty Cycle %
	Band	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	
WIFI 6E	UNII 5 (5.925-6.425GHz)	802.11a 6Mbps	1	5955	2.71	3.00	2.05	3.00	5.40	6.00	99.32
			45	6175	2.95	3.00	1.97	3.00	5.50	6.00	
			99	6415	2.52	3.00	1.77	2.95	5.17	5.95	
			1	5955	3.08	4.00	2.37	3.00	5.94	6.50	
		802.11ax-HE20 MCS0	45	6175	3.96	4.00	2.22	3.00	5.95	6.50	100.00
			99	6415	3.95	4.00	2.02	2.95	6.04	6.30	
			3	5955	5.56	6.00	4.89	5.50	8.25	8.40	
			43	6165	6.22	7.00	5.33	5.50	8.81	9.90	
		802.11ax-HE40 MCS0	99	6405	6.53	7.00	5.01	5.50	8.85	9.90	100.00
			7	5985	6.84	9.00	7.82	8.00	11.24	11.50	
			39	6145	6.37	9.00	7.45	8.00	10.54	11.50	
			87	6385	7.93	9.00	8.54	9.00	11.26	12.00	
		802.11ax-HE80 MCS0	15	6025	6.69	9.00	10.19	11.00	12.50	13.00	100.00
			47	6185	6.82	9.00	10.42	11.00	12.82	13.50	
			97	6435	4.49	5.00	3.01	4.50	6.82	7.50	
			105	6475	4.76	5.00	3.61	4.00	7.23	7.50	
	UNII 6 (6.425-6.525GHz)	802.11a 6Mbps	113	6515	4.27	5.00	3.01	4.00	6.70	7.50	99.32
			97	6435	5.49	6.00	4.00	4.50	7.82	8.90	
			105	6475	5.24	6.00	4.08	4.50	7.71	8.90	
			113	6515	5.18	6.00	4.05	4.50	7.66	8.90	
		802.11ax-HE20 MCS0	99	6445	7.97	8.00	6.26	7.00	10.21	10.50	100.00
			115	6525	6.88	7.00	5.88	6.00	9.42	9.50	
			103	6465	6.38	9.00	9.23	10.00	11.84	12.00	
			119	6545	6.67	9.00	8.98	9.00	11.64	12.00	
		802.11ax-HE160 MCS0	111	6505	6.14	9.00	11.82	12.00	13.23	13.50	100.00
			117	6535	3.88	4.00	2.52	3.00	6.26	6.50	
			149	6695	3.91	4.00	3.23	4.00	6.59	7.50	
			181	6855	3.21	4.00	2.82	3.00	6.03	6.50	
	UNII 7 (6.525-6.885GHz)	802.11a 6Mbps	117	6535	4.19	5.00	2.81	4.00	6.56	7.00	99.32
			149	6695	4.17	5.00	3.45	4.00	6.84	7.00	
			181	6855	3.82	4.00	3.11	4.00	6.49	7.00	
			123	6565	6.85	7.00	5.96	6.50	9.44	9.50	
		802.11ax-HE40 MCS0	147	6685	6.64	7.00	6.27	6.50	9.47	9.50	100.00
			179	6845	6.71	7.00	5.73	6.50	9.26	9.50	
			135	6625	8.37	8.50	8.66	10.00	11.53	12.00	
			151	6700	6.04	8.50	9.28	10.00	11.71	12.00	
		802.11ax-HE80 MCS0	157	6735	6.09	8.50	8.59	10.00	11.35	12.00	100.00
			189	6895	3.29	4.00	3.60	4.00	6.46	7.00	
			143	6685	8.06	8.50	11.87	13.00	13.38	14.00	
			189	6895	3.29	4.00	3.60	4.00	6.46	7.00	
	UNII 8 (6.885-7.125GHz)	802.11a 6Mbps	209	6995	3.74	4.00	4.54	5.00	7.17	7.50	99.32
			229	7095	3.01	4.00	2.51	3.00	5.78	6.00	
			189	6895	4.17	5.00	4.42	5.00	7.31	8.00	
			209	6995	4.49	5.00	5.27	6.00	7.91	8.00	
		802.11ax-HE20 MCS0	229	7095	3.73	4.50	3.94	4.50	6.85	7.50	100.00
			197	6985	6.39	7.00	5.98	7.00	9.20	10.00	
			203	6960	7.76	8.00	7.19	8.00	10.49	11.00	
			227	7085	5.72	7.00	5.65	8.00	9.23	9.50	
		802.11ax-HE40 MCS0	199	6945	9.96	10.00	10.16	10.50	13.07	13.30	100.00
			215	7025	6.11	9.00	8.79	9.00	11.47	12.00	
			207	6985	12.02	12.00	12.45	13.00	15.25	16.00	
			207	6985	12.02	12.00	12.45	13.00	15.25	16.00	

<Bluetooth>			Ant 0		
Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	9.41	Not Required	Not Required
	CH 39	2441	9.54	Not Required	Not Required
	CH 78	2480	9.27	Not Required	Not Required
	Tune-up Limit		10	10	10

<LE 1M/2M>			Ant 0	
Mode	Channel	Frequency (MHz)	Average power (dBm)	
			1Mbps	2Mbps
LE	CH 00	2402	Not Required	Not Required
	CH 39	2440	Not Required	Not Required
	CH 39	2480	Not Required	Not Required
	Tune-up Limit		6.6	6.5