





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504
E-mail: cttl@chinattl.com [Http://www.chinattl.cn](http://www.chinattl.cn)

Dynamic Range f(SAR_{head}) (TEM cell, f = 900 MHz)



Uncertainty of Linearity Assessment: ±0.9% (k=2)





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504
E-mail: cttl@chinattl.com [Http://www.chinattl.cn](http://www.chinattl.cn)

Conversion Factor Assessment

f=835 MHz,WGLS R9(H_convF)


f=1750 MHz,WGLS R22(H_convF)



analytical measured

analytical measured

Deviation from Isotropy in Liquid



Uncertainty of Spherical Isotropy Assessment: $\pm 3.2\%$ (K=2)



In Collaboration with
s p e a g
CALIBRATION LABORATORY

Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504
E-mail: ctl@chinattl.com [Http://www.chinattl.cn](http://www.chinattl.cn)

DASY/EASY – Parameters of Probe: EX3DV4 – SN:3962

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	151.2
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disable
Probe Overall Length	337mm
Probe Body Diameter	10mm
Tip Length	10mm
Tip Diameter	2.5mm
Probe Tip to Sensor X Calibration Point	1mm
Probe Tip to Sensor Y Calibration Point	1mm
Probe Tip to Sensor Z Calibration Point	1mm
Recommended Measurement Distance from Surface	1.4mm

Dipole D1750V2 SN 1149				
Head Liquid				
Date of Measurement	Return Loss(dB)	Δ %	Impedance (Ω)	$\Delta\Omega$
2019-05-21	-31.8	/	47.6	/
2020-05-20	-32.3	1.57%	48.9	1.3 Ω

Dipole D2600V2 SN 1125				
Head Liquid				
Date of Measurement	Return Loss(dB)	Δ %	Impedance (Ω)	$\Delta\Omega$
2019-05-20	-25.7	/	48.9	/
2020-05-20	-26.6	3.50%	50.8	1.9 Ω



Appendix E

Conducted RF Output Power Table

1	Measurement of RF conducted Power
1.1	Conducted Power of Main Antenna (Ant1)
1.2	Conducted Power of Main Antenna (Ant2)
2	Conducted Power of Uplink CA and Downlink CA
2.1	Uplink LTE CA Conducted Power of Ant1
2.2	Uplink LTE CA Conducted Power of Ant2
2.3	Downlink LTE CA Conducted Power of Ant1
2.4	Downlink LTE CA Conducted Power of Ant2
3	Conducted Power of WiFi and BT
3.1	Conducted Power of WiFi
3.2	Conducted Power of BT

1 Measurement of RF conducted Power

1.1 Conducted Power of Main Antenna (Ant1)

1.1.1 Conducted Power of GSM

GSM 850										
		Burst Output Power(dBm)			Tune up	Division Factors	Frame-Average Output Power(dBm)			Tune up
Channel		128	190	251			975	38	124	
GSM(GMSK)	GSM	32.69	32.48	32.57	34.00	-9.19	23.50	23.29	23.38	24.81
GPRS/EGPRS (GMSK)	1 TX Slot	32.68	32.47	32.56	34.00	-9.19	23.49	23.28	23.37	24.81
	2 TX Slots	29.51	29.08	29.09	30.50	-6.18	23.33	22.90	22.91	24.32
	3 TX Slots	27.79	27.30	27.31	29.00	-4.42	23.37	22.88	22.89	24.58
	4 TX Slots	26.08	25.62	25.55	27.50	-3.17	22.91	22.45	22.38	24.33
EGPRS (8PSK)	1 TX Slot	26.01	25.80	25.81	27.00	-9.19	16.82	16.61	16.62	17.81
	2 TX Slots	23.98	23.70	23.78	25.00	-6.18	17.80	17.52	17.60	18.82
	3 TX Slots	22.00	21.80	21.89	23.50	-4.42	17.58	17.38	17.47	19.08
	4 TX Slots	21.12	20.88	21.00	22.50	-3.17	17.95	17.71	17.83	19.33

GSM 1900										
		Burst Output Power(dBm)			Tune up	Division Factors	Frame-Average Output Power(dBm)			Tune up
Channel		512	661	810			512	698	885	
GSM(GMSK)	GSM	29.55	29.94	30.33	31.00	-9.19	20.36	20.75	21.14	21.81
GPRS/EGPRS (GMSK)	1 TX Slot	29.56	29.95	30.32	31.00	-9.19	20.37	20.76	21.13	21.81
	2 TX Slots	25.75	25.74	26.63	27.50	-6.18	19.57	19.56	20.45	21.32
	3 TX Slots	24.12	24.21	24.75	26.00	-4.42	19.70	19.79	20.33	21.58
	4 TX Slots	22.87	22.74	23.12	24.50	-3.17	19.70	19.57	19.95	21.33
EGPRS (8PSK)	1 TX Slot	24.74	24.50	24.76	26.00	-9.19	15.55	15.31	15.57	16.81
	2 TX Slots	22.65	22.42	22.76	24.00	-6.18	16.47	16.24	16.58	17.82
	3 TX Slots	20.55	20.38	20.76	22.00	-4.42	16.13	15.96	16.34	17.58
	4 TX Slots	19.32	19.12	19.54	21.00	-3.17	16.15	15.95	16.37	17.83

Table 1 : Conducted Power of GSM



1.1.2 Conducted Power of WCDMA

WCDMA Band II Receiver on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.98	23.95	24.08	25.00
	12.2kbps AMR	23.96	23.93	24.06	25.00
HSDPA	Subtest 1	22.90	22.88	23.04	24.00
	Subtest 2	22.87	22.84	23.00	24.00
	Subtest 3	22.48	22.36	22.56	23.50
	Subtest 4	22.44	22.39	22.50	23.50
HSUPA	Subtest 1	22.96	22.95	22.98	24.00
	Subtest 2	20.88	20.94	21.05	22.00
	Subtest 3	21.94	21.85	22.08	23.00
	Subtest 4	20.95	20.87	20.97	22.00
	Subtest 5	22.96	22.89	23.05	24.00
DC-HSDPA	Subtest 1	22.96	22.89	23.03	24.00
	Subtest 2	22.86	22.89	23.02	24.00
	Subtest 3	22.47	22.40	22.56	23.50
	Subtest 4	22.40	22.34	22.47	23.50
HSPA+	16QAM	22.77	22.82	22.91	24.00

WCDMA Band II Receiver off+Sensor on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	20.92	20.92	21.10	22.00
	12.2kbps AMR	20.90	20.90	21.09	22.00
HSDPA	Subtest 1	19.90	19.87	19.99	21.00
	Subtest 2	19.80	19.80	19.98	21.00
	Subtest 3	19.42	19.27	19.49	20.50
	Subtest 4	19.40	19.39	19.40	20.50
HSUPA	Subtest 1	19.91	19.87	19.96	21.00
	Subtest 2	17.82	17.89	18.03	19.00
	Subtest 3	18.94	18.78	19.06	20.00
	Subtest 4	17.95	17.81	17.91	19.00
	Subtest 5	19.87	19.85	20.03	21.00
DC-HSDPA	Subtest 1	19.87	19.89	20.00	21.00
	Subtest 2	19.79	19.83	19.99	21.00
	Subtest 3	19.47	19.31	19.54	20.50
	Subtest 4	19.33	19.34	19.41	20.50
HSPA+	16QAM	19.82	19.80	19.86	21.00



WCDMA Band II Receiver off+Sensor off					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	22.85	22.98	22.75	24.00
	12.2kbps AMR	22.84	22.96	22.65	24.00
HSDPA	Subtest 1	21.90	21.82	21.94	23.00
	Subtest 2	21.77	21.74	21.91	23.00
	Subtest 3	21.43	21.35	21.53	22.50
	Subtest 4	21.41	21.39	21.41	22.50
HSUPA	Subtest 1	21.92	21.87	21.95	23.00
	Subtest 2	19.83	19.93	19.99	21.00
	Subtest 3	20.87	20.75	21.06	22.00
	Subtest 4	19.88	19.83	19.92	21.00
	Subtest 5	21.89	21.84	21.99	23.00
DC-HSDPA	Subtest 1	21.91	21.79	22.02	23.00
	Subtest 2	21.85	21.81	21.97	23.00
	Subtest 3	21.47	21.38	21.51	22.50
	Subtest 4	21.32	21.29	21.42	22.50
HSPA+	16QAM	21.80	21.81	21.83	23.00

WCDMA Band IV Receiver on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	24.02	23.91	23.87	25.00
	12.2kbps AMR	24.00	23.87	23.85	25.00
HSDPA	Subtest 1	22.93	22.86	22.85	24.00
	Subtest 2	22.90	22.87	22.84	24.00
	Subtest 3	22.51	22.37	22.36	23.50
	Subtest 4	22.47	22.29	22.30	23.50
HSUPA	Subtest 1	23.01	22.87	22.82	24.00
	Subtest 2	20.99	20.80	20.79	22.00
	Subtest 3	21.98	21.86	21.80	23.00
	Subtest 4	20.99	20.77	20.79	22.00
	Subtest 5	23.00	22.85	22.77	24.00
DC-HSDPA	Subtest 1	23.02	22.86	22.87	24.00
	Subtest 2	23.00	22.79	22.82	24.00
	Subtest 3	22.44	22.32	22.30	23.50
	Subtest 4	22.47	22.27	22.33	23.50
HSPA+	16QAM	22.95	22.81	22.87	24.00



WCDMA Band IV Receiver off+Sensor on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	19.13	19.01	18.86	20.00
	12.2kbps AMR	19.12	19.00	18.85	20.00
HSDPA	Subtest 1	17.92	17.83	17.78	19.00
	Subtest 2	17.85	17.85	17.79	19.00
	Subtest 3	17.50	17.31	17.28	18.50
	Subtest 4	17.40	17.19	17.20	18.50
HSUPA	Subtest 1	17.97	17.80	17.77	19.00
	Subtest 2	15.91	15.72	15.71	17.00
	Subtest 3	16.94	16.82	16.76	18.00
	Subtest 4	15.97	15.75	15.79	17.00
	Subtest 5	17.98	17.81	17.71	19.00
DC-HSDPA	Subtest 1	17.93	17.86	17.83	19.00
	Subtest 2	17.91	17.76	17.81	19.00
	Subtest 3	17.38	17.27	17.30	18.50
	Subtest 4	17.37	17.24	17.23	18.50
HSPA+	16QAM	17.90	17.78	17.70	19.00

WCDMA Band IV Receiver off+Sensor off					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	22.89	23.01	22.99	24.00
	12.2kbps AMR	22.84	22.89	22.87	24.00
HSDPA	Subtest 1	21.92	21.78	21.79	23.00
	Subtest 2	21.87	21.85	21.76	23.00
	Subtest 3	21.43	21.35	21.33	22.50
	Subtest 4	21.38	21.19	21.24	22.50
HSUPA	Subtest 1	21.95	21.83	21.73	23.00
	Subtest 2	19.92	19.71	19.73	21.00
	Subtest 3	20.91	20.83	20.76	22.00
	Subtest 4	19.99	19.74	19.72	21.00
	Subtest 5	21.95	21.76	21.73	23.00
DC-HSDPA	Subtest 1	22.02	21.77	21.81	23.00
	Subtest 2	21.95	21.79	21.76	23.00
	Subtest 3	21.40	21.22	21.20	22.50
	Subtest 4	21.43	21.25	21.27	22.50
HSPA+	16QAM	21.87	21.76	21.68	23.00



WCDMA Band V					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	24.14	24.15	24.04	25.00
	12.2kbps AMR	24.13	24.10	24.00	25.00
HSDPA	Subtest 1	23.16	23.25	23.22	24.00
	Subtest 2	23.23	23.26	23.21	24.00
	Subtest 3	22.69	22.72	22.69	23.50
	Subtest 4	22.68	22.38	22.72	23.50
HSUPA	Subtest 1	23.23	23.28	23.24	24.00
	Subtest 2	21.22	21.26	21.23	22.00
	Subtest 3	22.26	22.27	22.23	23.00
	Subtest 4	21.24	21.22	21.28	22.00
	Subtest 5	23.30	23.30	23.30	24.00
DC-HSDPA	Subtest 1	23.11	23.15	23.19	24.00
	Subtest 2	23.17	23.17	23.13	24.00
	Subtest 3	22.59	22.68	22.66	23.50
	Subtest 4	22.60	22.30	22.64	23.50
HSPA+	16QAM	23.17	23.16	23.11	24.00

Table 2 : Conducted Power of WCDMA



1.1.3 Conducted Power of LTE

LTE Band 2 Receiver on/Receiver off/Sensor off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	23.98	24.06	24.07	25.00
		1	2	23.94	24.00	24.02	25.00
		1	5	24.01	23.99	24.01	25.00
		3	0	23.03	23.09	23.34	25.00
		3	1	23.06	23.13	23.34	25.00
		3	3	23.03	23.03	23.37	25.00
		6	0	22.01	22.02	22.29	24.00
	16QAM	1	0	22.60	22.04	22.59	24.00
		1	2	22.31	22.33	22.79	24.00
		1	5	22.28	22.47	22.50	24.00
		3	0	22.06	22.18	22.28	24.00
		3	1	22.12	22.27	22.44	24.00
		3	3	22.06	22.07	22.39	24.00
		6	0	22.00	22.14	22.62	23.00
	64QAM	1	0	21.56	21.01	21.58	23.00
		1	2	21.20	21.28	21.66	23.00
		1	5	21.20	21.43	21.41	23.00
		3	0	21.08	21.15	21.28	23.00
		3	1	21.08	21.25	21.33	23.00
		3	3	21.05	21.04	21.39	23.00
		6	0	20.90	21.14	21.56	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
3MHz	QPSK	1	0	24.05	24.01	24.05	25.00
		1	7	24.00	23.89	24.01	25.00
		1	14	23.99	24.05	24.06	25.00
		8	0	23.11	23.14	23.32	24.00
		8	4	23.14	23.08	23.40	24.00
		8	7	22.96	23.01	23.35	24.00
		15	0	23.00	23.08	23.37	24.00
	16QAM	1	0	23.74	23.68	23.74	24.00
		1	7	23.95	23.53	23.62	24.00
		1	14	23.61	22.97	23.47	24.00
		8	0	22.27	22.18	22.36	23.00
		8	4	22.12	22.11	22.34	23.00
		8	7	22.10	22.02	22.38	23.00
		15	0	22.10	22.21	22.43	23.00
	64QAM	1	0	22.64	22.59	22.61	23.00
		1	7	22.91	22.41	22.59	23.00
		1	14	22.51	21.97	22.44	23.00
		8	0	21.21	21.16	21.30	22.00
		8	4	21.10	20.99	21.25	22.00
		8	7	21.06	20.99	21.29	22.00
		15	0	20.99	21.16	21.36	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	23.97	24.06	24.15	25.00
		1	13	23.95	23.95	24.02	25.00
		1	24	23.16	23.23	23.31	25.00
		12	0	23.00	23.08	23.40	24.00
		12	6	23.14	23.10	23.39	24.00
		12	13	23.06	23.10	23.42	24.00
		25	0	23.28	23.37	23.15	24.00
	16QAM	1	0	23.22	23.67	23.68	24.00
		1	13	22.73	23.42	23.29	24.00
		1	24	22.22	22.38	22.36	24.00
		12	0	21.95	22.17	22.49	23.00
		12	6	22.09	22.15	22.45	23.00
		12	13	21.91	22.11	22.43	23.00
		25	0	21.89	22.01	22.12	23.00
	64QAM	1	0	22.20	22.60	22.66	23.00
		1	13	21.68	22.31	22.17	23.00
		1	24	21.15	21.32	21.23	23.00
		12	0	20.93	21.07	21.49	22.00
		12	6	21.01	21.09	21.45	22.00
		12	13	20.86	21.05	21.33	22.00
		25	0	20.80	20.91	21.05	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	23.95	24.10	24.12	25.00
		1	25	24.16	24.08	24.12	25.00
		1	49	23.66	24.12	23.57	25.00
		25	0	23.06	23.03	23.19	24.00
		25	13	23.04	23.06	23.25	24.00
		25	25	23.00	23.19	23.25	24.00
		50	0	23.03	23.05	23.41	24.00
	16QAM	1	0	23.52	23.44	23.75	24.00
		1	25	22.76	23.55	23.50	24.00
		1	49	23.15	22.63	22.50	24.00
		25	0	22.08	22.06	22.29	23.00
		25	13	22.00	22.01	22.26	23.00
		25	25	21.77	22.23	22.27	23.00
		50	0	22.21	22.03	22.28	23.00
	64QAM	1	0	22.48	22.44	22.63	23.00
		1	25	21.70	22.47	22.49	23.00
		1	49	22.13	21.57	21.48	23.00
		25	0	21.06	21.01	21.17	22.00
		25	13	20.97	20.99	21.23	22.00
		25	25	20.71	21.16	21.15	22.00
		50	0	21.08	21.03	21.24	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	23.45	23.47	23.77	25.00
		1	38	23.97	24.00	23.95	25.00
		1	74	23.11	23.26	23.56	25.00
		36	0	22.57	22.63	22.73	24.00
		36	18	22.58	22.69	22.84	24.00
		36	39	22.52	22.66	22.90	24.00
		75	0	22.58	22.75	22.97	24.00
	16QAM	1	0	23.31	23.60	22.72	24.00
		1	38	22.43	22.71	22.46	24.00
		1	74	22.65	22.68	22.25	24.00
		36	0	21.57	21.67	21.81	23.00
		36	18	21.62	21.79	21.89	23.00
		36	39	21.53	21.62	21.95	23.00
		75	0	21.58	21.75	21.99	23.00
	64QAM	1	0	22.24	22.51	21.65	23.00
		1	38	21.41	21.62	21.38	23.00
		1	74	21.60	21.60	21.17	23.00
		36	0	20.45	20.66	20.71	22.00
		36	18	20.60	20.75	20.88	22.00
		36	39	20.49	20.62	20.90	22.00
		75	0	20.48	20.68	20.88	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	23.25	23.36	23.45	25.00
		1	50	23.90	24.26	24.03	25.00
		1	99	23.15	23.25	23.24	25.00
		50	0	22.52	22.74	22.71	24.00
		50	25	22.44	22.56	22.62	24.00
		50	50	22.29	22.37	22.34	24.00
		100	0	22.38	22.78	22.47	24.00
	16QAM	1	0	22.41	22.57	22.79	24.00
		1	50	22.71	22.36	22.51	24.00
		1	99	22.33	22.36	22.25	24.00
		50	0	21.42	21.55	21.60	23.00
		50	25	21.47	21.56	21.64	23.00
		50	50	21.28	21.48	21.66	23.00
		100	0	21.40	21.42	21.65	23.00
	64QAM	1	0	21.39	21.52	21.79	23.00
		1	50	21.62	21.24	21.42	23.00
		1	99	21.28	21.32	21.15	23.00
		50	0	20.30	20.43	20.56	22.00
		50	25	20.41	20.44	20.62	22.00
		50	50	20.22	20.38	20.57	22.00
		100	0	20.34	20.33	20.55	22.00



LTE Band 2 Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	19.28	19.09	18.95	20.50
		1	2	19.44	19.33	19.13	20.50
		1	5	19.36	19.14	19.13	20.50
		3	0	19.15	19.33	19.12	20.50
		3	1	19.29	19.34	19.14	20.50
		3	3	19.37	19.26	19.04	20.50
	16QAM	6	0	19.23	19.41	18.97	20.50
		1	0	19.20	19.19	18.60	20.50
		1	2	19.20	19.28	19.15	20.50
		1	5	18.85	18.54	19.36	20.50
		3	0	18.74	18.78	19.05	20.50
		3	1	18.87	18.74	19.02	20.50
	64QAM	3	3	18.72	18.56	19.03	20.50
		6	0	18.68	18.64	18.99	20.50
		1	0	19.17	19.13	18.53	20.50
		1	2	19.18	19.23	19.09	20.50
		1	5	18.80	18.53	19.26	20.50
		3	0	18.65	18.78	19.00	20.50
3MHz	QPSK	3	1	18.83	18.72	18.90	20.50
		3	3	18.59	18.56	19.03	20.50
		6	0	18.56	18.58	18.94	20.50
		1	0	19.19	19.16	19.51	20.50
		1	7	19.19	19.36	19.15	20.50
		1	14	19.12	19.13	19.53	20.50
	16QAM	8	0	19.31	19.38	19.54	20.50
		8	4	19.18	19.31	19.15	20.50
		8	7	19.20	19.23	19.14	20.50
		15	0	19.25	19.30	19.15	20.50
		1	0	18.73	19.15	19.15	20.50
		1	7	18.77	19.00	19.24	20.50
	64QAM	1	14	19.03	18.99	19.15	20.50
		8	0	18.96	18.81	19.22	20.50
		8	4	18.81	18.90	19.19	20.50
		8	7	18.61	18.68	19.23	20.50
		15	0	18.77	18.85	19.05	20.50
		1	0	18.66	19.15	19.04	20.50
64QAM	1	7	18.77	18.89	19.23	20.50	
	1	14	18.99	18.99	19.03	20.50	
	8	0	18.89	18.71	19.16	20.50	
	8	4	18.80	18.85	19.06	20.50	
	8	7	18.58	18.63	19.21	20.50	
	15	0	18.68	18.83	19.03	20.50	



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	18.74	18.80	19.18	20.50
		1	13	18.87	18.70	19.09	20.50
		1	24	18.67	19.01	19.12	20.50
		12	0	18.85	18.89	19.13	20.50
		12	6	18.73	18.85	19.10	20.50
		12	13	18.89	18.91	19.08	20.50
		25	0	18.75	18.88	19.09	20.50
	16QAM	1	0	18.61	18.94	19.15	20.50
		1	13	18.90	19.14	18.96	20.50
		1	24	18.94	19.08	19.07	20.50
		12	0	18.92	18.94	19.11	20.50
		12	6	18.87	18.86	19.15	20.50
		12	13	18.80	18.86	19.17	20.50
		25	0	18.73	18.72	19.16	20.50
	64QAM	1	0	18.61	18.84	19.09	20.50
		1	13	18.82	19.10	18.85	20.50
		1	24	18.88	19.05	18.94	20.50
		12	0	18.79	18.81	19.03	20.50
		12	6	18.76	18.74	19.03	20.50
		12	13	18.76	18.73	19.05	20.50
		25	0	18.68	18.71	19.14	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	19.12	19.27	19.30	20.50
		1	25	19.05	19.22	19.46	20.50
		1	49	18.62	19.18	18.53	20.50
		25	0	19.28	19.30	19.47	20.50
		25	13	19.27	19.32	19.42	20.50
		25	25	19.12	19.35	19.15	20.50
		50	0	19.25	19.30	19.14	20.50
	16QAM	1	0	18.82	19.14	19.14	20.50
		1	25	19.05	19.15	19.14	20.50
		1	49	18.56	19.00	18.52	20.50
		25	0	19.30	19.31	19.05	20.50
		25	13	19.23	19.15	19.15	20.50
		25	25	19.01	19.43	19.42	20.50
		50	0	19.17	19.21	19.40	20.50
	64QAM	1	0	18.72	19.06	19.08	20.50
		1	25	19.02	19.13	19.08	20.50
		1	49	18.53	18.94	18.56	20.50
		25	0	19.29	19.26	19.00	20.50
		25	13	19.17	19.10	19.09	20.50
		25	25	18.93	19.43	19.34	20.50
		50	0	19.06	19.14	19.40	20.50



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	18.99	19.19	19.24	20.50
		1	38	18.67	18.92	18.58	20.50
		1	74	18.56	18.90	18.91	20.50
		36	0	18.85	18.85	19.05	20.50
		36	18	18.95	18.83	18.85	20.50
		36	39	18.84	18.82	19.16	20.50
		75	0	18.79	18.88	18.97	20.50
	16QAM	1	0	19.26	19.04	19.15	20.50
		1	38	19.24	19.02	19.27	20.50
		1	74	18.53	18.90	19.15	20.50
		36	0	18.89	18.79	18.95	20.50
		36	18	18.83	19.00	19.01	20.50
		36	39	18.77	18.96	18.87	20.50
		75	0	18.88	18.97	19.24	20.50
	64QAM	1	0	19.16	19.03	19.12	20.50
		1	38	19.14	18.93	19.26	20.50
		1	74	18.53	18.84	19.08	20.50
		36	0	18.79	18.66	18.92	20.50
		36	18	18.79	18.95	18.93	20.50
		36	39	18.66	18.93	18.77	20.50
		75	0	18.79	18.89	19.15	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	19.28	19.31	18.92	20.50
		1	50	19.35	19.55	19.17	20.50
		1	99	19.15	19.14	19.15	20.50
		50	0	18.93	19.11	19.08	20.50
		50	25	18.84	18.86	19.02	20.50
		50	50	18.70	18.79	18.96	20.50
		100	0	18.75	19.22	18.75	20.50
	16QAM	1	0	19.15	19.11	18.91	20.50
		1	50	19.04	18.57	18.81	20.50
		1	99	18.58	18.59	18.75	20.50
		50	0	18.77	18.87	18.95	20.50
		50	25	18.98	19.01	19.01	20.50
		50	50	18.53	18.75	18.51	20.50
		100	0	18.81	18.81	19.02	20.50
	64QAM	1	0	19.10	19.09	18.81	20.50
		1	50	18.99	18.58	18.68	20.50
		1	99	18.50	18.52	18.65	20.50
		50	0	18.66	18.75	18.92	20.50
		50	25	18.94	18.93	18.95	20.50
		50	50	18.52	18.68	18.54	20.50
		100	0	18.73	18.78	18.92	20.50



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 4 Receiver on&Receiver off+Sensor off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				19957	20175	20393		
1.4MHz	QPSK	1	0	23.83	23.65	23.67	25.00	
		1	2	24.00	23.61	23.63	25.00	
		1	5	23.85	23.78	23.44	25.00	
		3	0	23.70	23.76	23.72	25.00	
		3	1	23.81	23.68	23.56	25.00	
		3	3	23.66	23.59	23.44	25.00	
	16QAM	6	0	22.64	23.05	23.15	24.00	
		1	0	23.00	23.25	22.94	24.00	
		1	2	23.08	22.94	22.82	24.00	
		1	5	22.86	22.90	22.79	24.00	
		3	0	22.73	22.49	22.49	24.00	
		3	1	22.76	22.81	22.50	24.00	
	64QAM	3	3	22.90	22.24	22.39	24.00	
		6	0	22.07	21.89	21.62	23.00	
		1	0	22.78	22.56	22.66	23.00	
		1	2	22.97	22.55	22.57	23.00	
		1	5	22.79	22.67	22.33	23.00	
		3	0	22.69	22.69	22.64	23.00	
	3MHz	QPSK	3	1	22.78	22.57	22.46	23.00
			3	3	22.65	22.50	22.33	23.00
			6	0	21.52	21.82	21.83	22.00
1			0	23.90	23.57	23.60	25.00	
1			7	23.85	23.53	23.76	25.00	
1			14	23.83	23.72	23.57	25.00	
16QAM		8	0	23.10	22.83	22.75	24.00	
		8	4	22.94	22.81	22.62	24.00	
		8	7	22.91	22.76	22.66	24.00	
		15	0	22.89	22.78	22.61	24.00	
		1	0	23.58	23.24	23.03	24.00	
		1	7	23.12	23.13	23.26	24.00	
64QAM	1	14	22.72	22.90	22.68	24.00		
	8	0	22.00	21.85	21.78	23.00		
	8	4	21.99	21.87	21.74	23.00		
	8	7	21.90	21.86	21.68	23.00		
	15	0	21.93	21.85	21.39	23.00		
	1	0	22.83	22.44	22.57	23.00		
64QAM	1	7	22.76	22.51	22.75	23.00		
	1	14	22.73	22.62	22.56	23.00		
	8	0	21.98	21.73	21.65	22.00		
	8	4	21.85	21.79	21.61	22.00		
	8	7	21.91	21.75	21.60	22.00		
	15	0	21.88	21.72	21.54	22.00		



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	23.83	23.97	23.77	25.00
		1	13	24.03	23.85	23.90	25.00
		1	24	23.91	23.80	23.15	25.00
		12	0	23.03	22.95	22.71	24.00
		12	6	22.94	22.96	22.52	24.00
		12	13	22.90	22.94	22.54	24.00
	16QAM	25	0	22.98	22.94	22.83	24.00
		1	0	23.03	23.02	23.30	24.00
		1	13	23.40	23.17	23.08	24.00
		1	24	23.29	23.12	22.54	24.00
		12	0	22.20	21.94	21.77	23.00
		12	6	22.03	21.92	21.81	23.00
	64QAM	12	13	22.06	21.86	21.58	23.00
		25	0	21.98	21.83	21.59	23.00
		1	0	22.81	22.89	22.66	23.00
		1	13	23.00	22.72	22.81	23.00
		1	24	22.86	22.67	22.14	23.00
		12	0	21.93	21.86	21.65	22.00
10MHz	QPSK	12	6	21.84	21.86	21.46	22.00
		12	13	21.82	21.90	21.47	22.00
		25	0	21.90	21.85	21.83	22.00
		1	0	24.05	24.04	23.92	25.00
		1	25	23.94	23.87	23.71	25.00
		1	49	23.95	23.83	23.80	25.00
	16QAM	25	0	23.01	22.99	22.86	24.00
		25	13	23.00	22.88	22.83	24.00
		25	25	22.95	23.00	22.84	24.00
		50	0	23.04	22.95	22.84	24.00
		1	0	23.05	23.30	23.15	24.00
		1	25	23.50	23.48	23.26	24.00
64QAM	1	49	23.00	22.81	22.03	24.00	
	25	0	22.14	22.05	21.88	23.00	
	25	13	21.95	22.01	21.77	23.00	
	25	25	22.06	21.86	21.82	23.00	
	50	0	22.02	21.98	22.15	23.00	
	1	0	22.96	22.98	22.84	23.00	
10MHz	64QAM	1	25	22.84	22.81	22.61	23.00
		1	49	22.85	22.81	22.67	23.00
		25	0	21.94	21.94	21.84	22.00
		25	13	21.99	21.76	21.70	22.00
		25	25	21.87	21.90	21.82	22.00
		50	0	21.99	21.91	21.73	22.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	24.06	23.93	23.87	25.00
		1	38	23.42	23.40	23.34	25.00
		1	74	23.55	23.41	23.19	25.00
		36	0	22.30	22.44	22.52	24.00
		36	18	22.39	22.49	22.42	24.00
		36	39	22.43	22.35	22.24	24.00
	16QAM	75	0	22.46	22.44	22.19	24.00
		1	0	22.52	22.68	23.37	24.00
		1	38	23.28	22.87	22.60	24.00
		1	74	22.65	22.47	22.30	24.00
		36	0	21.30	21.43	21.54	23.00
		36	18	21.47	21.47	21.43	23.00
	64QAM	36	39	21.49	21.35	21.23	23.00
		75	0	21.43	21.34	21.36	23.00
		1	0	22.99	22.85	22.76	23.00
		1	38	22.30	22.40	22.22	23.00
		1	74	22.49	22.28	22.10	23.00
		36	0	21.28	21.44	21.45	22.00
20MHz	QPSK	36	18	21.26	21.40	21.41	22.00
		36	39	21.34	21.24	21.15	22.00
		75	0	21.36	21.43	21.11	22.00
		1	0	23.85	23.65	23.65	25.00
		1	50	23.96	24.10	24.09	25.00
		1	99	23.43	23.45	23.25	25.00
	16QAM	50	0	22.42	22.56	22.49	24.00
		50	25	22.41	22.39	22.16	24.00
		50	50	22.38	22.38	22.25	24.00
		100	0	22.39	22.61	22.36	24.00
		1	0	22.24	22.25	22.45	24.00
		1	50	22.35	22.43	22.29	24.00
	64QAM	1	99	22.28	22.25	22.36	24.00
		50	0	21.23	21.43	21.32	23.00
		50	25	21.41	21.33	21.28	23.00
		50	50	21.32	21.39	21.23	23.00
		100	0	21.50	21.41	21.22	23.00
		1	0	22.82	22.63	22.60	23.00
64QAM	1	50	22.85	23.00	22.84	23.00	
	1	99	22.39	22.44	22.12	23.00	
	50	0	21.39	21.50	21.42	22.00	
	50	25	21.37	21.34	21.09	22.00	
	50	50	21.38	21.25	21.17	22.00	
	100	0	21.31	21.61	21.23	22.00	



LTE Band 4 Receiver off+Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	18.86	18.52	18.60	20.00
		1	2	19.13	18.69	18.42	20.00
		1	5	18.98	18.66	18.23	20.00
		3	0	18.76	18.75	18.55	20.00
		3	1	18.96	18.77	18.58	20.00
		3	3	18.89	18.70	18.57	20.00
		6	0	18.77	18.64	18.45	20.00
	16QAM	1	0	19.20	19.16	18.99	20.00
		1	2	19.00	19.13	18.80	20.00
		1	5	19.09	19.11	18.52	20.00
		3	0	19.00	18.50	18.70	20.00
		3	1	19.00	18.82	18.70	20.00
		3	3	19.05	18.74	18.68	20.00
		6	0	18.89	18.80	18.76	20.00
	64QAM	1	0	18.82	18.44	18.52	20.00
		1	2	19.06	18.65	18.38	20.00
		1	5	18.89	18.63	18.10	20.00
		3	0	18.65	18.71	18.43	20.00
		3	1	18.88	18.76	18.52	20.00
		3	3	18.76	18.59	18.55	20.00
		6	0	18.73	18.52	18.35	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
3MHz	QPSK	1	0	18.79	18.58	18.42	20.00
		1	7	18.88	18.68	18.47	20.00
		1	14	18.71	18.67	18.24	20.00
		8	0	19.01	18.66	18.59	20.00
		8	4	18.83	18.73	18.60	20.00
		8	7	18.81	18.68	18.58	20.00
		15	0	18.78	18.79	18.58	20.00
	16QAM	1	0	19.11	19.10	18.71	20.00
		1	7	18.85	19.15	18.68	20.00
		1	14	18.76	19.16	18.53	20.00
		8	0	19.05	18.69	18.76	20.00
		8	4	18.89	18.97	18.68	20.00
		8	7	18.91	18.79	18.66	20.00
		15	0	18.86	18.81	18.62	20.00
	64QAM	1	0	18.72	18.45	18.30	20.00
		1	7	18.80	18.59	18.45	20.00
		1	14	18.63	18.65	18.22	20.00
		8	0	19.00	18.64	18.47	20.00
		8	4	18.81	18.69	18.51	20.00
		8	7	18.71	18.59	18.51	20.00
		15	0	18.76	18.68	18.48	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
3MHz	QPSK	1	0	18.79	18.58	18.42	20.00
		1	7	18.88	18.68	18.47	20.00
		1	14	18.71	18.67	18.24	20.00
		8	0	19.01	18.66	18.59	20.00
		8	4	18.83	18.73	18.60	20.00
		8	7	18.81	18.68	18.58	20.00
		15	0	18.78	18.79	18.58	20.00
	16QAM	1	0	19.11	19.10	18.71	20.00
		1	7	18.85	19.15	18.68	20.00
		1	14	18.76	19.16	18.53	20.00
		8	0	19.05	18.69	18.76	20.00
		8	4	18.89	18.97	18.68	20.00
		8	7	18.91	18.79	18.66	20.00
		15	0	18.86	18.81	18.62	20.00
	64QAM	1	0	18.72	18.45	18.30	20.00
		1	7	18.80	18.59	18.45	20.00
		1	14	18.63	18.65	18.22	20.00
		8	0	19.00	18.64	18.47	20.00
		8	4	18.81	18.69	18.51	20.00
		8	7	18.71	18.59	18.51	20.00
		15	0	18.76	18.68	18.48	20.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	18.94	18.70	18.64	20.00
		1	13	18.93	18.75	18.58	20.00
		1	24	18.77	18.66	18.29	20.00
		12	0	18.93	18.81	18.65	20.00
		12	6	18.86	18.77	18.69	20.00
		12	13	18.84	18.78	18.51	20.00
		25	0	18.88	18.85	18.66	20.00
	16QAM	1	0	18.92	18.88	18.79	20.00
		1	13	18.76	18.94	18.90	20.00
		1	24	19.19	18.64	18.05	20.00
		12	0	19.11	18.98	18.65	20.00
		12	6	18.93	18.87	18.77	20.00
		12	13	18.93	18.79	18.65	20.00
		25	0	19.01	18.77	18.55	20.00
	64QAM	1	0	18.94	18.61	18.63	20.00
		1	13	18.86	18.71	18.55	20.00
		1	24	18.77	18.64	18.26	20.00
		12	0	18.84	18.68	18.53	20.00
		12	6	18.82	18.65	18.60	20.00
		12	13	18.82	18.70	18.44	20.00
		25	0	18.78	18.74	18.53	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	19.20	18.84	18.54	20.00
		1	25	18.98	18.79	18.49	20.00
		1	49	18.89	18.35	18.70	20.00
		25	0	18.99	18.88	18.76	20.00
		25	13	18.84	18.81	18.72	20.00
		25	25	18.77	18.75	18.67	20.00
		50	0	18.85	18.76	18.70	20.00
	16QAM	1	0	19.15	18.94	19.04	20.00
		1	25	18.95	19.19	19.01	20.00
		1	49	18.96	18.54	18.06	20.00
		25	0	18.86	18.88	18.71	20.00
		25	13	18.99	18.84	18.70	20.00
		25	25	18.85	18.67	18.57	20.00
		50	0	18.93	18.88	18.74	20.00
	64QAM	1	0	19.11	18.82	18.41	20.00
		1	25	18.95	18.71	18.41	20.00
		1	49	18.83	18.31	18.62	20.00
		25	0	18.87	18.87	18.66	20.00
		25	13	18.79	18.74	18.72	20.00
		25	25	18.68	18.69	18.61	20.00
		50	0	18.84	18.73	18.62	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	18.76	19.10	18.94	20.00
		1	38	18.61	18.11	18.27	20.00
		1	74	18.55	18.08	18.12	20.00
		36	0	18.49	18.36	18.11	20.00
		36	18	18.32	18.20	18.09	20.00
		36	39	18.31	18.23	18.07	20.00
		75	0	18.27	18.31	18.04	20.00
	16QAM	1	0	18.96	18.98	18.56	20.00
		1	38	18.56	18.97	18.69	20.00
		1	74	18.82	18.82	18.92	20.00
		36	0	18.52	18.19	18.12	20.00
		36	18	18.25	18.15	18.13	20.00
		36	39	18.36	18.32	18.14	20.00
		75	0	18.20	18.25	18.07	20.00
	64QAM	1	0	18.75	18.99	18.91	20.00
		1	38	18.60	18.08	18.22	20.00
		1	74	18.45	18.05	18.09	20.00
		36	0	18.43	18.35	18.01	20.00
		36	18	18.27	18.12	18.09	20.00
		36	39	18.19	18.14	18.04	20.00
		75	0	18.21	18.19	18.06	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	18.88	18.77	19.12	20.00
		1	50	19.15	19.21	19.20	20.00
		1	99	18.94	18.86	18.86	20.00
		50	0	19.00	19.09	18.85	20.00
		50	25	18.86	18.93	18.63	20.00
		50	50	18.91	18.75	18.76	20.00
		100	0	19.06	19.07	18.83	20.00
	16QAM	1	0	18.89	18.92	18.88	20.00
		1	50	18.82	18.89	18.81	20.00
		1	99	18.80	18.81	18.89	20.00
		50	0	18.82	18.70	18.59	20.00
		50	25	18.44	18.50	18.35	20.00
		50	50	18.77	18.55	18.34	20.00
		100	0	18.74	18.52	18.42	20.00
	64QAM	1	0	18.84	18.69	19.02	20.00
		1	50	19.06	19.11	19.17	20.00
		1	99	18.85	18.83	18.80	20.00
		50	0	18.92	19.03	18.79	20.00
		50	25	18.81	18.90	18.51	20.00
		50	50	18.85	18.67	18.66	20.00
		100	0	19.04	18.94	18.77	20.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 5				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	23.64	23.88	23.67	25.00
		1	2	23.82	23.65	23.87	25.00
		1	5	23.46	23.64	23.66	25.00
		3	0	22.71	22.59	22.45	24.00
		3	2	22.80	22.69	22.87	24.00
		3	3	22.70	22.66	22.64	24.00
		6	0	22.45	22.65	22.55	24.00
	16QAM	1	0	22.45	22.50	22.45	24.00
		1	2	22.27	22.44	22.30	24.00
		1	5	22.31	22.49	22.35	24.00
		3	0	22.09	22.05	22.05	23.00
		3	2	22.31	22.02	21.91	23.00
		3	3	22.07	22.04	21.75	23.00
		6	0	22.04	22.00	22.16	23.00
	64QAM	1	0	21.93	21.97	21.94	23.00
		1	2	21.73	21.89	21.79	23.00
		1	5	21.79	21.96	21.83	23.00
		3	0	21.54	21.55	21.51	23.00
		3	2	21.76	21.52	21.37	23.00
		3	3	21.55	21.53	21.24	23.00
		6	0	21.51	21.46	21.66	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
3MHz	QPSK	1	0	23.72	23.98	24.01	25.00
		1	7	23.98	23.78	23.88	25.00
		1	14	23.65	23.86	23.79	25.00
		8	0	22.79	22.67	22.81	24.00
		8	4	22.74	22.79	22.86	24.00
		8	7	22.73	22.69	22.78	24.00
		15	0	23.11	23.10	23.12	24.00
	16QAM	1	0	23.31	22.99	23.64	24.00
		1	7	23.05	23.03	23.22	24.00
		1	14	23.00	23.11	23.34	24.00
		8	0	22.25	22.06	22.16	23.00
		8	4	22.17	22.10	22.23	23.00
		8	7	22.19	22.08	22.10	23.00
		15	0	22.27	22.11	22.04	23.00
	64QAM	1	0	21.90	21.95	21.93	23.00
		1	7	21.76	21.94	21.75	23.00
		1	14	21.77	21.99	21.82	23.00
		8	0	21.55	21.53	21.50	22.00
		8	4	21.78	21.48	21.41	22.00
		8	7	21.56	21.50	21.24	22.00
		15	0	21.49	21.45	21.66	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20425	20525	20625		
5MHz	QPSK	1	0	23.85	23.73	23.99	25.00	
		1	13	23.73	23.88	23.89	25.00	
		1	24	23.79	23.66	23.59	25.00	
		12	0	22.78	22.73	22.65	24.00	
		12	6	22.70	22.71	22.72	24.00	
		12	13	22.72	22.76	22.75	24.00	
	16QAM	25	0	23.07	23.14	23.13	24.00	
		1	0	23.13	23.16	23.36	24.00	
		1	13	23.29	23.16	23.72	24.00	
		1	24	23.58	23.47	23.36	24.00	
		12	0	22.15	21.97	22.09	23.00	
		12	6	22.16	22.04	22.20	23.00	
	64QAM	12	13	22.19	22.06	22.07	23.00	
		25	0	22.18	22.01	22.12	23.00	
		1	0	21.91	22.00	21.95	23.00	
		1	13	21.73	21.94	21.76	23.00	
		1	24	21.77	21.96	21.84	23.00	
		12	0	21.57	21.52	21.50	22.00	
	10MHz	QPSK	12	6	21.76	21.50	21.37	22.00
			12	13	21.57	21.53	21.25	22.00
			25	0	21.53	21.45	21.62	22.00
1			0	24.06	23.89	23.93	25.00	
1			25	24.07	24.10	23.95	25.00	
1			49	23.97	23.62	24.05	25.00	
16QAM		25	0	23.15	23.16	22.84	24.00	
		25	13	22.78	22.81	22.78	24.00	
		25	25	22.73	22.89	22.94	24.00	
		50	0	23.04	23.13	23.16	24.00	
		1	0	23.39	22.99	23.25	24.00	
		1	25	23.34	23.41	23.25	24.00	
64QAM	1	49	23.44	22.72	23.20	24.00		
	25	0	22.17	22.22	22.13	23.00		
	25	13	22.09	22.15	22.20	23.00		
	25	25	22.19	22.19	22.22	23.00		
	50	0	21.99	22.18	22.20	23.00		
	1	0	21.90	21.99	21.90	23.00		
16QAM	1	25	21.73	21.91	21.78	23.00		
	1	49	21.81	21.95	21.85	23.00		
	25	0	21.59	21.54	21.53	22.00		
	25	13	21.81	21.49	21.36	22.00		
	25	25	21.57	21.54	21.23	22.00		
	50	0	21.50	21.47	21.61	22.00		



LTE Band 7 Receiver on&Receiver off+Sensor off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20775	21100	21425		
5MHz	QPSK	1	0	23.35	23.32	23.45	25.00	
		1	13	23.35	23.58	23.87	25.00	
		1	24	23.88	23.41	23.24	25.00	
		12	0	22.51	22.48	22.09	24.00	
		12	6	22.65	22.41	22.24	24.00	
		12	13	22.37	22.38	22.87	24.00	
	16QAM	25	0	22.29	22.45	22.26	24.00	
		1	0	22.78	23.14	22.34	24.00	
		1	13	22.81	22.88	22.26	24.00	
		1	24	22.62	22.51	22.64	24.00	
		12	0	21.54	21.39	21.08	23.00	
		12	6	21.38	21.42	21.20	23.00	
	64QAM	12	13	21.36	21.45	21.25	23.00	
		25	0	21.32	21.45	21.06	23.00	
		1	0	21.94	21.90	21.60	23.00	
		1	13	21.84	21.87	21.91	23.00	
		1	24	21.73	21.74	21.56	23.00	
		12	0	20.73	20.78	20.62	22.00	
		12	6	20.81	20.66	20.64	22.00	
		12	13	20.74	20.72	20.52	22.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20800	21100	21400		
10MHz	QPSK	25	0	23.77	23.50	23.17	25.00	
		1	25	23.24	23.43	23.24	25.00	
		1	49	23.50	23.53	23.73	25.00	
		25	0	22.35	22.42	22.30	24.00	
		25	13	22.36	22.38	22.19	24.00	
		25	25	22.61	22.46	22.03	24.00	
	16QAM	50	0	22.21	22.46	22.23	24.00	
		1	0	22.58	22.83	22.58	24.00	
		1	25	22.23	22.95	22.60	24.00	
		1	49	22.85	22.75	22.32	24.00	
		25	0	21.62	21.47	21.35	23.00	
		25	13	21.35	21.34	21.17	23.00	
	64QAM	25	25	21.18	21.45	21.44	23.00	
		50	0	21.36	21.43	21.26	23.00	
		1	0	21.98	21.90	21.62	23.00	
		1	25	21.88	21.87	21.89	23.00	
		1	49	21.75	21.73	21.54	23.00	
		25	0	20.73	20.78	20.59	22.00	
		25	13	20.83	20.66	20.66	22.00	
		25	25	20.75	20.74	20.56	22.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20775	21100	21425		
5MHz	QPSK	25	0	20.75	20.71	20.55	22.00	
		1	0	21.94	21.90	21.60	23.00	
		1	13	21.84	21.87	21.91	23.00	
		1	24	21.73	21.74	21.56	23.00	
		12	0	20.73	20.78	20.62	22.00	
		12	6	20.81	20.66	20.64	22.00	
	64QAM	12	13	20.74	20.72	20.52	22.00	
		25	0	20.75	20.71	20.55	22.00	
		1	0	21.94	21.90	21.60	23.00	
		1	13	21.84	21.87	21.91	23.00	
		1	24	21.73	21.74	21.56	23.00	
		12	0	20.73	20.78	20.62	22.00	
		12	6	20.81	20.66	20.64	22.00	
		12	13	20.74	20.72	20.52	22.00	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					20800	21100	21400	
	10MHz	QPSK	25	0	23.77	23.50	23.17	25.00
			1	25	23.24	23.43	23.24	25.00
			1	49	23.50	23.53	23.73	25.00
			25	0	22.35	22.42	22.30	24.00
25			13	22.36	22.38	22.19	24.00	
25			25	22.61	22.46	22.03	24.00	
16QAM		50	0	22.21	22.46	22.23	24.00	
		1	0	22.58	22.83	22.58	24.00	
		1	25	22.23	22.95	22.60	24.00	
		1	49	22.85	22.75	22.32	24.00	
		25	0	21.62	21.47	21.35	23.00	
		25	13	21.35	21.34	21.17	23.00	
64QAM		25	25	21.18	21.45	21.44	23.00	
		50	0	21.36	21.43	21.26	23.00	
		1	0	21.98	21.90	21.62	23.00	
		1	25	21.88	21.87	21.89	23.00	
		1	49	21.75	21.73	21.54	23.00	
		25	0	20.73	20.78	20.59	22.00	
		25	13	20.83	20.66	20.66	22.00	
		25	25	20.75	20.74	20.56	22.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20775	21100	21425		
5MHz	QPSK	25	0	20.75	20.71	20.55	22.00	
		1	0	21.94	21.90	21.60	23.00	
		1	13	21.84	21.87	21.91	23.00	
		1	24	21.73	21.74	21.56	23.00	
		12	0	20.73	20.78	20.62	22.00	
		12	6	20.81	20.66	20.64	22.00	
	64QAM	12	13	20.74	20.72	20.52	22.00	
		25	0	20.75	20.71	20.55	22.00	
		1	0	21.94	21.90	21.60	23.00	
		1	13	21.84	21.87	21.91	23.00	
		1	24	21.73	21.74	21.56	23.00	
		12	0	20.73	20.78	20.62	22.00	
		12	6	20.81	20.66	20.64	22.00	
		12	13	20.74	20.72	20.52	22.00	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					20800	21100	21400	
	10MHz	QPSK	25	0	23.77	23.50	23.17	25.00
			1	25	23.24	23.43	23.24	25.00
			1	49	23.50	23.53	23.73	25.00
			25	0	22.35	22.42	22.30	24.00
25			13	22.36	22.38	22.19	24.00	
25			25	22.61	22.46	22.03	24.00	
16QAM		50	0	22.21	22.46	22.23	24.00	
		1	0	22.58	22.83	22.58	24.00	
		1	25	22.23	22.95	22.60	24.00	
		1	49	22.85	22.75	22.32	24.00	
		25	0	21.62	21.47	21.35	23.00	
		25	13	21.35	21.34	21.17	23.00	
64QAM		25	25	21.18	21.45	21.44	23.00	
		50	0	21.36	21.43	21.26	23.00	
		1	0	21.98	21.90	21.62	23.00	
		1	25	21.88	21.87	21.89	23.00	
		1	49	21.75	21.73	21.54	23.00	
		25	0	20.73	20.78	20.59	22.00	
		25	13	20.83	20.66	20.66	22.00	
		25	25	20.75	20.74	20.56	22.00	



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	23.81	23.21	23.27	25.00
		1	38	23.40	23.31	23.54	25.00
		1	74	23.56	23.55	23.45	25.00
		36	0	22.44	22.30	22.18	24.00
		36	18	22.32	22.25	22.20	24.00
		36	39	22.45	22.18	22.08	24.00
	16QAM	75	0	22.24	22.31	22.17	24.00
		1	0	22.88	22.50	22.50	24.00
		1	38	22.60	22.60	22.25	24.00
		1	74	22.65	22.62	22.10	24.00
		36	0	21.26	21.33	21.17	23.00
		36	18	21.32	21.27	21.22	23.00
	64QAM	36	39	21.48	21.17	21.08	23.00
		75	0	21.45	21.31	21.19	23.00
		1	0	21.99	21.91	21.61	23.00
		1	38	21.87	21.89	21.94	23.00
		1	74	21.74	21.73	21.56	23.00
		36	0	20.70	20.81	20.58	22.00
20MHz	QPSK	36	18	20.82	20.68	20.69	22.00
		36	39	20.74	20.73	20.57	22.00
		75	0	20.74	20.66	20.55	22.00
		1	0	23.87	23.26	23.29	25.00
		1	50	23.42	23.87	23.55	25.00
		1	99	23.59	23.59	23.49	25.00
	16QAM	50	0	22.44	23.05	22.23	24.00
		50	25	22.33	22.29	22.20	24.00
		50	50	22.49	22.20	22.11	24.00
		100	0	22.25	22.36	22.19	24.00
		1	0	22.93	22.51	22.52	24.00
		1	50	22.88	22.91	22.94	24.00
	64QAM	1	99	22.75	22.75	22.56	24.00
		50	0	21.73	21.83	21.63	23.00
		50	25	21.85	21.71	21.69	23.00
		50	50	21.79	21.74	21.57	23.00
		100	0	21.75	21.71	21.58	23.00
		1	0	21.99	21.90	21.59	23.00
64QAM	1	50	21.85	21.90	21.93	23.00	
	1	99	21.75	21.71	21.51	23.00	
	50	0	20.71	20.78	20.59	22.00	
	50	25	20.85	20.68	20.68	22.00	
	50	50	20.79	20.74	20.52	22.00	
	100	0	20.74	20.70	20.54	22.00	



LTE Band 7 Receiver off+Sensor on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20775	21100	21425		
5MHz	QPSK	1	0	19.67	19.78	19.62	21.00	
		1	13	19.92	20.01	19.70	21.00	
		1	24	19.14	19.90	19.71	21.00	
		12	0	19.82	20.05	19.66	21.00	
		12	6	19.90	19.98	19.82	21.00	
		12	13	19.90	19.94	19.68	21.00	
	16QAM	25	0	19.93	19.91	19.82	21.00	
		1	0	19.66	19.67	19.73	21.00	
		1	13	19.87	19.55	19.99	21.00	
		1	24	19.45	19.56	19.84	21.00	
		12	0	19.96	20.02	19.81	21.00	
		12	6	20.02	19.90	19.79	21.00	
	64QAM	12	13	19.94	19.96	19.79	21.00	
		25	0	19.97	19.94	19.66	21.00	
		1	0	19.62	19.65	19.72	21.00	
		1	13	19.85	19.51	19.94	21.00	
		1	24	19.45	19.51	19.80	21.00	
		12	0	19.93	20.01	19.79	21.00	
	10MHz	QPSK	12	6	19.99	19.85	19.74	21.00
			12	13	19.89	19.91	19.79	21.00
			25	0	19.97	19.90	19.61	21.00
1			0	19.93	19.92	19.79	21.00	
1			25	19.77	19.94	19.69	21.00	
1			49	19.79	19.99	19.82	21.00	
16QAM		25	0	19.87	20.02	19.76	21.00	
		25	13	19.87	19.85	19.78	21.00	
		25	25	19.92	19.85	19.85	21.00	
		50	0	19.97	19.92	19.80	21.00	
		1	0	19.78	19.71	19.74	21.00	
		1	25	19.76	19.65	19.87	21.00	
64QAM	1	49	19.85	19.45	19.88	21.00		
	25	0	19.99	19.77	19.74	21.00		
	25	13	19.88	19.86	19.65	21.00		
	25	25	19.94	19.96	19.75	21.00		
	50	0	19.83	19.94	19.73	21.00		
	1	0	19.63	19.65	19.69	21.00		
10MHz	64QAM	1	25	19.82	19.51	19.98	21.00	
		1	49	19.40	19.55	19.80	21.00	
		25	0	19.92	19.97	19.81	21.00	
		25	13	19.97	19.89	19.76	21.00	
		25	25	19.89	19.94	19.78	21.00	
		50	0	19.97	19.94	19.62	21.00	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	19.82	19.61	19.65	21.00
		1	38	19.45	19.80	19.56	21.00
		1	74	19.55	19.35	19.54	21.00
		36	0	19.31	19.29	19.16	21.00
		36	18	19.39	19.30	19.05	21.00
		36	39	19.39	19.29	19.00	21.00
		75	0	19.39	19.25	19.10	21.00
	16QAM	1	0	19.38	19.63	19.45	21.00
		1	38	19.41	19.65	19.53	21.00
		1	74	19.56	19.44	19.59	21.00
		36	0	19.16	19.25	19.06	21.00
		36	18	19.26	19.31	19.06	21.00
		36	39	19.35	19.36	19.03	21.00
		75	0	19.27	19.26	19.13	21.00
	64QAM	1	0	19.63	19.64	19.68	21.00
		1	38	19.85	19.50	19.96	21.00
		1	74	19.42	19.54	19.79	21.00
		36	0	19.91	20.00	19.81	21.00
		36	18	20.01	19.87	19.76	21.00
		36	39	19.90	19.96	19.78	21.00
		75	0	19.94	19.94	19.64	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	20.12	19.45	19.57	21.00
		1	50	19.98	20.12	19.66	21.00
		1	99	19.65	19.87	19.65	21.00
		50	0	19.56	19.66	19.65	21.00
		50	25	19.55	19.55	19.55	21.00
		50	50	19.37	19.28	19.45	21.00
		100	0	19.47	19.23	19.45	21.00
	16QAM	1	0	19.39	19.48	19.45	21.00
		1	50	19.44	19.69	19.45	21.00
		1	99	19.45	19.22	19.53	21.00
		50	0	19.47	19.37	19.17	21.00
		50	25	19.36	19.26	19.05	21.00
		50	50	19.41	19.08	19.12	21.00
		100	0	19.39	19.23	19.04	21.00
	64QAM	1	0	19.66	19.66	19.72	21.00
		1	50	19.85	19.51	19.95	21.00
		1	99	19.42	19.55	19.81	21.00
		50	0	19.92	19.99	19.77	21.00
		50	25	20.00	19.87	19.75	21.00
		50	50	19.89	19.94	19.79	21.00
		100	0	19.92	19.94	19.63	21.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 38 Receiver on&Receiver off+Sensor off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				37775	38000	38225		
5MHz	QPSK	1	0	23.73	23.89	23.92	25.00	
		1	13	23.64	23.82	23.81	25.00	
		1	24	23.83	23.87	23.78	25.00	
		12	0	22.89	23.07	22.73	24.00	
		12	6	23.03	22.93	22.77	24.00	
		12	13	23.15	22.75	22.69	24.00	
	16QAM	25	0	22.99	22.90	22.71	24.00	
		1	0	22.91	22.93	22.63	24.00	
		1	13	23.02	22.94	22.94	24.00	
		1	24	22.93	23.07	22.75	24.00	
		12	0	22.08	21.94	21.70	23.00	
		12	6	22.08	21.88	21.73	23.00	
	64QAM	12	13	22.12	21.90	21.74	23.00	
		25	0	22.01	21.83	21.65	23.00	
		1	0	21.87	22.13	22.64	23.00	
		1	13	21.96	22.61	22.17	23.00	
		1	24	22.00	22.09	22.44	23.00	
		12	0	20.92	20.99	21.03	22.00	
	10MHz	QPSK	12	6	21.47	21.16	21.06	22.00
			12	13	21.24	20.92	21.13	22.00
			25	0	21.30	21.16	21.09	22.00
1			0	23.76	23.89	23.90	25.00	
1			25	23.65	23.82	23.83	25.00	
1			49	23.79	23.86	23.78	25.00	
16QAM		25	0	22.93	23.11	22.77	24.00	
		25	13	23.06	22.93	22.76	24.00	
		25	25	23.11	22.77	22.70	24.00	
		50	0	23.03	22.94	22.69	24.00	
		1	0	22.90	22.95	22.65	24.00	
		1	25	23.03	22.95	22.92	24.00	
64QAM		1	49	22.92	23.06	22.73	24.00	
		25	0	22.12	21.90	21.70	23.00	
		25	13	22.04	21.89	21.70	23.00	
	25	25	22.12	21.92	21.76	23.00		
	50	0	22.00	21.83	21.62	23.00		
	1	0	21.88	22.10	22.64	23.00		
64QAM	1	25	21.93	22.61	22.15	23.00		
	1	49	21.98	22.13	22.39	23.00		
	25	0	20.89	21.00	21.03	22.00		
	25	13	21.47	21.16	21.11	22.00		
	25	25	21.23	20.95	21.16	22.00		
	50	0	21.30	21.15	21.09	22.00		



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	23.76	23.92	23.92	25.00
		1	38	23.63	23.84	23.83	25.00
		1	74	23.84	23.83	23.77	25.00
		36	0	22.89	23.09	22.75	24.00
		36	18	23.02	22.95	22.80	24.00
		36	39	23.12	22.74	22.68	24.00
		75	0	23.00	22.92	22.67	24.00
	16QAM	1	0	22.91	22.93	22.66	24.00
		1	38	23.03	22.96	22.90	24.00
		1	74	22.91	23.04	22.72	24.00
		36	0	22.09	21.94	21.68	23.00
		36	18	22.08	21.90	21.71	23.00
		36	39	22.14	21.90	21.73	23.00
		75	0	22.04	21.86	21.61	23.00
	64QAM	1	0	21.89	22.15	22.63	23.00
		1	38	21.96	22.62	22.18	23.00
		1	74	22.01	22.10	22.41	23.00
		36	0	20.88	20.99	21.00	22.00
		36	18	21.47	21.15	21.08	22.00
		36	39	21.23	20.94	21.13	22.00
		75	0	21.31	21.17	21.11	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37850	38000	38150	
20MHz	QPSK	1	0	23.78	23.85	23.84	25.00
		1	50	23.94	23.94	23.92	25.00
		1	99	23.64	23.87	23.80	25.00
		50	0	23.10	23.16	22.82	24.00
		50	25	22.94	22.98	22.80	24.00
		50	50	23.05	22.78	22.72	24.00
		100	0	23.04	22.95	22.71	24.00
	16QAM	1	0	22.95	22.95	22.68	24.00
		1	50	23.07	22.99	22.94	24.00
		1	99	22.95	23.09	22.77	24.00
		50	0	22.12	21.95	21.71	23.00
		50	25	22.08	21.90	21.74	23.00
		50	50	22.16	21.92	21.78	23.00
		100	0	22.05	21.88	21.65	23.00
	64QAM	1	0	21.86	22.10	22.63	23.00
		1	50	21.97	22.59	22.18	23.00
		1	99	22.00	22.12	22.42	23.00
		50	0	20.91	20.98	21.00	22.00
		50	25	21.48	21.14	21.06	22.00
		50	50	21.27	20.90	21.14	22.00
		100	0	21.29	21.18	21.09	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 38 Receiver off+Sensor on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37775	38000	38225	
5MHz	QPSK	1	0	20.57	21.06	20.81	22.00
		1	13	20.89	20.68	20.90	22.00
		1	24	20.22	20.67	20.60	22.00
		12	0	20.84	20.63	20.44	22.00
		12	6	20.98	20.74	20.49	22.00
		12	13	20.81	20.50	20.46	22.00
	16QAM	25	0	20.84	20.65	20.47	22.00
		1	0	20.77	20.76	20.37	22.00
		1	13	20.92	20.65	20.52	22.00
		1	24	20.22	20.66	20.60	22.00
		12	0	20.79	20.67	20.55	22.00
		12	6	20.95	20.74	20.53	22.00
	64QAM	12	13	20.99	20.52	20.49	22.00
		25	0	20.79	20.68	20.53	22.00
		1	0	20.76	20.71	20.33	22.00
		1	13	20.88	20.63	20.47	22.00
		1	24	20.22	20.61	20.55	22.00
		12	0	20.78	20.62	20.52	22.00
10MHz	QPSK	12	6	20.95	20.73	20.49	22.00
		12	13	20.98	20.48	20.46	22.00
		25	0	20.78	20.67	20.50	22.00
		1	0	20.57	21.04	20.84	22.00
		1	25	20.92	20.68	20.92	22.00
		1	49	20.23	20.66	20.57	22.00
	16QAM	25	0	20.85	20.62	20.43	22.00
		25	13	20.98	20.71	20.50	22.00
		25	25	20.85	20.52	20.44	22.00
		50	0	20.82	20.68	20.48	22.00
		1	0	20.80	20.79	20.40	22.00
		1	25	20.94	20.63	20.51	22.00
	64QAM	1	49	20.22	20.65	20.63	22.00
		25	0	20.77	20.66	20.56	22.00
		25	13	20.93	20.71	20.53	22.00
		25	25	21.01	20.50	20.48	22.00
		50	0	20.77	20.67	20.53	22.00
		1	0	20.73	20.76	20.34	22.00
10MHz	64QAM	1	25	20.88	20.65	20.49	22.00
		1	49	20.20	20.66	20.57	22.00
		25	0	20.78	20.62	20.55	22.00
		25	13	20.95	20.73	20.53	22.00
		25	25	20.99	20.48	20.48	22.00
		50	0	20.78	20.68	20.49	22.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	20.57	21.07	20.81	22.00
		1	38	20.91	20.69	20.93	22.00
		1	74	20.23	20.68	20.60	22.00
		36	0	20.80	20.67	20.45	22.00
		36	18	20.98	20.70	20.47	22.00
		36	39	20.82	20.51	20.46	22.00
		75	0	20.81	20.66	20.49	22.00
	16QAM	1	0	20.79	20.80	20.37	22.00
		1	38	20.92	20.62	20.51	22.00
		1	74	20.26	20.66	20.65	22.00
		36	0	20.78	20.64	20.55	22.00
		36	18	20.98	20.72	20.52	22.00
		36	39	21.01	20.50	20.49	22.00
		75	0	20.79	20.70	20.50	22.00
	64QAM	1	0	20.74	20.73	20.32	22.00
		1	38	20.91	20.61	20.48	22.00
		1	74	20.17	20.66	20.55	22.00
		36	0	20.74	20.64	20.52	22.00
		36	18	20.92	20.69	20.51	22.00
		36	39	20.97	20.50	20.47	22.00
		75	0	20.78	20.67	20.53	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37850	38000	38150	
20MHz	QPSK	1	0	21.01	21.09	21.25	22.00
		1	50	21.45	21.45	21.40	22.00
		1	99	20.65	21.11	21.00	22.00
		50	0	21.35	21.40	20.95	22.00
		50	25	21.21	21.14	20.91	22.00
		50	50	21.25	20.94	20.87	22.00
		100	0	21.24	21.10	20.89	22.00
	16QAM	1	0	21.22	21.21	20.80	22.00
		1	50	21.37	21.06	20.94	22.00
		1	99	20.63	21.06	21.05	22.00
		50	0	21.20	21.09	20.98	22.00
		50	25	21.38	21.16	20.93	22.00
		50	50	21.43	20.95	20.91	22.00
		100	0	21.21	21.12	20.93	22.00
	64QAM	1	0	21.17	21.12	20.74	22.00
		1	50	20.88	20.64	20.48	22.00
		1	99	20.18	20.66	20.58	22.00
		50	0	20.77	20.65	20.53	22.00
		50	25	20.92	20.72	20.51	22.00
		50	50	20.97	20.52	20.46	22.00
		100	0	20.77	20.63	20.52	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 41 Receiver on&Receiver off+Sensor off				Conducted Power(dBm)				Tune up	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel		
				40065	40448	40832	41215		
5MHz	QPSK	1	0	23.54	23.87	23.84	23.81	25.00	
		1	13	23.66	23.50	23.59	23.57	25.00	
		1	24	23.70	23.64	23.76	23.76	25.00	
		12	0	22.86	23.00	22.92	22.92	24.00	
		12	6	22.98	22.93	22.77	22.72	24.00	
		12	13	22.97	22.71	22.80	22.75	24.00	
	16QAM	25	0	23.01	22.91	22.81	22.79	24.00	
		1	0	22.79	22.64	22.73	22.68	24.00	
		1	13	22.78	22.63	22.81	22.81	24.00	
		1	24	22.83	22.80	22.81	22.79	24.00	
		12	0	21.93	21.76	21.97	21.94	23.00	
		12	6	22.12	21.92	21.82	21.81	23.00	
	64QAM	12	13	22.04	21.88	21.87	21.86	23.00	
		25	0	22.09	21.87	21.85	21.86	23.00	
		1	0	21.44	21.81	21.82	21.79	23.00	
		1	13	21.54	21.50	21.50	21.55	23.00	
		1	24	21.57	21.58	21.66	21.73	23.00	
		12	0	20.81	20.92	20.92	20.89	22.00	
	10MHz	QPSK	12	6	20.95	20.81	20.70	20.59	22.00
			12	13	20.88	20.58	20.74	20.72	22.00
			25	0	20.89	20.88	20.79	20.69	22.00
1			0	23.52	23.88	23.85	23.78	25.00	
1			25	23.71	23.52	23.61	23.57	25.00	
1			49	23.72	23.64	23.79	23.75	25.00	
16QAM		25	0	22.88	23.01	22.92	22.93	24.00	
		25	13	22.94	22.96	22.81	22.74	24.00	
		25	25	22.96	22.72	22.80	22.80	24.00	
		50	0	23.00	22.91	22.85	22.76	24.00	
		1	0	22.79	22.63	22.69	22.66	24.00	
		1	25	22.82	22.66	22.81	22.82	24.00	
64QAM	1	49	22.88	22.85	22.80	22.81	24.00		
	25	0	21.96	21.77	22.00	21.96	23.00		
	25	13	22.13	21.90	21.84	21.77	23.00		
	25	25	22.04	21.88	21.86	21.85	23.00		
	50	0	22.07	21.91	21.89	21.83	23.00		
	1	0	21.50	21.85	21.78	21.75	23.00		
10MHz	64QAM	1	25	21.67	21.40	21.60	21.50	23.00	
		1	49	21.64	21.57	21.73	21.71	23.00	
		25	0	20.87	20.88	20.84	20.86	22.00	
		25	13	20.93	20.95	20.68	20.70	22.00	
		25	25	20.86	20.60	20.73	20.69	22.00	
		50	0	20.95	20.88	20.77	20.75	22.00	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40115	40465	40815	41165	
15MHz	QPSK	1	0	23.54	23.84	23.80	23.80	25.00
		1	38	23.70	23.52	23.63	23.59	25.00
		1	74	23.72	23.64	23.77	23.73	25.00
		36	0	22.86	23.01	22.93	22.89	24.00
		36	18	22.96	22.93	22.80	22.74	24.00
		36	39	22.95	22.71	22.79	22.76	24.00
		75	0	23.01	22.93	22.81	22.80	24.00
	16QAM	1	0	22.80	22.66	22.71	22.67	24.00
		1	38	22.80	22.66	22.84	22.82	24.00
		1	74	22.83	22.85	22.81	22.82	24.00
		36	0	21.94	21.76	21.98	21.97	23.00
		36	18	22.17	21.91	21.82	21.79	23.00
		36	39	22.02	21.90	21.85	21.88	23.00
		75	0	22.10	21.88	21.88	21.82	23.00
	64QAM	1	0	21.49	21.84	21.78	21.71	23.00
		1	38	21.69	21.50	21.53	21.54	23.00
		1	74	21.61	21.59	21.70	21.69	23.00
		36	0	20.82	20.93	20.90	20.84	22.00
		36	18	20.90	20.84	20.70	20.64	22.00
		36	39	20.86	20.70	20.76	20.67	22.00
		75	0	20.90	20.80	20.77	20.71	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	23.51	23.84	23.62	23.82	25.00
		1	50	23.68	23.55	23.85	23.57	25.00
		1	99	23.71	23.62	23.78	23.72	25.00
		50	0	22.88	22.91	22.99	22.90	24.00
		50	25	22.98	22.94	22.79	22.76	24.00
		50	50	22.95	22.74	22.81	22.75	24.00
		100	0	23.04	22.88	22.82	22.76	24.00
	16QAM	1	0	22.80	22.65	22.70	22.68	24.00
		1	50	22.78	22.63	22.82	22.81	24.00
		1	99	22.83	22.81	22.80	22.82	24.00
		50	0	21.93	21.77	21.98	21.97	23.00
		50	25	22.14	21.94	21.85	21.77	23.00
		50	50	22.01	21.88	21.89	21.89	23.00
		100	0	22.11	21.91	21.84	21.85	23.00
	64QAM	1	0	21.38	21.82	21.79	21.81	23.00
		1	50	21.65	21.42	21.51	21.55	23.00
		1	99	21.65	21.54	21.75	21.68	23.00
		50	0	20.76	20.99	20.79	20.82	22.00
		50	25	20.96	20.90	20.77	20.70	22.00
		50	50	20.91	20.68	20.78	20.66	22.00
		100	0	21.01	20.78	20.75	20.73	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 41 Receiver off+Sensor on				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up	
				40065	40448	40832	41215		
5MHz	QPSK	1	0	21.85	21.95	21.80	21.85	23.00	
		1	13	21.72	21.63	21.65	21.70	23.00	
		1	24	21.68	21.58	21.58	21.71	23.00	
		12	0	21.61	21.53	21.50	21.60	23.00	
		12	6	21.77	21.63	21.64	21.76	23.00	
		12	13	21.73	21.61	21.64	21.70	23.00	
	16QAM	25	0	21.82	21.64	21.71	21.78	23.00	
		1	0	21.82	21.69	21.75	21.85	23.00	
		1	13	21.91	21.81	21.83	21.94	23.00	
		1	24	21.81	21.65	21.69	21.74	23.00	
		12	0	21.73	21.62	21.63	21.71	23.00	
		12	6	21.83	21.70	21.73	21.85	23.00	
	64QAM	12	13	21.72	21.58	21.62	21.71	23.00	
		25	0	21.84	21.75	21.74	21.87	23.00	
		1	0	21.82	21.88	21.78	21.82	23.00	
		1	13	21.63	21.53	21.52	21.58	23.00	
		1	24	21.67	21.48	21.56	21.66	23.00	
		12	0	20.60	20.43	20.49	20.59	22.00	
	10MHz	QPSK	12	6	20.71	20.58	20.62	20.71	22.00
			12	13	20.71	20.61	20.59	20.65	22.00
			25	0	20.72	20.63	20.63	20.68	22.00
1			0	21.84	21.99	21.83	21.83	23.00	
1			25	21.73	21.59	21.60	21.71	23.00	
1			49	21.68	21.55	21.61	21.72	23.00	
16QAM		25	0	21.63	21.51	21.49	21.58	23.00	
		25	13	21.76	21.66	21.63	21.73	23.00	
		25	25	21.74	21.57	21.65	21.73	23.00	
		50	0	21.83	21.64	21.73	21.79	23.00	
		1	0	21.85	21.68	21.72	21.86	23.00	
		1	25	21.91	21.78	21.84	21.93	23.00	
64QAM		1	49	21.82	21.67	21.67	21.75	23.00	
		25	0	21.78	21.62	21.68	21.72	23.00	
		25	13	21.84	21.69	21.73	21.82	23.00	
	25	25	21.70	21.56	21.57	21.68	23.00		
	50	0	21.86	21.75	21.75	21.84	23.00		
	1	0	21.79	21.87	21.73	21.75	23.00		
10MHz	64QAM	1	25	21.72	21.58	21.59	21.62	23.00	
		1	49	21.61	21.45	21.58	21.66	23.00	
		25	0	20.51	20.46	20.49	20.54	22.00	
		25	13	20.64	20.59	20.55	20.65	22.00	
		25	25	20.63	20.44	20.62	20.63	22.00	
		50	0	20.77	20.64	20.72	20.67	22.00	



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40115	40465	40815	41165	
15MHz	QPSK	1	0	21.87	21.95	21.83	21.86	23.00
		1	38	21.77	21.62	21.63	21.73	23.00
		1	74	21.72	21.56	21.62	21.69	23.00
		36	0	21.64	21.50	21.47	21.59	23.00
		36	18	21.79	21.66	21.64	21.76	23.00
		36	39	21.75	21.58	21.67	21.72	23.00
		75	0	21.79	21.68	21.74	21.78	23.00
	16QAM	1	0	21.84	21.70	21.71	21.84	23.00
		1	38	21.96	21.79	21.85	21.90	23.00
		1	74	21.80	21.66	21.67	21.73	23.00
		36	0	21.73	21.61	21.64	21.72	23.00
		36	18	21.83	21.67	21.68	21.81	23.00
		36	39	21.71	21.57	21.62	21.71	23.00
		75	0	21.84	21.78	21.73	21.84	23.00
	64QAM	1	0	21.83	21.93	21.72	21.77	23.00
		1	38	21.74	21.49	21.58	21.71	23.00
		1	74	21.72	21.44	21.57	21.57	23.00
		36	0	20.59	20.40	20.43	20.55	22.00
		36	18	20.68	20.53	20.58	20.68	22.00
		36	39	20.73	20.57	20.59	20.66	22.00
		75	0	20.76	20.58	20.69	20.65	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40140	40473	40807	41140	
20MHz	QPSK	1	0	21.85	21.98	21.64	21.87	23.00
		1	50	21.76	21.58	21.99	21.72	23.00
		1	99	21.72	21.59	21.59	21.71	23.00
		50	0	21.64	21.50	21.78	21.61	23.00
		50	25	21.76	21.67	21.67	21.77	23.00
		50	50	21.75	21.60	21.67	21.68	23.00
		100	0	21.79	21.69	21.73	21.79	23.00
	16QAM	1	0	21.82	21.69	21.73	21.86	23.00
		1	50	21.95	21.79	21.81	21.92	23.00
		1	99	21.81	21.64	21.66	21.76	23.00
		50	0	21.78	21.64	21.68	21.73	23.00
		50	25	21.83	21.69	21.71	21.81	23.00
		50	50	21.70	21.54	21.61	21.70	23.00
		100	0	21.86	21.75	21.74	21.84	23.00
	64QAM	1	0	21.80	21.88	21.79	21.87	23.00
		1	50	21.66	21.56	21.56	21.68	23.00
		1	99	21.66	21.52	21.48	21.65	23.00
		50	0	20.51	20.45	20.47	20.48	22.00
		50	25	20.73	20.66	20.55	20.73	22.00
		50	50	20.62	20.52	20.54	20.58	22.00
		100	0	20.66	20.67	20.62	20.77	22.00

Table 3 : Conducted Power of LTE

1.2 Conducted Power of Main Antenna (Ant2)

1.2.1 Conducted Power of GSM

GSM 850 Receiver on										
Burst Output Power(dBm)					Tune up	Division Factors	Frame-Average Output Power(dBm)			Tune up
Channel		128	190	251			975	38	124	
GSM(GMSK)	GSM	32.22	32.21	32.16	32.50	-9.19	23.03	23.02	22.97	23.31
GPRS/EGPRS (GMSK)	1 TX Slot	32.21	32.20	32.15	32.50	-9.19	23.02	23.01	22.96	23.31
	2 TX Slots	30.25	29.92	30.04	30.50	-6.18	24.07	23.74	23.86	24.32
	3 TX Slots	28.50	27.94	28.25	29.00	-4.42	24.08	23.52	23.83	24.58
	4 TX Slots	26.66	26.58	26.51	27.50	-3.17	23.49	23.41	23.34	24.33
EGPRS(8PSK)	1 TX Slot	26.68	26.68	26.56	27.00	-9.19	17.49	17.49	17.37	17.81
	2 TX Slots	24.20	24.25	24.41	25.00	-6.18	18.02	18.07	18.23	18.82
	3 TX Slots	22.68	22.69	22.68	23.50	-4.42	18.26	18.27	18.26	19.08
	4 TX Slots	21.69	21.80	21.77	22.50	-3.17	18.52	18.63	18.60	19.33

GSM 850 Receiver off										
Burst Output Power(dBm)					Tune up	Division Factors	Frame-Average Output Power(dBm)			Tune up
Channel		128	190	251			975	38	124	
GSM(GMSK)	GSM	33.46	33.29	33.42	34.00	-9.19	24.27	24.10	24.23	24.81
GPRS/EGPRS (GMSK)	1 TX Slot	33.45	33.28	33.40	34.00	-9.19	24.26	24.09	24.21	24.81
	2 TX Slots	30.15	29.82	29.94	30.50	-6.18	23.97	23.64	23.76	24.32
	3 TX Slots	28.40	27.84	28.15	29.00	-4.42	23.98	23.42	23.73	24.58
	4 TX Slots	26.56	26.48	26.41	27.50	-3.17	23.39	23.31	23.24	24.33
EGPRS(8PSK)	1 TX Slot	26.58	26.58	26.46	27.00	-9.19	17.39	17.39	17.27	17.81
	2 TX Slots	24.10	24.15	24.31	25.00	-6.18	17.92	17.97	18.13	18.82
	3 TX Slots	22.58	22.59	22.58	23.50	-4.42	18.16	18.17	18.16	19.08
	4 TX Slots	21.59	21.70	21.67	22.50	-3.17	18.42	18.53	18.50	19.33

GSM 1900										
Burst Output Power(dBm)					Tune up	Division Factors	Frame-Average Output Power(dBm)			Tune up
Channel		512	661	810			512	698	885	
GSM(GMSK)	GSM	29.74	29.65	29.95	31.00	-9.19	20.55	20.46	20.76	21.81
GPRS/EGPRS (GMSK)	1 TX Slot	29.72	29.64	29.94	31.00	-9.19	20.53	20.45	20.75	21.81
	2 TX Slots	26.12	26.22	26.85	27.50	-6.18	19.94	20.04	20.67	21.32
	3 TX Slots	24.42	24.56	25.32	26.00	-4.42	20.00	20.14	20.90	21.58
	4 TX Slots	22.62	22.80	23.56	24.50	-3.17	19.45	19.63	20.39	21.33
EGPRS(8PSK)	1 TX Slot	24.11	25.14	25.90	26.00	-9.19	14.92	15.95	16.71	16.81
	2 TX Slots	22.12	22.47	23.33	24.00	-6.18	15.94	16.29	17.15	17.82
	3 TX Slots	20.03	20.89	21.73	22.00	-4.42	15.61	16.47	17.31	17.58
	4 TX Slots	19.12	19.75	20.69	21.00	-3.17	15.95	16.58	17.52	17.83

Table 4 : Conducted Power of GSM



1.2.2 Conducted Power of WCDMA

WCDMA Band II					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	21.00	21.13	21.06	22.00
	12.2kbps AMR	20.99	21.02	21.05	22.00
HSDPA	Subtest 1	19.90	20.11	20.00	21.00
	Subtest 2	19.97	19.96	19.96	21.00
	Subtest 3	19.43	19.58	19.54	20.50
	Subtest 4	19.42	19.49	19.53	20.50
HSUPA	Subtest 1	19.98	20.10	20.05	21.00
	Subtest 2	17.97	17.95	17.96	19.00
	Subtest 3	18.96	19.11	18.99	20.00
	Subtest 4	17.94	18.00	18.00	19.00
	Subtest 5	19.99	20.08	20.01	21.00
DC-HSDPA	Subtest 1	19.94	20.09	20.05	21.00
	Subtest 2	19.90	20.02	20.05	21.00
	Subtest 3	19.46	19.57	19.53	20.50
	Subtest 4	19.39	19.50	19.45	20.50
HSPA+	16QAM	19.86	20.01	19.96	21.00

WCDMA Band IV Receiver on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	20.39	20.44	20.33	21.50
	12.2kbps AMR	20.35	20.43	20.31	21.50
HSDPA	Subtest 1	19.31	19.34	19.33	20.50
	Subtest 2	19.32	19.34	19.24	20.50
	Subtest 3	18.79	18.89	18.78	20.00
	Subtest 4	18.85	18.83	18.75	20.00
HSUPA	Subtest 1	19.29	19.44	19.32	20.50
	Subtest 2	17.35	17.42	17.25	18.50
	Subtest 3	18.34	18.37	18.29	19.50
	Subtest 4	17.26	17.38	17.25	18.50
	Subtest 5	19.37	19.39	19.28	20.50
DC-HSDPA	Subtest 1	19.37	19.42	19.31	20.50
	Subtest 2	19.33	19.39	19.27	20.50
	Subtest 3	18.83	18.89	18.83	20.00
	Subtest 4	18.79	18.88	18.74	20.00
HSPA+	16QAM	19.21	19.35	19.21	20.50



WCDMA Band IV Receiver off					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	19.85	19.95	19.82	21.00
	12.2kbps AMR	19.80	19.94	19.80	21.00
HSDPA	Subtest 1	18.85	18.95	18.77	20.00
	Subtest 2	18.80	18.94	18.76	20.00
	Subtest 3	18.35	18.45	18.27	19.50
	Subtest 4	18.30	18.44	18.27	19.50
HSUPA	Subtest 1	18.85	18.95	18.72	20.00
	Subtest 2	16.80	16.94	16.76	18.00
	Subtest 3	17.85	17.95	17.76	19.00
	Subtest 4	16.80	16.94	16.75	18.00
	Subtest 5	18.85	18.95	18.79	20.00
DC-HSDPA	Subtest 1	18.85	18.95	18.75	20.00
	Subtest 2	18.80	18.94	18.77	20.00
	Subtest 3	18.35	18.45	18.27	19.50
	Subtest 4	18.30	18.44	18.20	19.50
HSPA+	16QAM	18.76	18.82	18.66	20.00

WCDMA Band V Receiver on					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	23.35	23.36	23.28	24.00
	12.2kbps AMR	23.34	23.35	23.25	24.00
HSDPA	Subtest 1	22.31	22.15	22.47	23.00
	Subtest 2	22.37	22.23	22.49	23.00
	Subtest 3	21.88	21.71	21.65	22.50
	Subtest 4	21.55	21.74	21.60	22.50
HSUPA	Subtest 1	22.31	22.25	22.51	23.00
	Subtest 2	20.37	20.20	20.48	21.00
	Subtest 3	21.36	21.26	21.51	22.00
	Subtest 4	20.33	20.25	20.54	21.00
	Subtest 5	22.37	22.26	22.46	23.00
DC-HSDPA	Subtest 1	22.29	22.08	22.38	23.00
	Subtest 2	22.34	22.23	22.44	23.00
	Subtest 3	21.87	21.67	21.65	22.50
	Subtest 4	21.45	21.65	21.59	22.50
HSPA+	16QAM	22.15	22.16	22.47	23.00



WCDMA Band V Receiver off					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	23.95	24.08	23.91	25.00
	12.2kbps AMR	23.94	24.06	23.85	25.00
HSDPA	Subtest 1	22.85	22.70	23.02	24.00
	Subtest 2	22.84	22.72	23.03	24.00
	Subtest 3	22.39	22.23	22.17	23.50
	Subtest 4	22.03	22.22	22.15	23.50
HSUPA	Subtest 1	22.85	22.73	23.02	24.00
	Subtest 2	20.86	20.73	20.94	22.00
	Subtest 3	21.85	21.75	22.02	23.00
	Subtest 4	20.83	20.72	21.09	22.00
	Subtest 5	22.89	22.79	22.95	24.00
DC-HSDPA	Subtest 1	22.80	22.60	23.00	24.00
	Subtest 2	22.81	22.64	22.93	24.00
	Subtest 3	22.37	22.15	22.12	23.50
	Subtest 4	21.98	22.15	22.05	23.50
HSPA+	16QAM	22.81	22.66	22.96	24.00

Table 5 : Conducted Power of WCDMA



1.2.3 Conducted Power of LTE

LTE Band 2 Receiver on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18607	18900	19193		
1.4MHz	QPSK	1	0	21.12	21.48	21.44	22.50	
		1	2	21.27	21.39	21.35	22.50	
		1	5	21.26	21.50	21.44	22.50	
		3	0	21.10	21.42	21.56	22.50	
		3	1	21.23	21.35	21.11	22.50	
		3	3	21.14	21.44	21.54	22.50	
	16QAM	6	0	21.15	21.48	21.56	22.50	
		1	0	21.23	21.36	21.41	22.50	
		1	2	21.44	21.21	21.41	22.50	
		1	5	21.23	21.39	21.35	22.50	
		3	0	21.18	21.43	21.14	22.50	
		3	1	21.09	21.35	21.36	22.50	
	64QAM	3	3	21.29	21.37	21.14	22.50	
		6	0	21.23	21.45	21.35	22.50	
		1	0	21.11	21.44	21.39	22.50	
		1	2	21.18	21.38	21.29	22.50	
		1	5	21.23	21.42	21.41	22.50	
		3	0	21.03	21.37	21.53	22.50	
	3MHz	QPSK	3	1	21.20	21.24	21.09	22.50
			3	3	21.07	21.31	21.46	22.50
			6	0	20.53	20.88	20.97	22.00
1			0	21.01	21.41	21.31	22.50	
1			7	21.06	21.55	21.23	22.50	
1			14	21.10	21.55	21.34	22.50	
16QAM		8	0	21.19	21.44	21.41	22.50	
		8	4	21.14	21.51	21.40	22.50	
		8	7	21.10	21.43	21.45	22.50	
		15	0	21.11	21.38	21.47	22.50	
	1	0	21.23	21.51	21.45	22.50		
	1	7	21.04	21.45	21.44	22.50		
64QAM	1	14	21.15	21.33	21.37	22.50		
	8	0	21.12	21.14	21.61	22.50		
	8	4	21.25	21.15	21.56	22.50		
	8	7	21.15	21.35	21.51	22.50		
	15	0	21.08	21.14	21.43	22.50		
	1	0	20.99	21.40	21.25	22.50		
64QAM	1	7	21.05	21.50	21.14	22.50		
	1	14	21.08	21.50	21.23	22.50		
	8	0	20.65	20.86	20.88	22.00		
	8	4	20.56	21.01	20.79	22.00		
	8	7	20.57	20.91	20.90	22.00		
	15	0	20.50	20.82	20.86	22.00		



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				18625	18900	19175		
5MHz	QPSK	1	0	21.16	21.55	21.41	22.50	
		1	13	21.26	21.41	21.35	22.50	
		1	24	21.08	21.54	21.32	22.50	
		12	0	21.28	21.51	21.41	22.50	
		12	6	21.10	21.46	21.39	22.50	
		12	13	21.19	21.48	21.45	22.50	
	16QAM	25	0	21.28	21.48	21.49	22.50	
		1	0	21.66	21.56	21.45	22.50	
		1	13	21.25	21.55	21.35	22.50	
		1	24	20.87	21.51	21.38	22.50	
		12	0	21.31	21.52	21.46	22.50	
		12	6	21.35	21.54	21.31	22.50	
	64QAM	12	13	21.21	21.60	21.40	22.50	
		25	0	21.23	21.51	21.64	22.50	
		1	0	21.14	21.48	21.34	22.50	
		1	13	21.16	21.38	21.27	22.50	
		1	24	20.99	21.54	21.30	22.50	
		12	0	20.67	20.91	20.86	22.00	
	10MHz	QPSK	12	6	20.59	20.95	20.82	22.00
			12	13	20.56	20.91	20.90	22.00
			25	0	20.75	20.85	20.87	22.00
1			0	21.07	21.53	21.10	22.50	
1			25	21.18	21.50	21.26	22.50	
1			49	21.23	21.41	21.12	22.50	
16QAM		25	0	21.14	21.51	21.19	22.50	
		25	13	21.11	21.44	21.29	22.50	
		25	25	21.15	21.37	21.31	22.50	
		50	0	21.17	21.44	21.31	22.50	
		1	0	21.60	21.45	21.55	22.50	
		1	25	21.06	21.58	21.12	22.50	
64QAM	1	49	20.71	21.55	21.12	22.50		
	25	0	21.15	21.54	21.32	22.50		
	25	13	21.16	21.37	21.27	22.50		
	25	25	21.15	21.45	21.50	22.50		
	50	0	21.20	21.48	21.30	22.50		
	1	0	20.95	21.46	21.03	22.50		
64QAM	1	25	21.16	21.43	21.25	22.50		
	1	49	21.12	21.39	21.11	22.50		
	25	0	20.57	20.99	20.63	22.00		
	25	13	20.54	20.93	20.66	22.00		
	25	25	20.60	20.78	20.81	22.00		
	50	0	20.58	20.84	20.79	22.00		



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	20.97	21.25	21.32	22.50
		1	38	20.54	21.21	21.06	22.50
		1	74	20.59	21.21	21.12	22.50
		36	0	21.21	21.22	21.08	22.50
		36	18	21.27	21.41	21.27	22.50
		36	39	21.23	21.33	21.49	22.50
		75	0	21.13	21.25	21.27	22.50
	16QAM	1	0	21.66	21.12	21.58	22.50
		1	38	21.23	21.28	21.31	22.50
		1	74	20.61	21.49	21.11	22.50
		36	0	21.25	21.29	21.26	22.50
		36	18	21.24	21.43	21.34	22.50
		36	39	21.21	21.29	21.38	22.50
		75	0	21.08	21.34	21.24	22.50
	64QAM	1	0	20.89	21.15	21.32	22.50
		1	38	20.50	21.15	20.96	22.50
		1	74	20.56	21.09	21.05	22.50
		36	0	20.59	20.71	20.56	22.00
		36	18	20.76	20.79	20.64	22.00
		36	39	20.64	20.78	20.92	22.00
		75	0	20.60	20.69	20.74	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	21.42	21.67	21.41	22.50
		1	50	21.56	21.69	21.55	22.50
		1	99	20.88	21.00	21.45	22.50
		50	0	21.33	21.38	21.36	22.50
		50	25	21.27	21.35	21.20	22.50
		50	50	21.24	21.26	21.29	22.50
		100	0	21.28	21.33	21.25	22.50
	16QAM	1	0	21.56	21.44	21.45	22.50
		1	50	21.35	21.38	21.55	22.50
		1	99	21.39	21.47	21.65	22.50
		50	0	21.33	21.29	21.16	22.50
		50	25	21.33	21.28	21.33	22.50
		50	50	21.28	21.25	21.49	22.50
		100	0	21.28	21.26	21.35	22.50
	64QAM	1	0	21.29	21.64	21.30	22.50
		1	50	21.51	21.62	21.53	22.50
		1	99	20.77	20.95	21.41	22.50
		50	0	20.82	20.76	20.78	22.00
		50	25	20.70	20.78	20.68	22.00
		50	50	20.66	20.68	20.70	22.00
		100	0	20.75	20.81	20.62	22.00



LTE Band 2 Receiver off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	20.62	20.93	20.94	22.00
		1	2	20.75	20.84	20.85	22.00
		1	5	20.73	21.00	20.91	22.00
		3	0	20.60	20.87	21.03	22.00
		3	1	20.71	20.82	20.61	22.00
		3	3	20.62	20.91	21.03	22.00
	16QAM	6	0	20.63	20.93	21.06	22.00
		1	0	20.70	20.84	20.86	22.00
		1	2	20.93	20.66	20.87	22.00
		1	5	20.73	20.89	20.84	22.00
		3	0	20.64	20.93	20.62	22.00
		3	1	20.58	20.83	20.86	22.00
	64QAM	3	3	20.79	20.82	20.60	22.00
		6	0	20.71	20.93	20.83	22.00
		1	0	20.60	20.83	20.89	22.00
		1	2	20.72	20.74	20.85	22.00
		1	5	20.64	20.88	20.88	22.00
		3	0	20.54	20.81	20.97	22.00
3MHz	QPSK	3	1	20.71	20.76	20.53	22.00
		3	3	20.60	20.82	20.92	22.00
		6	0	20.50	20.92	20.93	22.00
		1	0	20.51	20.91	20.77	22.00
		1	7	20.55	21.05	20.68	22.00
		1	14	20.59	21.03	20.83	22.00
	16QAM	8	0	20.67	20.89	20.90	22.00
		8	4	20.63	20.99	20.88	22.00
		8	7	20.57	20.89	20.94	22.00
		15	0	20.60	20.84	20.97	22.00
		1	0	20.70	20.99	20.90	22.00
		1	7	20.49	20.90	20.94	22.00
	64QAM	1	14	20.63	20.83	20.84	22.00
		8	0	20.58	20.64	21.09	22.00
		8	4	20.74	20.65	21.01	22.00
		8	7	20.60	20.81	21.01	22.00
		15	0	20.56	20.64	20.88	22.00
		1	0	20.46	20.91	20.65	22.00
	64QAM	1	7	20.55	20.95	20.59	22.00
		1	14	20.47	20.93	20.77	22.00
		8	0	20.65	20.87	20.78	22.00
		8	4	20.60	20.97	20.84	22.00
		8	7	20.44	20.77	20.89	22.00
		15	0	20.56	20.84	20.97	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	-20.41	1	0	20.65	21.03	20.88	22.00
		1	13	20.73	20.89	20.83	22.00
		1	24	20.56	21.04	20.78	22.00
		12	0	20.78	21.01	20.86	22.00
		12	6	20.56	20.91	20.85	22.00
		12	13	20.67	20.95	20.90	22.00
		25	0	20.78	20.93	20.95	22.00
	16QAM	1	0	21.00	21.01	20.90	22.00
		1	13	20.74	21.00	20.80	22.00
		1	24	20.32	21.01	20.85	22.00
		12	0	20.77	21.00	20.92	22.00
		12	6	20.80	21.03	20.76	22.00
		12	13	20.66	21.07	20.90	22.00
		25	0	20.68	20.97	21.11	22.00
	64QAM	1	0	20.62	20.92	20.75	22.00
		1	13	20.70	20.81	20.76	22.00
		1	24	20.50	21.01	20.78	22.00
		12	0	20.72	20.99	20.80	22.00
		12	6	20.53	20.82	20.72	22.00
		12	13	20.64	20.88	20.77	22.00
		25	0	20.68	20.81	20.85	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	20.57	21.00	20.57	22.00
		1	25	20.67	20.97	20.73	22.00
		1	49	20.72	20.91	20.57	22.00
		25	0	20.61	20.96	20.65	22.00
		25	13	20.56	20.90	20.74	22.00
		25	25	20.64	20.83	20.77	22.00
		50	0	20.62	20.90	20.78	22.00
	16QAM	1	0	21.05	20.93	21.01	22.00
		1	25	20.55	21.05	20.60	22.00
		1	49	20.18	21.04	20.59	22.00
		25	0	20.62	21.00	20.77	22.00
		25	13	20.63	20.86	20.75	22.00
		25	25	20.65	20.94	20.97	22.00
		50	0	20.66	20.93	20.77	22.00
	64QAM	1	0	20.55	20.91	20.46	22.00
		1	25	20.55	20.96	20.64	22.00
		1	49	20.68	20.80	20.51	22.00
		25	0	20.52	20.83	20.64	22.00
		25	13	20.52	20.89	20.62	22.00
		25	25	20.59	20.70	20.68	22.00
		50	0	20.62	20.82	20.77	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	20.42	20.74	20.82	22.00
		1	38	20.01	20.69	20.51	22.00
		1	74	20.04	20.69	20.61	22.00
		36	0	20.67	20.68	20.57	22.00
		36	18	20.76	20.88	20.77	22.00
		36	39	20.71	20.79	20.96	22.00
		75	0	20.61	20.72	20.77	22.00
	16QAM	1	0	21.00	20.58	21.07	22.00
		1	38	20.71	20.75	20.76	22.00
		1	74	20.01	20.96	20.58	22.00
		36	0	20.73	20.78	20.76	22.00
		36	18	20.70	20.89	20.84	22.00
		36	39	20.69	20.79	20.87	22.00
		75	0	20.55	20.79	20.69	22.00
	64QAM	1	0	20.41	20.62	20.80	22.00
		1	38	20.07	20.61	20.39	22.00
		1	74	20.02	20.62	20.50	22.00
		36	0	20.67	20.60	20.51	22.00
		36	18	20.66	20.79	20.74	22.00
		36	39	20.62	20.67	20.91	22.00
		75	0	20.59	20.71	20.69	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	21.06	20.68	20.88	22.00
		1	50	21.01	21.14	21.05	22.00
		1	99	20.36	20.49	20.91	22.00
		50	0	20.83	20.85	20.84	22.00
		50	25	20.74	20.82	20.70	22.00
		50	50	20.69	20.71	20.76	22.00
		100	0	20.75	20.83	20.73	22.00
	16QAM	1	0	21.06	20.91	20.92	22.00
		1	50	20.85	20.85	21.01	22.00
		1	99	20.86	20.95	21.05	22.00
		50	0	20.79	20.76	20.63	22.00
		50	25	20.83	20.76	20.78	22.00
		50	50	20.75	20.73	20.95	22.00
		100	0	20.75	20.73	20.80	22.00
	64QAM	1	0	21.00	20.63	20.76	22.00
		1	50	21.00	21.10	20.94	22.00
		1	99	20.23	20.45	20.91	22.00
		50	0	20.70	20.83	20.71	22.00
		50	25	20.74	20.76	20.61	22.00
		50	50	20.69	20.65	20.76	22.00
		100	0	20.69	20.75	20.67	22.00



LTE Band 4 Receiver on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	19.98	20.03	19.93	21.00
		1	2	19.74	19.88	19.68	21.00
		1	5	19.97	20.00	19.65	21.00
		3	0	20.06	20.06	19.70	21.00
		3	1	19.96	20.08	19.82	21.00
		3	3	19.85	19.97	19.72	21.00
	16QAM	6	0	19.98	20.11	19.74	21.00
		1	0	19.99	19.99	19.90	21.00
		1	2	19.99	20.03	20.06	21.00
		1	5	19.88	19.98	19.56	21.00
		3	0	19.82	20.08	19.79	21.00
		3	1	19.85	20.05	19.77	21.00
	64QAM	3	3	20.01	20.00	19.96	21.00
		6	0	19.93	20.12	19.76	21.00
		1	0	19.97	20.03	19.84	21.00
		1	2	19.70	19.82	19.60	21.00
		1	5	19.88	19.96	19.57	21.00
		3	0	20.03	20.05	19.65	21.00
3MHz	QPSK	3	1	19.93	20.07	19.73	21.00
		3	3	19.77	19.94	19.65	21.00
		6	0	19.97	20.08	19.72	21.00
		1	0	19.75	20.06	19.80	21.00
		1	7	19.62	19.97	19.63	21.00
		1	14	19.97	20.02	19.59	21.00
	16QAM	8	0	20.02	20.12	19.84	21.00
		8	4	19.98	20.00	19.84	21.00
		8	7	19.87	20.01	19.88	21.00
		15	0	19.84	20.05	19.71	21.00
		1	0	19.98	19.89	19.92	21.00
		1	7	19.99	19.88	19.84	21.00
64QAM	1	14	19.95	19.96	19.32	21.00	
	8	0	20.01	20.11	19.93	21.00	
	8	4	19.98	20.01	19.96	21.00	
	8	7	19.98	20.03	19.92	21.00	
	15	0	19.79	20.10	19.92	21.00	
	1	0	19.64	19.95	19.74	21.00	
	64QAM	1	7	19.57	19.87	19.58	21.00
		1	14	19.97	20.01	19.46	21.00
		8	0	19.97	20.04	19.83	21.00
		8	4	19.86	19.88	19.72	21.00
		8	7	19.84	19.89	19.81	21.00
		15	0	19.78	20.03	19.68	21.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	19.97	19.98	19.85	21.00
		1	13	20.12	19.99	19.81	21.00
		1	24	19.82	19.96	19.22	21.00
		12	0	20.09	20.08	19.85	21.00
		12	6	19.91	20.01	19.92	21.00
		12	13	19.91	20.03	19.76	21.00
		25	0	19.95	20.00	19.94	21.00
	16QAM	1	0	19.98	20.10	19.90	21.00
		1	13	19.99	20.06	19.99	21.00
		1	24	19.93	20.00	19.42	21.00
		12	0	19.99	19.89	19.93	21.00
		12	6	20.00	19.88	19.85	21.00
		12	13	19.96	19.74	19.73	21.00
		25	0	19.89	19.68	20.00	21.00
	64QAM	1	0	19.91	19.88	19.74	21.00
		1	13	20.05	19.87	19.72	21.00
		1	24	19.81	19.85	19.21	21.00
		12	0	19.96	20.04	19.73	21.00
		12	6	19.91	19.99	19.89	21.00
		12	13	19.84	20.00	19.75	21.00
		25	0	19.87	19.88	19.91	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	19.97	20.10	19.93	21.00
		1	25	19.95	20.03	19.78	21.00
		1	49	20.11	20.05	19.65	21.00
		25	0	20.07	20.03	19.99	21.00
		25	13	19.99	20.10	20.00	21.00
		25	25	19.94	20.12	20.03	21.00
		50	0	19.83	20.08	20.01	21.00
	16QAM	1	0	20.05	19.99	20.01	21.00
		1	25	20.03	19.98	19.99	21.00
		1	49	20.10	20.00	19.98	21.00
		25	0	19.83	20.03	19.93	21.00
		25	13	19.98	20.01	19.93	21.00
		25	25	19.68	19.92	19.91	21.00
		50	0	19.85	20.02	20.03	21.00
	64QAM	1	0	19.87	20.07	19.89	21.00
		1	25	19.85	19.94	19.78	21.00
		1	49	20.06	20.05	19.63	21.00
		25	0	20.06	19.96	19.94	21.00
		25	13	19.92	19.98	19.99	21.00
		25	25	19.90	20.12	20.00	21.00
		50	0	19.73	19.95	20.01	21.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	20.03	20.06	20.01	21.00
		1	38	19.44	19.70	19.34	21.00
		1	74	19.47	19.44	19.56	21.00
		36	0	19.49	19.70	19.47	21.00
		36	18	19.32	19.64	19.44	21.00
		36	39	19.32	19.66	19.49	21.00
		75	0	19.36	19.58	19.34	21.00
	16QAM	1	0	20.02	20.02	19.10	21.00
		1	38	20.01	20.03	19.78	21.00
		1	74	19.12	19.51	19.88	21.00
		36	0	19.46	19.70	19.49	21.00
		36	18	19.34	19.56	19.61	21.00
		36	39	19.36	19.70	19.38	21.00
		75	0	19.28	19.67	19.31	21.00
	64QAM	1	0	19.96	19.97	19.89	21.00
		1	38	19.31	19.62	19.25	21.00
		1	74	19.38	19.35	19.49	21.00
		36	0	19.40	19.60	19.37	21.00
		36	18	19.28	19.64	19.36	21.00
		36	39	19.21	19.63	19.44	21.00
		75	0	19.32	19.49	19.23	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	19.74	19.89	19.54	21.00
		1	50	20.03	20.13	20.01	21.00
		1	99	19.14	19.88	19.56	21.00
		50	0	19.79	19.97	19.60	21.00
		50	25	19.69	19.52	19.44	21.00
		50	50	19.75	19.57	19.32	21.00
		100	0	19.60	20.06	19.48	21.00
	16QAM	1	0	20.05	20.00	20.00	21.00
		1	50	20.06	20.01	19.81	21.00
		1	99	19.24	19.73	19.32	21.00
		50	0	19.96	19.79	19.57	21.00
		50	25	19.71	19.64	19.36	21.00
		50	50	19.73	19.60	19.43	21.00
		100	0	19.99	19.61	19.36	21.00
	64QAM	1	0	19.71	19.81	19.51	21.00
		1	50	19.93	20.02	19.99	21.00
		1	99	19.11	19.80	19.50	21.00
		50	0	19.77	19.84	19.57	21.00
		50	25	19.57	19.39	19.38	21.00
		50	50	19.65	19.52	19.19	21.00
		100	0	19.55	19.97	19.37	21.00



LTE Band 4 Receiver off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	23.75	23.51	23.08	25.00
		1	2	24.14	23.53	23.02	25.00
		1	5	23.96	23.43	23.25	25.00
		3	0	23.90	23.55	23.43	25.00
		3	1	23.83	23.67	23.41	25.00
		3	3	23.92	23.59	23.21	25.00
		6	0	22.88	22.57	22.28	24.00
	16QAM	1	0	22.94	22.43	22.48	24.00
		1	2	23.44	23.19	22.97	24.00
		1	5	23.10	23.00	22.54	24.00
		3	0	22.77	22.57	22.11	24.00
		3	1	22.99	22.53	22.14	24.00
		3	3	22.78	22.48	22.24	24.00
		6	0	21.94	21.52	21.05	23.00
	64QAM	1	0	21.68	21.50	21.00	23.00
		1	2	22.01	21.52	21.06	23.00
		1	5	21.94	21.41	21.22	23.00
		3	0	21.82	21.55	21.31	23.00
		3	1	21.75	21.62	21.39	23.00
		3	3	21.87	21.47	21.11	23.00
		6	0	20.86	20.48	20.21	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
3MHz	QPSK	1	0	23.93	23.52	23.20	25.00
		1	7	23.96	23.73	23.13	25.00
		1	14	23.83	23.68	23.24	25.00
		8	0	23.02	22.65	22.28	24.00
		8	4	22.91	22.64	22.34	24.00
		8	7	22.92	22.52	22.40	24.00
		15	0	23.04	22.58	22.34	24.00
	16QAM	1	0	23.23	23.21	23.07	24.00
		1	7	23.38	23.02	22.97	24.00
		1	14	22.64	22.88	22.38	24.00
		8	0	22.06	21.70	21.50	23.00
		8	4	22.08	21.66	21.55	23.00
		8	7	21.91	21.65	21.39	23.00
		15	0	22.16	21.57	21.32	23.00
	64QAM	1	0	21.88	21.43	21.17	23.00
		1	7	21.83	21.65	21.04	23.00
		1	14	21.74	21.56	21.14	23.00
		8	0	21.00	20.62	20.15	22.00
		8	4	20.81	20.56	20.28	22.00
		8	7	20.88	20.39	20.37	22.00
		15	0	21.02	20.55	20.34	22.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	23.78	23.66	23.33	25.00
		1	13	24.13	23.65	23.38	25.00
		1	24	23.86	23.58	23.07	25.00
		12	0	22.90	22.65	22.45	24.00
		12	6	22.93	22.63	22.28	24.00
		12	13	23.03	22.61	22.16	24.00
		25	0	23.15	22.64	22.47	24.00
	16QAM	1	0	23.51	23.35	23.08	24.00
		1	13	23.45	23.36	22.23	24.00
		1	24	22.97	22.77	22.10	24.00
		12	0	22.11	21.63	21.34	23.00
		12	6	21.97	21.71	21.46	23.00
		12	13	22.01	21.76	21.20	23.00
		25	0	22.21	21.58	21.36	23.00
	64QAM	1	0	21.66	21.63	21.24	23.00
		1	13	22.02	21.63	21.25	23.00
		1	24	21.84	21.50	21.01	23.00
		12	0	20.90	20.58	20.33	22.00
		12	6	20.80	20.62	20.17	22.00
		12	13	20.96	20.60	20.14	22.00
		25	0	21.05	20.58	20.41	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	24.24	24.00	23.69	25.00
		1	25	23.95	23.51	23.51	25.00
		1	49	24.05	23.88	23.05	25.00
		25	0	22.87	22.70	22.43	24.00
		25	13	22.94	22.69	22.41	24.00
		25	25	22.85	22.69	22.28	24.00
		50	0	22.88	22.70	22.44	24.00
	16QAM	1	0	23.55	23.57	22.65	24.00
		1	25	23.42	22.60	22.70	24.00
		1	49	22.71	22.64	22.08	24.00
		25	0	22.04	21.79	21.56	23.00
		25	13	21.99	21.75	21.52	23.00
		25	25	21.83	21.66	21.41	23.00
		50	0	22.03	21.74	21.55	23.00
	64QAM	1	0	22.14	21.94	21.63	23.00
		1	25	21.85	21.48	21.44	23.00
		1	49	22.02	21.80	21.09	23.00
		25	0	20.75	20.67	20.31	22.00
		25	13	20.94	20.65	20.30	22.00
		25	25	20.76	20.64	20.22	22.00
		50	0	20.86	20.60	20.32	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	24.24	24.00	23.69	25.00
		1	25	23.95	23.51	23.51	25.00
		1	49	24.05	23.88	23.05	25.00
		25	0	22.87	22.70	22.43	24.00
		25	13	22.94	22.69	22.41	24.00
		25	25	22.85	22.69	22.28	24.00
		50	0	22.88	22.70	22.44	24.00
	16QAM	1	0	23.55	23.57	22.65	24.00
		1	25	23.42	22.60	22.70	24.00
		1	49	22.71	22.64	22.08	24.00
		25	0	22.04	21.79	21.56	23.00
		25	13	21.99	21.75	21.52	23.00
		25	25	21.83	21.66	21.41	23.00
		50	0	22.03	21.74	21.55	23.00
	64QAM	1	0	22.14	21.94	21.63	23.00
		1	25	21.85	21.48	21.44	23.00
		1	49	22.02	21.80	21.09	23.00
		25	0	20.75	20.67	20.31	22.00
		25	13	20.94	20.65	20.30	22.00
		25	25	20.76	20.64	20.22	22.00
		50	0	20.86	20.60	20.32	22.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	24.46	23.87	23.94	25.00
		1	38	23.22	23.10	23.07	25.00
		1	74	23.37	23.36	23.08	25.00
		36	0	22.54	22.13	22.04	24.00
		36	18	22.38	22.09	22.21	24.00
		36	39	22.42	22.09	22.09	24.00
		75	0	22.31	22.10	22.04	24.00
	16QAM	1	0	23.09	22.66	22.33	24.00
		1	38	22.65	22.52	22.35	24.00
		1	74	22.08	22.04	22.03	24.00
		36	0	21.65	21.11	21.01	23.00
		36	18	21.26	21.20	21.06	23.00
		36	39	21.30	21.06	21.04	23.00
		75	0	21.30	21.17	21.02	23.00
	64QAM	1	0	22.34	21.78	21.82	23.00
		1	38	21.12	21.03	21.05	23.00
		1	74	21.30	21.36	21.07	23.00
		36	0	20.51	20.02	21.02	22.00
		36	18	20.32	20.05	20.13	22.00
		36	39	20.40	20.04	20.07	22.00
		75	0	20.18	20.03	20.03	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	23.21	23.04	23.06	25.00
		1	50	23.88	23.92	23.42	25.00
		1	99	23.04	23.07	23.09	25.00
		50	0	22.46	22.47	22.00	24.00
		50	25	22.29	22.31	22.08	24.00
		50	50	22.32	22.06	22.07	24.00
		100	0	22.21	22.09	22.09	24.00
	16QAM	1	0	23.10	22.74	22.38	24.00
		1	50	22.36	22.37	22.63	24.00
		1	99	22.06	22.23	22.02	24.00
		50	0	21.40	21.25	21.02	23.00
		50	25	21.25	21.09	21.02	23.00
		50	50	21.17	21.06	21.01	23.00
		100	0	21.47	21.07	22.04	23.00
	64QAM	1	0	21.15	21.03	21.09	23.00
		1	50	21.72	21.83	21.35	23.00
		1	99	21.05	21.04	21.02	23.00
		50	0	20.36	20.18	20.09	22.00
		50	25	20.16	20.32	20.08	22.00
		50	50	20.19	20.03	20.09	22.00
		100	0	20.18	20.03	20.06	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 5 Receiver on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	23.05	23.01	22.96	24.00
		1	2	22.82	22.80	22.90	24.00
		1	5	22.89	22.85	22.78	24.00
		3	0	22.95	22.80	22.84	24.00
		3	2	22.91	22.91	22.98	24.00
		3	3	22.84	22.88	22.80	24.00
	16QAM	6	0	22.80	22.83	22.81	24.00
		1	0	22.75	22.85	23.00	24.00
		1	2	22.95	22.91	23.04	24.00
		1	5	22.86	23.08	23.01	24.00
		3	0	22.84	22.79	22.91	24.00
		3	2	22.87	22.86	23.05	24.00
	64QAM	3	3	22.80	22.93	22.85	24.00
		6	0	22.03	21.77	21.87	23.00
		1	0	21.75	21.81	21.97	23.00
		1	2	21.90	21.88	22.00	23.00
		1	5	21.81	22.05	21.98	23.00
		3	0	21.80	21.75	21.86	23.00
3MHz	QPSK	3	2	21.87	21.86	22.02	23.00
		3	3	21.80	21.91	21.84	23.00
		6	0	21.00	20.74	20.85	22.00
		1	0	22.87	22.87	22.96	24.00
		1	7	22.76	23.02	22.98	24.00
		1	14	22.83	22.74	22.79	24.00
	16QAM	8	0	22.89	22.87	22.94	24.00
		8	4	22.88	22.86	22.89	24.00
		8	7	22.83	22.86	22.94	24.00
		15	0	22.87	22.85	22.91	24.00
		1	0	22.75	22.95	22.71	24.00
		1	7	22.96	22.96	22.71	24.00
	64QAM	1	14	22.97	22.94	22.95	24.00
		8	0	21.89	21.95	22.10	23.00
		8	4	21.98	21.88	21.97	23.00
		8	7	21.87	21.96	21.99	23.00
		15	0	21.80	21.92	21.84	23.00
		1	0	21.75	21.90	21.66	23.00
64QAM	1	7	21.94	21.95	21.67	23.00	
	1	14	21.92	21.89	21.94	23.00	
	8	0	20.84	20.93	21.10	22.00	
	8	4	20.95	20.87	20.94	22.00	
	8	7	20.84	20.95	20.98	22.00	
	15	0	20.80	20.90	20.83	22.00	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				20425	20525	20625		
5MHz	QPSK	1	0	22.92	23.03	23.01	24.00	
		1	13	22.87	22.87	22.86	24.00	
		1	24	22.95	22.82	22.94	24.00	
		12	0	22.97	22.88	22.91	24.00	
		12	6	22.89	22.95	22.98	24.00	
		12	13	22.92	22.90	22.97	24.00	
	16QAM	25	0	22.83	22.86	23.02	24.00	
		1	0	22.75	22.74	22.66	24.00	
		1	13	22.75	22.99	22.71	24.00	
		1	24	22.66	22.74	22.63	24.00	
		12	0	21.89	21.79	21.82	23.00	
		12	6	21.87	21.98	22.09	23.00	
	64QAM	12	13	21.81	21.85	21.95	23.00	
		25	0	21.93	21.90	22.11	23.00	
		1	0	21.74	21.90	21.70	23.00	
		1	13	21.95	21.92	21.69	23.00	
		1	24	21.93	21.91	21.95	23.00	
		12	0	20.88	20.93	21.06	22.00	
	10MHz	QPSK	12	6	20.96	20.88	20.93	22.00
			12	13	20.84	20.92	20.98	22.00
			25	0	20.76	20.90	20.79	22.00
1			0	22.95	23.03	23.01	24.00	
1			25	23.07	23.09	23.04	24.00	
1			49	23.06	22.61	22.90	24.00	
16QAM		25	0	22.84	23.07	22.95	24.00	
		25	13	22.95	22.92	22.90	24.00	
		25	25	22.86	23.00	22.97	24.00	
		50	0	22.91	22.96	22.93	24.00	
		1	0	22.97	22.75	22.90	24.00	
		1	25	22.86	23.00	22.75	24.00	
64QAM		1	49	22.75	22.68	22.74	24.00	
		25	0	21.98	21.89	21.93	23.00	
		25	13	22.09	21.97	21.98	23.00	
		25	25	21.89	21.89	22.06	23.00	
		50	0	21.95	21.99	21.99	23.00	
		1	0	21.72	21.94	21.69	23.00	
64QAM		1	25	21.93	21.93	21.70	23.00	
		1	49	21.93	21.92	21.90	23.00	
		25	0	20.86	20.92	21.07	22.00	
	25	13	20.93	20.83	20.97	22.00		
	25	25	20.87	20.96	20.94	22.00		
	50	0	20.78	20.91	20.84	22.00		



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 5 Receiver off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	23.79	23.83	23.82	25.00
		1	2	23.81	23.76	23.83	25.00
		1	5	23.79	23.79	23.67	25.00
		3	0	23.74	23.77	23.92	25.00
		3	2	23.89	23.80	23.88	25.00
		3	3	23.82	23.86	23.83	25.00
	16QAM	6	0	22.83	22.80	22.73	24.00
		1	0	23.28	23.11	22.96	24.00
		1	2	23.15	23.00	22.87	24.00
		1	5	23.22	22.87	23.16	24.00
		3	0	22.89	22.81	22.89	24.00
		3	2	22.86	22.90	22.92	24.00
	64QAM	3	3	22.95	22.73	22.84	24.00
		6	0	22.45	22.65	22.45	23.00
		1	0	22.26	22.08	21.96	23.00
		1	2	22.11	21.97	21.82	23.00
		1	5	22.21	21.85	22.11	23.00
		3	0	21.88	21.79	21.88	23.00
3MHz	QPSK	3	2	21.83	21.86	21.89	23.00
		3	3	21.93	21.72	21.84	23.00
		6	0	20.88	20.89	20.83	22.00
		1	0	24.04	24.01	23.96	25.00
		1	7	23.98	23.82	23.87	25.00
		1	14	23.77	23.80	23.84	25.00
	16QAM	8	0	22.84	22.79	22.91	24.00
		8	4	22.77	22.83	22.84	24.00
		8	7	22.78	22.82	22.77	24.00
		15	0	22.89	22.83	22.90	24.00
		1	0	23.23	22.96	23.16	24.00
		1	7	23.14	23.18	23.02	24.00
	64QAM	1	14	23.18	22.68	23.08	24.00
		8	0	21.78	21.88	21.97	23.00
		8	4	21.91	21.87	22.04	23.00
		8	7	21.88	21.91	22.02	23.00
		15	0	21.93	21.80	21.87	23.00
		1	0	22.22	21.96	22.14	23.00
64QAM	1	7	22.09	22.16	21.97	23.00	
	1	14	22.18	21.64	22.07	23.00	
	8	0	20.76	20.88	20.93	22.00	
	8	4	20.91	20.84	21.02	22.00	
	8	7	20.84	20.88	21.02	22.00	
	15	0	20.90	20.79	20.84	22.00	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20425	20525	20625	
5MHz	QPSK	1	0	23.98	24.03	23.77	25.00
		1	13	23.77	23.86	23.99	25.00
		1	24	23.96	23.80	23.92	25.00
		12	0	22.89	22.78	22.91	24.00
		12	6	22.87	22.88	22.87	24.00
		12	13	22.82	22.85	22.84	24.00
		25	0	22.82	22.91	22.90	24.00
	16QAM	1	0	22.97	23.15	22.95	24.00
		1	13	23.02	22.81	23.01	24.00
		1	24	23.22	23.23	23.16	24.00
		12	0	22.03	21.84	21.83	23.00
		12	6	21.95	21.74	22.02	23.00
		12	13	21.86	21.83	22.00	23.00
		25	0	21.93	21.85	21.87	23.00
	64QAM	1	0	22.21	21.95	22.16	23.00
		1	13	22.13	22.13	22.00	23.00
		1	24	22.16	21.66	22.06	23.00
		12	0	20.77	20.87	20.94	22.00
		12	6	20.89	20.82	20.99	22.00
		12	13	20.85	20.88	21.01	22.00
		25	0	20.88	20.75	20.86	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	23.99	23.95	24.09	25.00
		1	25	24.05	24.15	24.12	25.00
		1	49	24.00	23.53	24.11	25.00
		25	0	22.84	22.99	22.98	24.00
		25	13	22.98	22.92	22.97	24.00
		25	25	22.89	22.92	22.97	24.00
		50	0	22.75	23.01	22.90	24.00
	16QAM	1	0	23.25	23.01	23.16	24.00
		1	25	23.23	23.03	22.91	24.00
		1	49	23.22	22.38	23.13	24.00
		25	0	21.86	22.05	22.00	23.00
		25	13	21.98	21.88	22.05	23.00
		25	25	21.90	21.88	22.05	23.00
		50	0	21.81	21.94	21.95	23.00
	64QAM	1	0	22.18	21.94	22.12	23.00
		1	25	22.13	22.13	21.99	23.00
		1	49	22.18	21.68	22.05	23.00
		25	0	20.74	20.83	20.97	22.00
		25	13	20.89	20.83	21.04	22.00
		25	25	20.84	20.88	21.00	22.00
		50	0	20.91	20.75	20.82	22.00



LTE Band 7 Receiver on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	19.16	19.15	19.17	20.50
		1	13	19.28	19.49	19.48	20.50
		1	24	19.20	19.28	19.50	20.50
		12	0	19.20	19.35	19.33	20.50
		12	6	19.34	19.31	19.50	20.50
		12	13	19.32	19.39	19.46	20.50
		25	0	19.40	19.37	19.46	20.50
	16QAM	1	0	19.50	19.41	19.25	20.50
		1	13	19.22	19.42	19.52	20.50
		1	24	19.35	19.53	19.19	20.50
		12	0	19.34	19.40	19.46	20.50
		12	6	19.35	19.47	19.44	20.50
		12	13	19.31	19.41	19.35	20.50
		25	0	19.46	19.54	19.50	20.50
	64QAM	1	0	19.50	19.37	19.22	20.50
		1	13	19.18	19.42	19.49	20.50
		1	24	19.35	19.52	19.18	20.50
		12	0	19.30	19.39	19.42	20.50
		12	6	19.30	19.46	19.40	20.50
		12	13	19.27	19.36	19.32	20.50
		25	0	19.46	19.50	19.47	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	19.07	19.12	19.08	20.50
		1	25	19.18	19.43	19.47	20.50
		1	49	19.18	19.23	19.42	20.50
		25	0	19.16	19.30	19.28	20.50
		25	13	19.31	19.21	19.48	20.50
		25	25	19.29	19.33	19.46	20.50
		50	0	19.40	19.27	19.46	20.50
	16QAM	1	0	19.40	19.31	19.22	20.50
		1	25	19.13	19.36	19.47	20.50
		1	49	19.25	19.46	19.17	20.50
		25	0	19.24	19.31	19.46	20.50
		25	13	19.35	19.42	19.40	20.50
		25	25	19.29	19.39	19.29	20.50
		50	0	19.39	19.44	19.41	20.50
	64QAM	1	0	19.49	19.40	19.22	20.50
		1	25	19.17	19.38	19.48	20.50
		1	49	19.33	19.48	19.18	20.50
		25	0	19.34	19.37	19.41	20.50
		25	13	19.35	19.46	19.39	20.50
		25	25	19.27	19.36	19.33	20.50
		50	0	19.46	19.50	19.48	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	19.07	19.12	19.08	20.50
		1	25	19.18	19.43	19.47	20.50
		1	49	19.18	19.23	19.42	20.50
		25	0	19.16	19.30	19.28	20.50
		25	13	19.31	19.21	19.48	20.50
		25	25	19.29	19.33	19.46	20.50
		50	0	19.40	19.27	19.46	20.50
	16QAM	1	0	19.40	19.31	19.22	20.50
		1	25	19.13	19.36	19.47	20.50
		1	49	19.25	19.46	19.17	20.50
		25	0	19.24	19.31	19.46	20.50
		25	13	19.35	19.42	19.40	20.50
		25	25	19.29	19.39	19.29	20.50
		50	0	19.39	19.44	19.41	20.50
	64QAM	1	0	19.49	19.40	19.22	20.50
		1	25	19.17	19.38	19.48	20.50
		1	49	19.33	19.48	19.18	20.50
		25	0	19.34	19.37	19.41	20.50
		25	13	19.35	19.46	19.39	20.50
		25	25	19.27	19.36	19.33	20.50
		50	0	19.46	19.50	19.48	20.50



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	19.12	19.08	19.15	20.50
		1	38	19.22	19.45	19.48	20.50
		1	74	19.15	19.18	19.47	20.50
		36	0	19.10	19.27	19.30	20.50
		36	18	19.29	19.25	19.41	20.50
		36	39	19.26	19.35	19.41	20.50
		75	0	19.30	19.27	19.37	20.50
	16QAM	1	0	19.41	19.36	19.20	20.50
		1	38	19.13	19.42	19.43	20.50
		1	74	19.29	19.50	19.09	20.50
		36	0	19.30	19.36	19.42	20.50
		36	18	19.28	19.43	19.40	20.50
		36	39	19.26	19.40	19.29	20.50
		75	0	19.43	19.49	19.45	20.50
	64QAM	1	0	19.48	19.38	19.25	20.50
		1	38	19.20	19.41	19.48	20.50
		1	74	19.31	19.51	19.17	20.50
		36	0	19.33	19.40	19.45	20.50
		36	18	19.35	19.45	19.40	20.50
		36	39	19.31	19.41	19.32	20.50
		75	0	19.44	19.44	19.45	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	19.21	19.57	19.19	20.50
		1	50	19.31	19.61	19.61	20.50
		1	99	19.26	19.29	19.56	20.50
		50	0	19.39	19.51	19.50	20.50
		50	25	19.38	19.37	19.36	20.50
		50	50	19.35	19.42	19.49	20.50
		100	0	19.42	19.38	19.56	20.50
	16QAM	1	0	19.59	19.46	19.32	20.50
		1	50	19.25	19.44	19.55	20.50
		1	99	19.40	19.54	19.24	20.50
		50	0	19.42	19.48	19.56	20.50
		50	25	19.38	19.55	19.50	20.50
		50	50	19.35	19.45	19.39	20.50
		100	0	19.55	19.45	19.45	20.50
	64QAM	1	0	19.47	19.41	19.22	20.50
		1	50	19.21	19.42	19.51	20.50
		1	99	19.33	19.49	19.15	20.50
		50	0	19.30	19.39	19.43	20.50
		50	25	19.34	19.47	19.43	20.50
		50	50	19.28	19.37	19.34	20.50
		100	0	19.43	19.49	19.46	20.50



LTE Band 7 Receiver off				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	18.64	18.63	18.65	20.00
		1	13	18.78	18.97	18.98	20.00
		1	24	18.70	18.77	18.98	20.00
		12	0	18.70	18.85	18.83	20.00
		12	6	18.83	18.79	18.99	20.00
		12	13	18.82	18.88	18.96	20.00
		25	0	18.89	18.85	18.96	20.00
	16QAM	1	0	18.99	18.89	18.73	20.00
		1	13	18.70	18.92	19.02	20.00
		1	24	18.84	19.03	18.67	20.00
		12	0	18.83	18.88	18.94	20.00
		12	6	18.84	18.95	18.94	20.00
		12	13	18.79	18.91	18.83	20.00
		25	0	18.95	19.03	18.98	20.00
	64QAM	1	0	18.97	18.87	18.68	20.00
		1	13	18.66	18.87	18.97	20.00
		1	24	18.79	19.03	18.67	20.00
		12	0	18.83	18.85	18.89	20.00
		12	6	18.84	18.94	18.91	20.00
		12	13	18.76	18.87	18.79	20.00
		25	0	18.91	19.01	18.98	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	18.55	18.62	18.56	20.00
		1	25	18.68	18.91	18.97	20.00
		1	49	18.66	18.72	18.92	20.00
		25	0	18.65	18.78	18.78	20.00
		25	13	18.80	18.69	18.97	20.00
		25	25	18.77	18.83	18.95	20.00
		50	0	18.90	18.75	18.96	20.00
	16QAM	1	0	18.89	18.79	18.70	20.00
		1	25	18.63	18.86	18.96	20.00
		1	49	18.74	18.96	18.67	20.00
		25	0	18.74	18.80	18.94	20.00
		25	13	18.83	18.90	18.89	20.00
		25	25	18.78	18.89	18.78	20.00
		50	0	18.88	18.92	18.90	20.00
	64QAM	1	0	18.96	18.88	18.68	20.00
		1	25	18.70	18.91	18.98	20.00
		1	49	18.82	19.02	18.62	20.00
		25	0	18.79	18.85	18.93	20.00
		25	13	18.83	18.94	18.89	20.00
		25	25	18.76	18.89	18.80	20.00
		50	0	18.90	18.98	18.96	20.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	18.60	18.57	18.64	20.00
		1	38	18.70	18.93	18.98	20.00
		1	74	18.63	18.68	18.96	20.00
		36	0	18.59	18.76	18.80	20.00
		36	18	18.77	18.75	18.91	20.00
		36	39	18.76	18.83	18.90	20.00
		75	0	18.79	18.77	18.87	20.00
	16QAM	1	0	18.90	18.84	18.70	20.00
		1	38	18.62	18.90	18.91	20.00
		1	74	18.79	18.98	18.57	20.00
		36	0	18.80	18.86	18.91	20.00
		36	18	18.77	18.91	18.88	20.00
		36	39	18.76	18.90	18.78	20.00
		75	0	18.92	18.97	18.93	20.00
	64QAM	1	0	18.97	18.85	18.69	20.00
		1	38	18.66	18.88	19.01	20.00
		1	74	18.82	18.98	18.67	20.00
		36	0	18.78	18.87	18.89	20.00
		36	18	18.82	18.91	18.92	20.00
		36	39	18.78	18.91	18.82	20.00
		75	0	18.95	19.00	18.95	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	18.69	19.05	18.69	20.00
		1	50	18.93	19.11	19.11	20.00
		1	99	18.75	18.79	19.05	20.00
		50	0	18.98	19.04	19.00	20.00
		50	25	18.88	18.86	18.95	20.00
		50	50	18.83	18.92	18.92	20.00
		100	0	18.92	18.88	19.05	20.00
	16QAM	1	0	19.09	18.94	18.82	20.00
		1	50	18.73	18.94	19.04	20.00
		1	99	18.90	19.02	18.72	20.00
		50	0	18.92	18.97	19.06	20.00
		50	25	18.86	19.03	18.99	20.00
		50	50	18.84	18.94	18.87	20.00
		100	0	19.03	18.93	18.93	20.00
	64QAM	1	0	18.95	18.84	18.73	20.00
		1	50	18.66	18.91	18.99	20.00
		1	99	18.79	19.02	18.67	20.00
		50	0	18.82	18.86	18.89	20.00
		50	25	18.83	18.94	18.94	20.00
		50	50	18.77	18.90	18.83	20.00
		100	0	18.94	18.98	18.93	20.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 38				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37775	38000	38225	
5MHz	QPSK	1	0	21.68	21.81	21.97	23.00
		1	13	21.65	21.73	21.94	23.00
		1	24	21.59	21.64	21.79	23.00
		12	0	21.54	21.78	21.70	23.00
		12	6	21.57	21.75	21.94	23.00
		12	13	21.68	21.87	22.02	23.00
		25	0	21.71	21.87	21.95	23.00
	16QAM	1	0	21.81	21.96	21.97	23.00
		1	13	21.71	21.84	22.01	23.00
		1	24	21.78	21.78	21.89	23.00
		12	0	21.49	21.80	22.02	23.00
		12	6	21.60	21.76	22.01	23.00
		12	13	21.62	21.76	22.01	23.00
		25	0	21.71	21.85	21.90	23.00
	64QAM	1	0	21.63	21.92	21.91	23.00
		1	13	21.82	22.00	21.84	23.00
		1	24	21.81	21.29	21.85	23.00
		12	0	20.65	20.89	20.89	22.00
		12	6	20.94	20.44	20.98	22.00
		12	13	20.88	20.85	20.99	22.00
		25	0	20.89	20.89	20.78	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	21.37	21.45	21.73	23.00
		1	25	21.47	21.66	21.76	23.00
		1	49	21.96	21.64	21.91	23.00
		25	0	21.74	21.83	21.98	23.00
		25	13	21.68	21.89	21.82	23.00
		25	25	21.76	21.92	21.85	23.00
		50	0	21.63	21.92	21.91	23.00
	16QAM	1	0	21.82	22.00	21.84	23.00
		1	25	21.76	22.01	21.85	23.00
		1	49	21.81	21.29	21.96	23.00
		25	0	21.68	21.75	21.70	23.00
		25	13	21.62	21.86	21.95	23.00
		25	25	21.70	21.78	21.91	23.00
		50	0	21.59	21.74	22.05	23.00
	64QAM	1	0	21.74	22.00	22.02	23.00
		1	25	22.00	21.90	21.72	23.00
		1	49	21.97	21.54	21.77	23.00
		25	0	20.97	20.63	20.42	22.00
		25	13	20.94	20.56	20.64	22.00
		25	25	20.87	20.56	20.56	22.00
		50	0	20.98	20.60	20.32	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	21.55	21.68	22.00	23.00
		1	38	21.85	21.86	21.95	23.00
		1	74	21.96	21.85	22.00	23.00
		36	0	21.70	22.04	21.92	23.00
		36	18	21.71	22.05	21.84	23.00
		36	39	21.86	21.95	22.00	23.00
		75	0	21.93	21.95	22.05	23.00
	16QAM	1	0	21.60	22.01	22.00	23.00
		1	38	22.00	21.77	21.92	23.00
		1	74	21.78	21.89	21.79	23.00
		36	0	21.86	21.96	21.99	23.00
		36	18	21.83	21.96	22.01	23.00
		36	39	22.00	21.93	21.84	23.00
		75	0	21.76	22.01	21.98	23.00
	64QAM	1	0	21.72	21.88	22.04	23.00
		1	38	21.89	21.91	21.67	23.00
		1	74	21.97	21.56	21.79	23.00
		36	0	20.97	20.60	20.41	22.00
		36	18	20.92	20.57	20.64	22.00
		36	39	20.89	20.55	20.56	22.00
		75	0	20.97	20.55	20.31	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	21.82	21.39	21.77	23.00
		1	50	21.84	22.06	22.06	23.00
		1	99	21.68	21.47	22.00	23.00
		50	0	21.83	22.05	22.01	23.00
		50	25	21.90	22.02	21.80	23.00
		50	50	21.94	21.98	21.96	23.00
		100	0	21.88	22.00	21.94	23.00
	16QAM	1	0	22.01	22.00	21.97	23.00
		1	50	21.85	21.74	21.93	23.00
		1	99	21.28	21.89	21.90	23.00
		50	0	21.77	21.83	22.00	23.00
		50	25	21.97	21.98	21.92	23.00
		50	50	22.01	22.05	22.01	23.00
		100	0	21.82	22.01	22.02	23.00
	64QAM	1	0	21.74	22.04	22.03	23.00
		1	50	22.00	21.93	21.68	23.00
		1	99	21.93	21.53	21.80	23.00
		50	0	20.95	20.61	20.43	22.00
		50	25	20.92	20.57	20.66	22.00
		50	50	20.88	20.56	20.56	22.00
		100	0	20.95	20.57	20.33	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 41 Receiver on				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40065	40448	40832	41215	
5MHz	QPSK	1	0	22.38	22.66	22.53	22.35	23.50
		1	13	22.41	22.56	22.61	22.39	23.50
		1	24	22.35	22.58	22.57	22.31	23.50
		12	0	22.43	22.34	22.32	22.36	23.50
		12	6	22.35	22.26	22.48	22.31	23.50
		12	13	22.41	22.15	22.41	22.36	23.50
		25	0	22.45	22.43	22.56	22.42	23.50
	16QAM	1	0	22.45	22.29	22.15	22.47	23.50
		1	13	22.20	22.41	22.59	22.20	23.50
		1	24	22.03	22.10	22.04	22.02	23.50
		12	0	21.75	21.89	22.05	21.71	23.00
		12	6	21.94	21.69	21.88	21.89	23.00
		12	13	22.08	21.75	22.04	22.02	23.00
		25	0	21.94	21.82	22.11	21.94	23.00
	64QAM	1	0	21.89	21.79	21.55	21.90	23.00
		1	13	21.63	21.80	22.04	21.69	23.00
		1	24	21.45	21.49	21.50	21.41	23.00
		12	0	20.64	20.79	21.03	20.68	22.00
		12	6	20.93	20.62	20.76	20.85	22.00
		12	13	21.00	20.74	20.99	20.99	22.00
		25	0	20.85	20.70	21.00	20.84	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	22.39	22.61	22.53	22.36	23.50
		1	25	22.43	22.56	22.64	22.41	23.50
		1	49	22.38	22.62	22.55	22.33	23.50
		25	0	22.42	22.35	22.33	22.36	23.50
		25	13	22.32	22.26	22.46	22.32	23.50
		25	25	22.43	22.15	22.41	22.36	23.50
		50	0	22.44	22.45	22.56	22.42	23.50
	16QAM	1	0	22.45	22.32	22.14	22.43	23.50
		1	25	22.20	22.45	22.58	22.23	23.50
		1	49	22.01	22.14	22.00	22.02	23.50
		25	0	21.77	21.90	22.09	21.75	23.00
		25	13	21.92	21.65	21.91	21.90	23.00
		25	25	22.07	21.74	22.02	22.06	23.00
		50	0	21.96	21.78	22.08	21.94	23.00
	64QAM	1	0	21.90	21.79	21.53	21.84	23.00
		1	25	21.61	21.87	22.08	21.63	23.00
		1	49	21.48	21.60	21.45	21.51	23.00
		25	0	20.70	20.86	20.96	20.73	22.00
		25	13	20.84	20.55	20.85	20.85	22.00
		25	25	20.99	20.61	20.96	21.06	22.00
		50	0	20.87	20.71	20.96	20.92	22.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40115	40465	40815	41165	
15MHz	QPSK	1	0	22.43	22.62	22.51	22.38	23.50
		1	38	22.45	22.59	22.60	22.36	23.50
		1	74	22.37	22.58	22.56	22.36	23.50
		36	0	22.40	22.34	22.32	22.36	23.50
		36	18	22.34	22.27	22.45	22.31	23.50
		36	39	22.41	22.16	22.42	22.41	23.50
		75	0	22.43	22.44	22.53	22.40	23.50
	16QAM	1	0	22.43	22.29	22.18	22.42	23.50
		1	38	22.21	22.43	22.57	22.23	23.50
		1	74	22.01	22.11	22.04	21.98	23.50
		36	0	21.77	21.92	22.09	21.75	23.00
		36	18	21.89	21.65	21.86	21.90	23.00
		36	39	22.06	21.72	22.04	22.05	23.00
		75	0	21.93	21.82	22.09	21.91	23.00
	64QAM	1	0	21.89	21.68	21.67	21.86	23.00
		1	38	21.68	21.83	21.96	21.66	23.00
		1	74	21.49	21.56	21.47	21.48	23.00
		36	0	20.64	20.91	21.06	20.66	22.00
		36	18	20.89	20.63	20.82	20.81	22.00
		36	39	21.04	20.64	20.93	20.98	22.00
		75	0	20.85	20.78	20.97	20.82	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	22.39	22.61	22.54	22.38	23.50
		1	50	22.44	22.62	22.65	22.39	23.50
		1	99	22.37	22.57	22.56	22.34	23.50
		50	0	22.62	22.36	22.63	22.39	23.50
		50	25	22.35	22.26	22.42	22.34	23.50
		50	50	22.40	22.15	22.41	22.37	23.50
		100	0	22.43	22.42	22.53	22.41	23.50
	16QAM	1	0	22.45	22.30	22.16	22.44	23.50
		1	50	22.24	22.46	22.54	22.21	23.50
		1	99	22.01	22.13	22.02	22.02	23.50
		50	0	21.75	21.90	22.08	21.72	23.00
		50	25	21.89	21.67	21.86	21.88	23.00
		50	50	22.03	21.76	22.04	22.05	23.00
		100	0	21.95	21.81	22.10	21.92	23.00
	64QAM	1	0	21.89	21.68	21.57	21.87	23.00
		1	50	21.61	21.92	21.97	21.65	23.00
		1	99	21.51	21.58	21.51	21.39	23.00
		50	0	20.71	20.81	21.06	20.65	22.00
		50	25	20.89	20.61	20.79	20.86	22.00
		50	50	20.97	20.64	21.01	21.04	22.00
		100	0	20.88	20.80	21.05	20.82	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40140	40473	40807	41140	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

LTE Band 41 Receiver off				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40065	40448	40832	41215	
5MHz	QPSK	1	0	21.86	22.18	22.01	21.87	23.00
		1	13	21.90	22.06	22.06	21.90	23.00
		1	24	21.81	22.06	22.03	21.77	23.00
		12	0	21.90	21.86	21.77	21.87	23.00
		12	6	21.80	21.75	21.92	21.79	23.00
		12	13	21.88	21.60	21.89	21.88	23.00
	16QAM	25	0	21.90	21.92	22.01	21.88	23.00
		1	0	21.92	21.77	21.65	21.88	23.00
		1	13	21.69	21.88	22.05	21.68	23.00
		1	24	21.50	21.63	21.48	21.43	23.00
		12	0	21.27	21.38	21.56	21.24	23.00
		12	6	21.38	21.14	21.38	21.36	23.00
	64QAM	12	13	21.54	21.21	21.55	21.50	23.00
		25	0	21.40	21.25	21.58	21.38	23.00
		1	0	21.86	22.13	21.94	21.86	23.00
		1	13	21.85	22.01	22.01	21.90	23.00
		1	24	21.81	22.05	21.98	21.77	23.00
		12	0	20.80	20.73	20.71	20.87	22.00
10MHz	QPSK	12	6	20.80	20.66	20.81	20.74	22.00
		12	13	20.76	20.55	20.81	20.86	22.00
		25	0	20.81	20.92	20.98	20.88	22.00
		1	0	21.84	22.20	22.04	21.88	23.00
		1	25	21.90	22.05	22.07	21.91	23.00
		1	49	21.81	22.10	22.04	21.79	23.00
	16QAM	25	0	21.90	21.88	21.78	21.90	23.00
		25	13	21.79	21.73	21.95	21.81	23.00
		25	25	21.88	21.58	21.89	21.87	23.00
		50	0	21.90	21.92	22.01	21.87	23.00
		1	0	21.95	21.78	21.66	21.86	23.00
		1	25	21.66	21.93	22.04	21.68	23.00
	64QAM	1	49	21.49	21.61	21.48	21.46	23.00
		25	0	21.28	21.38	21.53	21.23	23.00
		25	13	21.41	21.17	21.34	21.38	23.00
		25	25	21.53	21.21	21.56	21.50	23.00
		50	0	21.44	21.24	21.57	21.42	23.00
		1	0	21.75	22.20	21.97	21.75	23.00
10MHz	64QAM	1	25	21.83	21.94	22.06	21.86	23.00
		1	49	21.75	22.07	21.96	21.76	23.00
		25	0	20.89	20.85	20.68	20.79	22.00
		25	13	20.72	20.65	20.83	20.71	22.00
		25	25	20.87	20.48	20.76	20.81	22.00
		50	0	20.79	20.84	20.94	20.80	22.00



Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
				40115	40465	40815	41165	
15MHz	QPSK	1	0	21.88	22.16	22.02	21.88	23.00
		1	38	21.91	22.05	22.10	21.87	23.00
		1	74	21.85	22.08	22.01	21.79	23.00
		36	0	21.93	21.83	21.77	21.87	23.00
		36	18	21.79	21.77	21.95	21.79	23.00
		36	39	21.92	21.61	21.84	21.89	23.00
		75	0	21.93	21.92	22.01	21.85	23.00
	16QAM	1	0	21.93	21.82	21.65	21.90	23.00
		1	38	21.67	21.90	22.07	21.67	23.00
		1	74	21.50	21.60	21.51	21.45	23.00
		36	0	21.27	21.38	21.55	21.23	23.00
		36	18	21.38	21.13	21.35	21.33	23.00
		36	39	21.52	21.22	21.55	21.46	23.00
		75	0	21.45	21.26	21.57	21.42	23.00
	64QAM	1	0	21.76	22.05	21.92	21.82	23.00
		1	38	21.87	21.96	22.09	21.74	23.00
		1	74	21.85	21.96	21.96	21.74	23.00
		36	0	20.89	20.81	20.67	20.75	22.00
		36	18	20.75	20.65	20.89	20.77	22.00
		36	39	20.88	20.54	20.83	20.88	22.00
		75	0	20.85	20.81	20.89	20.77	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Tune up
20MHz	QPSK	1	0	21.85	22.06	22.03	21.84	23.00
		1	50	21.87	22.09	22.22	21.90	23.00
		1	99	21.82	22.08	21.99	21.80	23.00
		50	0	21.93	21.86	21.97	21.91	23.00
		50	25	21.83	21.74	21.96	21.80	23.00
		50	50	21.91	21.60	21.84	21.90	23.00
		100	0	21.90	21.92	22.05	21.86	23.00
	16QAM	1	0	21.93	21.81	21.63	21.90	23.00
		1	50	21.70	21.88	22.09	21.69	23.00
		1	99	21.51	21.60	21.47	21.47	23.00
		50	0	21.25	21.35	21.55	21.23	23.00
		50	25	21.40	21.15	21.37	21.35	23.00
		50	50	21.54	21.22	21.56	21.49	23.00
		100	0	21.42	21.28	21.55	21.42	23.00
	64QAM	1	0	21.80	22.14	21.90	21.82	23.00
		1	50	21.78	22.03	22.05	21.78	23.00
		1	99	21.80	21.97	21.90	21.74	23.00
		50	0	20.82	20.78	20.65	20.79	22.00
		50	25	20.72	20.69	20.84	20.74	22.00
		50	50	20.86	20.51	20.81	20.89	22.00
		100	0	20.77	20.80	20.93	20.84	22.00

Table 6 : Conducted Power of LTE

2 Conducted Power of Uplink CA and Downlink CA

2.1.1 Uplink LTE CA Conducted Power of Ant1

Combination	Modulation	PCC						SCC					Sensor off		Sensor on	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	DL Channel	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)	Power	Tune-up(dBm)
CA_7C	QPSK	7	20	20850	1	99	2850	7	20	21048	1	0	23.77	25.00	20.00	21.00
CA_7C	QPSK	7	20	21100	1	99	3100	7	20	21298	1	0	23.84	25.00	20.01	21.00
CA_7C	QPSK	7	20	21100	1	0	3100	7	20	20902	1	99	23.78	25.00	19.84	21.00
CA_7C	QPSK	7	20	21350	1	0	3350	7	20	21152	1	99	23.74	25.00	19.96	21.00
Combination	Modulation	PCC						SCC					Sensor off		Sensor on	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	DL Channel	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)	Power	Tune-up(dBm)
CA_38C	QPSK	38	20	37850	1	99	37850	38	20	38048	1	0	23.88	25.00	21.04	22.00
CA_38C	QPSK	38	20	37901	1	99	37901	38	20	38099	1	0	23.74	25.00	21.00	22.00
CA_38C	QPSK	38	20	38099	1	0	38099	38	20	37901	1	99	23.80	25.00	20.95	22.00
CA_38C	QPSK	38	20	38150	1	0	38150	38	20	37952	1	99	23.81	25.00	20.87	22.00

Table 7 : Conducted Power of UL CA

2.1.2 Uplink LTE CA Conducted Power of Ant2

Combination	Modulation	PCC						SCC					Receiver off		Receiver on	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	DL Channel	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	20.5	Power	Tune-up(dBm)
CA_7C	QPSK	7	20	20850	1	99	2850	7	20	21048	1	0	18.96	20.00	19.30	20.50
CA_7C	QPSK	7	20	21100	1	99	3100	7	20	21298	1	0	18.98	20.00	19.29	20.50
CA_7C	QPSK	7	20	21100	1	0	3100	7	20	20902	1	99	18.87	20.00	19.27	20.50
CA_7C	QPSK	7	20	21350	1	0	3350	7	20	21152	1	99	18.94	20.00	19.21	20.50
Combination	Modulation	PCC						SCC					Receiver off/Receiver on			
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	DL Channel	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)		
CA_38C	QPSK	38	20	37850	1	99	37850	38	20	38048	1	0	21.89	23.00		
CA_38C	QPSK	38	20	37901	1	99	37901	38	20	38099	1	0	21.79	23.00		
CA_38C	QPSK	38	20	38099	1	0	38099	38	20	37901	1	99	21.87	23.00		
CA_38C	QPSK	38	20	38150	1	0	38150	38	20	37952	1	99	21.71	23.00		

Table 8 : Conducted Power of UL CA



2.1.3 Uplink LTE CA Conducted Power of Ant1

Receiver on&Receiver off+Sensor off														
DL LTE CA Class	PCC							SCC1				Power(dBm)		
	LTE Band	BW (MHz)	Modulation	UL Freq. (MHz)	UL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	DL LTE CA Tx.Power	LTE Rel 8 Tx.Power	Tune-up
CA_7C	Band 7	20M	QPSK	2510	20850	1	0	Band 7	20M	2649.8	3048	23.76	23.87	25.00
CA_38C	Band 38	20M	QPSK	2580	37850	1	50	Band 38	20M	2599.8	38048	23.81	23.94	25.00
Receiver off+Sensor on														
DL LTE CA Class	PCC							SCC1				Power(dBm)		
	LTE Band	BW (MHz)	Modulation	UL Freq. (MHz)	UL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	DL LTE CA Tx.Power	LTE Rel 8 Tx.Power	Tune-up
CA_7C	Band 7	20M	QPSK	2510	20850	1	0	Band 7	20M	2649.8	3048	20.01	20.12	21.00
CA_38C	Band 38	20M	QPSK	2580	37850	1	50	Band 38	20M	2599.8	38048	21.32	21.45	22.00

Conducted Power of DL CA

2.1.4 Uplink LTE CA Conducted Power of Ant2

Receiver on														
DL LTE CA Class	PCC							SCC1				Power(dBm)		
	LTE Band	BW (MHz)	Modulation	UL Freq. (MHz)	UL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	DL LTE CA Tx.Power	LTE Rel 8 Tx.Power	Tune-up
CA_7C	Band 7	20M	QPSK	2560	21350	1	50	Band 7	20M	2660.2	3152	19.50	19.61	20.50
CA_38C	Band 38	20M	QPSK	2610	38150	1	50	Band 38	20M	2590.2	37952	22.00	22.06	23.00
Receiver off														
DL LTE CA Class	PCC							SCC1				Power(dBm)		
	LTE Band	BW (MHz)	Modulation	UL Freq. (MHz)	UL Channel	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	DL LTE CA Tx.Power	LTE Rel 8 Tx.Power	Tune-up
CA_7C	Band 7	20M	QPSK	2560	21350	1	50	Band 7	20M	2660.2	3152	19.02	19.11	20.00
CA_38C	Band 38	20M	QPSK	2610	38150	1	50	Band 38	20M	2590.2	37952	22.00	22.06	23.00

Conducted Power of DL CA

3 Conducted Power of WiFi and BT

3.1.1 Conducted Power of WiFi

WiFi 2.4G Receiver on						
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
802.11b	1	2412	1	15.00	14.24	NO
	6	2437		15.00	14.33	Yes
	11	2462		15.00	14.05	NO
802.11g	1	2412	6	16.00	15.21	NO
	6	2437		16.00	15.25	NO
	11	2462		16.00	15.09	NO
802.11n HT20 SISO	1	2412	6.5	15.00	13.78	NO
	6	2437		15.00	13.23	NO
	11	2462		15.00	13.74	NO
802.11n HT40 SISO	3	2422	13.5	15.00	13.95	NO
	6	2437		15.00	14.56	NO
	9	2452		15.00	14.42	NO

WiFi 2.4G Receiver off						
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
802.11b	1	2412	1	17.00	16.10	NO
	6	2437		17.00	16.11	Yes
	11	2462		17.00	16.02	NO
802.11g	1	2412	6	18.00	17.11	NO
	6	2437		18.00	17.15	NO
	11	2462		18.00	17.09	NO
802.11n HT20 SISO	1	2412	6.5	15.00	13.78	NO
	6	2437		15.00	13.23	NO
	11	2462		15.00	13.74	NO
802.11n HT40 SISO	3	2422	13.5	15.00	13.95	NO
	6	2437		15.00	14.56	NO
	9	2452		15.00	14.42	NO



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

WiFi 5G Receiver on								
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test	
802.11a	U-NII-1	36	5180	6	11.00	10.42	NO	
		40	5200		11.00	10.39	NO	
		44	5220		11.00	10.43	NO	
		48	5240		11.00	10.30	NO	
	U-NII-2A	52	5260		11.00	10.70	Yes	
		56	5280		11.00	10.54	NO	
		60	5300		11.00	10.43	NO	
		64	5320		11.00	10.39	NO	
		U-NII-2C	100		5500	18.00	17.53	NO
			104		5520	18.00	17.43	NO
	108		5540		18.00	17.37	NO	
	112		5560		18.00	17.25	NO	
	116		5580		18.00	17.22	NO	
	120		5600		18.00	17.71	Yes	
	124		5620		18.00	17.53	NO	
	128		5640		18.00	17.61	NO	
	132		5660		18.00	17.45	NO	
	136		5680		18.00	17.43	NO	
	U-NII-3	140	5700		18.00	17.68	NO	
		144	5720		18.00	17.56	NO	
149		5745	13.98	13.47	NO			
153		5765	13.98	13.75	NO			
157		5785	13.98	13.19	NO			
		161	5805	13.98	13.42	NO		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test	
802.11n-HT20	U-NII-1	36	5180	MCS0	10.00	9.23	NO	
		40	5200		10.00	9.21	NO	
		44	5220		10.00	9.14	NO	
		48	5240		10.00	9.20	NO	
	U-NII-2A	52	5260		10.00	9.19	NO	
		56	5280		10.00	9.23	NO	
		60	5300		10.00	9.11	NO	
		64	5320		10.00	9.12	NO	
		U-NII-2C	100		5500	17.00	16.43	NO
			104		5520	17.00	16.38	NO
	108		5540		17.00	16.28	NO	
	112		5560		17.00	16.25	NO	
	116		5580		17.00	16.21	NO	
	120		5600		17.00	16.22	NO	
	124		5620		17.00	16.45	NO	
	128		5640		17.00	16.82	NO	
	132		5660		17.00	16.34	NO	
	136		5680		17.00	16.44	NO	
			140		5700	17.00	16.57	NO



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: AR/2020/A000707

		144	5720		17.00	16.43	NO		
	U-NII-3	149	5745		13.98	13.59	NO		
		153	5765		13.98	13.58	NO		
		157	5785		13.98	13.54	NO		
		161	5805		13.98	13.44	NO		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test		
802.11n- HT40	U-NII-1	38	5190	MCS0	10.00	9.21	NO		
		46	5230		10.00	9.34	NO		
	U-NII-2A	54	5270		10.00	9.16	NO		
		62	5310		10.00	9.22	NO		
	U-NII-2C	102	5510		15.50	14.85	NO		
		110	5550		15.50	14.57	NO		
		118	5590		15.50	14.46	NO		
		126	5630		15.50	14.83	NO		
		134	5670		15.50	14.23	NO		
		142	5710		15.50	14.58	NO		
	U-NII-3	151	5755		13.98	13.32	NO		
		159	5795		13.98	13.44	NO		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	802.11ac 20M	U-NII-1	36		5180	MCS0	10.00	9.12	NO
40			5200	10.00	9.20		NO		
44			5220	10.00	9.17		NO		
48			5240	10.00	9.15		NO		
U-NII-2A		52	5260	10.00	9.20		NO		
		56	5280	10.00	9.21		NO		
		60	5300	10.00	9.19		NO		
		64	5320	10.00	9.22		NO		
		U-NII-2C	100	5500	17.00		16.53	NO	
			104	5520	17.00		16.38	NO	
108			5540	17.00	16.34		NO		
112			5560	17.00	16.24		NO		
116			5580	17.00	16.20		NO		
120			5600	17.00	16.23		NO		
124			5620	17.00	16.53		NO		
128			5640	17.00	16.73		NO		
132			5660	17.00	16.56		NO		
136			5680	17.00	16.34		NO		
U-NII-3		140	5700	17.00	16.55		NO		
		144	5720	17.00	16.63		NO		
		149	5745	13.98	13.53		NO		
		153	5765	13.98	13.43		NO		
		157	5785	13.98	13.21		NO		
		161	5805	13.98	13.34		NO		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test		



802.11ac 40M	U-NII-1	38	5190	MCS0	10.00	9.23	NO
		46	5230		10.00	9.11	NO
	U-NII-2A	54	5270		10.00	9.23	NO
		62	5310		10.00	9.18	NO
	U-NII-2C	102	5510		17.00	16.31	NO
		110	5550		17.00	16.09	NO
		118	5590		17.00	15.98	NO
		126	5630		17.00	16.34	NO
		134	5670		17.00	16.87	NO
		142	5710		17.00	16.97	NO
	U-NII-3	151	5755		13.98	13.28	NO
		159	5795		13.98	13.34	NO
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
802.11ac 80M	U-NII-1	42	5210	MCS0	10.00	9.22	NO
	U-NII-2A	58	5290		10.00	9.21	NO
	U-NII-2C	106	5530		14.00	13.87	NO
		122	5610		14.00	13.98	NO
		138	5690		13.98	13.45	NO
	U-NII-3	155	5775		13.98	13.60	Yes



WiFi 5G Receiver off								
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test	
802.11a	U-NII-1	36	5180	6	18.00	17.22	NO	
		40	5200		18.00	17.23	Yes	
		44	5220		18.00	17.22	NO	
		48	5240		18.00	17.02	NO	
	U-NII-2A	52	5260		18.00	17.66	Yes	
		56	5280		18.00	17.34	NO	
		60	5300		18.00	17.48	NO	
		64	5320		18.00	17.59	NO	
		U-NII-2C	100		5500	18.00	17.53	NO
			104		5520	18.00	17.43	NO
	108		5540		18.00	17.37	NO	
	112		5560		18.00	17.25	NO	
	116		5580		18.00	17.22	NO	
	120		5600		18.00	17.71	Yes	
	124		5620		18.00	17.53	NO	
	128		5640		18.00	17.61	NO	
	U-NII-3	132	5660		18.00	17.45	NO	
		136	5680		18.00	17.43	NO	
		140	5700		18.00	17.68	NO	
		144	5720		18.00	17.56	NO	
149		5745	13.98	13.47	NO			
	153	5765	13.98	13.75	NO			
	157	5785	13.98	13.19	NO			
	161	5805	13.98	13.42	NO			
	165	5825	13.98	13.19	NO			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test	
802.11n-HT20	U-NII-1	36	5180	MCS0	17.00	16.16	NO	
		40	5200		17.00	16.08	NO	
		44	5220		17.00	16.09	NO	
		48	5240		17.00	16.04	NO	
	U-NII-2A	52	5260		17.00	16.11	NO	
		56	5280		17.00	16.35	NO	
		60	5300		17.00	16.49	NO	
	U-NII-2C	64	5320		17.00	16.81	NO	
		100	5500		17.00	16.43	NO	
		104	5520		17.00	16.38	NO	
		108	5540		17.00	16.28	NO	
		112	5560		17.00	16.25	NO	
		116	5580		17.00	16.21	NO	
		120	5600		17.00	16.22	NO	
	124	5620	17.00		16.45	NO		
	128	5640	17.00		16.82	NO		



	U-NII-3	132	5660		17.00	16.34	NO		
		136	5680		17.00	16.44	NO		
		140	5700		17.00	16.57	NO		
		144	5720		17.00	16.43	NO		
		149	5745		13.98	13.59	NO		
		153	5765		13.98	13.58	NO		
		157	5785		13.98	13.54	NO		
		161	5805		13.98	13.44	NO		
		165	5825		13.98	13.23	NO		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test		
802.11n- HT40	U-NII-1	38	5190	MCS0	15.50	14.32	NO		
		46	5230		15.50	14.25	NO		
	U-NII-2A	54	5270		15.50	14.56	NO		
		62	5310		15.50	14.96	NO		
	U-NII-2C	102	5510		15.50	14.85	NO		
		110	5550		15.50	14.57	NO		
		118	5590		15.50	14.46	NO		
		126	5630		15.50	14.83	NO		
		134	5670		15.50	14.23	NO		
		142	5710		15.50	14.58	NO		
	U-NII-3	151	5755		13.98	13.32	NO		
		159	5795		13.98	13.44	NO		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	802.11ac 20M	U-NII-1	36		5180	MCS0	17.00	16.24	NO
40			5200	17.00	16.17		NO		
44			5220	17.00	16.14		NO		
48			5240	17.00	16.09		NO		
U-NII-2A		52	5260	17.00	16.12		NO		
		56	5280	17.00	16.32		NO		
		60	5300	17.00	16.43		NO		
		64	5320	17.00	16.80		NO		
U-NII-2C		100	5500	17.00	16.53		NO		
		104	5520	17.00	16.38		NO		
		108	5540	17.00	16.34		NO		
		112	5560	17.00	16.24		NO		
		116	5580	17.00	16.20		NO		
		120	5600	17.00	16.23		NO		
		124	5620	17.00	16.53		NO		
		128	5640	17.00	16.73		NO		
		132	5660	17.00	16.56		NO		
		136	5680	17.00	16.34		NO		
		140	5700	17.00	16.55		NO		
		144	5720	17.00	16.63		NO		
U-NII-3		149	5745	13.98	13.53		NO		
		153	5765	13.98	13.43		NO		
		157	5785	13.98	13.21		NO		



5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test		
		161	5805		13.98	13.34	NO		
		165	5825		13.98	13.24	NO		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test		
802.11ac 40M	U-NII-1	38	5190	MCS0	17.00	15.80	NO		
		46	5230		17.00	15.76	NO		
	U-NII-2A	54	5270		17.00	16.07	NO		
		62	5310		17.00	16.43	NO		
	U-NII-2C	102	5510		17.00	16.31	NO		
		110	5550		17.00	16.09	NO		
		118	5590		17.00	15.98	NO		
		126	5630		17.00	16.34	NO		
		134	5670		17.00	16.87	NO		
		142	5710		17.00	16.97	NO		
	U-NII-3	151	5755		13.98	13.28	NO		
		159	5795		13.98	13.34	NO		
	5GHz	mode	Channel		Frequency(MHz)	Data Rate(Mbps)	Tune up	Average Power (dBm)	SAR Test
	802.11ac 80M	U-NII-1	42		5210	MCS0	14.00	13.86	NO
U-NII-2A		58	5290	14.00	13.85		NO		
U-NII-2C		106	5530	14.00	13.87		NO		
		122	5610	14.00	13.98		NO		
		138	5690	13.98	13.45		NO		
U-NII-3		155	5775	13.98	13.60		Yes		

Table 9 : Conducted Power of WiFi

3.1.2 Conducted Power of BT

BT			Tune up (dBm)	Average Conducted Power(dBm)
Modulation	Channel	Frequency(MHz)		
GFSK	0	2402	10.00	8.53
	39	2441	10.00	9.01
	78	2480	10.00	8.24
$\pi/4$ DQPSK	0	2402	8.00	6.67
	39	2441	8.00	7.02
	78	2480	8.00	7.07
8DPSK	0	2402	8.00	6.74
	39	2441	8.00	6.66
	78	2480	8.00	6.69

BLE			Tune up (dBm)	Average Conducted Power(dBm)
Modulation	Channel	Frequency(MHz)		
GFSK	0	2402	8.00	6.52
	19	2440	8.00	7.23
	39	2480	8.00	7.18

Table 10 : Conducted Power of BT