




# FCC RADIO TEST REPORT

FCC ID : 2AFZZJ3SG  
Equipment : Mobile Phone  
Brand Name : MI  
Model Name : M2007J3SG  
M2007J3SY  
Applicant : Xiaomi Communications Co., Ltd.  
#019, 9th Floor, Building 6, 33  
Xi'erqi Middle Road, Haidian  
District, Beijing, China, 100085  
Manufacturer : Xiaomi Communications Co., Ltd.  
#019, 9th Floor, Building 6, 33  
Xi'erqi Middle Road, Haidian  
District, Beijing, China, 100085  
Standard : FCC Part 15 Subpart C §15.247

The product was received on Jul. 27, 2020 and testing was started from Jul. 28, 2020 and completed on Aug. 19, 2020. We, SPORTON INTERNATIONAL INC., EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.



Approved by: Louis Wu

**SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory**

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



## Table of Contents

|                                                                  |           |
|------------------------------------------------------------------|-----------|
| <b>History of this test report .....</b>                         | <b>3</b>  |
| <b>Summary of Test Result .....</b>                              | <b>4</b>  |
| <b>1 General Description .....</b>                               | <b>5</b>  |
| 1.1 Product Feature of Equipment Under Test .....                | 5         |
| 1.2 Modification of EUT .....                                    | 5         |
| 1.3 Testing Location .....                                       | 6         |
| 1.4 Applicable Standards .....                                   | 6         |
| <b>2 Test Configuration of Equipment Under Test .....</b>        | <b>7</b>  |
| 2.1 Carrier Frequency and Channel .....                          | 7         |
| 2.2 Test Mode .....                                              | 8         |
| 2.3 Connection Diagram of Test System .....                      | 9         |
| 2.4 Support Unit used in test configuration and system .....     | 9         |
| 2.5 EUT Operation Test Setup .....                               | 10        |
| 2.6 Measurement Results Explanation Example .....                | 10        |
| <b>3 Test Result.....</b>                                        | <b>11</b> |
| 3.1 6dB and 99% Bandwidth Measurement .....                      | 11        |
| 3.2 Output Power Measurement .....                               | 13        |
| 3.3 Power Spectral Density Measurement .....                     | 14        |
| 3.4 Conducted Band Edges and Spurious Emission Measurement ..... | 17        |
| 3.5 Radiated Band Edges and Spurious Emission Measurement .....  | 42        |
| 3.6 AC Conducted Emission Measurement .....                      | 46        |
| 3.7 Antenna Requirements .....                                   | 48        |
| <b>4 List of Measuring Equipment .....</b>                       | <b>49</b> |
| <b>5 Uncertainty of Evaluation .....</b>                         | <b>51</b> |
| <b>Appendix A. Conducted Test Results</b>                        |           |
| <b>Appendix B. AC Conducted Emission Test Result</b>             |           |
| <b>Appendix C. Radiated Spurious Emission</b>                    |           |
| <b>Appendix D. Radiated Spurious Emission Plots</b>              |           |
| <b>Appendix E. Duty Cycle Plots</b>                              |           |
| <b>Appendix F. Setup Photographs</b>                             |           |



## History of this test report

| Report No. | Version | Description                | Issued Date   |
|------------|---------|----------------------------|---------------|
| FR072112C  | 01      | Initial issue of report    | Aug. 28, 2020 |
| FR072112C  | 02      | Revising test description. | Sep. 03, 2020 |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |

## Summary of Test Result

| Report Clause | Ref Std. Clause       | Test Items                                         | Result (PASS/FAIL) | Remark                                    |
|---------------|-----------------------|----------------------------------------------------|--------------------|-------------------------------------------|
| 3.1           | 15.247(a)(2)          | 6dB Bandwidth                                      | Pass               | -                                         |
| 3.1           | 2.1049                | 99% Occupied Bandwidth                             | Reporting only     | -                                         |
| 3.2           | 15.247(b)             | Power Output Measurement                           | Pass               | -                                         |
| 3.3           | 15.247(e)             | Power Spectral Density                             | Pass               | -                                         |
| 3.4           | 15.247(d)             | Conducted Band Edges                               | Pass               | -                                         |
|               |                       | Conducted Spurious Emission                        | Pass               | -                                         |
| 3.5           | 15.247(d)             | Radiated Band Edges and Radiated Spurious Emission | Pass               | Under limit<br>6.37 dB at<br>2389.900 MHz |
| 3.6           | 15.207                | AC Conducted Emission                              | Pass               | Under limit<br>15.08 dB at<br>11.896 MHz  |
| 3.7           | 15.203 &<br>15.247(b) | Antenna Requirement                                | Pass               | -                                         |

**Declaration of Conformity:**

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

**Comments and Explanations:**

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

**Reviewed by: Wii Chang**

**Report Producer: Vivian Hsu**

# 1 General Description

## 1.1 Product Feature of Equipment Under Test

GSM/WCDMA/LTE/5G NR, Bluetooth, Wi-Fi 2.4GHz 802.11b/g/n/ax, Wi-Fi 5GHz 802.11a/n/ac/ax, NFC, and GNSS.

| Product Feature |                                                                                                                                                                                                                                                                             |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sample 1        | Memory(8+256GB)                                                                                                                                                                                                                                                             |
| Sample 2        | Memory(8+128GB)                                                                                                                                                                                                                                                             |
| Antenna Type    | WWAN:<br><Ant. 1> : PIFA Antenna<br><Ant. 2> : PIFA Antenna<br>WLAN:<br><Ant. 4> : PIFA Antenna<br><Ant. 5> : PIFA Antenna<br>Bluetooth:<br><Ant. 4> : PIFA Antenna<br><Ant. 5> : PIFA Antenna<br>GPS / Glonass / Galileo / SBAS / BDS: PIFA Antenna<br>NFC: Planar Antenna |

**Remark:** All test items were performed with Sample 1.

## 1.2 Modification of EUT

No modifications are made to the EUT during all test items.

### 1.3 Testing Location

|                    |                                                                                                                       |         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|---------|
| Test Site          | SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory                                                   |         |
| Test Site Location | No.52, Huaya 1st Rd., Guishan Dist.,<br>Taoyuan City, Taiwan (R.O.C.)<br>TEL: +886-3-327-3456<br>FAX: +886-3-328-4978 |         |
| Test Site No.      | Sporton Site No.                                                                                                      |         |
|                    | TH05-HY                                                                                                               | CO05-HY |

**Note:** The test site complies with ANSI C63.4 2014 requirement.

|                    |                                                                                                                                           |  |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|--|
| Test Site          | SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory                                                                       |  |
| Test Site Location | No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist.,<br>Taoyuan City, Taiwan (R.O.C.)<br>TEL: +886-3-327-0868<br>FAX: +886-3-327-0855 |  |
| Test Site No.      | Sporton Site No.                                                                                                                          |  |
|                    | 03CH15-HY                                                                                                                                 |  |

**Note:** The test site complies with ANSI C63.4 2014 requirement.

FCC designation No.: TW1190 and TW0007

### 1.4 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC Part 15 Subpart C §15.247
- ♦ FCC KDB Publication No. 558074 D01 DTS Meas. Guidance v05r02
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.
- ♦ FCC KDB 662911 D01 Multiple Transmitter Output v02r01.
- ♦ ANSI C63.10-2013

**Remark:**

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. The TAF code is not including all the FCC KDB listed without accreditation.

## 2 Test Configuration of Equipment Under Test

- a. The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: conduction emission (150 kHz to 30 MHz), radiation emission (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower). For radiated measurement, pre-scanned in three orthogonal panels, X, Y, Z. The worst cases (X plane) were recorded in this report.
- b. AC power line Conducted Emission was tested under maximum output power.

### 2.1 Carrier Frequency and Channel

| Frequency Band  | Channel | Freq. (MHz) | Channel | Freq. (MHz) |
|-----------------|---------|-------------|---------|-------------|
| 2400-2483.5 MHz | 1       | 2412        | 7       | 2442        |
|                 | 2       | 2417        | 8       | 2447        |
|                 | 3       | 2422        | 9       | 2452        |
|                 | 4       | 2427        | 10      | 2457        |
|                 | 5       | 2432        | 11      | 2462        |
|                 | 6       | 2437        |         |             |

## 2.2 Test Mode

Final test modes are considering the modulation and worse data rates as below table.

### MIMO Antenna


| Modulation                     | Data Rate |
|--------------------------------|-----------|
| 802.11b                        | 1 Mbps    |
| 802.11g                        | 6 Mbps    |
| 802.11n HT20 (Covered by HE20) | MCS0      |
| 802.11n HT40 (Covered by HE40) | MCS0      |
| 802.11ax HE20                  | MCS0      |
| 802.11ax HE40                  | MCS0      |

| Test Cases                  |                                                                                                      |
|-----------------------------|------------------------------------------------------------------------------------------------------|
| AC<br>Conducted<br>Emission | Mode 1 : GSM850 Idle + Bluetooth Link + WLAN (2.4GHz) Link + USB Cable<br>(Charging from AC Adapter) |

| Ch. #  | 2400-2483.5 MHz |         |               |               |
|--------|-----------------|---------|---------------|---------------|
|        | 802.11b         | 802.11g | 802.11ax HE20 | 802.11ax HE40 |
| Low    | 01              | 01      | 01            | 03            |
| Middle | 06              | 06      | 06            | 06            |
| High   | 11              | 11      | 11            | 09            |

**Remark:** For radiation spurious emission, the final modulation and the worst data rate was reference the max RF conducted power.

## 2.3 Connection Diagram of Test System



## 2.4 Support Unit used in test configuration and system

| Item | Equipment          | Brand Name    | Model Name     | FCC ID                                       | Data Cable | Power Cord                                                 |
|------|--------------------|---------------|----------------|----------------------------------------------|------------|------------------------------------------------------------|
| 1.   | System Simulator   | Anritsu       | MT8820C        | N/A                                          | N/A        | Unshielded, 1.8 m                                          |
| 2.   | Bluetooth Earphone | Sony Ericsson | MW600          | PY7DDA-2029                                  | N/A        | N/A                                                        |
| 3.   | WLAN AP            | ASUS          | RT-AC66U       | MSQ-RTAC66U                                  | N/A        | Unshielded, 1.8 m                                          |
| 4.   | Notebook           | DELL          | Latitude E6320 | FCC DoC/<br>Contains FCC ID:<br>QDS-BRCM1054 | N/A        | AC I/P:<br>Unshielded, 1.2 m<br>DC O/P:<br>Shielded, 1.8 m |

## 2.5 EUT Operation Test Setup

The RF test items, make the EUT get into the engineering modes to provide channel selection, power level, data rate and the application type and for continuous transmitting signals.

### <Partially Loaded RUs>

The RF test items, utility "QSPR V\_5.0-00148" was installed in Notebook which was programmed in order to make the EUT get into the engineering modes to provide channel selection, power level, data rate and the application type and for continuous transmitting signals.

## 2.6 Measurement Results Explanation Example

**For all conducted test items:**

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

Example:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

*Offset = RF cable loss + attenuator factor.*

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

*Offset(dB) = RF cable loss(dB) + attenuator factor(dB).*

*= 4.2 + 10 = 14.2 (dB)*

### 3 Test Result

#### 3.1 6dB and 99% Bandwidth Measurement

##### 3.1.1 Limit of 6dB and 99% Bandwidth

The minimum 6 dB bandwidth shall be at least 500 kHz.


##### 3.1.2 Measuring Instruments

See list of measuring equipment of this test report.

##### 3.1.3 Test Procedures

1. The testing follows the ANSI C63.10 Section 6.9.3 (OBW) and 11.8.1 (6dB BW).
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. Set to the maximum power setting and enable the EUT transmit continuously.
4. Make the measurement with the spectrum analyzer's resolution bandwidth (RBW) = 100 kHz. Set the Video bandwidth (VBW) = 300 kHz. In order to make an accurate measurement. The 6 dB bandwidth must be greater than 500 kHz.
5. For 99% Bandwidth Measurement, the spectrum analyzer's resolution bandwidth (RBW) is set 1-5% of the emission bandwidth and set the Video bandwidth (VBW)  $\geq 3 * RBW$ .
6. Measure and record the results in the test report.


##### 3.1.4 Test Setup






### 3.1.5 Test Result of 6dB and 99% Occupied Bandwidth

Please refer to Appendix A.



Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

#### <Fully Loaded RUs>



Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

## 3.2 Output Power Measurement

### 3.2.1 Limit of Output Power

For systems using digital modulation in the 2400-2483.5MHz, the limit for output power is 30dBm. If transmitting antenna with directional gain greater than 6dBi is used, the peak output power from the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the antenna exceeds 6 dBi. In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of the antenna exceeds 6dBi.


### 3.2.2 Measuring Instruments

See list of measuring equipment of this test report.

### 3.2.3 Test Procedures

1. For Average Power, the testing follows ANSI C63.10 Section 11.9.2.3.2 Method AVGPM-G
2. The RF output of EUT was connected to the power meter by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. Set to the maximum power setting and enable the EUT transmit continuously.
4. Measure the conducted output power and record the results in the test report.
5. For MIMO mode, calculation method follows FCC KDB 662911 D01 Multiple Transmitter Output v02r01.

### 3.2.4 Test Setup



### 3.2.5 Test Result of Average Output Power

Please refer to Appendix A.

### 3.3 Power Spectral Density Measurement

#### 3.3.1 Limit of Power Spectral Density

The peak power spectral density shall not be greater than 8dBm in any 3kHz band at any time interval of continuous transmission.

#### 3.3.2 Measuring Instruments

See list of measuring equipment of this test report.

#### 3.3.3 Test Procedures

1. The testing follows the ANSI C63.10 Section 11.10.2 Method PKPSD.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. Set to the maximum power setting and enable the EUT transmit continuously.
4. Make the measurement with the spectrum analyzer's resolution bandwidth (RBW) = 3 kHz. Video bandwidth VBW = 10 kHz In order to make an accurate measurement, set the span to 1.5 times DTS Channel Bandwidth. (6dB BW)
5. Detector = peak, Sweep time = auto couple, Trace mode = max hold, Allow trace to fully stabilize. Use the peak marker function to determine the maximum power level.
6. Measure and record the results in the test report.
7. For MIMO mode, calculation method follows FCC KDB 662911 D01 Multiple Transmitter Output v02r01.


If measurements performed using method (2) plus  $10 \log(N)$  exceeds the emission limit, the test should choose method (1) before declaring that the device fails the emission limit.

Method (1): Measure and sum the spectra across the outputs.

The total final Power Spectral Density is from a device with 2 transmitter outputs. The spectrum measurements of the individual outputs are all performed with the same span and number of points, the spectrum value in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 to obtain the value for the first frequency bin of the summed spectrum.



Method (2): Measure and add  $10 \log(N)$  dB, where N is the number of outputs. (N=2)


#### 3.3.4 Test Setup




### 3.3.5 Test Result of Power Spectral Density

Please refer to Appendix A.



**<Fully Loaded RUs>**
**Worst Case Power Density (dBm/3kHz) for MIMO Ant. 4**


Date: 10.AUG.2020 14:18:02

**Worst Case Power Density (dBm/3kHz) for MIMO Ant. 5**


Date: 10.AUG.2020 14:24:48

## 3.4 Conducted Band Edges and Spurious Emission Measurement

### 3.4.1 Limit of Conducted Band Edges and Spurious Emission Measurement

In any 100 kHz bandwidth outside of the authorized frequency band, the emissions which fall in the non-restricted bands shall be attenuated at least 20 dB / 30dB relative to the maximum PSD level in 100 kHz by RF conducted measurement.


### 3.4.2 Measuring Instruments

See list of measuring equipment of this test report.

### 3.4.3 Test Procedures

1. The testing follows the ANSI C63.10 Section 11.11.3 Emission level measurement.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. Set to the maximum power setting and enable the EUT transmit continuously.
4. Set RBW = 100 kHz, VBW=300 kHz, Peak Detector. Unwanted Emissions measured in any 100 kHz bandwidth outside of the authorized frequency band shall be attenuated by at least 20 dB relative to the maximum in-band peak PSD level in 100 kHz when maximum peak conducted output power procedure is used. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required under this paragraph shall be 30 dB instead of 20 dB per 15.247(d).
5. Measure and record the results in the test report.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

### 3.4.4 Test Setup






## 3.4.5 Test Result of Conducted Band Edges and Spurious Emission

|                 |                       |                     |             |
|-----------------|-----------------------|---------------------|-------------|
| Test Engineer : | Hank Hsu and Jacob Yu | Temperature :       | 23.5~24.3°C |
|                 |                       | Relative Humidity : | 49~55%      |


Number of TX = 2, Ant. 4 (Measured)

|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11b | Test Channel : | 01 |
|-------------|---------|----------------|----|






|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11b | Test Channel : | 06 |
|-------------|---------|----------------|----|






|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11b | Test Channel : | 11 |
|-------------|---------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 11:52:51

High Channel Plot




Date: 10.AUG.2020 11:53:36

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 11:54:01

Spurious Emission 2GHz~25GHz




Date: 10.AUG.2020 11:54:17




|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11g | Test Channel : | 01 |
|-------------|---------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 12:08:41

Low Channel Plot




Date: 10.AUG.2020 12:09:17

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 12:10:29


Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 12:12:52




|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11g | Test Channel : | 06 |
|-------------|---------|----------------|----|






|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11g | Test Channel : | 11 |
|-------------|---------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 14:00:45

High Channel Plot




Date: 10.AUG.2020 14:01:25

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 14:01:44

Spurious Emission 2GHz~25GHz




Date: 10.AUG.2020 14:02:21




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE20 Full RU | Test Channel : | 01 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 14:18:27

Low Channel Plot




Date: 10.AUG.2020 14:18:45

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 14:19:44


Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 14:20:00




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE20 Full RU | Test Channel : | 06 |
|-------------|-----------------------|----------------|----|






|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE20 Full RU | Test Channel : | 11 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 19.AUG.2020 19:02:46

High Channel Plot




Date: 19.AUG.2020 19:06:56

Spurious Emission 30MHz~3GHz



Date: 19.AUG.2020 19:07:18

Spurious Emission 2GHz~25GHz




Date: 19.AUG.2020 19:07:42




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE40 Full RU | Test Channel : | 03 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 15:15:44

Low Channel Plot




Date: 10.AUG.2020 15:16:01

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 15:16:17


Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 15:16:31




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE40 Full RU | Test Channel : | 06 |
|-------------|-----------------------|----------------|----|






|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE40 Full RU | Test Channel : | 09 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 15:47:45

High Channel Plot




Date: 10.AUG.2020 15:48:07

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 15:48:49

Spurious Emission 2GHz~25GHz




Date: 10.AUG.2020 15:49:04




Number of TX = 2, Ant. 5 (Measured)

|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11b | Test Channel : | 01 |
|-------------|---------|----------------|----|






|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11b | Test Channel : | 06 |
|-------------|---------|----------------|----|






|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11b | Test Channel : | 11 |
|-------------|---------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 11:58:03

High Channel Plot




Date: 10.AUG.2020 11:59:12

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 11:59:45

Spurious Emission 2GHz~25GHz




Date: 10.AUG.2020 12:00:01




|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11g | Test Channel : | 01 |
|-------------|---------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 13:48:39

Low Channel Plot




Date: 10.AUG.2020 13:49:17

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 13:49:37

Spurious Emission 2GHz~25GHz




Date: 10.AUG.2020 13:49:52



|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11g | Test Channel : | 06 |
|-------------|---------|----------------|----|


## 100kHz PSD reference Level



Date: 10.AUG.2020 13:57:03


## Mid Channel Plot

## Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 13:57:20


## Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 13:57:34




|             |         |                |    |
|-------------|---------|----------------|----|
| Test Mode : | 802.11g | Test Channel : | 11 |
|-------------|---------|----------------|----|






|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE20 Full RU | Test Channel : | 01 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 14:25:15

Low Channel Plot




Date: 10.AUG.2020 14:25:41

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 14:25:59


Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 14:26:13




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE20 Full RU | Test Channel : | 06 |
|-------------|-----------------------|----------------|----|






|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE20 Full RU | Test Channel : | 11 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 19.AUG.2020 19:11:29

High Channel Plot




Date: 19.AUG.2020 19:12:06

Spurious Emission 30MHz~3GHz



Date: 19.AUG.2020 19:12:26

Spurious Emission 2GHz~25GHz




Date: 19.AUG.2020 19:12:43




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE40 Full RU | Test Channel : | 03 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 15:29:35

Low Channel Plot




Date: 10.AUG.2020 15:30:09

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 15:31:21


Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 15:31:52




|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE40 Full RU | Test Channel : | 06 |
|-------------|-----------------------|----------------|----|






|             |                       |                |    |
|-------------|-----------------------|----------------|----|
| Test Mode : | 802.11ax HE40 Full RU | Test Channel : | 09 |
|-------------|-----------------------|----------------|----|

100kHz PSD reference Level




Date: 10.AUG.2020 15:52:03

High Channel Plot




Date: 10.AUG.2020 15:52:22

Spurious Emission 30MHz~3GHz



Date: 10.AUG.2020 15:52:42

Spurious Emission 2GHz~25GHz



Date: 10.AUG.2020 15:53:38

### 3.5 Radiated Band Edges and Spurious Emission Measurement

#### 3.5.1 Limit of Radiated band edge and Spurious Emission Measurement

In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics/spurious must be at least 20 dB below the highest emission level within the authorized band. If the output power of this device was measured by spectrum analyzer, the attenuation under this paragraph shall be 30 dB instead of 20 dB. In addition, radiated emissions which fall in the restricted bands must also comply with the limits as below.

| Frequency<br>(MHz) | Field Strength<br>(microvolts/meter) | Measurement Distance<br>(meters) |
|--------------------|--------------------------------------|----------------------------------|
| 0.009 – 0.490      | 2400/F(kHz)                          | 300                              |
| 0.490 – 1.705      | 24000/F(kHz)                         | 30                               |
| 1.705 – 30.0       | 30                                   | 30                               |
| 30 – 88            | 100                                  | 3                                |
| 88 – 216           | 150                                  | 3                                |
| 216 - 960          | 200                                  | 3                                |
| Above 960          | 500                                  | 3                                |

#### 3.5.2 Measuring Instruments

See list of measuring equipment of this test report.




### 3.5.3 Test Procedures


1. The testing follows the ANSI C63.10 Section 11.12.1 Radiated emission measurements.
2. The EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level.
3. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
5. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than average limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
8. Use the following spectrum analyzer settings:
  - (1) Span shall wide enough to fully capture the emission being measured;
  - (2) Set RBW=100 kHz for  $f < 1$  GHz;  $VBW \geq RBW$ ; Sweep = auto; Detector function = peak; Trace = max hold;
  - (3) Set RBW = 1 MHz, VBW= 3MHz for  $f \geq 1$  GHz for peak measurement.  
For average measurement:
    - $VBW = 10$  Hz, when duty cycle is no less than 98 percent.
    - $VBW \geq 1/T$ , when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

### 3.5.4 Test Setup


For radiated emissions below 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz



### 3.5.5 Test Results of Radiated Spurious Emissions (9kHz ~ 30MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.

### 3.5.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C and D.

### 3.5.7 Duty Cycle

Please refer to Appendix E.

### 3.5.8 Test Result of Radiated Spurious Emission (30MHz ~ 10<sup>th</sup> Harmonic)

Please refer to Appendix C and D.

## 3.6 AC Conducted Emission Measurement

### 3.6.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

| Frequency of Emission<br>(MHz) | Conducted Limit (dB $\mu$ V) |           |
|--------------------------------|------------------------------|-----------|
|                                | Quasi-Peak                   | Average   |
| 0.15-0.5                       | 66 to 56*                    | 56 to 46* |
| 0.5-5                          | 56                           | 46        |
| 5-30                           | 60                           | 50        |

\*Decreases with the logarithm of the frequency.


### 3.6.2 Measuring Instruments

See list of measuring equipment of this test report.

### 3.6.3 Test Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room, and it was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF bandwidth = 9kHz) with Maximum Hold Mode.

### 3.6.4 Test Setup



### 3.6.5 Test Result of AC Conducted Emission

Please refer to Appendix B.

### 3.7 Antenna Requirements

#### 3.7.1 Standard Applicable

If directional gain of transmitting Antennas is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi. The use of a permanently attached Antenna or of an Antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

#### 3.7.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

#### 3.7.3 Antenna Gain

<CDD Modes >

FCC KDB 662911 D01 Multiple Transmitter Output **v02r01**

For CDD transmissions, directional gain is calculated as

Directional gain =  $G_{ANT}$  + Array Gain, where Array Gain is as follows.

For power spectral density (PSD) measurements on all devices,

Array Gain =  $10 \log(N_{ANT}/N_{SS}=1)$  dB.

For power measurements on IEEE 802.11 devices,

Array Gain = 0 dB (i.e., no array gain) for  $N_{ANT} \leq 4$ .

Directional gain may be calculated by using the formulas applicable to equal gain antennas with  $G_{ANT}$  set equal to the gain of the antenna having the highest gain;

The EUT supports CDD mode.

For power, the directional gain  $G_{ANT}$  is set equal to the antenna having the highest gain, i.e., F)2)f)i).

For PSD, the directional gain calculation is following F)2)f)ii) of KDB 662911 D01 **v02r01**.

The power and PSD limit should be modified if the directional gain of EUT is over 6 dBi,

The directional gain "DG" is calculated as following table.

| <CDD Modes> |                 |                 |                             |                           |                                     |                                   |
|-------------|-----------------|-----------------|-----------------------------|---------------------------|-------------------------------------|-----------------------------------|
|             |                 |                 | DG<br>for<br>Power<br>(dBi) | DG<br>for<br>PSD<br>(dBi) | Power<br>Limit<br>Reduction<br>(dB) | PSD<br>Limit<br>Reduction<br>(dB) |
|             | Ant. 4<br>(dBi) | Ant. 5<br>(dBi) |                             |                           |                                     |                                   |
| 2.4 GHz     | -1.10           | -1.50           | -1.10                       | 1.71                      | 0.00                                | 0.00                              |

$Power\ Limit\ Reduction = DG(Power) - 6dBi, (min = 0)$

$PSD\ Limit\ Reduction = DG(PSD) - 6dBi, (min = 0)$



## 4 List of Measuring Equipment

| Instrument              | Brand Name      | Model No.                       | Serial No.           | Characteristics | Calibration Date | Test Date                       | Due Date      | Remark                |
|-------------------------|-----------------|---------------------------------|----------------------|-----------------|------------------|---------------------------------|---------------|-----------------------|
| AC Power Source         | ChainTek        | APC-1000W                       | N/A                  | N/A             | N/A              | Aug. 07, 2020                   | N/A           | Conduction (CO05-HY)  |
| EMI Test Receiver       | Rohde & Schwarz | ESR3                            | 102388               | 9kHz~3.6GHz     | Nov. 15, 2019    | Aug. 07, 2020                   | Nov. 14, 2020 | Conduction (CO05-HY)  |
| LISN                    | Rohde & Schwarz | ENV216                          | 100081               | 9kHz~30MHz      | Nov. 15, 2019    | Aug. 07, 2020                   | Nov. 14, 2020 | Conduction (CO05-HY)  |
| Software                | Rohde & Schwarz | EMC32 V10.30                    | N/A                  | N/A             | N/A              | Aug. 07, 2020                   | N/A           | Conduction (CO05-HY)  |
| LF Cable                | HUBER + SUHNER  | RG-214/U                        | LF01                 | N/A             | Jan. 02, 2020    | Aug. 07, 2020                   | Jan. 01, 2021 | Conduction (CO05-HY)  |
| Pulse Limiter           | Rohde & Schwarz | ESH3-Z2                         | 100851               | N/A             | Jan. 02, 2020    | Aug. 07, 2020                   | Jan. 01, 2021 | Conduction (CO05-HY)  |
| Hygrometer              | Ji Zhan         | HTC-1                           | 2                    | N/A             | Mar. 02, 2020    | Jul. 28, 2020~<br>Aug. 19, 2020 | Mar. 01, 2021 | Conducted (TH05-HY)   |
| Power Sensor            | DARE            | RPR3006W                        | 16I00054S<br>NO10    | 10MHz~6GHz      | Dec. 23, 2019    | Jul. 28, 2020~<br>Aug. 19, 2020 | Dec. 22, 2020 | Conducted (TH05-HY)   |
| Spectrum Analyzer       | Rohde & Schwarz | FSP30                           | 100895               | 9kHz~30GHz      | Nov. 26, 2019    | Jul. 28, 2020~<br>Aug. 19, 2020 | Nov. 25, 2020 | Conducted (TH05-HY)   |
| Switch Control Manframe | Burgeon         | ETF-058                         | EC130048<br>4        | N/A             | Aug. 22, 2019    | Jul. 28, 2020~<br>Aug. 19, 2020 | Aug. 21, 2020 | Conducted (TH05-HY)   |
| Loop Antenna            | Rohde & Schwarz | HFH2-Z2                         | 100488               | 9 kHz~30 MHz    | Jan. 09, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Jan. 08, 2021 | Radiation (03CH15-HY) |
| Bilog Antenna           | TESEQ           | CBL6111D&0<br>0800N1D01N-<br>06 | 41912&05             | 30MHz to 1GHz   | Feb. 09, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Feb. 08, 2021 | Radiation (03CH15-HY) |
| Amplifier               | SONOMA          | 310N                            | 363440               | 9kHz~1GHz       | Dec. 27, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Dec. 26, 2020 | Radiation (03CH15-HY) |
| Horn Antenna            | SCHWARZBECK     | BBHA 9120 D                     | 9120D-162<br>0       | 1-18GHz         | Oct. 28, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Oct. 27, 2020 | Radiation (03CH15-HY) |
| SHF-EHF Horn Antenna    | SCHWARZBECK     | BBHA 9170                       | BBHA9170<br>584      | 18GHz- 40GHz    | Dec. 10, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Dec. 09, 2020 | Radiation (03CH15-HY) |
| Preamplifier            | Jet-Power       | JPA0118-55-3<br>03              | 171000180<br>0055006 | 1GHz~18GHz      | May 07, 2020     | Aug. 04, 2020~<br>Aug. 19, 2020 | May 06, 2021  | Radiation (03CH15-HY) |
| Preamplifier            | Keysight        | 83017A                          | MY532701<br>95       | 1GHz~26.5GHz    | Aug. 23, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Aug. 22, 2020 | Radiation (03CH15-HY) |
| Preamplifier            | EMEC            | EM18G40G                        | 060715               | 18GHz ~ 40GHz   | Dec. 13, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Dec. 12, 2020 | Radiation (03CH15-HY) |
| EMI Test Receiver       | Keysight        | N9038A(MXE<br>)                 | MY541300<br>85       | 20MHz~8.4GHz    | Nov. 01, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Oct. 31, 2020 | Radiation (03CH15-HY) |
| Spectrum Analyzer       | Agilent         | E4446A                          | MY501801<br>36       | 3Hz~44GHz       | May 04, 2020     | Aug. 04, 2020~<br>Aug. 19, 2020 | May 03, 2021  | Radiation (03CH15-HY) |
| Antenna Mast            | ChainTek        | MBS-520-1                       | N/A                  | 1m~4m           | N/A              | Aug. 04, 2020~<br>Aug. 19, 2020 | N/A           | Radiation (03CH15-HY) |
| Turn Table              | ChainTek        | T-200-S-1                       | N/A                  | 0~360 Degree    | N/A              | Aug. 04, 2020~<br>Aug. 19, 2020 | N/A           | Radiation (03CH15-HY) |



| Instrument | Brand Name        | Model No.                           | Serial No.     | Characteristics          | Calibration Date | Test Date                       | Due Date      | Remark                   |
|------------|-------------------|-------------------------------------|----------------|--------------------------|------------------|---------------------------------|---------------|--------------------------|
| Software   | Audix             | E3<br>6.2009-8-24(k<br>5)           | RK-00045<br>1  | N/A                      | N/A              | Aug. 04, 2020~<br>Aug. 19, 2020 | N/A           | Radiation<br>(03CH15-HY) |
| RF Cable   | HUBER +<br>SUHNER | SUCOFLEX<br>104                     | MY9837/4<br>PE | 9kHz~30MHz               | Mar. 12, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Mar. 11, 2021 | Radiation<br>(03CH15-HY) |
| RF Cable   | HUBER +<br>SUHNER | SUCOFLEX<br>104                     | MY36980/<br>4  | 30M-18G                  | Apr. 14, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Apr. 13, 2021 | Radiation<br>(03CH15-HY) |
| RF Cable   | HUBER +<br>SUHNER | SUCOFLEX<br>104                     | MY9838/4<br>PE | 30M-18G                  | Apr. 14, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Apr. 13, 2021 | Radiation<br>(03CH15-HY) |
| RF Cable   | HUBER +<br>SUHNER | SUCOFLEX<br>104                     | MY37710/<br>4  | 30M-18G                  | Apr. 17, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Apr. 16, 2021 | Radiation<br>(03CH15-HY) |
| RF Cable   | HUBER +<br>SUHNER | SUCOFLEX<br>102                     | 505134/2       | 30MHz-40GHz              | Feb. 25, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Feb. 24, 2021 | Radiation<br>(03CH15-HY) |
| RF Cable   | HUBER +<br>SUHNER | SUCOFLEX<br>102                     | 800740/2       | 30MHz-40GHz              | Feb. 25, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Feb. 24, 2021 | Radiation<br>(03CH15-HY) |
| Filter     | Wainwright        | WLK4-1000-1<br>530-8000-40S<br>S    | SN4            | 1.53G Low Pass           | Jul. 03, 2020    | Aug. 04, 2020~<br>Aug. 19, 2020 | Jul. 02, 2021 | Radiation<br>(03CH15-HY) |
| Filter     | Wainwright        | WHKX12-270<br>0-3000-18000<br>-60ST | SN4            | 3GHz High Pass<br>Filter | Sep. 17, 2019    | Aug. 04, 2020~<br>Aug. 19, 2020 | Sep. 16, 2020 | Radiation<br>(03CH15-HY) |

## 5 Uncertainty of Evaluation

### Uncertainty of Conducted Emission Measurement (150kHz ~ 30MHz)

|                                                                            |     |
|----------------------------------------------------------------------------|-----|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 2.3 |
|----------------------------------------------------------------------------|-----|

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

|                                                                            |     |
|----------------------------------------------------------------------------|-----|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 5.0 |
|----------------------------------------------------------------------------|-----|

### Uncertainty of Radiated Emission Measurement (1000 MHz ~ 18000 MHz)

|                                                                            |     |
|----------------------------------------------------------------------------|-----|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 5.4 |
|----------------------------------------------------------------------------|-----|

### Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

|                                                                            |     |
|----------------------------------------------------------------------------|-----|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 5.0 |
|----------------------------------------------------------------------------|-----|

**Appendix A. Test Result of Conducted Test Items**

|                |                       |                    |           |    |
|----------------|-----------------------|--------------------|-----------|----|
| Test Engineer: | Hank Hsu and Jacob Yu | Temperature:       | 23.5~24.3 | °C |
| Test Date:     | 2020/7/28 ~ 2020/8/19 | Relative Humidity: | 49~55     | %  |

**TEST RESULTS DATA**  
**6dB and 99% Occupied Bandwidth**

| 2.4GHz Band MIMO |           |     |     |             |                       |       |              |       |                    |           |
|------------------|-----------|-----|-----|-------------|-----------------------|-------|--------------|-------|--------------------|-----------|
| Mod.             | Data Rate | NTX | CH. | Freq. (MHz) | 99% Occupied BW (MHz) |       | 6dB BW (MHz) |       | 6dB BW Limit (MHz) | Pass/Fail |
|                  |           |     |     |             | Ant 4                 | Ant 5 | Ant 4        | Ant 5 |                    |           |
| 11b              | 1Mbps     | 2   | 1   | 2412        | 12.95                 | 12.95 | 8.04         | 7.56  | 0.50               | Pass      |
| 11b              | 1Mbps     | 2   | 6   | 2437        | 13.10                 | 13.05 | 8.04         | 7.76  | 0.50               | Pass      |
| 11b              | 1Mbps     | 2   | 11  | 2462        | 13.05                 | 13.00 | 8.04         | 8.00  | 0.50               | Pass      |
| 11g              | 6Mbps     | 2   | 1   | 2412        | 16.45                 | 16.45 | 15.92        | 16.28 | 0.50               | Pass      |
| 11g              | 6Mbps     | 2   | 6   | 2437        | 16.45                 | 16.50 | 16.28        | 16.32 | 0.50               | Pass      |
| 11g              | 6Mbps     | 2   | 11  | 2462        | 16.45                 | 16.45 | 16.00        | 16.32 | 0.50               | Pass      |

**TEST RESULTS DATA**  
**Average Output Power**

| 2.4GHz Band MIMO |           |     |     |             |                               |       |       |                             |       |          |       |                  |       |                        |       |            |
|------------------|-----------|-----|-----|-------------|-------------------------------|-------|-------|-----------------------------|-------|----------|-------|------------------|-------|------------------------|-------|------------|
| Mod.             | Data Rate | NTX | CH. | Freq. (MHz) | Average Conducted Power (dBm) |       |       | Conducted Power Limit (dBm) |       | DG (dBi) |       | EIRP Power (dBm) |       | EIRP Power Limit (dBm) |       | Pass /Fail |
|                  |           |     |     |             | Ant 4                         | Ant 5 | SUM   | Ant 4                       | Ant 5 | Ant 4    | Ant 5 | Ant 4            | Ant 5 | Ant 4                  | Ant 5 |            |
| 11b              | 1Mbps     | 2   | 1   | 2412        | 15.70                         | 14.80 | 18.28 | 30.00                       |       | -1.10    |       | 17.18            |       | 36.00                  |       | Pass       |
| 11b              | 1Mbps     | 2   | 6   | 2437        | 15.30                         | 14.80 | 18.07 | 30.00                       |       | -1.10    |       | 16.97            |       | 36.00                  |       | Pass       |
| 11b              | 1Mbps     | 2   | 11  | 2462        | 15.50                         | 14.60 | 18.08 | 30.00                       |       | -1.10    |       | 16.98            |       | 36.00                  |       | Pass       |
| 11g              | 6Mbps     | 2   | 1   | 2412        | 16.30                         | 15.50 | 18.93 | 30.00                       |       | -1.10    |       | 17.83            |       | 36.00                  |       | Pass       |
| 11g              | 6Mbps     | 2   | 6   | 2437        | 16.00                         | 15.50 | 18.77 | 30.00                       |       | -1.10    |       | 17.67            |       | 36.00                  |       | Pass       |
| 11g              | 6Mbps     | 2   | 11  | 2462        | 16.10                         | 15.40 | 18.77 | 30.00                       |       | -1.10    |       | 17.67            |       | 36.00                  |       | Pass       |
| HT20             | MCS0      | 2   | 1   | 2412        | 16.10                         | 15.30 | 18.73 | 30.00                       |       | -1.10    |       | 17.63            |       | 36.00                  |       | Pass       |
| HT20             | MCS0      | 2   | 6   | 2437        | 15.90                         | 15.40 | 18.67 | 30.00                       |       | -1.10    |       | 17.57            |       | 36.00                  |       | Pass       |
| HT20             | MCS0      | 2   | 11  | 2462        | 15.90                         | 15.20 | 18.57 | 30.00                       |       | -1.10    |       | 17.47            |       | 36.00                  |       | Pass       |
| HT40             | MCS0      | 2   | 3   | 2422        | 16.50                         | 15.60 | 19.08 | 30.00                       |       | -1.10    |       | 17.98            |       | 36.00                  |       | Pass       |
| HT40             | MCS0      | 2   | 6   | 2437        | 16.30                         | 15.40 | 18.88 | 30.00                       |       | -1.10    |       | 17.78            |       | 36.00                  |       | Pass       |
| HT40             | MCS0      | 2   | 9   | 2452        | 16.40                         | 15.70 | 19.07 | 30.00                       |       | -1.10    |       | 17.97            |       | 36.00                  |       | Pass       |

Note: Measured power (dBm) has offset with cable loss.

**TEST RESULTS DATA**  
**Peak Power Spectral Density**

| 2.4GHz Band MIMO |           |     |     |             |                     |        |              |          |       |                           |       |           |
|------------------|-----------|-----|-----|-------------|---------------------|--------|--------------|----------|-------|---------------------------|-------|-----------|
| Mod.             | Data Rate | NTX | CH. | Freq. (MHz) | Peak PSD (dBm/3kHz) |        |              | DG (dBi) |       | Peak PSD Limit (dBm/3kHz) |       | Pass/Fail |
|                  |           |     |     |             | Ant 4               | Ant 5  | Worse + 3.01 | Ant 4    | Ant 5 | Ant 4                     | Ant 5 |           |
| 11b              | 1Mbps     | 2   | 1   | 2412        | -8.39               | -9.51  | -5.38        | 1.71     |       | 8.00                      |       | Pass      |
| 11b              | 1Mbps     | 2   | 6   | 2437        | -9.09               | -9.54  | -6.08        | 1.71     |       | 8.00                      |       | Pass      |
| 11b              | 1Mbps     | 2   | 11  | 2462        | -8.64               | -10.40 | -5.63        | 1.71     |       | 8.00                      |       | Pass      |
| 11g              | 6Mbps     | 2   | 1   | 2412        | -10.85              | -10.56 | -7.55        | 1.71     |       | 8.00                      |       | Pass      |
| 11g              | 6Mbps     | 2   | 6   | 2437        | -10.52              | -12.75 | -7.51        | 1.71     |       | 8.00                      |       | Pass      |
| 11g              | 6Mbps     | 2   | 11  | 2462        | -11.33              | -11.23 | -8.22        | 1.71     |       | 8.00                      |       | Pass      |

Note: Measured power density (dBm) has offset with cable loss.

**TEST RESULTS DATA**  
**6dB and 99% Occupied Bandwidth**

| 2.4GHz Band MIMO |           |     |     |             |           |                       |       |              |       |                    |           |
|------------------|-----------|-----|-----|-------------|-----------|-----------------------|-------|--------------|-------|--------------------|-----------|
| Mod.             | Data Rate | Ntx | CH. | Freq. (MHz) | RU Config | 99% Occupied BW (MHz) |       | 6dB BW (MHz) |       | 6dB BW Limit (MHz) | Pass/Fail |
|                  |           |     |     |             |           | Ant 4                 | Ant 5 | Ant 4        | Ant 5 |                    |           |
| HE20             | MCS0      | 2   | 1   | 2412        | Full      | 18.95                 | 18.95 | 18.44        | 18.10 | 0.50               | Pass      |
| HE20             | MCS0      | 2   | 6   | 2437        | Full      | 18.95                 | 18.95 | 18.72        | 18.56 | 0.50               | Pass      |
| HE20             | MCS0      | 2   | 11  | 2462        | Full      | 18.95                 | 18.90 | 18.68        | 18.68 | 0.50               | Pass      |
| HE40             | MCS0      | 2   | 3   | 2422        | Full      | 37.70                 | 37.80 | 37.28        | 36.28 | 0.50               | Pass      |
| HE40             | MCS0      | 2   | 6   | 2437        | Full      | 37.90                 | 38.00 | 37.76        | 36.84 | 0.50               | Pass      |
| HE40             | MCS0      | 2   | 9   | 2452        | Full      | 37.90                 | 37.80 | 37.28        | 36.32 | 0.50               | Pass      |

**TEST RESULTS DATA**  
**Average Output Power**

| 2.4GHz Band MIMO |           |                 |     |             |           |                               |       |       |                             |       |          |       |                  |       |                        |       |            |
|------------------|-----------|-----------------|-----|-------------|-----------|-------------------------------|-------|-------|-----------------------------|-------|----------|-------|------------------|-------|------------------------|-------|------------|
| Mod.             | Data Rate | N <sub>Tx</sub> | CH. | Freq. (MHz) | RU Config | Average Conducted Power (dBm) |       |       | Conducted Power Limit (dBm) |       | DG (dBi) |       | EIRP Power (dBm) |       | EIRP Power Limit (dBm) |       | Pass /Fail |
|                  |           |                 |     |             |           | Ant 4                         | Ant 5 | SUM   | Ant 4                       | Ant 5 | Ant 4    | Ant 5 | Ant 4            | Ant 5 | Ant 4                  | Ant 5 |            |
| HE20             | MCS0      | 2               | 1   | 2412        | Full      | 16.20                         | 15.40 | 18.83 | 30.00                       |       | -1.10    |       | 17.73            |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 1   | 2412        | 26/0      | 6.50                          | 6.30  | 9.41  | 30.00                       |       | -1.10    |       | 8.31             |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 1   | 2412        | 52/37     | 8.90                          | 8.80  | 11.86 | 30.00                       |       | -1.10    |       | 10.76            |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 1   | 2412        | 106/53    | 12.60                         | 12.30 | 15.46 | 30.00                       |       | -1.10    |       | 14.36            |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 6   | 2437        | Full      | 16.00                         | 15.50 | 18.77 | 30.00                       |       | -1.10    |       | 17.67            |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 11  | 2462        | Full      | 16.00                         | 15.30 | 18.67 | 30.00                       |       | -1.10    |       | 17.57            |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 11  | 2462        | 26/8      | 6.60                          | 5.90  | 9.27  | 30.00                       |       | -1.10    |       | 8.17             |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 11  | 2462        | 52/40     | 10.00                         | 9.10  | 12.58 | 30.00                       |       | -1.10    |       | 11.48            |       | 36.00                  |       | Pass       |
| HE20             | MCS0      | 2               | 11  | 2462        | 106/54    | 12.90                         | 11.90 | 15.44 | 30.00                       |       | -1.10    |       | 14.34            |       | 36.00                  |       | Pass       |
| HE40             | MCS0      | 2               | 3   | 2422        | Full      | 16.60                         | 15.70 | 19.18 | 30.00                       |       | -1.10    |       | 18.08            |       | 36.00                  |       | Pass       |
| HE40             | MCS0      | 2               | 3   | 2422        | 242/61    | 14.50                         | 13.70 | 17.13 | 30.00                       |       | -1.10    |       | 16.03            |       | 36.00                  |       | Pass       |
| HE40             | MCS0      | 2               | 6   | 2437        | Full      | 16.40                         | 15.50 | 18.98 | 30.00                       |       | -1.10    |       | 17.88            |       | 36.00                  |       | Pass       |
| HE40             | MCS0      | 2               | 9   | 2452        | Full      | 16.50                         | 15.80 | 19.17 | 30.00                       |       | -1.10    |       | 18.07            |       | 36.00                  |       | Pass       |
| HE40             | MCS0      | 2               | 9   | 2452        | 242/62    | 13.20                         | 12.50 | 15.87 | 30.00                       |       | -1.10    |       | 14.77            |       | 36.00                  |       | Pass       |

Note: Measured power (dBm) has offset with cable loss.

**TEST RESULTS DATA**  
**Peak Power Spectral Density**

| 2.4GHz Band MIMO |           |                 |     |             |           |                     |        |              |          |       |                           |       |           |
|------------------|-----------|-----------------|-----|-------------|-----------|---------------------|--------|--------------|----------|-------|---------------------------|-------|-----------|
| Mod.             | Data Rate | N <sub>Tx</sub> | CH. | Freq. (MHz) | RU Config | Peak PSD (dBm/3kHz) |        |              | DG (dBi) |       | Peak PSD Limit (dBm/3kHz) |       | Pass/Fail |
|                  |           |                 |     |             |           | Ant 4               | Ant 5  | Worse + 3.01 | Ant 4    | Ant 5 | Ant 4                     | Ant 5 |           |
| HE20             | MCS0      | 2               | 1   | 2412        | Full      | -9.89               | -11.32 | -6.88        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 1   | 2412        | 26/0      | -11.21              | -11.62 | -8.20        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 1   | 2412        | 52/37     | -10.26              | -11.51 | -7.25        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 1   | 2412        | 106/53    | -11.13              | -11.92 | -8.12        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 6   | 2437        | Full      | -10.73              | -11.74 | -7.72        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 11  | 2462        | Full      | -10.55              | -10.97 | -7.54        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 11  | 2462        | 26/8      | -10.56              | -11.18 | -7.55        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 11  | 2462        | 52/40     | -10.60              | -11.03 | -7.59        | 1.71     |       | 8.00                      |       | Pass      |
| HE20             | MCS0      | 2               | 11  | 2462        | 106/54    | -10.58              | -11.04 | -7.57        | 1.71     |       | 8.00                      |       | Pass      |
| HE40             | MCS0      | 2               | 3   | 2422        | Full      | -11.50              | -13.87 | -8.49        | 1.71     |       | 8.00                      |       | Pass      |
| HE40             | MCS0      | 2               | 3   | 2422        | 242/61    | -11.76              | -14.06 | -8.75        | 1.71     |       | 8.00                      |       | Pass      |
| HE40             | MCS0      | 2               | 6   | 2437        | Full      | -14.10              | -13.82 | -10.81       | 1.71     |       | 8.00                      |       | Pass      |
| HE40             | MCS0      | 2               | 9   | 2452        | Full      | -13.40              | -13.82 | -10.39       | 1.71     |       | 8.00                      |       | Pass      |
| HE40             | MCS0      | 2               | 9   | 2452        | 242/62    | -13.66              | -14.48 | -10.65       | 1.71     |       | 8.00                      |       | Pass      |

Note: Measured power density (dBm) has offset with cable loss.




## Appendix B. AC Conducted Emission Test Results

|                 |         |                     |        |
|-----------------|---------|---------------------|--------|
| Test Engineer : | Tom Lee | Temperature :       | 23~26℃ |
|                 |         | Relative Humidity : | 42~50% |

## EUT Information

Report NO : 072112  
Test Mode : Mode 1  
Test Voltage : 120Vac/60Hz  
Phase : Line

Full Spectrum




## Final\_Result

| Frequency (MHz) | QuasiPeak (dBuV) | CAverage (dBuV) | Limit (dBuV) | Margin (dB) | Line | Filter | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|------|--------|------------|
| 0.185640        | 45.40            | ---             | 64.23        | 18.83       | L1   | OFF    | 19.6       |
| 0.185640        | ---              | 34.98           | 54.23        | 19.25       | L1   | OFF    | 19.6       |
| 0.257370        | 37.55            | ---             | 61.52        | 23.97       | L1   | OFF    | 19.6       |
| 0.257370        | ---              | 30.67           | 51.52        | 20.85       | L1   | OFF    | 19.6       |
| 0.316500        | 35.40            | ---             | 59.80        | 24.40       | L1   | OFF    | 19.6       |
| 0.316500        | ---              | 28.78           | 49.80        | 21.02       | L1   | OFF    | 19.6       |
| 0.377250        | 30.27            | ---             | 58.34        | 28.07       | L1   | OFF    | 19.6       |
| 0.377250        | ---              | 25.83           | 48.34        | 22.51       | L1   | OFF    | 19.6       |
| 0.496770        | 29.53            | ---             | 56.05        | 26.52       | L1   | OFF    | 19.6       |
| 0.496770        | ---              | 26.29           | 46.05        | 19.76       | L1   | OFF    | 19.6       |
| 11.896260       | 39.06            | ---             | 60.00        | 20.94       | L1   | OFF    | 20.1       |
| 11.896260       | ---              | 34.92           | 50.00        | 15.08       | L1   | OFF    | 20.1       |

## EUT Information

Report NO : 072112  
Test Mode : Mode 1  
Test Voltage : 120Vac/60Hz  
Phase : Neutral

Full Spectrum



## Final\_Result

| Frequency (MHz) | QuasiPeak (dBuV) | CAverage (dBuV) | Limit (dBuV) | Margin (dB) | Line | Filter | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|------|--------|------------|
| 0.159000        | ---              | 32.51           | 55.52        | 23.01       | N    | OFF    | 19.5       |
| 0.159000        | 40.05            | ---             | 65.52        | 25.47       | N    | OFF    | 19.5       |
| 0.188070        | ---              | 29.39           | 54.12        | 24.73       | N    | OFF    | 19.5       |
| 0.188070        | 36.38            | ---             | 64.12        | 27.74       | N    | OFF    | 19.5       |
| 0.232440        | ---              | 26.36           | 52.36        | 26.00       | N    | OFF    | 19.5       |
| 0.232440        | 31.24            | ---             | 62.36        | 31.12       | N    | OFF    | 19.5       |
| 0.500100        | ---              | 24.69           | 46.00        | 21.31       | N    | OFF    | 19.5       |
| 0.500100        | 28.13            | ---             | 56.00        | 27.87       | N    | OFF    | 19.5       |
| 0.566340        | ---              | 23.04           | 46.00        | 22.96       | N    | OFF    | 19.5       |
| 0.566340        | 27.04            | ---             | 56.00        | 28.96       | N    | OFF    | 19.5       |
| 11.800500       | ---              | 24.84           | 50.00        | 25.16       | N    | OFF    | 19.8       |
| 11.800500       | 29.47            | ---             | 60.00        | 30.53       | N    | OFF    | 19.8       |



## **Appendix C. Radiated Spurious Emission**

|                        |                                      |                            |             |
|------------------------|--------------------------------------|----------------------------|-------------|
| <b>Test Engineer :</b> | Leo Lee, Mancy Chou and Bigshow Wang | <b>Temperature :</b>       | 22.1~23.1°C |
|                        |                                      | <b>Relative Humidity :</b> | 55~60%      |



## 2.4GHz 2400~2483.5MHz

## WIFI 802.11b (Band Edge @ 3m)

| WIFI                        | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak  | Pol.  |
|-----------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                        |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 4+5                         |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11b<br>CH 01<br>2412MHz |      | 2342.025  | 56.32      | -17.68 | 74         | 42.22    | 28.02    | 17.25  | 31.17  | 300    | 305     | P     | H     |
|                             |      | 2330.475  | 44.78      | -9.22  | 54         | 30.68    | 28.04    | 17.23  | 31.17  | 300    | 305     | A     | H     |
|                             | *    | 2412      | 100.54     | -      | -          | 86.6     | 27.68    | 17.39  | 31.13  | 300    | 305     | P     | H     |
|                             | *    | 2412      | 96.45      | -      | -          | 82.51    | 27.68    | 17.39  | 31.13  | 300    | 305     | A     | H     |
|                             |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                             |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                             |      | 2332.365  | 56.42      | -17.58 | 74         | 42.32    | 28.04    | 17.23  | 31.17  | 100    | 46      | P     | V     |
|                             |      | 2332.26   | 44.73      | -9.27  | 54         | 30.63    | 28.04    | 17.23  | 31.17  | 100    | 46      | A     | V     |
|                             | *    | 2412      | 104.7      | -      | -          | 90.76    | 27.68    | 17.39  | 31.13  | 100    | 46      | P     | V     |
|                             | *    | 2412      | 101.66     | -      | -          | 87.72    | 27.68    | 17.39  | 31.13  | 100    | 46      | A     | V     |
|                             |      |           |            |        |            |          |          |        |        |        |         |       | V     |
|                             |      |           |            |        |            |          |          |        |        |        |         |       | V     |
| 802.11b<br>CH 06<br>2437MHz |      | 2347.12   | 55.92      | -18.08 | 74         | 41.82    | 28.01    | 17.26  | 31.17  | 325    | 358     | P     | H     |
|                             |      | 2337.68   | 44.76      | -9.24  | 54         | 30.67    | 28.02    | 17.24  | 31.17  | 325    | 358     | A     | H     |
|                             | *    | 2437      | 101.82     | -      | -          | 87.88    | 27.63    | 17.43  | 31.12  | 325    | 358     | P     | H     |
|                             | *    | 2437      | 97.3       | -      | -          | 83.36    | 27.63    | 17.43  | 31.12  | 325    | 358     | A     | H     |
|                             |      | 2493.43   | 54.8       | -19.2  | 74         | 40.85    | 27.51    | 17.53  | 31.09  | 325    | 358     | P     | H     |
|                             |      | 2486.41   | 44.63      | -9.37  | 54         | 30.68    | 27.53    | 17.52  | 31.1   | 325    | 358     | A     | H     |
|                             |      | 2362.48   | 55.77      | -18.23 | 74         | 41.71    | 27.93    | 17.29  | 31.16  | 100    | 48      | P     | V     |
|                             |      | 2334.32   | 44.76      | -9.24  | 54         | 30.66    | 28.03    | 17.24  | 31.17  | 100    | 48      | A     | V     |
|                             | *    | 2437      | 104.77     | -      | -          | 90.83    | 27.63    | 17.43  | 31.12  | 100    | 48      | P     | V     |
|                             | *    | 2437      | 101.64     | -      | -          | 87.7     | 27.63    | 17.43  | 31.12  | 100    | 48      | A     | V     |
|                             |      | 2500      | 55.19      | -18.81 | 74         | 41.23    | 27.5     | 17.55  | 31.09  | 100    | 48      | P     | V     |
|                             |      | 2483.71   | 44.65      | -9.35  | 54         | 30.7     | 27.53    | 17.52  | 31.1   | 100    | 48      | A     | V     |



|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   |   |
|--------------------------------------|---------------------------------------------------------------------------------------------|---------|--------|--------|----|-------|-------|-------|-------|-----|-----|---|---|
| <b>802.11b<br/>CH 11<br/>2462MHz</b> | *                                                                                           | 2462    | 98.32  | -      | -  | 84.37 | 27.58 | 17.48 | 31.11 | 294 | 222 | P | H |
|                                      | *                                                                                           | 2462    | 96.53  | -      | -  | 82.58 | 27.58 | 17.48 | 31.11 | 294 | 222 | A | H |
|                                      |                                                                                             | 2494.88 | 55.89  | -18.11 | 74 | 41.93 | 27.51 | 17.54 | 31.09 | 294 | 222 | P | H |
|                                      |                                                                                             | 2484.08 | 44.69  | -9.31  | 54 | 30.74 | 27.53 | 17.52 | 31.1  | 294 | 222 | A | H |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                      | *                                                                                           | 2462    | 105.33 | -      | -  | 91.38 | 27.58 | 17.48 | 31.11 | 100 | 92  | P | V |
|                                      | *                                                                                           | 2462    | 102.51 | -      | -  | 88.56 | 27.58 | 17.48 | 31.11 | 100 | 92  | A | V |
|                                      |                                                                                             | 2493.84 | 55.83  | -18.17 | 74 | 41.87 | 27.51 | 17.54 | 31.09 | 100 | 92  | P | V |
|                                      |                                                                                             | 2483.92 | 44.66  | -9.34  | 54 | 30.71 | 27.53 | 17.52 | 31.1  | 100 | 92  | A | V |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
| <b>Remark</b>                        | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |        |        |    |       |       |       |       |     |     |   |   |



## 2.4GHz 2400~2483.5MHz

## WIFI 802.11b (Harmonic @ 3m)

| WIFI<br>Ant.<br>4+5         | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-----------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11b<br>CH 01<br>2412MHz |                                                                                             | 4824                 | 40.24               | -33.76                  | 74                          | 57.41                     | 31.25                         | 10.67                  | 59.09                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             | 4824                 | 41.32               | -32.68                  | 74                          | 58.49                     | 31.25                         | 10.67                  | 59.09                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11b<br>CH 06<br>2437MHz |                                                                                             | 4874                 | 39.7                | -34.3                   | 74                          | 56.85                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             | 7311                 | 44.32               | -29.68                  | 74                          | 53.8                      | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             | 4874                 | 38.81               | -35.19                  | 74                          | 55.96                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             | 7311                 | 45.28               | -28.72                  | 74                          | 54.76                     | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11b<br>CH 11<br>2462MHz |                                                                                             | 4924                 | 40.31               | -33.69                  | 74                          | 57.35                     | 31.34                         | 10.77                  | 59.15                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             | 7386                 | 44.82               | -29.18                  | 74                          | 54.15                     | 36.46                         | 12.67                  | 58.46                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             | 4924                 | 39.68               | -34.32                  | 74                          | 56.72                     | 31.34                         | 10.77                  | 59.15                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             | 7386                 | 45.94               | -28.06                  | 74                          | 55.27                     | 36.46                         | 12.67                  | 58.46                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                      | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



**2.4GHz 2400~2483.5MHz**  
**WIFI 802.11g (Band Edge @ 3m)**

| WIFI<br>Ant.<br>4+5                  | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|--------------------------------------|------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| <b>802.11g<br/>CH 01<br/>2412MHz</b> |      | 2389.59              | 56.87               | -17.13                  | 74                          | 42.91                     | 27.76                         | 17.35                  | 31.15                      | 302                  | 318                     | P                       | H               |
|                                      |      | 2390                 | 45.88               | -8.12                   | 54                          | 31.92                     | 27.76                         | 17.35                  | 31.15                      | 302                  | 318                     | A                       | H               |
|                                      | *    | 2412                 | 108.62              | -                       | -                           | 94.68                     | 27.68                         | 17.39                  | 31.13                      | 302                  | 318                     | P                       | H               |
|                                      | *    | 2412                 | 100.82              | -                       | -                           | 86.88                     | 27.68                         | 17.39                  | 31.13                      | 302                  | 318                     | A                       | H               |
|                                      |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                      |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                      |      | 2389.8               | 57.92               | -16.08                  | 74                          | 43.96                     | 27.76                         | 17.35                  | 31.15                      | 114                  | 271                     | P                       | V               |
|                                      |      | 2390                 | 46.79               | -7.21                   | 54                          | 32.83                     | 27.76                         | 17.35                  | 31.15                      | 114                  | 271                     | A                       | V               |
|                                      | *    | 2412                 | 111.12              | -                       | -                           | 97.18                     | 27.68                         | 17.39                  | 31.13                      | 114                  | 271                     | P                       | V               |
|                                      | *    | 2412                 | 102.76              | -                       | -                           | 88.82                     | 27.68                         | 17.39                  | 31.13                      | 114                  | 271                     | A                       | V               |
|                                      |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                      |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| <b>802.11g<br/>CH 06<br/>2437MHz</b> |      | 2320.88              | 56.6                | -17.4                   | 74                          | 42.51                     | 28.06                         | 17.21                  | 31.18                      | 341                  | 317                     | P                       | H               |
|                                      |      | 2310.16              | 45.92               | -8.08                   | 54                          | 31.83                     | 28.08                         | 17.19                  | 31.18                      | 341                  | 317                     | A                       | H               |
|                                      | *    | 2437                 | 108.98              | -                       | -                           | 95.04                     | 27.63                         | 17.43                  | 31.12                      | 341                  | 317                     | P                       | H               |
|                                      | *    | 2437                 | 101.28              | -                       | -                           | 87.34                     | 27.63                         | 17.43                  | 31.12                      | 341                  | 317                     | A                       | H               |
|                                      |      | 2490.64              | 55.64               | -18.36                  | 74                          | 41.68                     | 27.52                         | 17.53                  | 31.09                      | 341                  | 317                     | P                       | H               |
|                                      |      | 2483.98              | 44.65               | -9.35                   | 54                          | 30.7                      | 27.53                         | 17.52                  | 31.1                       | 341                  | 317                     | A                       | H               |
|                                      |      | 2333.52              | 56.72               | -17.28                  | 74                          | 42.63                     | 28.03                         | 17.23                  | 31.17                      | 139                  | 273                     | P                       | V               |
|                                      |      | 2347.12              | 44.77               | -9.23                   | 54                          | 30.67                     | 28.01                         | 17.26                  | 31.17                      | 139                  | 273                     | A                       | V               |
|                                      | *    | 2437                 | 109.37              | -                       | -                           | 95.43                     | 27.63                         | 17.43                  | 31.12                      | 139                  | 273                     | P                       | V               |
|                                      | *    | 2437                 | 101.53              | -                       | -                           | 87.59                     | 27.63                         | 17.43                  | 31.12                      | 139                  | 273                     | A                       | V               |
|                                      |      | 2495.77              | 55.49               | -18.51                  | 74                          | 41.53                     | 27.51                         | 17.54                  | 31.09                      | 139                  | 273                     | P                       | V               |
|                                      |      | 2485.42              | 44.66               | -9.34                   | 54                          | 30.71                     | 27.53                         | 17.52                  | 31.1                       | 139                  | 273                     | A                       | V               |



|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   |   |
|--------------------------------------|---------------------------------------------------------------------------------------------|---------|--------|--------|----|-------|-------|-------|-------|-----|-----|---|---|
| <b>802.11g<br/>CH 11<br/>2462MHz</b> | *                                                                                           | 2462    | 108.46 | -      | -  | 94.51 | 27.58 | 17.48 | 31.11 | 300 | 319 | P | H |
|                                      | *                                                                                           | 2462    | 100.97 | -      | -  | 87.02 | 27.58 | 17.48 | 31.11 | 300 | 319 | A | H |
|                                      |                                                                                             | 2486.72 | 56.68  | -17.32 | 74 | 42.73 | 27.53 | 17.52 | 31.1  | 300 | 319 | P | H |
|                                      |                                                                                             | 2484.56 | 44.95  | -9.05  | 54 | 31    | 27.53 | 17.52 | 31.1  | 300 | 319 | A | H |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                      | *                                                                                           | 2462    | 109.1  | -      | -  | 95.15 | 27.58 | 17.48 | 31.11 | 100 | 272 | P | V |
|                                      | *                                                                                           | 2462    | 101.31 | -      | -  | 87.36 | 27.58 | 17.48 | 31.11 | 100 | 272 | A | V |
|                                      |                                                                                             | 2488.08 | 56.49  | -17.51 | 74 | 42.54 | 27.52 | 17.53 | 31.1  | 100 | 272 | P | V |
|                                      |                                                                                             | 2484.48 | 44.97  | -9.03  | 54 | 31.02 | 27.53 | 17.52 | 31.1  | 100 | 272 | A | V |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
|                                      |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
| <b>Remark</b>                        | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |        |        |    |       |       |       |       |     |     |   |   |



**2.4GHz 2400~2483.5MHz  
WIFI 802.11g (Harmonic @ 3m)**

| WIFI<br>Ant.<br>4+5         | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-----------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11g<br>CH 01<br>2412MHz |                                                                                             | 4824                 | 41.81               | -32.19                  | 74                          | 58.98                     | 31.25                         | 10.67                  | 59.09                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             | 4824                 | 40.28               | -33.72                  | 74                          | 57.45                     | 31.25                         | 10.67                  | 59.09                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11g<br>CH 06<br>2437MHz |                                                                                             | 4874                 | 39.49               | -34.51                  | 74                          | 56.64                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             | 7311                 | 45.01               | -28.99                  | 74                          | 54.49                     | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             | 4874                 | 38.98               | -35.02                  | 74                          | 56.13                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             | 7311                 | 44.72               | -29.28                  | 74                          | 54.2                      | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11g<br>CH 11<br>2462MHz |                                                                                             | 4924                 | 40.05               | -33.95                  | 74                          | 57.09                     | 31.34                         | 10.77                  | 59.15                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             | 7386                 | 44.05               | -29.95                  | 74                          | 53.38                     | 36.46                         | 12.67                  | 58.46                      | 100                  | 0                       | P                       | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                             |                                                                                             | 4924                 | 40.65               | -33.35                  | 74                          | 57.69                     | 31.34                         | 10.77                  | 59.15                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             | 7386                 | 44.34               | -29.66                  | 74                          | 53.67                     | 36.46                         | 12.67                  | 58.46                      | 100                  | 0                       | P                       | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                             |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                      | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## 2.4GHz 2400~2483.5MHz

## WIFI 802.11 ax HE20 Full (Band Edge @ 3m)

| WIFI<br>Ant.<br>4+5                       | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------------------------|------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE20 Full<br>CH 01<br>2412MHz |      | 2389.695             | 57.88               | -16.12                  | 74                          | 43.92                     | 27.76                         | 17.35                  | 31.15                      | 300                  | 305                     | P                       | H               |
|                                           |      | 2390                 | 46.52               | -7.48                   | 54                          | 32.56                     | 27.76                         | 17.35                  | 31.15                      | 300                  | 305                     | A                       | H               |
|                                           | *    | 2412                 | 106.87              | -                       | -                           | 92.93                     | 27.68                         | 17.39                  | 31.13                      | 300                  | 305                     | P                       | H               |
|                                           | *    | 2412                 | 97.64               | -                       | -                           | 83.7                      | 27.68                         | 17.39                  | 31.13                      | 300                  | 305                     | A                       | H               |
|                                           |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |      | 2389.695             | 58.25               | -15.75                  | 74                          | 44.29                     | 27.76                         | 17.35                  | 31.15                      | 100                  | 270                     | P                       | V               |
|                                           |      | 2390                 | 47.42               | -6.58                   | 54                          | 33.46                     | 27.76                         | 17.35                  | 31.15                      | 100                  | 270                     | A                       | V               |
|                                           | *    | 2412                 | 109.74              | -                       | -                           | 95.8                      | 27.68                         | 17.39                  | 31.13                      | 100                  | 270                     | P                       | V               |
|                                           | *    | 2412                 | 99.33               | -                       | -                           | 85.39                     | 27.68                         | 17.39                  | 31.13                      | 100                  | 270                     | A                       | V               |
|                                           |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11ax<br>HE20 Full<br>CH 06<br>2437MHz |      | 2338.48              | 56.99               | -17.01                  | 74                          | 42.9                      | 28.02                         | 17.24                  | 31.17                      | 300                  | 307                     | P                       | H               |
|                                           |      | 2340.4               | 44.75               | -9.25                   | 54                          | 30.65                     | 28.02                         | 17.25                  | 31.17                      | 300                  | 307                     | A                       | H               |
|                                           | *    | 2437                 | 106.18              | -                       | -                           | 92.24                     | 27.63                         | 17.43                  | 31.12                      | 300                  | 307                     | P                       | H               |
|                                           | *    | 2437                 | 97.33               | -                       | -                           | 83.39                     | 27.63                         | 17.43                  | 31.12                      | 300                  | 307                     | A                       | H               |
|                                           |      | 2486.14              | 55.11               | -18.89                  | 74                          | 41.16                     | 27.53                         | 17.52                  | 31.1                       | 300                  | 307                     | P                       | H               |
|                                           |      | 2483.98              | 44.62               | -9.38                   | 54                          | 30.67                     | 27.53                         | 17.52                  | 31.1                       | 300                  | 307                     | A                       | H               |
|                                           |      | 2330.32              | 55.99               | -18.01                  | 74                          | 41.89                     | 28.04                         | 17.23                  | 31.17                      | 100                  | 259                     | P                       | V               |
|                                           |      | 2327.44              | 44.77               | -9.23                   | 54                          | 30.68                     | 28.05                         | 17.22                  | 31.18                      | 100                  | 259                     | A                       | V               |
|                                           | *    | 2437                 | 107.2               | -                       | -                           | 93.26                     | 27.63                         | 17.43                  | 31.12                      | 100                  | 259                     | P                       | V               |
|                                           | *    | 2437                 | 98.2                | -                       | -                           | 84.26                     | 27.63                         | 17.43                  | 31.12                      | 100                  | 259                     | A                       | V               |
|                                           |      | 2492.89              | 55.24               | -18.76                  | 74                          | 41.29                     | 27.51                         | 17.53                  | 31.09                      | 100                  | 259                     | P                       | V               |
|                                           |      | 2484.7               | 44.62               | -9.38                   | 54                          | 30.67                     | 27.53                         | 17.52                  | 31.1                       | 100                  | 259                     | A                       | V               |



| WIFI<br>Ant.<br>4+5                        | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|--------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 8802.11ax<br>HE20 Full<br>CH 11<br>2462MHz | *                                                                                           | 2462                 | 106                 | -                       | -                           | 92.05                     | 27.58                         | 17.48                  | 31.11                      | 300                  | 305                     | P                       | H               |
|                                            | *                                                                                           | 2462                 | 97.21               | -                       | -                           | 83.26                     | 27.58                         | 17.48                  | 31.11                      | 300                  | 305                     | A                       | H               |
|                                            |                                                                                             | 2493.28              | 55.46               | -18.54                  | 74                          | 41.51                     | 27.51                         | 17.53                  | 31.09                      | 300                  | 305                     | P                       | H               |
|                                            |                                                                                             | 2483.52              | 45.11               | -8.89                   | 54                          | 31.16                     | 27.53                         | 17.52                  | 31.1                       | 300                  | 305                     | A                       | H               |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                            | *                                                                                           | 2462                 | 107.78              | -                       | -                           | 93.83                     | 27.58                         | 17.48                  | 31.11                      | 100                  | 268                     | P                       | V               |
|                                            | *                                                                                           | 2462                 | 98.23               | -                       | -                           | 84.28                     | 27.58                         | 17.48                  | 31.11                      | 100                  | 268                     | A                       | V               |
|                                            |                                                                                             | 2484.4               | 56.6                | -17.4                   | 74                          | 42.65                     | 27.53                         | 17.52                  | 31.1                       | 100                  | 268                     | P                       | V               |
|                                            |                                                                                             | 2483.52              | 45.44               | -8.56                   | 54                          | 31.49                     | 27.53                         | 17.52                  | 31.1                       | 100                  | 268                     | A                       | V               |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                                     | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## 2.4GHz 2400~2483.5MHz

## WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

| WIFI<br>Ant.<br>4+5                       | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE20 Full<br>CH 01<br>2412MHz |                                                                                             | 4824                 | 40.2                | -33.8                   | 74                          | 57.37                     | 31.25                         | 10.67                  | 59.09                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             | 4824                 | 39.68               | -34.32                  | 74                          | 56.85                     | 31.25                         | 10.67                  | 59.09                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11ax<br>HE20 Full<br>CH 06<br>2437MHz |                                                                                             | 4874                 | 38.71               | -35.29                  | 74                          | 55.86                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             | 7311                 | 44.2                | -29.8                   | 74                          | 53.68                     | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             | 4874                 | 38.88               | -35.12                  | 74                          | 56.03                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             | 7311                 | 44.14               | -29.86                  | 74                          | 53.62                     | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11ax<br>HE20 Full<br>CH 11<br>2462MHz |                                                                                             | 4924                 | 40.64               | -33.36                  | 74                          | 57.68                     | 31.34                         | 10.77                  | 59.15                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             | 7386                 | 43.55               | -30.45                  | 74                          | 52.88                     | 36.46                         | 12.67                  | 58.46                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             | 4924                 | 40.2                | -33.8                   | 74                          | 57.24                     | 31.34                         | 10.77                  | 59.15                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             | 7386                 | 43.77               | -30.23                  | 74                          | 53.1                      | 36.46                         | 12.67                  | 58.46                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## 2.4GHz 2400~2483.5MHz

## WIFI 802.11 ax HE40 Full (Band Edge @ 3m)

| WIFI<br>Ant.<br>4+5                       | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------------------------|------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE40 Full<br>CH 03<br>2422MHz |      | 2389.73              | 57.55               | -16.45                  | 74                          | 43.59                     | 27.76                         | 17.35                  | 31.15                      | 329                  | 323                     | P                       | H               |
|                                           |      | 2390                 | 46.68               | -7.32                   | 54                          | 32.72                     | 27.76                         | 17.35                  | 31.15                      | 329                  | 323                     | A                       | H               |
|                                           | *    | 2422                 | 104.83              | -                       | -                           | 90.89                     | 27.66                         | 17.41                  | 31.13                      | 329                  | 323                     | P                       | H               |
|                                           | *    | 2422                 | 94.4                | -                       | -                           | 80.46                     | 27.66                         | 17.41                  | 31.13                      | 329                  | 323                     | A                       | H               |
|                                           |      | 2485.87              | 56.22               | -17.78                  | 74                          | 42.27                     | 27.53                         | 17.52                  | 31.1                       | 329                  | 323                     | P                       | H               |
|                                           |      | 2484.7               | 44.62               | -9.38                   | 54                          | 30.67                     | 27.53                         | 17.52                  | 31.1                       | 329                  | 323                     | A                       | H               |
|                                           |      | 2390                 | 59.42               | -14.58                  | 74                          | 45.46                     | 27.76                         | 17.35                  | 31.15                      | 377                  | 231                     | P                       | V               |
|                                           |      | 2389.9               | 47.63               | -6.37                   | 54                          | 33.67                     | 27.76                         | 17.35                  | 31.15                      | 377                  | 231                     | A                       | V               |
|                                           | *    | 2422                 | 105.81              | -                       | -                           | 91.87                     | 27.66                         | 17.41                  | 31.13                      | 377                  | 231                     | P                       | V               |
|                                           | *    | 2422                 | 95.85               | -                       | -                           | 81.91                     | 27.66                         | 17.41                  | 31.13                      | 377                  | 231                     | A                       | V               |
|                                           |      | 2489.74              | 55.58               | -18.42                  | 74                          | 41.63                     | 27.52                         | 17.53                  | 31.1                       | 377                  | 231                     | P                       | V               |
|                                           |      | 2485.6               | 44.63               | -9.37                   | 54                          | 30.68                     | 27.53                         | 17.52                  | 31.1                       | 377                  | 231                     | A                       | V               |
| 802.11ax<br>HE40 Full<br>CH 06<br>2437MHz |      | 2317.04              | 56.8                | -17.2                   | 74                          | 42.71                     | 28.07                         | 17.2                   | 31.18                      | 305                  | 305                     | P                       | H               |
|                                           |      | 2390                 | 45.51               | -8.49                   | 54                          | 31.55                     | 27.76                         | 17.35                  | 31.15                      | 305                  | 305                     | A                       | H               |
|                                           | *    | 2437                 | 104.98              | -                       | -                           | 91.04                     | 27.63                         | 17.43                  | 31.12                      | 305                  | 305                     | P                       | H               |
|                                           | *    | 2437                 | 95.56               | -                       | -                           | 81.62                     | 27.63                         | 17.43                  | 31.12                      | 305                  | 305                     | A                       | H               |
|                                           |      | 2486.23              | 56.21               | -17.79                  | 74                          | 42.26                     | 27.53                         | 17.52                  | 31.1                       | 305                  | 305                     | P                       | H               |
|                                           |      | 2483.71              | 44.98               | -9.02                   | 54                          | 31.03                     | 27.53                         | 17.52                  | 31.1                       | 305                  | 305                     | A                       | H               |
|                                           |      | 2374.64              | 56.67               | -17.33                  | 74                          | 42.65                     | 27.85                         | 17.32                  | 31.15                      | 140                  | 283                     | P                       | V               |
|                                           |      | 2390                 | 45.61               | -8.39                   | 54                          | 31.65                     | 27.76                         | 17.35                  | 31.15                      | 140                  | 283                     | A                       | V               |
|                                           | *    | 2437                 | 106.53              | -                       | -                           | 92.59                     | 27.63                         | 17.43                  | 31.12                      | 140                  | 283                     | P                       | V               |
|                                           | *    | 2437                 | 97.03               | -                       | -                           | 83.09                     | 27.63                         | 17.43                  | 31.12                      | 140                  | 283                     | A                       | V               |
|                                           |      | 2483.62              | 56.25               | -17.75                  | 74                          | 42.3                      | 27.53                         | 17.52                  | 31.1                       | 140                  | 283                     | P                       | V               |
|                                           |      | 2483.53              | 45.18               | -8.82                   | 54                          | 31.23                     | 27.53                         | 17.52                  | 31.1                       | 140                  | 283                     | A                       | V               |



| WIFI<br>Ant.<br>4+5                                                   | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>(P/A) | Pol.<br>(H/V) |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-----------------------|---------------|
| <b>802.11ax</b><br><b>HE40 Full</b><br><b>CH 09</b><br><b>2452MHz</b> |                                                                                             | 2332.88              | 56.1                | -17.9                   | 74                          | 42.01                     | 28.03                         | 17.23                  | 31.17                      | 341                  | 318                     | P                     | H             |
|                                                                       |                                                                                             | 2334.32              | 44.78               | -9.22                   | 54                          | 30.68                     | 28.03                         | 17.24                  | 31.17                      | 341                  | 318                     | A                     | H             |
|                                                                       | *                                                                                           | 2452                 | 106.4               | -                       | -                           | 92.45                     | 27.6                          | 17.46                  | 31.11                      | 341                  | 318                     | P                     | H             |
|                                                                       | *                                                                                           | 2452                 | 96.24               | -                       | -                           | 82.29                     | 27.6                          | 17.46                  | 31.11                      | 341                  | 318                     | A                     | H             |
|                                                                       |                                                                                             | 2485.69              | 56.59               | -17.41                  | 74                          | 42.64                     | 27.53                         | 17.52                  | 31.1                       | 341                  | 318                     | P                     | H             |
|                                                                       |                                                                                             | 2483.71              | 45.95               | -8.05                   | 54                          | 32                        | 27.53                         | 17.52                  | 31.1                       | 341                  | 318                     | A                     | H             |
|                                                                       |                                                                                             | 2319.76              | 56.05               | -17.95                  | 74                          | 41.96                     | 28.06                         | 17.21                  | 31.18                      | 126                  | 298                     | P                     | V             |
|                                                                       |                                                                                             | 2333.52              | 44.73               | -9.27                   | 54                          | 30.64                     | 28.03                         | 17.23                  | 31.17                      | 126                  | 298                     | A                     | V             |
|                                                                       | *                                                                                           | 2452                 | 106.47              | -                       | -                           | 92.52                     | 27.6                          | 17.46                  | 31.11                      | 126                  | 298                     | P                     | V             |
|                                                                       | *                                                                                           | 2452                 | 96.63               | -                       | -                           | 82.68                     | 27.6                          | 17.46                  | 31.11                      | 126                  | 298                     | A                     | V             |
|                                                                       |                                                                                             | 2484.43              | 56.91               | -17.09                  | 74                          | 42.96                     | 27.53                         | 17.52                  | 31.1                       | 126                  | 298                     | P                     | V             |
|                                                                       |                                                                                             | 2483.53              | 45.97               | -8.03                   | 54                          | 32.02                     | 27.53                         | 17.52                  | 31.1                       | 126                  | 298                     | A                     | V             |
| <b>Remark</b>                                                         | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                       |               |



## 2.4GHz 2400~2483.5MHz

## WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

| WIFI<br>Ant.<br>4+5                       | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE40 Full<br>CH 03<br>2422MHz |                                                                                             | 4844                 | 39.27               | -34.73                  | 74                          | 56.4                      | 31.29                         | 10.69                  | 59.11                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             | 7266                 | 45.1                | -28.9                   | 74                          | 54.75                     | 36.5                          | 12.48                  | 58.63                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             | 4844                 | 38.71               | -35.29                  | 74                          | 55.84                     | 31.29                         | 10.69                  | 59.11                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             | 7266                 | 44.09               | -29.91                  | 74                          | 53.74                     | 36.5                          | 12.48                  | 58.63                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11ax<br>HE40 Full<br>CH 06<br>2437MHz |                                                                                             | 4874                 | 39.22               | -34.78                  | 74                          | 56.37                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             | 7311                 | 44.15               | -29.85                  | 74                          | 53.63                     | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             | 4874                 | 39.63               | -34.37                  | 74                          | 56.78                     | 31.25                         | 10.72                  | 59.12                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             | 7311                 | 45.19               | -28.81                  | 74                          | 54.67                     | 36.52                         | 12.56                  | 58.56                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11ax<br>HE40 Full<br>CH 09<br>2452MHz |                                                                                             | 4904                 | 39.43               | -34.57                  | 74                          | 56.6                      | 31.22                         | 10.75                  | 59.14                      | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             | 7356                 | 44.13               | -29.87                  | 74                          | 53.43                     | 36.58                         | 12.62                  | 58.5                       | 100                  | 0                       | P                       | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                           |                                                                                             | 4904                 | 39.88               | -34.12                  | 74                          | 57.05                     | 31.22                         | 10.75                  | 59.14                      | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             | 7356                 | 43.86               | -30.14                  | 74                          | 53.16                     | 36.58                         | 12.62                  | 58.5                       | 100                  | 0                       | P                       | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                           |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## Emission below 1GHz

## 2.4GHz WIFI 802.11ax HE40 (LF)

| WIFI                             | Note                                                                       | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|----------------------------------|----------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.                             |                                                                            |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 4+5                              |                                                                            | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 2.4GHz<br>802.11ax<br>HE40<br>LF |                                                                            | 82.38     | 22.18      | -17.82 | 40         | 39.52    | 13.91    | 1.22   | 32.47  | -      | -       | P       | H       |
|                                  |                                                                            | 88.2      | 23.13      | -20.37 | 43.5       | 39.56    | 14.68    | 1.27   | 32.38  | -      | -       | P       | H       |
|                                  |                                                                            | 203.63    | 24.94      | -18.56 | 43.5       | 40.34    | 14.95    | 2.03   | 32.38  | -      | -       | P       | H       |
|                                  |                                                                            | 319.06    | 24.08      | -21.92 | 46         | 34.78    | 19.35    | 2.44   | 32.49  | -      | -       | P       | H       |
|                                  |                                                                            | 566.41    | 27.77      | -18.23 | 46         | 31       | 25.88    | 3.29   | 32.4   | -      | -       | P       | H       |
|                                  |                                                                            | 890.39    | 36.08      | -9.92  | 46         | 35.25    | 28.49    | 4.27   | 31.93  | 100    | 0       | P       | H       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                  |                                                                            | 37.76     | 28.12      | -11.88 | 40         | 39.16    | 20.51    | 0.79   | 32.34  | 100    | 0       | P       | V       |
|                                  |                                                                            | 106.63    | 23.53      | -19.97 | 43.5       | 37.68    | 16.77    | 1.4    | 32.32  | -      | -       | P       | V       |
|                                  |                                                                            | 172.59    | 22.92      | -20.58 | 43.5       | 37.77    | 15.7     | 1.84   | 32.39  | -      | -       | P       | V       |
|                                  |                                                                            | 204.6     | 22.58      | -20.92 | 43.5       | 38.01    | 14.91    | 2.04   | 32.38  | -      | -       | P       | V       |
|                                  |                                                                            | 741.01    | 29.88      | -16.12 | 46         | 30.93    | 27.61    | 3.8    | 32.46  | -      | -       | P       | V       |
|                                  |                                                                            | 925.31    | 32.21      | -13.79 | 46         | 30.14    | 29.24    | 4.39   | 31.56  | -      | -       | P       | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                  |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
| Remark                           | 1. No other spurious found.<br>2. All results are PASS against limit line. |           |            |        |            |          |          |        |        |        |         |         |         |



## &lt;Partially Loaded RUs&gt;

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

| WIFI<br>Ant.<br>4+5                                       | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE40<br>Partial<br>242/61<br>CH 03<br>2422MHz |                                                                                             | 2389.73              | 60.35               | -13.65                  | 74                          | 46.39                     | 27.76                         | 17.35                  | 31.15                      | 100                  | 97                      | P                       | H               |
|                                                           |                                                                                             | 2389.73              | 44.92               | -9.08                   | 54                          | 30.96                     | 27.76                         | 17.35                  | 31.15                      | 100                  | 97                      | A                       | H               |
|                                                           | *                                                                                           | 2422                 | 104.77              | -                       | -                           | 90.83                     | 27.66                         | 17.41                  | 31.13                      | 100                  | 97                      | P                       | H               |
|                                                           | *                                                                                           | 2422                 | 95.32               | -                       | -                           | 81.38                     | 27.66                         | 17.41                  | 31.13                      | 100                  | 97                      | A                       | H               |
|                                                           |                                                                                             | 2496.58              | 56.95               | -17.05                  | 74                          | 42.99                     | 27.51                         | 17.54                  | 31.09                      | 100                  | 97                      | P                       | H               |
|                                                           |                                                                                             | 2485.15              | 44.61               | -9.39                   | 54                          | 30.66                     | 27.53                         | 17.52                  | 31.1                       | 100                  | 97                      | A                       | H               |
|                                                           |                                                                                             | 2381.23              | 56.37               | -17.63                  | 74                          | 42.38                     | 27.81                         | 17.33                  | 31.15                      | 365                  | 175                     | P                       | V               |
|                                                           |                                                                                             | 2331.76              | 44.73               | -9.27                   | 54                          | 30.63                     | 28.04                         | 17.23                  | 31.17                      | 365                  | 175                     | A                       | V               |
|                                                           | *                                                                                           | 2422                 | 102.92              | -                       | -                           | 88.98                     | 27.66                         | 17.41                  | 31.13                      | 365                  | 175                     | P                       | V               |
|                                                           | *                                                                                           | 2422                 | 93.58               | -                       | -                           | 79.64                     | 27.66                         | 17.41                  | 31.13                      | 365                  | 175                     | A                       | V               |
|                                                           |                                                                                             | 2487.94              | 55.63               | -18.37                  | 74                          | 41.69                     | 27.52                         | 17.52                  | 31.1                       | 365                  | 175                     | P                       | V               |
|                                                           |                                                                                             | 2483.53              | 44.59               | -9.41                   | 54                          | 30.64                     | 27.53                         | 17.52                  | 31.1                       | 365                  | 175                     | A                       | V               |
| Remark                                                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



**Note symbol**

|     |                                                                                                                                                          |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| *   | <b>Fundamental Frequency</b> which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency. |
| !   | Test result is <b>over limit</b> line.                                                                                                                   |
| P/A | <b>P</b> eak or <b>A</b> verage                                                                                                                          |
| H/V | <b>H</b> orizontal or <b>V</b> ertical                                                                                                                   |

A calculation example for radiated spurious emission is shown as below:

| WIFI    | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|---------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.    |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 4+5     |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11b |      | 2390      | 55.45      | -18.55 | 74         | 54.51    | 32.22    | 4.58   | 35.86  | 103    | 308     | P       | H       |
| CH 01   |      | 2390      | 43.54      | -10.46 | 54         | 42.6     | 32.22    | 4.58   | 35.86  | 103    | 308     | A       | H       |
| 2412MHz |      |           |            |        |            |          |          |        |        |        |         |         |         |

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =  
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

**For Peak Limit @ 2390MHz:**

1. Level(dBμV/m)  
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)  
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)  
= 55.45 (dBμV/m)
2. Over Limit(dB)  
= Level(dBμV/m) – Limit Line(dBμV/m)  
= 55.45(dBμV/m) – 74(dBμV/m)  
= -18.55(dB)

**For Average Limit @ 2390MHz:**

1. Level(dBμV/m)  
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)  
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)  
= 43.54 (dBμV/m)
2. Over Limit(dB)  
= Level(dBμV/m) – Limit Line(dBμV/m)  
= 43.54(dBμV/m) – 54(dBμV/m)  
= -10.46(dB)

**Both peak and average measured complies with the limit line, so test result is “PASS”.**



## Appendix D. Radiated Spurious Emission Plots

|                        |                                      |                            |             |
|------------------------|--------------------------------------|----------------------------|-------------|
| <b>Test Engineer :</b> | Leo Lee, Mancy Chou and Bigshow Wang | <b>Temperature :</b>       | 22.1~23.1°C |
|                        |                                      | <b>Relative Humidity :</b> | 55~60%      |





### Note symbol

|    |                       |
|----|-----------------------|
| -L | Low channel location  |
| -R | High channel location |







## 2.4GHz 2400~2483.5MHz

## WIFI 802.11b (Band Edge @ 3m)



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11b CH01 2412MHz                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                      |
| 4+5  | Horizontal                                                                                                                                                                                                                                             | Fundamental                                                                                                                                                                                                                                          |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |
| Avg. |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                  |                                                                                                                    |
|------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11b CH01 2412MHz                                                                                                  |                                                                                                                    |
| 4+5  | Vertical                                                                                                              | Fundamental                                                                                                        |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> | <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|      | <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  | <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
| Avg. |                                                                                                                       |                                                                                                                    |

| WIFI        | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT         | 802.11b CH06 2437MHz - L                                                                                                                                                                                   |                                                                                                                                                                                                          |
| 4+5         | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| <b>Peak</b> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|             |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |
| <b>Avg.</b> |                                                                                                                                                                                                            |                                                                                                                                                                                                          |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                              |             |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11b CH06 2437MHz - R                                                                                                                                                                                                                                          |             |
| 4+5  | Horizontal                                                                                                                                                                                                                                                        | Fundamental |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div>  | Left blank  |
| Avg. | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div> | Left blank  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11b CH06 2437MHz - L                                                                                                                                                                                 |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                            |             |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11b CH06 2437MHz - R                                                                                                                                                                                                                                        |             |
| 4+5  | Vertical                                                                                                                                                                                                                                                        | Fundamental |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div>  | Left blank  |
| Avg. | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div> | Left blank  |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11b CH11 2462MHz                                                                                                                                                                                       |                                                                                                                                                                                                          |
| 4+5  | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |
| Avg. |                                                                                                                                                                                                            |                                                                                                                                                                                                          |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11b CH11 2462MHz                                                                                                                                                                                     |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |







## 2.4GHz 2400~2483.5MHz





## WIFI 802.11g (Band Edge @ 3m)

| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11g CH01 2412MHz                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                      |
| 4+5  | Horizontal                                                                                                                                                                                                                                             | Fundamental                                                                                                                                                                                                                                          |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |
| Avg. |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11g CH01 2412MHz                                                                                                                                                                                     |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11g CH06 2437MHz - L                                                                                                                                                                                   |                                                                                                                                                                                                          |
| 4+5  | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                    |             |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11g CH06 2437MHz - R                                                                                                                                                                                                                                                                                                |             |
| 4+5  | Horizontal                                                                                                                                                                                                                                                                                                              | Fundamental |
| Peak |  <p>           Site : 03CH15-HY<br/>           Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p>  | Left blank  |
| Avg. |  <p>           Site : 03CH15-HY<br/>           Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p> | Left blank  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                  |                                                                                                                    |
|------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11g CH06 2437MHz - L                                                                                              |                                                                                                                    |
| 4+5  | Vertical                                                                                                              | Fundamental                                                                                                        |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> | <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|      | <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  | <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                  |             |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11g CH06 2437MHz - R                                                                                                                                                                                                                                                                                              |             |
| 4+5  | Vertical                                                                                                                                                                                                                                                                                                              | Fundamental |
| Peak |  <p>           Site : 03CH15-HY<br/>           Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p>  | Left Blank  |
| Avg. |  <p>           Site : 03CH15-HY<br/>           Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p> | Left Blank  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11g CH11 2462MHz                                                                                                                                                                                       |                                                                                                                                                                                                          |
| 4+5  | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11g CH11 2462MHz                                                                                                                                                                                     |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |





**2.4GHz 2400~2483.5MHz**
**WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

| WIFI        | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT         | 802.11ax HE20 Full CH01 2412MHz                                                                                                                                                                            |                                                                                                                                                                                                          |
| 4+5         | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| <b>Peak</b> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|             |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE20 Full CH01 2412MHz                                                                                                                                                                          |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE20 Full CH06 2437MHz - L                                                                                                                                                                        |                                                                                                                                                                                                          |
| 4+5  | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |
| Avg. |                                                                                                                                                                                                            |                                                                                                                                                                                                          |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                              |             |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE20 Full CH06 2437MHz - R                                                                                                                                                                                                                               |             |
| 4+5  | Horizontal                                                                                                                                                                                                                                                        | Fundamental |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div>  | Left blank  |
| Avg. | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div> | Left blank  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                  |                                                                                                                    |
|------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE20 Full CH06 2437MHz - L                                                                                   |                                                                                                                    |
| 4+5  | Vertical                                                                                                              | Fundamental                                                                                                        |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> | <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|      | <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  | <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |

| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                  |             |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE20 Full CH06 2437MHz - R                                                                                                                                                                                                                                                                                   |             |
| 4+5  | Vertical                                                                                                                                                                                                                                                                                                              | Fundamental |
| Peak |  <p>           Site : 03CH15-HY<br/>           Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p>  | Left blank  |
| Avg. |  <p>           Site : 03CH15-HY<br/>           Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p> | Left blank  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE20 Full CH11 2462MHz                                                                                                                                                                            |                                                                                                                                                                                                          |
| 4+5  | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE20 Full CH11 2462MHz                                                                                                                                                                          |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |





**2.4GHz 2400~2483.5MHz**
**WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                          |                                                                                                                                                                                                                                             |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH03 2422MHz - L                                                                                                                                                                                                           |                                                                                                                                                                                                                                             |
| 4+5  | Horizontal                                                                                                                                                                                                                                    | Fundamental                                                                                                                                                                                                                                 |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Project : 072112</p> |
| Avg. |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Project : 072112</p>   |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Project : 072112</p>   |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                             |             |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Full CH03 2422MHz - R                                                                                                                                                                                                                              |             |
| 4+5  | Horizontal                                                                                                                                                                                                                                                       | Fundamental |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div> | Left blank  |
| Avg. | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div>   | Left blank  |









|      |                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                          |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                          |
| ANT  | 802.11ax HE40 Full CH03 2422MHz - L                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                          |
| 4+5  | Vertical                                                                                                                                                                                                                                                                   | Fundamental                                                                                                                                                                                                                                                              |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div>  | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div>  |
| Avg. | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p></div> |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                   |             |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Full CH03 2422MHz - R                                                                                                                                    |             |
| 4+5  | Vertical                                                                                                                                                               | Fundamental |
| Peak | <p>Site : 03CH15-HY<br/> Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/> RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/> Detector : Peak<br/> Project : 072112</p> | Left blank  |
| Avg. | <p>Site : 03CH15-HY<br/> Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/> RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/> Detector : Peak<br/> Project : 072112</p>  | Left blank  |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH06 2437MHz - L                                                                                                                                                                        |                                                                                                                                                                                                          |
| 4+5  | Horizontal                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                              |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p>  |
| Avg. |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |

| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                    |             |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Full CH06 2437MHz - R                                                                                                                                                                                                                                                                                     |             |
| 4+5  | Horizontal                                                                                                                                                                                                                                                                                                              | Fundamental |
| Peak |  <p>           Site : 03CH15-HY<br/>           Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p>  | Left blank  |
| Avg. |  <p>           Site : 03CH15-HY<br/>           Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p> | Left blank  |









| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                          |                                                                                                                                                                            |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH06 2437MHz - L                                                                                                                                           |                                                                                                                                                                            |
| 4+5  | Vertical                                                                                                                                                                      | Fundamental                                                                                                                                                                |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> | <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |
|      | <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>  | <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>  |







| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |             |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Full CH06 2437MHz - R                                                                                                                                                                      |             |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  | Left blank  |
| Avg. |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> | Left blank  |





|             |                                                                                                                                                                                                                      |                                                                                                                                                                                                                    |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WIFI</b> | <b>2.4GHz 2400~2483.5MHz Band Edge @ 3m</b>                                                                                                                                                                          |                                                                                                                                                                                                                    |
| <b>ANT</b>  | <b>802.11ax HE40 Full CH09 2452MHz - L</b>                                                                                                                                                                           |                                                                                                                                                                                                                    |
| <b>4+5</b>  | <b>Horizontal</b>                                                                                                                                                                                                    | <b>Fundamental</b>                                                                                                                                                                                                 |
| <b>Peak</b> | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div>  | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div>  |
| <b>Avg.</b> | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                |             |
|------|-------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Full CH09 2452MHz - R                                                 |             |
| 4+5  | Horizontal                                                                          | Fundamental |
| Peak |    | Left blank  |
| Avg. |  | Left blank  |





| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                               |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH09 2452MHz - L                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                               |
| 4+5  | Vertical                                                                                                                                                                                                                                                        | Fundamental                                                                                                                                                                                                                                                   |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |

| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                  |             |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Full CH09 2452MHz - R                                                                                                                                                                                                                                                                                   |             |
| 4+5  | Vertical                                                                                                                                                                                                                                                                                                              | Fundamental |
| Peak |  <p>           Site : 03CH15-HY<br/>           Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p>  | Left blank  |
| Avg. |  <p>           Site : 03CH15-HY<br/>           Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>           RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>           Detector : Peak<br/>           Project : 072112         </p> | Left blank  |

**2.4GHz 2400~2483.5MHz**  
**WIFI 802.11b (Harmonic @ 3m)**

| WIFI                           | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                       |                                                                                                                                                                                                          |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT                            | 802.11b CH01 2412MHz                                                                                                                                                                                      |                                                                                                                                                                                                          |
| 4+5                            | Horizontal                                                                                                                                                                                                | Vertical                                                                                                                                                                                                 |
| <b>Peak</b><br><br><b>Avg.</b> |  <p>Site : 03CH15-HY<br/> Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/> Detector : Peak<br/> Project : 072112</p> |  <p>Site : 03CH15-HY<br/> Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/> Detector : Peak<br/> Project : 072112</p> |





| WIFI             | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT              | 802.11b CH06 2437MHz                                                                                                                                                                                    |                                                                                                                                                                                                        |
| 4+5              | Horizontal                                                                                                                                                                                              | Vertical                                                                                                                                                                                               |
| Peak<br><br>Avg. |  <p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|                  |                                                                                                                                                                                                         |                                                                                                                                                                                                        |



|              |                                                                                                                                                                              |                                                                                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI         | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                          |                                                                                                                                                                            |
| ANT          | 802.11b CH11 2462MHz                                                                                                                                                         |                                                                                                                                                                            |
| 4+5          | Horizontal                                                                                                                                                                   | Vertical                                                                                                                                                                   |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2020-08-06</p><p>Site : 03CH15-14Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2020-08-06</p><p>Site : 03CH15-14Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> |

**2.4GHz 2400~2483.5MHz****WIFI 802.11g (Harmonic @ 3m)**

| WIFI                       | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                    |                                                                                                                                                                                                       |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT                        | 802.11g CH01 2412MHz                                                                                                                                                                                   |                                                                                                                                                                                                       |
| 4+5                        | Horizontal                                                                                                                                                                                             | Vertical                                                                                                                                                                                              |
| <b>Peak</b><br><b>Avg.</b> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|                            |                                                                                                                                                                                                        |                                                                                                                                                                                                       |



| WIFI             | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                          |                                                                                                                                                                            |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT              | 802.11g CH06 2437MHz                                                                                                                                                         |                                                                                                                                                                            |
| 4+5              | Horizontal                                                                                                                                                                   | Vertical                                                                                                                                                                   |
| Peak<br><br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2020-08-06</p><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2020-08-06</p><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> |
|                  |                                                                                                                                                                              |                                                                                                                                                                            |





|              |                                                                                                                                                                              |                                                                                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI         | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                          |                                                                                                                                                                            |
| ANT          | 802.11g CH11 2462MHz                                                                                                                                                         |                                                                                                                                                                            |
| 4+5          | Horizontal                                                                                                                                                                   | Vertical                                                                                                                                                                   |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2020-08-06</p><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2020-08-06</p><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> |



## 2.4GHz 2400~2483.5MHz



## WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

| WIFI         | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                    |                                                                                                                                                                                                       |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11 ax HE20 Full CH01 2412MHz                                                                                                                                                                       |                                                                                                                                                                                                       |
| 4+5          | Horizontal                                                                                                                                                                                             | Vertical                                                                                                                                                                                              |
| Peak<br>Avg. |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|              |                                                                                                                                                                                                        |                                                                                                                                                                                                       |





|              |                                                                                                                                  |                                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| WIFI         | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                              |                                                                                                                                |
| ANT          | 802.11 ax HE20 Full CH06 2437MHz                                                                                                 |                                                                                                                                |
| 4+5          | Horizontal                                                                                                                       | Vertical                                                                                                                       |
| Peak<br>Avg. | <div><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> |





|                      |                                                                                                                                                                                                                   |                                                                                                                                                                                                                  |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WIFI</b>          | <b>2.4GHz 2400~2483.5MHz Harmonic @ 3m</b>                                                                                                                                                                        |                                                                                                                                                                                                                  |
| <b>ANT</b>           | <b>802.11 ax HE20 Full CH11 2462MHz</b>                                                                                                                                                                           |                                                                                                                                                                                                                  |
| <b>4+5</b>           | <b>Horizontal</b>                                                                                                                                                                                                 | <b>Vertical</b>                                                                                                                                                                                                  |
| <b>Peak<br/>Avg.</b> | <div><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> |



**2.4GHz 2400~2483.5MHz****WIFI 802.11 ax HE40 Full (Harmonic @ 3m)**

| WIFI                       | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                    |                                                                                                                                                                                                       |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT                        | 802.11 ax HE40 Full CH03 2422MHz                                                                                                                                                                       |                                                                                                                                                                                                       |
| 4+5                        | Horizontal                                                                                                                                                                                             | Vertical                                                                                                                                                                                              |
| <b>Peak</b><br><b>Avg.</b> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|                            |                                                                                                                                                                                                        |                                                                                                                                                                                                       |





| WIFI         | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11 ax HE40 Full CH06 2437MHz                                                                                                                                                                        |                                                                                                                                                                                                        |
| 4+5          | Horizontal                                                                                                                                                                                              | Vertical                                                                                                                                                                                               |
| Peak<br>Avg. |  <p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |
|              |                                                                                                                                                                                                         |                                                                                                                                                                                                        |







|              |                                                                                                                                                                                                                   |                                                                                                                                                                                                                  |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI         | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                                                                                               |                                                                                                                                                                                                                  |
| ANT          | 802.11 ax HE40 Full CH09 2452MHz                                                                                                                                                                                  |                                                                                                                                                                                                                  |
| 4+5          | Horizontal                                                                                                                                                                                                        | Vertical                                                                                                                                                                                                         |
| Peak<br>Avg. | <div><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>Detector : Peak<br/>Project : 072112</p></div> | <div><p>Site : 03CH15-11Y<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> |



**Emission below 1GHz**  
**2.4GHz WIFI 802.11ax HE40 Full (LF)**

| WIFI         | 2.4GHz 2400~2483.5MHz                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                        |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11ax HE40 Full LF                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                        |
| 4+5          | Horizontal                                                                                                                                                                                                                                              | Vertical                                                                                                                                                                                                                                               |
| QP /<br>Peak |  <p>           Site : 03CH15-HY<br/>           Condition : QP 3m B1LOG_15_41912 HORIZONTAL<br/>           Detector : Peak<br/>           Project : 072112         </p> |  <p>           Site : 03CH15-HY<br/>           Condition : QP 3m B1LOG_15_41912 VERTICAL<br/>           Detector : Peak<br/>           Project : 072112         </p> |





**<Partially Loaded RUs>**
**2.4GHz 2400~2483.5MHz**
**WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

| WIFI        | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                      |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT         | 802.11ax HE40 Partial 242/61 CH03 2422MHz - L                                                                                                                                                                                                          |                                                                                                                                                                                                                                                      |
| 4+5         | Horizontal                                                                                                                                                                                                                                             | Fundamental                                                                                                                                                                                                                                          |
| <b>Peak</b> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> |
|             |  <p>Site : 03CH15-HY<br/>Condition : AV6_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |  <p>Site : 03CH15-HY<br/>Condition : AV6_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>   |
| <b>Avg.</b> |                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                      |




| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                                                    |             |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Partial 242/61 CH03 2422MHz - R                                                                                                                                                                                                           |             |
| 4+5  | Horizontal                                                                                                                                                                                                                                              | Fundamental |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p>  | Left blank  |
| Avg. |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak<br/>Project : 072112</p> | Left blank  |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                     |                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Partial 242/61 CH03 2422MHz - L                                                                                                                                                            |                                                                                                                                                                                                        |
| 4+5  | Vertical                                                                                                                                                                                                 | Fundamental                                                                                                                                                                                            |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |  <p>Site : 03CH15-HY<br/>Condition : PEAK_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p>  |
|      |  <p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |  <p>Site : 03CH15-HY<br/>Condition : AVG_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p> |



| WIFI | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                               |             |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| ANT  | 802.11ax HE40 Partial 242/61 CH03 2422MHz - R                                                                                                                                                                      |             |
| 4+5  | Vertical                                                                                                                                                                                                           | Fundamental |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE_74 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div>  | Left blank  |
| Avg. | <div><p>Site : 03CH15-HY<br/>Condition : AVG_BE_54 3m 91200_15_1620 VERTICAL<br/>Detector : Peak<br/>Project : 072112</p></div> | Left blank  |


## Appendix E. Duty Cycle Plots

| Antenna | Band                                   | Duty Cycle(%) | T(us) | 1/T(kHz) | VBW Setting | Duty Factor(dB) |
|---------|----------------------------------------|---------------|-------|----------|-------------|-----------------|
| 4+5     | 802.11b for Ant 4                      | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 802.11b for Ant 5                      | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 802.11g for Ant 4                      | 99.06         | -     | -        | 10Hz        | 0.04            |
| 4+5     | 802.11g for Ant 5                      | 99.06         | -     | -        | 10Hz        | 0.04            |
| 4+5     | 2.4GHz 802.11ax HE20 Full RU for Ant 4 | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 2.4GHz 802.11ax HE20 Full RU for Ant 5 | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 2.4GHz 802.11ax HE40 Full RU for Ant 4 | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 2.4GHz 802.11ax HE40 Full RU for Ant 5 | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 2.4GHz 802.11ax HE40_242 RU for Ant 4  | 100.00        | -     | -        | 10Hz        | 0.00            |
| 4+5     | 2.4GHz 802.11ax HE40_242 RU for Ant 5  | 100.00        | -     | -        | 10Hz        | 0.00            |




MIMO <Ant. 4>

802.11b



Date: 29.JUL.2020 09:47:58


802.11g



Date: 29.JUL.2020 09:52:04




802.11ax HE20 Full RU



Date: 29.JUL.2020 10:04:18


802.11ax HE40 Full RU



Date: 29.JUL.2020 10:07:27



802.11ax HE40 242 RU




Date: 18.AUG.2020 15:16:14




MIMO &lt;Ant. 5&gt;

802.11b



Date: 29.JUL.2020 09:49:15


802.11g



Date: 29.JUL.2020 09:53:22




802.11ax HE20 Full RU



Date: 29.JUL.2020 10:04:53


802.11ax HE40 Full RU



Date: 29.JUL.2020 10:08:44



802.11ax HE40 242 RU



Date: 18.AUG.2020 15:17:45