




3.9.2.105 11AC40_110 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6945.6973	56.96	21.22	74.00	17.04	150	291	Horizontal
2	6970.8985	46.77	21.26	54.00	7.23	150	291	Horizontal
3	11100.0000	41.09	-2.25	54.00	12.91	150	238	Horizontal
4	11100.0000	51.55	-2.25	74.00	22.45	150	289	Horizontal
5	16650.0000	55.36	0.40	74.00	18.64	150	138	Horizontal
6	16650.0000	44.88	0.40	54.00	9.12	150	342	Horizontal
7	17954.8977	47.47	1.71	54.00	6.53	150	289	Horizontal





3.9.2.106 11AC40_134 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6789.6895	55.07	20.45	74.00	18.93	150	190	Horizontal
2	6947.1974	47.28	21.23	54.00	6.72	150	89	Horizontal
3	11340.0000	41.25	-2.22	54.00	12.75	150	90	Horizontal
4	11340.0000	51.59	-2.22	74.00	22.41	150	342	Horizontal
5	17010.0000	54.95	0.68	74.00	19.05	150	242	Horizontal
6	17010.0000	43.67	0.68	54.00	10.33	150	90	Horizontal
7	17968.6484	47.38	1.71	54.00	6.62	150	90	Horizontal



3.9.2.107 11AC40_151 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6969.3985	47.16	21.26	54.00	6.84	150	342	Horizontal
2	6977.1989	56.21	21.26	74.00	17.79	150	141	Horizontal
3	11510.0000	40.13	-2.07	54.00	13.87	150	0	Horizontal
4	11510.0000	51.03	-2.07	74.00	22.97	150	241	Horizontal
5	17265.0000	56.43	0.54	74.00	17.57	150	38	Horizontal
6	17265.0000	45.83	0.54	54.00	8.17	150	38	Horizontal
7	17967.5484	47.39	1.71	54.00	6.61	150	38	Horizontal





3.9.2.108 11AC40_159 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6935.4968	56.18	21.13	74.00	17.82	150	0	Horizontal
2	6993.0997	47.04	21.27	54.00	6.96	150	291	Horizontal
3	11590.0000	39.02	-2.50	54.00	14.98	150	140	Horizontal
4	11590.0000	50.60	-2.50	74.00	23.40	150	292	Horizontal
5	17385.0000	45.34	1.21	54.00	8.66	150	140	Horizontal
6	17385.0000	56.98	1.21	74.00	17.02	150	0	Horizontal
7	17967.5484	47.39	1.71	54.00	6.61	150	38	Horizontal



3.9.2.109 11AC80_42 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6852.0926	46.92	20.88	54.00	7.08	150	118	Vertical
2	6995.7998	56.24	21.27	74.00	17.76	150	319	Vertical
3	10420.0000	39.78	-3.40	54.00	14.22	150	68	Vertical
4	10420.0000	52.09	-3.40	74.00	21.91	150	269	Vertical
5	15630.0000	52.85	0.28	74.00	21.15	150	360	Vertical
6	15630.0000	41.63	0.28	54.00	12.37	150	360	Vertical
7	17980.7490	47.54	1.71	54.00	6.46	150	18	Vertical





3.9.2.110 11AC80_58 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6938.7969	46.96	21.16	54.00	7.04	150	18	Vertical
2	6977.4989	55.90	21.26	74.00	18.10	150	277	Vertical
3	10580.0000	41.50	-2.84	54.00	12.50	150	360	Vertical
4	10580.0000	53.41	-2.84	74.00	20.59	150	18	Vertical
5	15870.0000	52.02	-0.67	74.00	21.98	150	18	Vertical
6	15870.0000	41.06	-0.67	54.00	12.94	150	18	Vertical
7	17952.6976	47.54	1.71	54.00	6.46	150	221	Vertical





3.9.2.111 11AC80_106 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.3943	56.00	20.83	74.00	18.00	150	18	Vertical
2	6952.5976	47.50	21.26	54.00	6.50	150	68	Vertical
3	11060.0000	40.97	-2.22	54.00	13.03	150	68	Vertical
4	11060.0000	53.52	-2.22	74.00	20.48	150	169	Vertical
5	16590.0000	55.83	0.20	74.00	18.17	150	169	Vertical
6	16590.0000	43.58	0.20	54.00	10.42	150	320	Vertical
7	17980.7490	47.54	1.71	54.00	6.46	150	18	Vertical



3.9.2.112 11AC80_122 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6876.6938	56.07	20.84	74.00	17.93	150	271	Vertical
2	6954.6977	47.21	21.26	54.00	6.79	150	18	Vertical
3	11220.0000	41.80	-2.35	54.00	12.20	150	169	Vertical
4	11220.0000	53.01	-2.35	74.00	20.99	150	269	Vertical
5	16830.0000	55.82	0.94	74.00	18.18	150	119	Vertical
6	16830.0000	44.19	0.94	54.00	9.81	150	269	Vertical
7	17980.7490	47.54	1.71	54.00	6.46	150	18	Vertical



3.9.2.113 11AC80_155 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6955.2978	47.79	21.26	54.00	6.21	150	168	Vertical
2	6987.6994	56.60	21.27	74.00	17.40	150	360	Vertical
3	11550.0000	39.58	-2.29	54.00	14.42	150	220	Vertical
4	11550.0000	51.79	-2.29	74.00	22.21	150	360	Vertical
5	17325.0000	56.03	0.91	74.00	17.97	150	360	Vertical
6	17325.0000	45.51	0.91	54.00	8.49	150	321	Vertical
7	17953.7977	47.52	1.71	54.00	6.48	150	321	Vertical



3.9.2.114 11AC80_42 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.5984	56.88	21.26	74.00	17.12	150	140	Horizontal
2	6979.2990	47.07	21.26	54.00	6.93	150	241	Horizontal
3	10420.0000	39.93	-3.40	54.00	14.07	150	88	Horizontal
4	10420.0000	51.82	-3.40	74.00	22.18	150	139	Horizontal
5	15630.0000	52.92	0.28	74.00	21.08	150	191	Horizontal
6	15630.0000	41.49	0.28	54.00	12.51	150	342	Horizontal
7	17999.4500	47.40	1.72	54.00	6.60	150	35	Horizontal





3.9.2.115 11AC80_58 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6880.8940	55.75	20.84	74.00	18.25	150	0	Horizontal
2	6920.1960	47.64	20.99	54.00	6.36	150	241	Horizontal
3	10580.0000	41.25	-2.84	54.00	12.75	150	35	Horizontal
4	10580.0000	51.52	-2.84	74.00	22.48	150	139	Horizontal
5	15870.0000	51.47	-0.67	74.00	22.53	150	35	Horizontal
6	15870.0000	40.63	-0.67	54.00	13.37	150	88	Horizontal
7	17999.4500	47.40	1.72	54.00	6.60	150	35	Horizontal





3.9.2.116 11AC80_106 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6860.1930	57.40	20.87	74.00	16.60	150	292	Horizontal
2	6970.2985	47.39	21.26	54.00	6.61	150	90	Horizontal
3	11060.0000	40.92	-2.22	54.00	13.08	150	139	Horizontal
4	11060.0000	51.84	-2.22	74.00	22.16	150	139	Horizontal
5	16590.0000	54.00	0.20	74.00	20.00	150	191	Horizontal
6	16590.0000	43.89	0.20	54.00	10.11	150	291	Horizontal
7	17999.4500	47.40	1.72	54.00	6.60	150	35	Horizontal



3.9.2.117 11AC80_122 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.3953	56.65	20.87	74.00	17.35	150	39	Horizontal
2	6953.7977	46.89	21.26	54.00	7.11	150	191	Horizontal
3	11220.0000	41.71	-2.35	54.00	12.29	150	241	Horizontal
4	11220.0000	52.46	-2.35	74.00	21.54	150	139	Horizontal
5	16830.0000	56.26	0.94	74.00	17.74	150	35	Horizontal
6	16830.0000	44.03	0.94	54.00	9.97	150	88	Horizontal
7	17999.4500	47.40	1.72	54.00	6.60	150	35	Horizontal



3.9.2.118 11AC80_155 ANT 1_Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6912.6956	46.71	20.92	54.00	7.29	150	41	Horizontal
2	6978.0989	56.17	21.26	74.00	17.83	150	342	Horizontal
3	11550.0000	39.70	-2.29	54.00	14.30	150	40	Horizontal
4	11550.0000	50.98	-2.29	74.00	23.02	150	241	Horizontal
5	17325.0000	56.60	0.91	74.00	17.40	150	40	Horizontal
6	17325.0000	45.18	0.91	54.00	8.82	150	0	Horizontal
7	17965.8983	47.46	1.71	54.00	6.54	150	241	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
74.0		Peak Value	
Test Setup:			



The diagram illustrates the test setup within a semi-anechoic chamber. On the left, a turntable holds an Antenna Element (AE) and an Equipment Under Test (EUT). The turntable is positioned 150cm from the left wall. A 3m distance is marked between the turntable and the Antenna Tower. The Antenna Tower, which includes a Horn Antenna, is positioned 1m to 4m from the top of the chamber. A Ground Reference Plane is indicated at the base of the chamber. Below the chamber, a Test Receiver, Pre-Amplifier, and Controller are connected to the antenna system.






Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



3.10.1 Test plots


3.10.1.1 11A20_36 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5132.7664	48.08	15.37	74.00	25.92	150	169	Vertical
2	5134.9675	33.85	15.39	54.00	20.15	150	158	Vertical
3	5149.4747	40.99	15.52	54.00	13.01	150	164	Vertical
4	5149.7249	55.60	15.52	74.00	18.40	150	158	Vertical
5	5180.0000	99.94	15.56	0.00	-99.94	150	330	Vertical
6	5180.0000	90.19	15.56	0.00	-90.19	150	336	Vertical

3.10.1.2 11A20_36 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.3137	50.40	15.32	74.00	23.60	150	231	Horizontal
2	5140.9205	44.89	15.44	54.00	9.11	150	35	Horizontal
3	5149.5248	65.26	15.52	74.00	8.74	150	231	Horizontal
4	5149.8249	50.43	15.52	54.00	3.57	150	231	Horizontal
5	5180.0000	109.73	15.56	0.00	-109.73	150	236	Horizontal
6	5180.0000	100.07	15.56	0.00	-100.07	150	231	Horizontal



3.10.1.3 11A20_48 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	101.04	15.49	0.00	-101.04	150	20	Vertical
2	5240.0000	91.15	15.49	0.00	-91.15	150	161	Vertical
3	5351.4657	53.83	15.95	74.00	20.17	150	147	Vertical
4	5359.8399	39.85	16.00	54.00	14.15	150	195	Vertical
5	5378.2091	39.83	16.11	54.00	14.17	150	208	Vertical
6	5390.7254	53.45	16.19	74.00	20.55	150	84	Vertical





3.10.1.4 11A20_48 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	111.04	15.49	0.00	-111.04	150	237	Horizontal
2	5240.0000	101.33	15.49	0.00	-101.33	150	230	Horizontal
3	5351.4657	53.24	15.95	74.00	20.76	150	306	Horizontal
4	5360.1101	39.99	16.00	54.00	14.01	150	237	Horizontal
5	5381.3607	39.91	16.13	54.00	14.09	150	326	Horizontal
6	5392.7964	53.50	16.21	74.00	20.50	150	22	Horizontal





3.10.1.5 11A20_52 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.9570	38.80	15.21	54.00	15.20	150	344	Vertical
2	5122.4212	52.75	15.28	74.00	21.25	150	119	Vertical
3	5138.1791	52.19	15.42	74.00	21.81	150	290	Vertical
4	5142.9515	38.93	15.46	54.00	15.07	150	344	Vertical
5	5260.0000	101.47	15.51	68.30	-33.17	150	167	Vertical
6	5260.0000	91.93	15.51	0.00	-91.93	150	167	Vertical





3.10.1.6 11A20_52 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.8764	52.90	15.20	74.00	21.10	150	358	Horizontal
2	5123.0515	39.03	15.29	54.00	14.97	150	126	Horizontal
3	5146.3732	39.13	15.49	54.00	14.87	150	195	Horizontal
4	5147.6338	53.38	15.50	74.00	20.62	150	119	Horizontal
5	5260.0000	107.34	15.51	68.30	-39.04	150	305	Horizontal
6	5260.0000	98.04	15.51	0.00	-98.04	150	305	Horizontal





3.10.1.7 11A20_64 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	102.22	15.80	0.00	-102.22	150	181	Vertical
2	5320.0000	92.34	15.80	0.00	-92.34	150	7	Vertical
3	5352.2761	43.82	15.95	54.00	10.18	150	174	Vertical
4	5352.7764	57.24	15.96	74.00	16.76	150	174	Vertical
5	5374.4372	35.73	16.09	54.00	18.27	150	174	Vertical
6	5374.5373	48.95	16.09	74.00	25.05	150	174	Vertical



3.10.1.8 11A20_64 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	111.68	15.80	0.00	-111.68	150	221	Horizontal
2	5320.0000	102.16	15.80	0.00	-102.16	150	221	Horizontal
3	5350.2751	63.39	15.94	74.00	10.61	150	221	Horizontal
4	5350.4252	49.93	15.94	54.00	4.07	150	235	Horizontal
5	5356.6283	62.02	15.98	74.00	11.98	150	98	Horizontal
6	5382.7414	38.05	16.14	54.00	15.95	150	221	Horizontal



3.10.1.9 11A20_100 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5434.9375	37.31	16.25	54.00	16.69	150	177	Vertical
2	5447.3037	51.73	16.25	74.00	22.27	150	143	Vertical
3	5458.3492	40.12	16.25	54.00	13.88	150	177	Vertical
4	5469.2146	62.36	16.25	68.30	5.94	150	172	Vertical
5	5500.0000	104.66	16.25	0.00	-104.66	150	177	Vertical
6	5500.0000	95.80	16.25	0.00	-95.80	150	177	Vertical





3.10.1.10 11A20_100 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5438.4192	39.15	16.25	54.00	14.85	150	216	Horizontal
2	5442.7414	52.93	16.25	74.00	21.07	150	216	Horizontal
3	5457.6888	41.39	16.25	54.00	12.61	150	216	Horizontal
4	5467.5938	61.96	16.25	68.30	6.34	150	232	Horizontal
5	5500.0000	105.74	16.25	0.00	-105.74	150	305	Horizontal
6	5500.0000	96.31	16.25	0.00	-96.31	150	316	Horizontal





3.10.1.11 11A20_140 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	106.21	16.80	0.00	-106.21	150	175	Vertical
2	5726.2831	63.94	16.97	68.30	4.36	150	0	Vertical
3	5741.0455	61.63	17.06	68.30	6.67	150	0	Vertical
4	5747.0285	59.29	17.10	68.30	9.01	150	344	Vertical
5	5774.4072	51.78	17.15	68.30	16.52	150	190	Vertical





3.10.1.12 11A20_140 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	110.11	16.80	0.00	-110.11	150	221	Horizontal
2	5726.3482	64.61	16.97	68.30	3.69	150	221	Horizontal
3	5729.5998	63.74	16.99	68.30	4.56	150	336	Horizontal
4	5756.5233	55.82	17.13	68.30	12.48	150	226	Horizontal
5	5771.1556	54.17	17.15	68.30	14.13	150	221	Horizontal





3.10.1.13 11A20_149 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5641.8209	47.85	16.54	68.30	20.45	150	0	Vertical
2	5685.8729	49.90	16.72	94.85	44.95	150	192	Vertical
3	5717.6688	68.81	16.91	110.25	41.44	150	36	Vertical
4	5723.2016	72.46	16.95	118.20	45.74	150	36	Vertical
5	5745.0000	101.81	17.09	0.00	-101.81	150	4	Vertical



3.10.1.14 11A20_149 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.7934	48.94	16.53	68.30	19.36	150	234	Horizontal
2	5685.1026	56.32	16.72	94.28	37.96	150	225	Horizontal
3	5717.2486	75.77	16.91	110.13	34.36	150	225	Horizontal
4	5723.0615	80.76	16.95	117.88	37.12	150	225	Horizontal
5	5745.0000	105.84	17.09	0.00	-105.84	150	336	Horizontal





3.10.1.15 11A20_161 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5805.0000	103.95	17.20	0.00	-103.95	150	184	Vertical
2	5852.2636	61.30	17.25	117.14	55.84	150	4	Vertical
3	5857.1486	58.93	17.24	110.30	51.37	150	18	Vertical
4	5903.3617	47.91	17.16	84.31	36.40	150	335	Vertical
5	5939.8824	48.11	17.72	68.30	20.19	150	106	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3.10.1.16 11A20_161 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5805.0000	106.50	17.20	0.00	-106.50	150	232	Horizontal
2	5851.3332	65.98	17.26	119.26	53.28	150	227	Horizontal
3	5857.5363	63.54	17.24	110.19	46.65	150	222	Horizontal
4	5900.1051	49.82	17.11	86.72	36.90	150	218	Horizontal
5	5940.6578	47.72	17.74	68.30	20.58	150	359	Horizontal



3.10.1.17 11N20_36 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5126.8134	46.81	15.32	74.00	27.19	150	153	Vertical
2	5131.9660	33.86	15.36	54.00	20.14	150	165	Vertical
3	5146.0230	53.52	15.49	74.00	20.48	150	165	Vertical
4	5149.0745	38.00	15.51	54.00	16.00	150	181	Vertical
5	5180.0000	96.85	15.56	0.00	-96.85	150	159	Vertical
6	5180.0000	87.23	15.56	0.00	-87.23	150	165	Vertical



3.10.1.18 11N20_36 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5125.3627	36.25	15.31	54.00	17.75	150	234	Horizontal
2	5130.4152	49.57	15.35	74.00	24.43	150	223	Horizontal
3	5145.8229	60.48	15.48	74.00	13.52	150	234	Horizontal
4	5149.5248	44.19	15.52	54.00	9.81	150	307	Horizontal
5	5180.0000	108.28	15.56	0.00	-108.28	150	240	Horizontal
6	5180.0000	98.09	15.56	0.00	-98.09	150	234	Horizontal



3.10.1.19 11N20_48 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	99.79	15.49	0.00	-99.79	150	10	Vertical
2	5240.0000	90.10	15.49	0.00	-90.10	150	10	Vertical
3	5357.9490	53.63	15.99	74.00	20.37	150	296	Vertical
4	5362.3612	39.75	16.02	54.00	14.25	150	233	Vertical
5	5384.6023	39.81	16.15	54.00	14.19	150	58	Vertical
6	5390.6353	54.08	16.19	74.00	19.92	150	330	Vertical





3.10.1.20 11N20_48 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	111.07	15.49	0.00	-111.07	150	223	Horizontal
2	5240.0000	100.25	15.49	0.00	-100.25	150	223	Horizontal
3	5355.9680	53.88	15.98	74.00	20.12	150	71	Horizontal
4	5360.9205	39.84	16.01	54.00	14.16	150	176	Horizontal
5	5383.9720	39.92	16.15	54.00	14.08	150	357	Horizontal
6	5393.9670	53.59	16.21	74.00	20.41	150	244	Horizontal





3.10.1.21 11N20_52 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5104.8624	53.52	15.13	74.00	20.48	150	16	Horizontal
2	5122.8714	38.94	15.29	54.00	15.06	150	16	Horizontal
3	5141.5108	39.12	15.45	54.00	14.88	150	347	Horizontal
4	5145.2026	52.85	15.48	74.00	21.15	150	16	Horizontal
5	5260.0000	107.10	15.51	68.30	-38.80	150	319	Horizontal
6	5260.0000	96.92	15.51	0.00	-96.92	150	312	Horizontal





3.10.1.22 11N20_52 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5104.8624	53.52	15.13	74.00	20.48	150	16	Horizontal
2	5122.8714	38.94	15.29	54.00	15.06	150	16	Horizontal
3	5141.5108	39.12	15.45	54.00	14.88	150	347	Horizontal
4	5145.2026	52.85	15.48	74.00	21.15	150	16	Horizontal
5	5260.0000	107.10	15.51	68.30	-38.80	150	319	Horizontal
6	5260.0000	96.92	15.51	0.00	-96.92	150	312	Horizontal



3.10.1.23 11N20_64 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	101.40	15.80	0.00	-101.40	150	239	Vertical
2	5320.0000	90.43	15.80	0.00	-90.43	150	248	Vertical
3	5352.9265	40.58	15.96	54.00	13.42	150	177	Vertical
4	5355.0275	58.82	15.97	74.00	15.18	150	170	Vertical
5	5375.4877	35.64	16.10	54.00	18.36	150	177	Vertical
6	5378.5393	48.93	16.12	74.00	25.07	150	170	Vertical



3.10.1.24 11N20_64 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	111.50	15.80	0.00	-111.50	150	227	Horizontal
2	5320.0000	101.67	15.80	0.00	-101.67	150	220	Horizontal
3	5355.8279	61.97	15.98	74.00	12.03	150	220	Horizontal
4	5356.6283	46.47	15.98	54.00	7.53	150	227	Horizontal
5	5375.2876	53.54	16.10	74.00	20.46	150	220	Horizontal
6	5385.6428	38.40	16.16	54.00	15.60	150	220	Horizontal





3.10.1.25 11N20_100 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5426.7734	37.10	16.25	54.00	16.90	150	203	Vertical
2	5450.1251	51.90	16.25	74.00	22.10	150	170	Vertical
3	5457.3287	38.68	16.25	54.00	15.32	150	176	Vertical
4	5469.4547	56.49	16.25	68.30	11.81	150	170	Vertical
5	5500.0000	103.44	16.25	0.00	-103.44	150	192	Vertical
6	5500.0000	93.96	16.25	0.00	-93.96	150	192	Vertical





3.10.1.26 11N20_100 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5442.3212	41.30	16.25	54.00	12.70	150	235	Horizontal
2	5456.0680	58.42	16.25	74.00	15.58	150	235	Horizontal
3	5459.5498	44.92	16.25	54.00	9.08	150	235	Horizontal
4	5467.2936	62.28	16.25	68.30	6.02	150	313	Horizontal
5	5500.0000	112.25	16.25	0.00	-112.25	150	235	Horizontal
6	5500.0000	102.44	16.25	0.00	-102.44	150	235	Horizontal





3.10.1.27 11N20_140 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	105.15	16.80	0.00	-105.15	150	207	Vertical
2	5725.0000	60.21	16.96	68.30	8.09	150	6	Vertical
3	5738.8995	58.98	17.05	68.30	9.32	150	179	Vertical
4	5755.4827	53.17	17.13	68.30	15.13	150	10	Vertical
5	5770.7654	52.13	17.15	68.30	16.17	150	275	Vertical





3.10.1.28 11N20_140 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	109.41	16.80	0.00	-109.41	150	221	Horizontal
2	5726.0880	62.56	16.97	68.30	5.74	150	221	Horizontal
3	5734.2171	59.24	17.02	68.30	9.06	150	313	Horizontal
4	5754.4422	56.21	17.13	68.30	12.09	150	207	Horizontal
5	5770.0500	54.79	17.15	68.30	13.51	150	193	Horizontal





3.10.1.29 11N20_149 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.4742	48.07	16.53	68.30	20.23	150	184	Vertical
2	5680.4102	48.45	16.69	90.80	42.35	150	22	Vertical
3	5710.9455	61.79	16.87	108.36	46.57	150	174	Vertical
4	5721.6608	68.44	16.94	114.69	46.25	150	12	Vertical
5	5745.0000	101.53	17.09	0.00	-101.53	150	298	Vertical



3.10.1.30 11N20_149 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.3732	49.76	16.53	68.30	18.54	150	234	Horizontal
2	5679.1496	53.18	16.69	89.87	36.69	150	220	Horizontal
3	5714.7974	71.40	16.89	109.44	38.04	150	220	Horizontal
4	5721.5208	76.41	16.94	114.37	37.96	150	220	Horizontal
5	5745.0000	105.07	17.09	0.00	-105.07	150	327	Horizontal





3.10.1.31 11N20_161 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5805.0000	103.02	17.20	0.00	-103.02	150	192	Vertical
2	5851.6433	58.07	17.26	118.55	60.48	150	27	Vertical
3	5858.8544	54.32	17.23	109.82	55.50	150	32	Vertical
4	5901.5783	47.45	17.13	85.63	38.18	150	119	Vertical
5	5938.0215	47.26	17.70	68.30	21.04	150	46	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3.10.1.32 11N20_161 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5805.0000	105.59	17.20	0.00	-105.59	150	226	Horizontal
2	5853.2716	62.83	17.25	114.84	52.01	150	226	Horizontal
3	5865.9880	57.45	17.21	107.82	50.37	150	240	Horizontal
4	5890.1026	50.79	17.14	94.12	43.33	150	226	Horizontal
5	5942.9065	48.04	17.77	68.30	20.26	150	254	Horizontal





3.10.1.33 11N40_38 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.2916	34.37	15.29	54.00	19.63	150	179	Vertical
2	5128.3342	48.14	15.33	74.00	25.86	150	184	Vertical
3	5147.5438	42.65	15.50	54.00	11.35	150	179	Vertical
4	5149.4647	55.09	15.52	74.00	18.91	150	174	Vertical
5	5190.0000	91.82	15.58	0.00	-91.82	150	168	Vertical
6	5190.0000	80.49	15.58	0.00	-80.49	150	346	Vertical



3.10.1.34 11N40_38 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.2316	36.77	15.29	54.00	17.23	150	226	Horizontal
2	5135.2976	59.80	15.39	74.00	14.20	150	316	Horizontal
3	5147.3037	59.37	15.50	74.00	14.63	150	238	Horizontal
4	5149.5248	46.00	15.52	54.00	8.00	150	226	Horizontal
5	5190.0000	96.97	15.58	0.00	-96.97	150	310	Horizontal
6	5190.0000	85.65	15.58	0.00	-85.65	150	299	Horizontal





3.10.1.35 11N40_46 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	92.31	15.51	0.00	-92.31	150	159	Vertical
2	5230.0000	82.34	15.51	0.00	-82.34	150	159	Vertical
3	5357.1786	39.84	15.98	54.00	14.16	150	180	Vertical
4	5367.3837	53.65	16.05	74.00	20.35	150	311	Vertical
5	5385.2926	53.69	16.16	74.00	20.31	150	344	Vertical
6	5389.9950	39.89	16.19	54.00	14.11	150	124	Vertical



3.10.1.36 11N40_46 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	103.00	15.51	0.00	-103.00	150	229	Horizontal
2	5230.0000	91.85	15.51	0.00	-91.85	150	229	Horizontal
3	5352.9765	53.91	15.96	74.00	20.09	150	258	Horizontal
4	5361.2806	40.31	16.01	54.00	13.69	150	229	Horizontal
5	5387.6938	53.58	16.17	74.00	20.42	150	112	Horizontal
6	5388.0940	39.98	16.18	54.00	14.02	150	229	Horizontal





3.10.1.37 11N40_54 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5117.5088	52.40	15.24	74.00	21.60	150	7	Vertical
2	5119.6098	38.85	15.26	54.00	15.15	150	325	Vertical
3	5146.9235	52.65	15.49	74.00	21.35	150	311	Vertical
4	5147.7239	39.05	15.50	54.00	14.95	150	82	Vertical
5	5270.0000	93.13	15.56	68.30	-24.83	150	14	Vertical
6	5270.0000	81.81	15.56	0.00	-81.81	150	20	Vertical





3.10.1.38 11N40_54 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.1081	52.65	15.23	74.00	21.35	150	90	Horizontal
2	5127.3137	38.97	15.32	54.00	15.03	150	220	Horizontal
3	5143.6218	52.96	15.47	74.00	21.04	150	276	Horizontal
4	5145.6228	39.23	15.48	54.00	14.77	150	207	Horizontal
5	5270.0000	103.99	15.56	68.30	-35.69	150	234	Horizontal
6	5270.0000	92.47	15.56	0.00	-92.47	150	227	Horizontal



3.10.1.39 11N40_62 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.0000	94.37	15.75	0.00	-94.37	150	164	Vertical
2	5310.0000	83.13	15.75	0.00	-83.13	150	170	Vertical
3	5352.5163	43.82	15.96	54.00	10.18	150	24	Vertical
4	5354.1371	56.94	15.97	74.00	17.06	150	156	Vertical
5	5379.2296	35.67	16.12	54.00	18.33	150	177	Vertical
6	5386.5533	48.96	16.17	74.00	25.04	150	198	Vertical



3.10.1.40 11N40_62 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.0000	99.61	15.75	0.00	-99.61	150	221	Horizontal
2	5310.0000	88.26	15.75	0.00	-88.26	150	221	Horizontal
3	5350.7754	45.84	15.94	54.00	8.16	150	221	Horizontal
4	5350.9555	58.51	15.95	74.00	15.49	150	194	Horizontal
5	5372.2661	52.25	16.08	74.00	21.75	150	221	Horizontal
6	5382.8314	36.68	16.14	54.00	17.32	150	221	Horizontal





3.10.1.41 11N40_102 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5428.0940	36.07	16.25	54.00	17.93	150	169	Vertical
2	5446.7334	57.47	16.25	74.00	16.53	150	176	Vertical
3	5458.1691	44.61	16.25	54.00	9.39	150	236	Vertical
4	5465.6428	61.28	16.25	68.30	7.02	150	176	Vertical
5	5510.0000	96.60	16.28	0.00	-96.60	150	176	Vertical
6	5510.0000	85.25	16.28	0.00	-85.25	150	195	Vertical





3.10.1.42 11N40_102 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5432.8664	38.80	16.25	54.00	15.20	150	196	Horizontal
2	5456.7284	58.92	16.25	74.00	15.08	150	231	Horizontal
3	5458.8894	46.27	16.25	54.00	7.73	150	196	Horizontal
4	5468.9745	60.01	16.25	68.30	8.29	150	196	Horizontal
5	5510.0000	100.28	16.28	0.00	-100.28	150	217	Horizontal
6	5510.0000	89.85	16.28	0.00	-89.85	150	224	Horizontal





3.10.1.43 11N40_134 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.0000	98.54	16.64	0.00	-98.54	150	183	Vertical
2	5725.0000	55.00	16.96	68.30	13.30	150	174	Vertical
3	5729.9950	56.19	16.99	68.30	12.11	150	174	Vertical
4	5747.5738	53.36	17.10	68.30	14.94	150	178	Vertical
5	5770.4052	49.60	17.15	68.30	18.70	150	197	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3.10.1.44 11N40_134 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.0000	102.39	16.64	0.00	-102.39	150	223	Horizontal
2	5725.3727	64.03	16.96	68.30	4.27	150	223	Horizontal
3	5726.9135	65.07	16.97	68.30	3.23	150	223	Horizontal
4	5737.0685	62.09	17.04	68.30	6.21	150	223	Horizontal
5	5772.0860	54.77	17.15	68.30	13.53	150	223	Horizontal



3.10.1.45 11N40_151 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.6523	47.88	16.54	68.30	20.42	150	161	Vertical
2	5674.5823	55.28	16.66	86.49	31.21	150	174	Vertical
3	5713.6618	66.80	16.89	109.13	42.33	150	10	Vertical
4	5723.1216	69.52	16.95	118.02	48.50	150	25	Vertical
5	5755.0000	98.84	17.13	0.00	-98.84	150	179	Vertical





3.10.1.46 11N40_151 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.2031	52.20	16.53	68.30	16.10	150	198	Horizontal
2	5679.8549	62.36	16.69	90.39	28.03	150	222	Horizontal
3	5711.1031	72.34	16.87	108.41	36.07	150	217	Horizontal
4	5723.7419	76.20	16.95	119.43	43.23	150	231	Horizontal
5	5755.0000	103.22	17.13	0.00	-103.22	150	217	Horizontal

