



Appendix B

E-UTRA Band CA_38C



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



CONTENT

Page

1 EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	3
1.1 TEST RESULT FOR LTE BAND CA_38C (DOWN ANT)	3
1.2 TEST RESULT FOR LTE BAND CA_38C (UP ANT)	3
2 PEAK-TO-AVERAGE RATIO.....	5
2.1 FOR LTE	5
2.1.1 Test Band = LTE Band CA_38C.....	5
3 MODULATION CHARACTERISTICS	10
3.1 FOR LTE	10
3.1.1 Test Band = LTE Band CA_38C.....	10
4 26DB BANDWIDTH AND OCCUPIED BANDWIDTH.....	13
4.1 FOR LTE	14
4.1.1 Test Band = LTE Band CA_38C.....	14
5 BAND EDGES COMPLIANCE.....	23
5.1 FOR LTE	23
5.1.1 Test Band = LTE Band CA_38C.....	23
6 SPURIOUS EMISSION AT ANTENNA TERMINAL	35
6.1 FOR LTE	35
6.1.1 Test Band = LTE Band CA_38C.....	35
7 FIELD STRENGTH OF SPURIOUS RADIATION	49
7.1 FOR LTE UL CA	49
7.1.1 Test Band = LTE Band CA_38C (Down Ant).....	49
7.1.2 Test Band = LTE Band CA_38C (Up Ant).....	50
8 FREQUENCY STABILITY.....	52
8.1 FREQUENCY ERROR VS. VOLTAGE.....	52
8.2 FREQUENCY ERROR VS. TEMPERATURE.....	52





1 Effective (Isotropic) Radiated Power Output Data

1.1 Test Result for LTE Band CA_38C (Down Ant)

BAND	Test Mode PCC/SCC	Channel PCC/SCC	RB Configuration		Modulation PCC&SCC	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
			PCC	SCC					
CA_38C	75RB+75RB	37825+37975	1RB#0	0RB#0	QPSK	22.91	21.88	33.00	PASS
CA_38C	75RB+75RB	37825+37975	16RB#0	0RB#0	QPSK	22.89	21.86	33.00	PASS
CA_38C	75RB+75RB	37925+38075	1RB#0	0RB#0	QPSK	22.73	21.70	33.00	PASS
CA_38C	75RB+75RB	37925+38075	16RB#0	0RB#0	QPSK	22.74	21.71	33.00	PASS
CA_38C	75RB+75RB	38025+38175	1RB#0	0RB#0	QPSK	22.67	21.64	33.00	PASS
CA_38C	75RB+75RB	38025+38175	16RB#0	0RB#0	QPSK	22.69	21.66	33.00	PASS
CA_38C	100RB+100RB	37850+38048	1RB#0	0RB#0	QPSK	22.65	21.62	33.00	PASS
CA_38C	100RB+100RB	37850+38048	18RB#0	0RB#0	QPSK	22.64	21.61	33.00	PASS
CA_38C	100RB+100RB	37901+38099	1RB#0	0RB#0	QPSK	22.62	21.59	33.00	PASS
CA_38C	100RB+100RB	37901+38099	18RB#0	0RB#0	QPSK	22.78	21.75	33.00	PASS
CA_38C	100RB+100RB	37952+38150	1RB#0	0RB#0	QPSK	22.80	21.77	33.00	PASS
CA_38C	100RB+100RB	37952+38150	18RB#0	0RB#0	QPSK	22.64	21.61	33.00	PASS
CA_38C	75RB+75RB	37825+37975	1RB#0	0RB#0	16QAM	22.11	21.08	33.00	PASS
CA_38C	75RB+75RB	37825+37975	16RB#0	0RB#0	16QAM	22.10	21.07	33.00	PASS
CA_38C	75RB+75RB	37925+38075	1RB#0	0RB#0	16QAM	21.97	20.94	33.00	PASS
CA_38C	75RB+75RB	37925+38075	16RB#0	0RB#0	16QAM	22.04	21.01	33.00	PASS
CA_38C	75RB+75RB	38025+38175	1RB#0	0RB#0	16QAM	21.93	20.90	33.00	PASS
CA_38C	75RB+75RB	38025+38175	16RB#0	0RB#0	16QAM	21.95	20.92	33.00	PASS
CA_38C	100RB+100RB	37850+38048	1RB#0	0RB#0	16QAM	21.92	20.89	33.00	PASS
CA_38C	100RB+100RB	37850+38048	18RB#0	0RB#0	16QAM	21.84	20.81	33.00	PASS
CA_38C	100RB+100RB	37901+38099	1RB#0	0RB#0	16QAM	21.82	20.79	33.00	PASS
CA_38C	100RB+100RB	37901+38099	18RB#0	0RB#0	16QAM	22.05	21.02	33.00	PASS
CA_38C	100RB+100RB	37952+38150	1RB#0	0RB#0	16QAM	21.99	20.96	33.00	PASS
CA_38C	100RB+100RB	37952+38150	18RB#0	0RB#0	16QAM	21.89	20.86	33.00	PASS
CA_38C	75RB+75RB	37825+37975	1RB#0	0RB#0	64QAM	21.40	20.37	33.00	PASS
CA_38C	75RB+75RB	37825+37975	16RB#0	0RB#0	64QAM	21.32	20.29	33.00	PASS
CA_38C	75RB+75RB	37925+38075	1RB#0	0RB#0	64QAM	21.24	20.21	33.00	PASS
CA_38C	75RB+75RB	37925+38075	16RB#0	0RB#0	64QAM	21.31	20.28	33.00	PASS
CA_38C	75RB+75RB	38025+38175	1RB#0	0RB#0	64QAM	21.16	20.13	33.00	PASS
CA_38C	75RB+75RB	38025+38175	16RB#0	0RB#0	64QAM	21.17	20.14	33.00	PASS
CA_38C	100RB+100RB	37850+38048	1RB#0	0RB#0	64QAM	21.13	20.10	33.00	PASS
CA_38C	100RB+100RB	37850+38048	18RB#0	0RB#0	64QAM	21.02	19.99	33.00	PASS
CA_38C	100RB+100RB	37901+38099	1RB#0	0RB#0	64QAM	21.08	20.05	33.00	PASS
CA_38C	100RB+100RB	37901+38099	18RB#0	0RB#0	64QAM	21.27	20.24	33.00	PASS
CA_38C	100RB+100RB	37952+38150	1RB#0	0RB#0	64QAM	21.25	20.22	33.00	PASS
CA_38C	100RB+100RB	37952+38150	18RB#0	0RB#0	64QAM	21.09	20.06	33.00	PASS

1.2 Test Result for LTE Band CA_38C (Up Ant)

BAND	Test Mode PCC/SCC	Channel PCC/SCC	RB Configuration		Modulation PCC&SCC	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
			PCC	SCC					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



CA_38C	75RB+75RB	37825+37975	1RB#0	0RB#0	QPSK	21.88	20.90	33.00	PASS
CA_38C	75RB+75RB	37825+37975	16RB#0	0RB#0	QPSK	21.92	20.94	33.00	PASS
CA_38C	75RB+75RB	37925+38075	1RB#0	0RB#0	QPSK	21.74	20.76	33.00	PASS
CA_38C	75RB+75RB	37925+38075	16RB#0	0RB#0	QPSK	21.63	20.65	33.00	PASS
CA_38C	75RB+75RB	38025+38175	1RB#0	0RB#0	QPSK	21.63	20.65	33.00	PASS
CA_38C	75RB+75RB	38025+38175	16RB#0	0RB#0	QPSK	21.75	20.77	33.00	PASS
CA_38C	100RB+100RB	37850+38048	1RB#0	0RB#0	QPSK	21.73	20.75	33.00	PASS
CA_38C	100RB+100RB	37850+38048	18RB#0	0RB#0	QPSK	21.58	20.60	33.00	PASS
CA_38C	100RB+100RB	37901+38099	1RB#0	0RB#0	QPSK	21.61	20.63	33.00	PASS
CA_38C	100RB+100RB	37901+38099	18RB#0	0RB#0	QPSK	21.60	20.62	33.00	PASS
CA_38C	100RB+100RB	37952+38150	1RB#0	0RB#0	QPSK	21.76	20.78	33.00	PASS
CA_38C	100RB+100RB	37952+38150	18RB#0	0RB#0	QPSK	21.59	20.61	33.00	PASS
CA_38C	75RB+75RB	37825+37975	1RB#0	0RB#0	16QAM	21.13	20.15	33.00	PASS
CA_38C	75RB+75RB	37825+37975	16RB#0	0RB#0	16QAM	21.12	20.14	33.00	PASS
CA_38C	75RB+75RB	37925+38075	1RB#0	0RB#0	16QAM	21.03	20.05	33.00	PASS
CA_38C	75RB+75RB	37925+38075	16RB#0	0RB#0	16QAM	20.80	19.82	33.00	PASS
CA_38C	75RB+75RB	38025+38175	1RB#0	0RB#0	16QAM	20.89	19.91	33.00	PASS
CA_38C	75RB+75RB	38025+38175	16RB#0	0RB#0	16QAM	20.94	19.96	33.00	PASS
CA_38C	100RB+100RB	37850+38048	1RB#0	0RB#0	16QAM	20.95	19.97	33.00	PASS
CA_38C	100RB+100RB	37850+38048	18RB#0	0RB#0	16QAM	20.86	19.88	33.00	PASS
CA_38C	100RB+100RB	37901+38099	1RB#0	0RB#0	16QAM	20.85	19.87	33.00	PASS
CA_38C	100RB+100RB	37901+38099	18RB#0	0RB#0	16QAM	20.89	19.91	33.00	PASS
CA_38C	100RB+100RB	37952+38150	1RB#0	0RB#0	16QAM	21.02	20.04	33.00	PASS
CA_38C	100RB+100RB	37952+38150	18RB#0	0RB#0	16QAM	20.80	19.82	33.00	PASS
CA_38C	75RB+75RB	37825+37975	1RB#0	0RB#0	64QAM	20.35	19.37	33.00	PASS
CA_38C	75RB+75RB	37825+37975	16RB#0	0RB#0	64QAM	20.37	19.39	33.00	PASS
CA_38C	75RB+75RB	37925+38075	1RB#0	0RB#0	64QAM	20.22	19.24	33.00	PASS
CA_38C	75RB+75RB	37925+38075	16RB#0	0RB#0	64QAM	20.01	19.03	33.00	PASS
CA_38C	75RB+75RB	38025+38175	1RB#0	0RB#0	64QAM	20.11	19.13	33.00	PASS
CA_38C	75RB+75RB	38025+38175	16RB#0	0RB#0	64QAM	20.16	19.18	33.00	PASS
CA_38C	100RB+100RB	37850+38048	1RB#0	0RB#0	64QAM	20.24	19.26	33.00	PASS
CA_38C	100RB+100RB	37850+38048	18RB#0	0RB#0	64QAM	20.09	19.11	33.00	PASS
CA_38C	100RB+100RB	37901+38099	1RB#0	0RB#0	64QAM	20.04	19.06	33.00	PASS
CA_38C	100RB+100RB	37901+38099	18RB#0	0RB#0	64QAM	20.19	19.21	33.00	PASS
CA_38C	100RB+100RB	37952+38150	1RB#0	0RB#0	64QAM	20.32	19.34	33.00	PASS
CA_38C	100RB+100RB	37952+38150	18RB#0	0RB#0	64QAM	19.98	19.00	33.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



2 Peak-to-Average Ratio

Part I - Test Results


Test Band	Modulation	Test Mode	Test Channel	PCC RB Config	SCC RB Config	Measured [dB]	Limit [dB]	Verdict
CA_38C	QPSK	100RB+100RB	37850+38048	100RB#0	100RB#0	6.99	13.00	PASS
CA_38C	QPSK	100RB+100RB	37901+38099	100RB#0	100RB#0	5.97	13.00	PASS
CA_38C	QPSK	100RB+100RB	37952+38150	100RB#0	100RB#0	7.48	13.00	PASS
CA_38C	16QAM	100RB+100RB	37850+38048	100RB#0	100RB#0	6.46	13.00	PASS
CA_38C	16QAM	100RB+100RB	37901+38099	100RB#0	100RB#0	7.71	13.00	PASS
CA_38C	16QAM	100RB+100RB	37952+38150	100RB#0	100RB#0	6.64	13.00	PASS
CA_38C	64QAM	100RB+100RB	37850+38048	100RB#0	100RB#0	6.09	13.00	PASS
CA_38C	64QAM	100RB+100RB	37901+38099	100RB#0	100RB#0	7.04	13.00	PASS
CA_38C	64QAM	100RB+100RB	37952+38150	100RB#0	100RB#0	6.09	13.00	PASS

2.1 For LTE

2.1.1 Test Band = LTE Band CA_38C

2.1.1.1 Test Mode = LTE /QPSK 100RB+100RB

2.1.1.1.1 Test Channel = 37850+38048



Date: 20 APR 2020 02:46:54




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center, EEC Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2.1.1.1.2 Test Channel = 37901+38099




2.1.1.1.3 Test Channel = 37952+38150






Test Mode = LTE /16QAM 100RB+100RB

2.1.1.1.4 Test Channel = 37850+38048



Date: 20 APR 2020 02:47:23


2.1.1.1.5 Test Channel = 37901+38099



Date: 20 APR 2020 02:51:08




2.1.1.1.6 Test Channel = 37952+38150




2.1.1.2 Test Mode = LTE /64QAM 100RB+100RB

2.1.1.2.1 Test Channel = 37850+38048




2.1.1.2.2 Test Channel = 37901+38099



Date: 20 APR 2020 02:51:24

2.1.1.2.3 Test Channel = 37952+38150



Date: 20 APR 2020 02:52:25






3 Modulation Characteristics

3.1 For LTE

3.1.1 Test Band = LTE Band CA_38C

3.1.1.1 Test Mode = LTE /QPSK 100RB+100RB


3.1.1.1.1 Test Channel = 37850+38048





3.1.1.2 Test Mode = LTE /16QAM 100RB+100RB


3.1.1.2.1 Test Channel =37850+38048





3.1.1.3 Test Mode = LTE /64QAM 100RB+100RB

3.1.1.3.1 Test Channel = 37850+38048






4 26dB Bandwidth and Occupied Bandwidth


Test Band	Modulation PCC&SCC	Test Mode PCC/SCC	Test Channel PCC/SCC	PCC RB	SCC RB	OBW [MHz]	EBW [MHz]	Verdict
CA_38C	QPSK	75RB+75RB	37825+37975	75RB#0	75RB#0	28.25	29.56	PASS
CA_38C	QPSK	75RB+75RB	37925+38075	75RB#0	75RB#0	28.22	29.53	PASS
CA_38C	QPSK	75RB+75RB	38025+38175	75RB#0	75RB#0	28.21	29.60	PASS
CA_38C	16QAM	75RB+75RB	37825+37975	75RB#0	75RB#0	28.22	29.60	PASS
CA_38C	16QAM	75RB+75RB	37925+38075	75RB#0	75RB#0	28.21	29.53	PASS
CA_38C	16QAM	75RB+75RB	38025+38175	75RB#0	75RB#0	28.21	29.60	PASS
CA_38C	64QAM	75RB+75RB	37825+37975	75RB#0	75RB#0	28.18	29.65	PASS
CA_38C	64QAM	75RB+75RB	37925+38075	75RB#0	75RB#0	28.18	29.53	PASS
CA_38C	64QAM	75RB+75RB	38025+38175	75RB#0	75RB#0	28.18	29.59	PASS
CA_38C	QPSK	100RB+100RB	37850+38048	100RB#0	100RB#0	37.37	39.25	PASS
CA_38C	QPSK	100RB+100RB	37901+38099	100RB#0	100RB#0	37.35	39.19	PASS
CA_38C	QPSK	100RB+100RB	37952+38150	100RB#0	100RB#0	37.39	39.27	PASS
CA_38C	16QAM	100RB+100RB	37850+38048	100RB#0	100RB#0	37.43	39.37	PASS
CA_38C	16QAM	100RB+100RB	37901+38099	100RB#0	100RB#0	37.43	39.62	PASS
CA_38C	16QAM	100RB+100RB	37952+38150	100RB#0	100RB#0	37.41	39.45	PASS
CA_38C	64QAM	100RB+100RB	37850+38048	100RB#0	100RB#0	37.35	39.37	PASS
CA_38C	64QAM	100RB+100RB	37901+38099	100RB#0	100RB#0	37.37	39.25	PASS
CA_38C	64QAM	100RB+100RB	37952+38150	100RB#0	100RB#0	37.35	39.23	PASS



4.1 For LTE


4.1.1 Test Band = LTE Band CA_38C





Date: 17 APR 2020 05:31:05


CA 38C 15MHz+15MHz 16QAM 37825+37975 75RB#0+75RB#0



Date: 17 APR 2020 05:28:32


CA 38C 15MHz+15MHz 16QAM 37925+38075 75RB#0+75RB#0





Date: 17 APR 2020 05:29:47


CA_38C 15MHz+15MHz_16QAM_38025+38175_75RB#0+75RB#0



Date: 17 APR 2020 05:31:22


CA_38C 15MHz+15MHz_64QAM_37825+37975_75RB#0+75RB#0





Date: 17 APR 2020 05:28:48


CA_38C 15MHz+15MHz_64QAM_37925+38075_75RB#0+75RB#0



Date: 17 APR 2020 05:30:03


CA_38C 15MHz+15MHz_64QAM_38025+38175_75RB#0+75RB#0





Date: 17 APR 2020 05:31:37


CA 38C 20MHz+20MHz QPSK 37850+38048 100RB#0+100RB#0



Date: 17 APR 2020 05:32:03


CA 38C 20MHz+20MHz QPSK 37901+38099 100RB#0+100RB#0





Date: 17 APR 2020 05:32:39


CA 38C 20MHz+20MHz QPSK 37952+38150 100RB#0+100RB#0



Date: 17 APR 2020 05:33:15


CA 38C 20MHz+20MHz 16QAM 37850+38048 100RB#0+100RB#0





Date: 17 APR 2020 05:32:14


CA_38C 20MHz+20MHz_16QAM_37901+38099_100RB#0+100RB#0



Date: 17 APR 2020 05:32:50


CA_38C 20MHz+20MHz_16QAM_37952+38150_100RB#0+100RB#0





Date: 17 APR 2020 05:33:26


CA_38C 20MHz+20MHz_64QAM_37850+38048_100RB#0+100RB#0



Date: 17 APR 2020 05:32:25


CA_38C 20MHz+20MHz_64QAM_37901+38099_100RB#0+100RB#0





Date: 17 APR 2020 05:33:01

CA_38C 20MHz+20MHz_64QAM 37952+38150_100RB#0+100RB#0



Date: 17 APR 2020 05:33:37




5 Band Edges Compliance

5.1 For LTE


5.1.1 Test Band = LTE Band CA_38C

CA_38C_15MHz+15MHz_QPSK_37825+37975_1RB#0+0RB#0



Date: 24 APR 2020 05:16:42


CA_38C_15MHz+15MHz_QPSK_37825+37975_75RB#0+75RB#0



Date: 24 APR 2020 05:19:51


CA_38C_15MHz+15MHz_QPSK_38025+38175_0RB#0+1RB#74





Date: 24 APR 2020 05:29:02


CA_38C_15MHz+15MHz_QPSK_38025+38175_75RB#0+75RB#0



Date: 24 APR 2020 05:30:11


CA_38C_15MHz+15MHz_16QAM_37825+37975_1RB#0+0RB#0





Date: 24 APR 2020 05:17:14


CA_38C_15MHz+15MHz_16QAM_37825+37975_75RB#0+75RB#0



Date: 24 APR 2020 05:20:20


CA_38C_15MHz+15MHz_16QAM_38025+38175_0RB#0+1RB#74





Date: 24 APR 2020 05:29:23


CA_38C_15MHz+15MHz_16QAM_38025+38175_75RB#0+75RB#0



Date: 24 APR 2020 05:30:32


CA_38C_15MHz+15MHz_64QAM_37825+37975_1RB#0+0RB#0





Date: 24 APR 2020 05:17:47


CA_38C_15MHz+15MHz_64QAM_37825+37975_75RB#0+75RB#0



Date: 24 APR 2020 05:20:48


CA_38C_15MHz+15MHz_64QAM_38025+38175_0RB#0+1RB#74





Date: 24 APR 2020 05:29:43


CA_38C_15MHz+15MHz_64QAM_38025+38175_75RB#0+75RB#0



Date: 24 APR 2020 05:30:52


CA_38C_20MHz+20MHz_QPSK_37850+38048_1RB#0+0RB#0





Date: 24 APR 2020 05:31:33


CA_38C_20MHz+20MHz_QPSK_37850+38048_100RB#0+100RB#0



Date: 24 APR 2020 05:33:07


CA_38C_20MHz+20MHz_QPSK_37952+38150_0RB#0+1RB#99





Date: 24 APR 2020 05:34:41


CA_38C_20MHz+20MHz_16QAM_37850+38048_1RB#0+0RB#0



Date: 24 APR 2020 05:32:02


CA_38C_20MHz+20MHz_16QAM_37850+38048_100RB#0+100RB#0





Date: 24 APR 2020 05:33:35


CA_38C_20MHz+20MHz_16QAM_37952+38150_0RB#0+1RB#99



Date: 24 APR 2020 05:35:09


CA_38C_20MHz+20MHz_16QAM_37952+38150_100RB#0+100RB#0





Date: 24 APR 2020 05:36:39


CA_38C_20MHz+20MHz_64QAM_37850+38048_1RB#0+0RB#0



Date: 24 APR 2020 05:32:30


CA_38C_20MHz+20MHz_64QAM_37850+38048_100RB#0+100RB#0





Date: 24 APR 2020 05:34:03


CA_38C_20MHz+20MHz_64QAM_37952+38150_0RB#0+1RB#99



Date: 24 APR 2020 05:35:38

CA_38C_20MHz+20MHz_64QAM_37952+38150_100RB#0+100RB#0






6 Spurious Emission at Antenna Terminal


NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots


6.1 For LTE

6.1.1 Test Band = LTE Band CA_38C






CA_38C 20MHz+20MHz_QPSK_37850+38048_ORB#0+1RB#99_30_1000




CA_38C 20MHz+20MHz_QPSK_37850+38048_ORB#0+1RB#99_1000_12750






CA_38C 20MHz+20MHz_QPSK_37850+38048_ORB#0+1RB#99_12750_26000




CA_38C 20MHz+20MHz_QPSK_37850+38048_100RB#0+100RB#0_30_1000





Date: 17 APR 2020 05:34:12


CA_38C 20MHz+20MHz_QPSK_37850+38048_100RB#0+100RB#0_1000_12750




Date: 17 APR 2020 05:38:06

CA_38C 20MHz+20MHz_QPSK_37850+38048_100RB#0+100RB#0_12750_26000






CA_38C 20MHz+20MHz_QPSK_37901+38099_1RB#0+0RB#0_30_1000




CA_38C 20MHz+20MHz_QPSK_37901+38099_1RB#0+0RB#0_1000_12750






CA_38C 20MHz+20MHz_QPSK_37901+38099_1RB#0+0RB#0_12750_26000




CA_38C 20MHz+20MHz_QPSK_37901+38099_0RB#0+1RB#99_30_1000






CA_38C 20MHz+20MHz_QPSK_37901+38099_ORB#0+1RB#99_1000_12750




CA_38C 20MHz+20MHz_QPSK_37901+38099_ORB#0+1RB#99_12750_26000






CA_38C 20MHz+20MHz_QPSK_37901+38099_100RB#0+100RB#0_30_1000




CA_38C 20MHz+20MHz_QPSK_37901+38099_100RB#0+100RB#0_1000_12750






CA_38C 20MHz+20MHz_QPSK_37901+38099_100RB#0+100RB#0_12750_26000




CA_38C 20MHz+20MHz_QPSK_37952+38150_1RB#0+0RB#0_30_1000





Date: 17 APR 2020 05:36:47


CA_38C 20MHz+20MHz_QPSK_37952+38150_1RB#0+0RB#0_1000_12750




Date: 17 APR 2020 05:53:54

CA_38C 20MHz+20MHz_QPSK_37952+38150_1RB#0+0RB#0_12750_26000






CA_38C 20MHz+20MHz_QPSK_37952+38150_ORB#0+1RB#99_30_1000




CA_38C 20MHz+20MHz_QPSK_37952+38150_ORB#0+1RB#99_1000_12750






CA_38C 20MHz+20MHz_QPSK_37952+38150_ORB#0+1RB#99_12750_26000




CA_38C 20MHz+20MHz_QPSK_37952+38150_100RB#0+100RB#0_30_1000





Date: 17 APR 2020 05:36:59


CA_38C 20MHz+20MHz_QPSK_37952+38150_100RB#0+100RB#0_1000_12750



Date: 17 APR 2020 05:54:27

CA_38C 20MHz+20MHz_QPSK_37952+38150_100RB#0+100RB#0_12750_26000





7 Field Strength of Spurious Radiation

7.1 For LTE UL CA

7.1.1 Test Band = LTE Band CA_38C (Down Ant)

7.1.1.1 Test Mode = LTE/QPSK

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
54.5659	-70.90	-25.00	45.90	Vertical
110.3286	-63.58	-25.00	38.58	Vertical
464.8031	-65.85	-25.00	40.85	Vertical
1790.6112	-43.65	-25.00	18.65	Vertical
7439.7221	-55.43	-25.00	30.43	Vertical
17990.0801	-39.94	-25.00	14.94	Vertical
45.3491	-62.23	-25.00	37.23	Horizontal
238.9362	-67.18	-25.00	42.18	Horizontal
658.3913	-62.51	-25.00	37.51	Horizontal
1800.6562	-42.93	-25.00	17.93	Horizontal
9323.3167	-51.67	-25.00	26.67	Horizontal
16371.7067	-43.49	-25.00	18.49	Horizontal

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
114.0204	-63.68	-25.00	38.68	Vertical
283.0042	-68.10	-25.00	43.10	Vertical
677.3860	-62.93	-25.00	37.93	Vertical
2088.3538	-41.49	-25.00	16.49	Vertical
8026.0960	-54.42	-25.00	29.42	Vertical
17991.7403	-39.40	-25.00	14.40	Vertical
44.6944	-63.89	-25.00	38.89	Horizontal
232.3444	-68.38	-25.00	43.38	Horizontal
870.3369	-59.86	-25.00	34.86	Horizontal
1786.3707	-43.40	-25.00	18.40	Horizontal
7441.5501	-55.48	-25.00	30.48	Horizontal
16392.7788	-43.52	-25.00	18.52	Horizontal



7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
63.4773	-68.63	-25.00	43.63	Vertical
108.1518	-64.17	-25.00	39.17	Vertical
393.8207	-66.82	-25.00	41.82	Vertical
1788.8525	-43.46	-25.00	18.46	Vertical
7955.7115	-55.46	-25.00	30.46	Vertical
17997.8789	-39.44	-25.00	14.44	Vertical
47.0633	-65.17	-25.00	40.17	Horizontal
234.9408	-67.67	-25.00	42.67	Horizontal
639.7400	-62.78	-25.00	37.78	Horizontal
1803.9845	-42.97	-25.00	17.97	Horizontal
9339.9307	-52.02	-25.00	27.02	Horizontal
16392.9931	-43.40	-25.00	18.40	Horizontal

7.1.2 Test Band = LTE Band CA_38C (Up Ant)

7.1.2.1 Test Mode =LTE/QPSK

7.1.2.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
54.5904	-70.60	-25.00	45.60	Vertical
110.4612	-63.30	-25.00	38.30	Vertical
464.7989	-65.61	-25.00	40.61	Vertical
1790.5547	-43.67	-25.00	18.67	Vertical
7440.1875	-55.23	-25.00	30.23	Vertical
17990.4081	-40.08	-25.00	15.08	Vertical
45.7414	-62.12	-25.00	37.12	Horizontal
239.5071	-67.04	-25.00	42.04	Horizontal
659.1094	-62.14	-25.00	37.14	Horizontal
1801.0190	-42.51	-25.00	17.51	Horizontal
9323.6591	-51.18	-25.00	26.18	Horizontal
16371.7617	-43.10	-25.00	18.10	Horizontal



7.1.2.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
114.5874	-63.45	-25.00	38.45	Vertical
283.1954	-68.43	-25.00	43.43	Vertical
677.5008	-62.64	-25.00	37.64	Vertical
2088.7310	-41.15	-25.00	16.15	Vertical
8026.3303	-54.17	-25.00	29.17	Vertical
17991.9132	-39.27	-25.00	14.27	Vertical
44.8614	-63.43	-25.00	38.43	Horizontal
232.7351	-67.55	-25.00	42.55	Horizontal
870.6141	-59.42	-25.00	34.42	Horizontal
1786.9273	-43.02	-25.00	18.02	Horizontal
7441.6175	-55.35	-25.00	30.35	Horizontal
16392.6654	-43.11	-25.00	18.11	Horizontal

7.1.2.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
63.8855	-68.44	-25.00	43.44	Vertical
108.6289	-64.16	-25.00	39.16	Vertical
394.4028	-65.99	-25.00	40.99	Vertical
1788.8757	-43.29	-25.00	18.29	Vertical
7956.0511	-55.22	-25.00	30.22	Vertical
17998.1054	-39.34	-25.00	14.34	Vertical
47.1665	-65.11	-25.00	40.11	Horizontal
235.1035	-67.14	-25.00	42.14	Horizontal
640.0460	-62.11	-25.00	37.11	Horizontal
1803.8821	-42.77	-25.00	17.77	Horizontal
9340.0969	-51.96	-25.00	26.96	Horizontal
16393.3044	-42.95	-25.00	17.95	Horizontal

Remark:

- 1 According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2 The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.





8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	RB Config	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	TN	NV	11.06	0.004286	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	TN	NV	-2.18	-0.000845	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	TN	NV	-11.58	-0.004470	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	TN	NV	-2.36	-0.000916	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	TN	NV	5.25	0.002029	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	TN	NV	-4.86	-0.001875	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	TN	NV	1.24	0.000482	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	TN	NV	-11.32	-0.004378	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	TN	NV	-12.68	-0.004894	PASS

8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	RB Config	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	-30	13.44	0.005208	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	-20	14.23	0.005514	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	-10	-5.94	-0.002302	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	0	9.80	0.003798	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	10	10.96	0.004247	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	20	5.78	0.002239	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	30	6.03	0.002337	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	40	-4.46	-0.001728	PASS
CA_38C	QPSK	37850+38048	100RB#0/100RB#0	NV	50	-8.02	-0.003107	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	-30	-11.12	-0.004302	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	-20	6.05	0.002342	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	-10	2.34	0.000904	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	0	-0.89	-0.000344	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	10	14.45	0.005591	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	20	9.68	0.003746	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	30	-3.04	-0.001176	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	40	-4.08	-0.001577	PASS
CA_38C	QPSK	37901+38099	100RB#0/100RB#0	NV	50	1.50	0.000581	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	-30	-0.15	-0.000057	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	-20	9.74	0.003760	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	-10	-9.59	-0.003701	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	0	8.54	0.003297	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	10	-12.31	-0.004754	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	20	-5.99	-0.002314	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	30	-7.25	-0.002799	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	40	8.26	0.003188	PASS
CA_38C	QPSK	37952+38150	100RB#0/100RB#0	NV	50	-0.72	-0.000278	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	-30	-14.01	-0.005431	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	-20	-8.70	-0.003372	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	-10	-12.28	-0.004761	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	0	0.39	0.000152	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	10	-12.62	-0.004893	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	20	12.61	0.004889	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	30	6.81	0.002641	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	40	15.68	0.006079	PASS
CA_38C	16QAM	37850+38048	100RB#0/100RB#0	NV	50	7.77	0.003010	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	-30	8.23	0.003185	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	-20	7.44	0.002878	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	-10	-2.34	-0.000904	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	0	14.73	0.005697	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	10	11.74	0.004541	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	20	-11.97	-0.004630	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	30	14.29	0.005527	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	40	-12.29	-0.004756	PASS
CA_38C	16QAM	37901+38099	100RB#0/100RB#0	NV	50	13.92	0.005387	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	-30	7.96	0.003072	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	-20	-8.13	-0.003140	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	-10	-12.05	-0.004652	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	0	5.69	0.002198	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	10	-0.01	-0.000004	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	20	1.61	0.000623	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	30	10.70	0.004131	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	40	0.57	0.000218	PASS
CA_38C	16QAM	37952+38150	100RB#0/100RB#0	NV	50	-13.04	-0.005034	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	-30	8.50	0.003296	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	-20	-0.18	-0.000069	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	-10	0.98	0.000381	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	0	-8.64	-0.003348	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	10	3.91	0.001516	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	20	-14.60	-0.005658	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	30	-7.66	-0.002967	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	40	10.11	0.003917	PASS
CA_38C	64QAM	37850+38048	100RB#0/100RB#0	NV	50	12.31	0.004770	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	-30	-9.09	-0.003518	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	-20	3.35	0.001296	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	-10	-10.97	-0.004244	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	0	-1.67	-0.000645	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	10	6.73	0.002604	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	20	-11.95	-0.004621	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center, EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	30	13.63	0.005271	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	40	0.59	0.000229	PASS
CA_38C	64QAM	37901+38099	100RB#0/100RB#0	NV	50	8.48	0.003279	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	-30	7.04	0.002719	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	-20	-4.67	-0.001801	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	-10	12.49	0.004822	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	0	-4.93	-0.001903	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	10	5.91	0.002281	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	20	-3.48	-0.001342	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	30	-2.51	-0.000969	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	40	-14.74	-0.005690	PASS
CA_38C	64QAM	37952+38150	100RB#0/100RB#0	NV	50	2.96	0.001143	PASS

The End

