

Appendix B

NR band N38



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

CONTENT

Page

1	EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....	3
2	PEAK-TO-AVERAGE RATIO	8
2.1	TEST RESULTS	8
2.2	TEST PLOTS.....	8
3	MODULATION CHARACTERISTICS	10
3.1	TEST PLOTS.....	10
3.1.1	Test Band = N38	10
4	OCCUPIED BANDWIDTH & 26DB EMISSION BANDWIDTH	13
4.1	TEST RESULTS	13
4.2	TEST PLOTS.....	13
5	BAND EDGES COMPLIANCE	19
5.1	TEST PLOTS.....	19
6	SPURIOUS EMISSION AT ANTENNA TERMINAL	23
6.1	TEST PLOTS.....	23
7	FIELD STRENGTH OF SPURIOUS RADIATION	26
7.1	TEST BAND = N38.....	26
7.1.1	Test Mode = 20MHz _TM 1	26
8	FREQUENCY STABILITY.....	28
8.1	FREQUENCY ERROR VS. VOLTAGE	28
8.2	FREQUENCY ERROR VS. TEMPERATURE	28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch (Inspection & Testing Services Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



1 Effective (Isotropic) Radiated Power Output Data

Ant9:

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N38	20MHz	30KHz	TM1	516000	Inner Full	22.35	14.75	33	PASS
N38	20MHz	30KHz	TM1	516000	Inner 1RB Left	22.47	14.87	33	PASS
N38	20MHz	30KHz	TM1	516000	Inner 1RB Right	22.28	14.68	33	PASS
N38	20MHz	30KHz	TM1	519000	Inner Full	20.89	13.29	33	PASS
N38	20MHz	30KHz	TM1	519000	Inner 1RB Left	20.65	13.05	33	PASS
N38	20MHz	30KHz	TM1	519000	Inner 1RB Right	20.56	12.96	33	PASS
N38	20MHz	30KHz	TM1	522000	Inner Full	22.04	14.44	33	PASS
N38	20MHz	30KHz	TM1	522000	Inner 1RB Left	22.29	14.69	33	PASS
N38	20MHz	30KHz	TM1	522000	Inner 1RB Right	22.09	14.49	33	PASS
N38	20MHz	30KHz	TM2	516000	Inner Full	22.27	14.67	33	PASS
N38	20MHz	30KHz	TM2	516000	Inner 1RB Left	22.47	14.87	33	PASS
N38	20MHz	30KHz	TM2	516000	Inner 1RB Right	22.24	14.64	33	PASS
N38	20MHz	30KHz	TM2	519000	Inner Full	20.85	13.25	33	PASS
N38	20MHz	30KHz	TM2	519000	Inner 1RB Left	20.86	13.26	33	PASS
N38	20MHz	30KHz	TM2	519000	Inner 1RB Right	20.52	12.92	33	PASS
N38	20MHz	30KHz	TM2	522000	Inner Full	21.96	14.36	33	PASS
N38	20MHz	30KHz	TM2	522000	Inner 1RB Left	22.17	14.57	33	PASS
N38	20MHz	30KHz	TM2	522000	Inner 1RB Right	22.02	14.42	33	PASS
N38	20MHz	30KHz	TM3	516000	Inner Full	21.37	13.77	33	PASS
N38	20MHz	30KHz	TM3	516000	Inner 1RB Left	21.57	13.97	33	PASS
N38	20MHz	30KHz	TM3	516000	Inner 1RB Right	21.38	13.78	33	PASS
N38	20MHz	30KHz	TM3	519000	Inner Full	20.34	12.74	33	PASS
N38	20MHz	30KHz	TM3	519000	Inner 1RB Left	20.62	13.02	33	PASS
N38	20MHz	30KHz	TM3	519000	Inner 1RB Right	20.41	12.81	33	PASS
N38	20MHz	30KHz	TM3	522000	Inner Full	20.62	13.02	33	PASS
N38	20MHz	30KHz	TM3	522000	Inner 1RB Left	21.32	13.72	33	PASS
N38	20MHz	30KHz	TM3	522000	Inner 1RB Right	21.03	13.43	33	PASS
N38	20MHz	30KHz	TM4	516000	Inner Full	19.78	12.18	33	PASS
N38	20MHz	30KHz	TM4	516000	Inner 1RB Left	19.91	12.31	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Technical Services Co., Ltd. Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N38	20MHz	30KHz	TM4	516000	Inner 1RB Right	19.51	11.91	33	PASS
N38	20MHz	30KHz	TM4	519000	Inner Full	18.9	11.3	33	PASS
N38	20MHz	30KHz	TM4	519000	Inner 1RB Left	18.86	11.26	33	PASS
N38	20MHz	30KHz	TM4	519000	Inner 1RB Right	18.73	11.13	33	PASS
N38	20MHz	30KHz	TM4	522000	Inner Full	19.11	11.51	33	PASS
N38	20MHz	30KHz	TM4	522000	Inner 1RB Left	19.89	12.29	33	PASS
N38	20MHz	30KHz	TM4	522000	Inner 1RB Right	19.59	11.99	33	PASS
N38	20MHz	30KHz	TM5	516000	Inner Full	19.83	12.23	33	PASS
N38	20MHz	30KHz	TM5	516000	Inner 1RB Left	20.17	12.57	33	PASS
N38	20MHz	30KHz	TM5	516000	Inner 1RB Right	19.6	12	33	PASS
N38	20MHz	30KHz	TM5	519000	Inner Full	18.86	11.26	33	PASS
N38	20MHz	30KHz	TM5	519000	Inner 1RB Left	19.21	11.61	33	PASS
N38	20MHz	30KHz	TM5	519000	Inner 1RB Right	18.76	11.16	33	PASS
N38	20MHz	30KHz	TM5	522000	Inner Full	19.34	11.74	33	PASS
N38	20MHz	30KHz	TM5	522000	Inner 1RB Left	19.51	11.91	33	PASS
N38	20MHz	30KHz	TM5	522000	Inner 1RB Right	19.45	11.85	33	PASS
N38	20MHz	30KHz	TM6	516000	Inner Full	22.34	14.74	33	PASS
N38	20MHz	30KHz	TM6	516000	Inner 1RB Left	22.54	14.94	33	PASS
N38	20MHz	30KHz	TM6	516000	Inner 1RB Right	22.31	14.71	33	PASS
N38	20MHz	30KHz	TM6	519000	Inner Full	20.81	13.21	33	PASS
N38	20MHz	30KHz	TM6	519000	Inner 1RB Left	20.89	13.29	33	PASS
N38	20MHz	30KHz	TM6	519000	Inner 1RB Right	21.1	13.5	33	PASS
N38	20MHz	30KHz	TM6	522000	Inner Full	21.99	14.39	33	PASS
N38	20MHz	30KHz	TM6	522000	Inner 1RB Left	22.32	14.72	33	PASS
N38	20MHz	30KHz	TM6	522000	Inner 1RB Right	22	14.4	33	PASS
N38	20MHz	30KHz	TM7	516000	Inner Full	21.32	13.72	33	PASS
N38	20MHz	30KHz	TM7	516000	Inner 1RB Left	21.19	13.59	33	PASS
N38	20MHz	30KHz	TM7	516000	Inner 1RB Right	21.19	13.59	33	PASS
N38	20MHz	30KHz	TM7	519000	Inner Full	20.34	12.74	33	PASS
N38	20MHz	30KHz	TM7	519000	Inner 1RB Left	20.24	12.64	33	PASS
N38	20MHz	30KHz	TM7	519000	Inner 1RB Right	20.32	12.72	33	PASS
N38	20MHz	30KHz	TM7	522000	Inner Full	20.81	13.21	33	PASS
N38	20MHz	30KHz	TM7	522000	Inner 1RB Left	21.27	13.67	33	PASS
N38	20MHz	30KHz	TM7	522000	Inner 1RB Right	21.09	13.49	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N38	20MHz	30KHz	TM8	516000	Inner Full	19.84	12.24	33	PASS
N38	20MHz	30KHz	TM8	516000	Inner 1RB Left	20.01	12.41	33	PASS
N38	20MHz	30KHz	TM8	516000	Inner 1RB Right	19.63	12.03	33	PASS
N38	20MHz	30KHz	TM8	519000	Inner Full	18.81	11.21	33	PASS
N38	20MHz	30KHz	TM8	519000	Inner 1RB Left	19.06	11.46	33	PASS
N38	20MHz	30KHz	TM8	519000	Inner 1RB Right	18.85	11.25	33	PASS
N38	20MHz	30KHz	TM8	522000	Inner Full	18.94	11.34	33	PASS
N38	20MHz	30KHz	TM8	522000	Inner 1RB Left	19.72	12.12	33	PASS
N38	20MHz	30KHz	TM8	522000	Inner 1RB Right	19.61	12.01	33	PASS
N38	20MHz	30KHz	TM9	516000	Inner Full	19.85	12.25	33	PASS
N38	20MHz	30KHz	TM9	516000	Inner 1RB Left	20.15	12.55	33	PASS
N38	20MHz	30KHz	TM9	516000	Inner 1RB Right	19.72	12.12	33	PASS
N38	20MHz	30KHz	TM9	519000	Inner Full	18.93	11.33	33	PASS
N38	20MHz	30KHz	TM9	519000	Inner 1RB Left	18.8	11.2	33	PASS
N38	20MHz	30KHz	TM9	519000	Inner 1RB Right	18.67	11.07	33	PASS
N38	20MHz	30KHz	TM9	522000	Inner Full	19.72	12.12	33	PASS
N38	20MHz	30KHz	TM9	522000	Inner 1RB Left	19.52	11.92	33	PASS
N38	20MHz	30KHz	TM9	522000	Inner 1RB Right	19.49	11.89	33	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Internal Use Only) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Ant1:

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N38	20MHz	30KHz	TM1	516000	Inner Full	20.83	18.83	33	PASS
N38	20MHz	30KHz	TM1	516000	Inner 1RB Left	20.78	18.78	33	PASS
N38	20MHz	30KHz	TM1	516000	Inner 1RB Right	20.75	18.75	33	PASS
N38	20MHz	30KHz	TM1	519000	Inner Full	20.62	18.62	33	PASS
N38	20MHz	30KHz	TM1	519000	Inner 1RB Left	20.76	18.76	33	PASS
N38	20MHz	30KHz	TM1	519000	Inner 1RB Right	20.48	18.48	33	PASS
N38	20MHz	30KHz	TM1	522000	Inner Full	21.9	19.9	33	PASS
N38	20MHz	30KHz	TM1	522000	Inner 1RB Left	22.12	20.12	33	PASS
N38	20MHz	30KHz	TM1	522000	Inner 1RB Right	21.95	19.95	33	PASS
N38	20MHz	30KHz	TM2	516000	Inner Full	20.87	18.87	33	PASS
N38	20MHz	30KHz	TM2	516000	Inner 1RB Left	20.72	18.72	33	PASS
N38	20MHz	30KHz	TM2	516000	Inner 1RB Right	20.98	18.98	33	PASS
N38	20MHz	30KHz	TM2	519000	Inner Full	20.54	18.54	33	PASS
N38	20MHz	30KHz	TM2	519000	Inner 1RB Left	20.69	18.69	33	PASS
N38	20MHz	30KHz	TM2	519000	Inner 1RB Right	20.38	18.38	33	PASS
N38	20MHz	30KHz	TM2	522000	Inner Full	21.94	19.94	33	PASS
N38	20MHz	30KHz	TM2	522000	Inner 1RB Left	22.03	20.03	33	PASS
N38	20MHz	30KHz	TM2	522000	Inner 1RB Right	22.01	20.01	33	PASS
N38	20MHz	30KHz	TM3	516000	Inner Full	20.26	18.26	33	PASS
N38	20MHz	30KHz	TM3	516000	Inner 1RB Left	20.31	18.31	33	PASS
N38	20MHz	30KHz	TM3	516000	Inner 1RB Right	20.29	18.29	33	PASS
N38	20MHz	30KHz	TM3	519000	Inner Full	20.17	18.17	33	PASS
N38	20MHz	30KHz	TM3	519000	Inner 1RB Left	20.17	18.17	33	PASS
N38	20MHz	30KHz	TM3	519000	Inner 1RB Right	20.08	18.08	33	PASS
N38	20MHz	30KHz	TM3	522000	Inner Full	20.87	18.87	33	PASS
N38	20MHz	30KHz	TM3	522000	Inner 1RB Left	21.12	19.12	33	PASS
N38	20MHz	30KHz	TM3	522000	Inner 1RB Right	20.93	18.93	33	PASS
N38	20MHz	30KHz	TM4	516000	Inner Full	18.79	16.79	33	PASS
N38	20MHz	30KHz	TM4	516000	Inner 1RB Left	18.82	16.82	33	PASS
N38	20MHz	30KHz	TM4	516000	Inner 1RB Right	19.17	17.17	33	PASS
N38	20MHz	30KHz	TM4	519000	Inner Full	18.78	16.78	33	PASS
N38	20MHz	30KHz	TM4	519000	Inner 1RB Left	19.12	17.12	33	PASS
N38	20MHz	30KHz	TM4	519000	Inner 1RB Right	18.46	16.46	33	PASS
N38	20MHz	30KHz	TM4	522000	Inner Full	19.33	17.33	33	PASS
N38	20MHz	30KHz	TM4	522000	Inner 1RB Left	20.01	18.01	33	PASS
N38	20MHz	30KHz	TM4	522000	Inner 1RB Right	19.46	17.46	33	PASS
N38	20MHz	30KHz	TM5	516000	Inner Full	18.8	16.8	33	PASS
N38	20MHz	30KHz	TM5	516000	Inner 1RB Left	18.92	16.92	33	PASS
N38	20MHz	30KHz	TM5	516000	Inner 1RB Right	18.31	16.31	33	PASS
N38	20MHz	30KHz	TM5	519000	Inner Full	18.84	16.84	33	PASS
N38	20MHz	30KHz	TM5	519000	Inner 1RB Left	18.96	16.96	33	PASS
N38	20MHz	30KHz	TM5	519000	Inner 1RB Right	18.52	16.52	33	PASS
N38	20MHz	30KHz	TM5	522000	Inner Full	19.8	17.8	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

N38	20MHz	30KHz	TM5	522000	Inner 1RB Left	19.48	17.48	33	PASS
N38	20MHz	30KHz	TM5	522000	Inner 1RB Right	19.51	17.51	33	PASS
N38	20MHz	30KHz	TM6	516000	Inner Full	20.88	18.88	33	PASS
N38	20MHz	30KHz	TM6	516000	Inner 1RB Left	21.02	19.02	33	PASS
N38	20MHz	30KHz	TM6	516000	Inner 1RB Right	21.14	19.14	33	PASS
N38	20MHz	30KHz	TM6	519000	Inner Full	20.57	18.57	33	PASS
N38	20MHz	30KHz	TM6	519000	Inner 1RB Left	20.91	18.91	33	PASS
N38	20MHz	30KHz	TM6	519000	Inner 1RB Right	20.59	18.59	33	PASS
N38	20MHz	30KHz	TM6	522000	Inner Full	21.99	19.99	33	PASS
N38	20MHz	30KHz	TM6	522000	Inner 1RB Left	22.11	20.11	33	PASS
N38	20MHz	30KHz	TM6	522000	Inner 1RB Right	21.99	19.99	33	PASS
N38	20MHz	30KHz	TM7	516000	Inner Full	20.4	18.4	33	PASS
N38	20MHz	30KHz	TM7	516000	Inner 1RB Left	20.22	18.22	33	PASS
N38	20MHz	30KHz	TM7	516000	Inner 1RB Right	20.5	18.5	33	PASS
N38	20MHz	30KHz	TM7	519000	Inner Full	20.19	18.19	33	PASS
N38	20MHz	30KHz	TM7	519000	Inner 1RB Left	20.2	18.2	33	PASS
N38	20MHz	30KHz	TM7	519000	Inner 1RB Right	20.17	18.17	33	PASS
N38	20MHz	30KHz	TM7	522000	Inner Full	21.01	19.01	33	PASS
N38	20MHz	30KHz	TM7	522000	Inner 1RB Left	21.14	19.14	33	PASS
N38	20MHz	30KHz	TM7	522000	Inner 1RB Right	21.05	19.05	33	PASS
N38	20MHz	30KHz	TM8	516000	Inner Full	18.92	16.92	33	PASS
N38	20MHz	30KHz	TM8	516000	Inner 1RB Left	19.08	17.08	33	PASS
N38	20MHz	30KHz	TM8	516000	Inner 1RB Right	19.2	17.2	33	PASS
N38	20MHz	30KHz	TM8	519000	Inner Full	18.77	16.77	33	PASS
N38	20MHz	30KHz	TM8	519000	Inner 1RB Left	19.03	17.03	33	PASS
N38	20MHz	30KHz	TM8	519000	Inner 1RB Right	18.85	16.85	33	PASS
N38	20MHz	30KHz	TM8	522000	Inner Full	19.49	17.49	33	PASS
N38	20MHz	30KHz	TM8	522000	Inner 1RB Left	19.64	17.64	33	PASS
N38	20MHz	30KHz	TM8	522000	Inner 1RB Right	19.41	17.41	33	PASS
N38	20MHz	30KHz	TM9	516000	Inner Full	18.9	16.9	33	PASS
N38	20MHz	30KHz	TM9	516000	Inner 1RB Left	18.54	16.54	33	PASS
N38	20MHz	30KHz	TM9	516000	Inner 1RB Right	18.75	16.75	33	PASS
N38	20MHz	30KHz	TM9	519000	Inner Full	18.83	16.83	33	PASS
N38	20MHz	30KHz	TM9	519000	Inner 1RB Left	18.13	16.13	33	PASS
N38	20MHz	30KHz	TM9	519000	Inner 1RB Right	18.75	16.75	33	PASS
N38	20MHz	30KHz	TM9	522000	Inner Full	19.55	17.55	33	PASS
N38	20MHz	30KHz	TM9	522000	Inner 1RB Left	19.23	17.23	33	PASS
N38	20MHz	30KHz	TM9	522000	Inner 1RB Right	19.44	17.44	33	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]

ERP [dBm] = Conducted Power [dBm] + Gain [dBi] -2.15



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


2 Peak-to-Average Ratio

2.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Result (dB)	Limit (dBm)	Verdict
N38	20MHz	30KHz	TM1	519000	Outer Full	3.86	13	PASS
N38	20MHz	30KHz	TM6	519000	Outer Full	6.57	13	PASS

2.2 Test Plots





REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CMAA, CNAS, ILAC, EML, CMC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


3 Modulation Characteristics

3.1 Test Plots

3.1.1 Test Band = N38


3.1.1.1 Test Mode = TM1 20MHz

3.1.1.1.1 Test Channel = MCH




3.1.1.2 Test Mode = TM2 20MHz

3.1.1.2.1 Test Channel = MCH




3.1.1.3 Test Mode = TM3 20MHz

3.1.1.3.1 Test Channel = MCH



3.1.1.4 Test Mode = TM4 20MHz

3.1.1.4.1 Test Channel = MCH



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


3.1.1.5 Test Mode = TM5 20MHz

3.1.1.5.1 Test Channel = MCH



3.1.1.6 Test Mode = TM6 20MHz

3.1.1.6.1 Test Channel = MCH



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx#e-Documents>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4 Occupied Bandwidth & 26dB Emission Bandwidth

4.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
N38	20MHz	30KHz	TM1	519000	Outer Full	17.82	19.06	PASS
N38	20MHz	30KHz	TM2	519000	Outer Full	17.80	18.95	PASS
N38	20MHz	30KHz	TM3	519000	Outer Full	17.81	18.97	PASS
N38	20MHz	30KHz	TM4	519000	Outer Full	17.86	19.44	PASS
N38	20MHz	30KHz	TM5	519000	Outer Full	17.83	19.26	PASS
N38	20MHz	30KHz	TM6	519000	Outer Full	18.18	20.33	PASS
N38	20MHz	30KHz	TM7	519000	Outer Full	18.22	19.51	PASS
N38	20MHz	30KHz	TM8	519000	Outer Full	18.21	19.84	PASS
N38	20MHz	30KHz	TM9	519000	Outer Full	18.20	19.41	PASS

4.2 Test Plots




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Public Service Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


OBW&EBW N38 30KHz TM1 20MHz 519000 Outer Full




OBW&EBW N38 30KHz TM2 20MHz 519000 Outer Full




OBW&EBW N38 30KHz TM3 20MHz 519000 Outer Full




OBW&EBW N38 30KHz TM4 20MHz 519000 Outer Full




OBW&EBW N38 30KHz TM5 20MHz 519000 Outer Full




OBW&EBW N38 30KHz TM6 20MHz 519000 Outer Full




OBW&EBW N38 30KHz TM7 20MHz 519000 Outer Full



OBW&EBW N38 30KHz TM8 20MHz 519000 Outer Full





REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5 Band Edges Compliance

5.1 Test Plots


N38 30KHz TM1 20MHz 516000 Edge 1RB Left



N38 30KHz TM1 20MHz 516000 Outer Full



N38 30KHz TM1 20MHz 522000 Edge 1RB Right



18:44:05 29.01.2021


N38 30KHz TM1 20MHz 522000 Outer Full



18:42:10 29.01.2021




N38 30KHz TM6 20MHz 516000 Edge 1RB Left



18:06:39 29.01.2021


N38 30KHz TM6 20MHz 516000 Outer Full




18:04:43 29.01.2021



N38 30KHz TM6 20MHz 522000 Edge 1RB Right



N38 30KHz TM6 20MHz 522000 Outer Full



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6 Spurious Emission at Antenna Terminal

REMARK: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrow Band signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k \times (\text{Span} / \text{RBW})$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


6.1 Test Plots




N38 20M 519000 TM1 Edge 1RB Left 30 - 1000




N38 20M 519000 TM1 Edge 1RB Left 1000 - 265000



N38 20M 522000 TM1 Edge 1RB Left 30 - 1000



N38 20M 522000 TM1 Edge 1RB Left 1000 - 26500



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report



7 Field Strength of Spurious Radiation

7.1 Test Band = N38

7.1.1 Test Mode = 20MHz _TM 1

7.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
40.6700	-68.41	-25.00	43.41	Vertical
74.3775	-70.01	-25.00	45.01	Vertical
185.2000	-76.79	-25.00	51.79	Vertical
1763.8382	-49.07	-25.00	24.07	Vertical
5159.3580	-54.72	-25.00	29.72	Vertical
17771.9886	-37.07	-25.00	12.07	Vertical
41.1550	-77.46	-25.00	52.46	Horizontal
87.9575	-77.42	-25.00	52.42	Horizontal
161.6775	-75.53	-25.00	50.53	Horizontal
1746.2373	-50.72	-25.00	25.72	Horizontal
5142.1071	-54.34	-25.00	29.34	Horizontal
17351.9676	-38.63	-25.00	13.63	Horizontal

7.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
40.9125	-74.54	-25.00	49.54	Vertical
71.4675	-69.66	-25.00	44.66	Vertical
516.2125	-83.23	-25.00	58.23	Vertical
1746.1373	-52.95	-25.00	27.95	Vertical
6805.6903	-53.92	-25.00	28.92	Vertical
17858.2429	-37.42	-25.00	12.42	Vertical
41.1550	-77.44	-25.00	52.44	Horizontal
87.9575	-80.20	-25.00	55.20	Horizontal
163.3750	-77.10	-25.00	52.10	Horizontal
1758.4379	-51.35	-25.00	26.35	Horizontal
5651.3826	-55.93	-25.00	30.93	Horizontal
17393.2197	-38.90	-25.00	13.90	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
39.9425	-67.80	-25.00	42.80	Vertical
73.1650	-69.09	-25.00	44.09	Vertical
500.9350	-82.70	-25.00	57.70	Vertical
1745.5373	-49.54	-25.00	24.54	Vertical
6786.9393	-54.40	-25.00	29.40	Vertical
17855.9928	-37.31	-25.00	12.31	Vertical
41.1550	-78.02	-25.00	53.02	Horizontal
174.5300	-76.65	-25.00	51.65	Horizontal
486.8700	-82.55	-25.00	57.55	Horizontal
1744.2372	-51.48	-25.00	26.48	Horizontal
5202.1101	-56.07	-25.00	31.07	Horizontal
17404.4702	-38.73	-25.00	13.73	Horizontal

Remark:

- 1 According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2 The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.
- 3 All modulation and all Bandwidth had been tested, but only the worst case data displayed in this report.
- 4 The disturbance above 26.5GHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.





8 Frequency Stability

8.1 Frequency Error VS. Voltage

NR Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N38	30KHz	20MHz	TM1	516000	Outer Full	VL	NT	-3.76	-0.00146	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	NT	-7.93	-0.00307	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VH	NT	2.31	0.00090	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VL	NT	9.11	0.00351	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	NT	14.71	0.00567	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VH	NT	5.49	0.00212	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VL	NT	-11.16	-0.00428	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	NT	-6.12	-0.00234	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VH	NT	-4.54	-0.00174	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VL	NT	-8.16	-0.00316	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	NT	7.98	0.00309	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VH	NT	-3.63	-0.00141	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VL	NT	0.42	0.00016	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	NT	-8.6	-0.00331	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VH	NT	-4.35	-0.00168	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VL	NT	6.88	0.00264	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	NT	5.03	0.00193	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VH	NT	1.75	0.00067	±2.5	PASS

8.2 Frequency Error VS. Temperature

NR Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	-30	9.64	0.00374	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	-20	11.61	0.00450	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	-10	-10.71	-0.00415	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	0	-11.48	-0.00445	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	10	11.38	0.00441	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	20	14.53	0.00563	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	30	2.53	0.00098	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	40	7.34	0.00284	±2.5	PASS
N38	30KHz	20MHz	TM1	516000	Outer Full	VN	50	-7.1	-0.00275	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	-30	0.65	0.00025	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	-20	-6.19	-0.00239	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	-10	9.59	0.00370	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	0	-9.48	-0.00365	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	10	3.66	0.00141	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	20	11.66	0.00449	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	30	13.18	0.00508	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N38	30KHz	20MHz	TM1	519000	Outer Full	VN	40	-9.88	-0.00381	±2.5	PASS
N38	30KHz	20MHz	TM1	519000	Outer Full	VN	50	-5.82	-0.00224	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	-30	-8.43	-0.00323	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	-20	9.16	0.00351	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	-10	13.06	0.00500	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	0	9.09	0.00348	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	10	-4.95	-0.00190	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	20	6.81	0.00261	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	30	-2.46	-0.00094	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	40	5.32	0.00204	±2.5	PASS
N38	30KHz	20MHz	TM1	522000	Outer Full	VN	50	-12.18	-0.00467	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	-30	10.82	0.00419	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	-20	-1.46	-0.00057	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	-10	-11.87	-0.00460	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	0	4.59	0.00178	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	10	-0.96	-0.00037	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	20	-10.55	-0.00409	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	30	-11.73	-0.00455	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	40	9.98	0.00387	±2.5	PASS
N38	30KHz	20MHz	TM6	516000	Outer Full	VN	50	9.63	0.00373	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	-30	12.27	0.00473	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	-20	-8.39	-0.00323	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	-10	-1.09	-0.00042	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	0	-0.18	-0.00007	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	10	-2.44	-0.00094	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	20	-8.69	-0.00335	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	30	-5.21	-0.00201	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	40	-11.63	-0.00448	±2.5	PASS
N38	30KHz	20MHz	TM6	519000	Outer Full	VN	50	9.95	0.00383	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	-30	13.87	0.00531	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	-20	10.13	0.00388	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	-10	-7.83	-0.00300	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	0	12.26	0.00470	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	10	4.26	0.00163	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	20	-5.77	-0.00221	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	30	4.22	0.00162	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	40	14.85	0.00569	±2.5	PASS
N38	30KHz	20MHz	TM6	522000	Outer Full	VN	50	6.38	0.00244	±2.5	PASS

REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report

The End



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Technical Services Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com