



Appendix B

NR Band N78



CONTENT

Page

1	EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....	3
2	PEAK-TO-AVERAGE RATIO	18
2.1	TEST RESULTS	18
2.2	TEST PLOTS.....	18
3	MODULATION CHARACTERISTICS	20
3.1	TEST PLOTS.....	20
3.1.1	Test Band = N78	20
4	OCCUPIED BANDWIDTH & 26DB EMISSION BANDWIDTH	23
4.1	TEST RESULTS	23
4.2	TEST PLOTS.....	25
5	BAND EDGES COMPLIANCE	66
5.1	TEST PLOTS.....	66
6	SPURIOUS EMISSION AT ANTENNA TERMINAL	102
6.1	TEST PLOTS.....	102
7	FREQUENCY STABILITY.....	104
7.1	FREQUENCY ERROR VS. VOLTAGE	104
7.2	FREQUENCY ERROR VS. TEMPERATURE	104





1 Effective (Isotropic) Radiated Power Output Data(ANT2)

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N78	10MHz	30KHz	TM1	647000	Inner Full	26.10	24.15	30	PASS
N78	10MHz	30KHz	TM1	647000	Inner 1RB Left	26.18	24.23	30	PASS
N78	10MHz	30KHz	TM1	647000	Inner 1RB Right	26.22	24.27	30	PASS
N78	10MHz	30KHz	TM1	650000	Inner Full	25.25	23.30	30	PASS
N78	10MHz	30KHz	TM1	650000	Inner 1RB Left	25.51	23.56	30	PASS
N78	10MHz	30KHz	TM1	650000	Inner 1RB Right	25.31	23.36	30	PASS
N78	10MHz	30KHz	TM1	653000	Inner Full	25.49	23.54	30	PASS
N78	10MHz	30KHz	TM1	653000	Inner 1RB Left	25.35	23.40	30	PASS
N78	10MHz	30KHz	TM1	653000	Inner 1RB Right	25.32	23.37	30	PASS
N78	10MHz	30KHz	TM2	647000	Inner Full	26.03	24.08	30	PASS
N78	10MHz	30KHz	TM2	647000	Inner 1RB Left	26.08	24.13	30	PASS
N78	10MHz	30KHz	TM2	647000	Inner 1RB Right	26.33	24.38	30	PASS
N78	10MHz	30KHz	TM2	650000	Inner Full	25.59	23.64	30	PASS
N78	10MHz	30KHz	TM2	650000	Inner 1RB Left	25.75	23.80	30	PASS
N78	10MHz	30KHz	TM2	650000	Inner 1RB Right	25.21	23.26	30	PASS
N78	10MHz	30KHz	TM2	653000	Inner Full	25.37	23.42	30	PASS
N78	10MHz	30KHz	TM2	653000	Inner 1RB Left	25.72	23.77	30	PASS
N78	10MHz	30KHz	TM2	653000	Inner 1RB Right	25.66	23.71	30	PASS
N78	10MHz	30KHz	TM3	647000	Inner Full	24.95	23.00	30	PASS
N78	10MHz	30KHz	TM3	647000	Inner 1RB Left	25.22	23.27	30	PASS
N78	10MHz	30KHz	TM3	647000	Inner 1RB Right	25.34	23.39	30	PASS
N78	10MHz	30KHz	TM3	650000	Inner Full	24.56	22.61	30	PASS
N78	10MHz	30KHz	TM3	650000	Inner 1RB Left	24.50	22.55	30	PASS
N78	10MHz	30KHz	TM3	650000	Inner 1RB Right	24.29	22.34	30	PASS
N78	10MHz	30KHz	TM3	653000	Inner Full	24.75	22.80	30	PASS
N78	10MHz	30KHz	TM3	653000	Inner 1RB Left	24.77	22.82	30	PASS
N78	10MHz	30KHz	TM3	653000	Inner 1RB Right	24.53	22.58	30	PASS
N78	10MHz	30KHz	TM4	647000	Inner Full	25.05	23.10	30	PASS
N78	10MHz	30KHz	TM4	647000	Inner 1RB Left	25.26	23.31	30	PASS
N78	10MHz	30KHz	TM4	647000	Inner 1RB Right	25.35	23.40	30	PASS
N78	10MHz	30KHz	TM4	650000	Inner Full	24.55	22.60	30	PASS
N78	10MHz	30KHz	TM4	650000	Inner 1RB Left	24.68	22.73	30	PASS
N78	10MHz	30KHz	TM4	650000	Inner 1RB Right	24.17	22.22	30	PASS
N78	10MHz	30KHz	TM4	653000	Inner Full	24.39	22.44	30	PASS
N78	10MHz	30KHz	TM4	653000	Inner 1RB Left	24.66	22.71	30	PASS
N78	10MHz	30KHz	TM4	653000	Inner 1RB Right	24.18	22.23	30	PASS
N78	10MHz	30KHz	TM5	647000	Inner Full	23.71	21.76	30	PASS
N78	10MHz	30KHz	TM5	647000	Inner 1RB Left	23.51	21.56	30	PASS
N78	10MHz	30KHz	TM5	647000	Inner 1RB Right	23.95	22.00	30	PASS
N78	10MHz	30KHz	TM5	650000	Inner Full	22.96	21.01	30	PASS
N78	10MHz	30KHz	TM5	650000	Inner 1RB Left	23.33	21.38	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	10MHz	30KHz	TM5	650000	Inner 1RB Right	22.56	20.61	30	PASS
N78	10MHz	30KHz	TM5	653000	Inner Full	22.76	20.81	30	PASS
N78	10MHz	30KHz	TM5	653000	Inner 1RB Left	23.00	21.05	30	PASS
N78	10MHz	30KHz	TM5	653000	Inner 1RB Right	23.03	21.08	30	PASS
N78	10MHz	30KHz	TM6	647000	Inner Full	25.05	23.10	30	PASS
N78	10MHz	30KHz	TM6	647000	Inner 1RB Left	25.05	23.10	30	PASS
N78	10MHz	30KHz	TM6	647000	Inner 1RB Right	25.21	23.26	30	PASS
N78	10MHz	30KHz	TM6	650000	Inner Full	24.42	22.47	30	PASS
N78	10MHz	30KHz	TM6	650000	Inner 1RB Left	24.75	22.80	30	PASS
N78	10MHz	30KHz	TM6	650000	Inner 1RB Right	23.95	22.00	30	PASS
N78	10MHz	30KHz	TM6	653000	Inner Full	24.43	22.48	30	PASS
N78	10MHz	30KHz	TM6	653000	Inner 1RB Left	24.71	22.76	30	PASS
N78	10MHz	30KHz	TM6	653000	Inner 1RB Right	24.46	22.51	30	PASS
N78	10MHz	30KHz	TM7	647000	Inner Full	25.03	23.08	30	PASS
N78	10MHz	30KHz	TM7	647000	Inner 1RB Left	25.25	23.30	30	PASS
N78	10MHz	30KHz	TM7	647000	Inner 1RB Right	25.40	23.45	30	PASS
N78	10MHz	30KHz	TM7	650000	Inner Full	24.20	22.25	30	PASS
N78	10MHz	30KHz	TM7	650000	Inner 1RB Left	24.76	22.81	30	PASS
N78	10MHz	30KHz	TM7	650000	Inner 1RB Right	24.35	22.40	30	PASS
N78	10MHz	30KHz	TM7	653000	Inner Full	24.66	22.71	30	PASS
N78	10MHz	30KHz	TM7	653000	Inner 1RB Left	24.40	22.45	30	PASS
N78	10MHz	30KHz	TM7	653000	Inner 1RB Right	24.37	22.42	30	PASS
N78	10MHz	30KHz	TM8	647000	Inner Full	25.15	23.20	30	PASS
N78	10MHz	30KHz	TM8	647000	Inner 1RB Left	24.99	23.04	30	PASS
N78	10MHz	30KHz	TM8	647000	Inner 1RB Right	25.30	23.35	30	PASS
N78	10MHz	30KHz	TM8	650000	Inner Full	24.42	22.47	30	PASS
N78	10MHz	30KHz	TM8	650000	Inner 1RB Left	23.47	21.52	30	PASS
N78	10MHz	30KHz	TM8	650000	Inner 1RB Right	24.42	22.47	30	PASS
N78	10MHz	30KHz	TM8	653000	Inner Full	24.64	22.69	30	PASS
N78	10MHz	30KHz	TM8	653000	Inner 1RB Left	24.67	22.72	30	PASS
N78	10MHz	30KHz	TM8	653000	Inner 1RB Right	24.55	22.60	30	PASS
N78	10MHz	30KHz	TM9	647000	Inner Full	23.72	21.77	30	PASS
N78	10MHz	30KHz	TM9	647000	Inner 1RB Left	23.55	21.60	30	PASS
N78	10MHz	30KHz	TM9	647000	Inner 1RB Right	23.63	21.68	30	PASS
N78	10MHz	30KHz	TM9	650000	Inner Full	22.70	20.75	30	PASS
N78	10MHz	30KHz	TM9	650000	Inner 1RB Left	22.97	21.02	30	PASS
N78	10MHz	30KHz	TM9	650000	Inner 1RB Right	22.55	20.60	30	PASS
N78	10MHz	30KHz	TM9	653000	Inner Full	23.13	21.18	30	PASS
N78	10MHz	30KHz	TM9	653000	Inner 1RB Left	23.23	21.28	30	PASS
N78	10MHz	30KHz	TM9	653000	Inner 1RB Right	22.96	21.01	30	PASS
N78	15MHz	30KHz	TM1	647168	Inner Full	26.36	24.41	30	PASS
N78	15MHz	30KHz	TM1	647168	Inner 1RB Left	26.08	24.13	30	PASS
N78	15MHz	30KHz	TM1	647168	Inner 1RB Right	26.44	24.49	30	PASS
N78	15MHz	30KHz	TM1	650000	Inner Full	25.42	23.47	30	PASS
N78	15MHz	30KHz	TM1	650000	Inner 1RB Left	25.25	23.30	30	PASS
N78	15MHz	30KHz	TM1	650000	Inner 1RB Right	25.44	23.49	30	PASS
N78	15MHz	30KHz	TM1	652832	Inner Full	25.64	23.69	30	PASS
N78	15MHz	30KHz	TM1	652832	Inner 1RB Left	25.45	23.50	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	15MHz	30KHz	TM1	652832	Inner 1RB Right	25.22	23.27	30	PASS
N78	15MHz	30KHz	TM2	647168	Inner Full	26.11	24.16	30	PASS
N78	15MHz	30KHz	TM2	647168	Inner 1RB Left	25.33	23.38	30	PASS
N78	15MHz	30KHz	TM2	647168	Inner 1RB Right	26.30	24.35	30	PASS
N78	15MHz	30KHz	TM2	650000	Inner Full	25.22	23.27	30	PASS
N78	15MHz	30KHz	TM2	650000	Inner 1RB Left	25.14	23.19	30	PASS
N78	15MHz	30KHz	TM2	650000	Inner 1RB Right	25.62	23.67	30	PASS
N78	15MHz	30KHz	TM2	652832	Inner Full	25.55	23.60	30	PASS
N78	15MHz	30KHz	TM2	652832	Inner 1RB Left	25.72	23.77	30	PASS
N78	15MHz	30KHz	TM2	652832	Inner 1RB Right	25.32	23.37	30	PASS
N78	15MHz	30KHz	TM3	647168	Inner Full	25.44	23.49	30	PASS
N78	15MHz	30KHz	TM3	647168	Inner 1RB Left	24.87	22.92	30	PASS
N78	15MHz	30KHz	TM3	647168	Inner 1RB Right	24.35	22.40	30	PASS
N78	15MHz	30KHz	TM3	650000	Inner Full	24.41	22.46	30	PASS
N78	15MHz	30KHz	TM3	650000	Inner 1RB Left	24.35	22.40	30	PASS
N78	15MHz	30KHz	TM3	650000	Inner 1RB Right	24.41	22.46	30	PASS
N78	15MHz	30KHz	TM3	652832	Inner Full	24.42	22.47	30	PASS
N78	15MHz	30KHz	TM3	652832	Inner 1RB Left	24.51	22.56	30	PASS
N78	15MHz	30KHz	TM3	652832	Inner 1RB Right	24.48	22.53	30	PASS
N78	15MHz	30KHz	TM4	647168	Inner Full	25.19	23.24	30	PASS
N78	15MHz	30KHz	TM4	647168	Inner 1RB Left	25.13	23.18	30	PASS
N78	15MHz	30KHz	TM4	647168	Inner 1RB Right	25.25	23.30	30	PASS
N78	15MHz	30KHz	TM4	650000	Inner Full	24.29	22.34	30	PASS
N78	15MHz	30KHz	TM4	650000	Inner 1RB Left	24.26	22.31	30	PASS
N78	15MHz	30KHz	TM4	650000	Inner 1RB Right	24.27	22.32	30	PASS
N78	15MHz	30KHz	TM4	652832	Inner Full	24.45	22.50	30	PASS
N78	15MHz	30KHz	TM4	652832	Inner 1RB Left	24.47	22.52	30	PASS
N78	15MHz	30KHz	TM4	652832	Inner 1RB Right	24.71	22.76	30	PASS
N78	15MHz	30KHz	TM5	647168	Inner Full	23.92	21.97	30	PASS
N78	15MHz	30KHz	TM5	647168	Inner 1RB Left	23.62	21.67	30	PASS
N78	15MHz	30KHz	TM5	647168	Inner 1RB Right	24.13	22.18	30	PASS
N78	15MHz	30KHz	TM5	650000	Inner Full	22.54	20.59	30	PASS
N78	15MHz	30KHz	TM5	650000	Inner 1RB Left	22.31	20.36	30	PASS
N78	15MHz	30KHz	TM5	650000	Inner 1RB Right	22.53	20.58	30	PASS
N78	15MHz	30KHz	TM5	652832	Inner Full	23.31	21.36	30	PASS
N78	15MHz	30KHz	TM5	652832	Inner 1RB Left	23.03	21.08	30	PASS
N78	15MHz	30KHz	TM5	652832	Inner 1RB Right	22.79	20.84	30	PASS
N78	15MHz	30KHz	TM6	647168	Inner Full	24.73	22.78	30	PASS
N78	15MHz	30KHz	TM6	647168	Inner 1RB Left	24.94	22.99	30	PASS
N78	15MHz	30KHz	TM6	647168	Inner 1RB Right	25.54	23.59	30	PASS
N78	15MHz	30KHz	TM6	650000	Inner Full	25.48	23.53	30	PASS
N78	15MHz	30KHz	TM6	650000	Inner 1RB Left	24.71	22.76	30	PASS
N78	15MHz	30KHz	TM6	650000	Inner 1RB Right	24.57	22.62	30	PASS
N78	15MHz	30KHz	TM6	652832	Inner Full	24.53	22.58	30	PASS
N78	15MHz	30KHz	TM6	652832	Inner 1RB Left	24.34	22.39	30	PASS
N78	15MHz	30KHz	TM6	652832	Inner 1RB Right	24.54	22.59	30	PASS
N78	15MHz	30KHz	TM7	647168	Inner Full	25.43	23.48	30	PASS
N78	15MHz	30KHz	TM7	647168	Inner 1RB Left	25.42	23.47	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	15MHz	30KHz	TM7	647168	Inner 1RB Right	25.29	23.34	30	PASS
N78	15MHz	30KHz	TM7	650000	Inner Full	24.26	22.31	30	PASS
N78	15MHz	30KHz	TM7	650000	Inner 1RB Left	24.31	22.36	30	PASS
N78	15MHz	30KHz	TM7	650000	Inner 1RB Right	24.16	22.21	30	PASS
N78	15MHz	30KHz	TM7	652832	Inner Full	24.52	22.57	30	PASS
N78	15MHz	30KHz	TM7	652832	Inner 1RB Left	24.52	22.57	30	PASS
N78	15MHz	30KHz	TM7	652832	Inner 1RB Right	24.28	22.33	30	PASS
N78	15MHz	30KHz	TM8	647168	Inner Full	24.22	22.27	30	PASS
N78	15MHz	30KHz	TM8	647168	Inner 1RB Left	24.97	23.02	30	PASS
N78	15MHz	30KHz	TM8	647168	Inner 1RB Right	25.31	23.36	30	PASS
N78	15MHz	30KHz	TM8	650000	Inner Full	24.07	22.12	30	PASS
N78	15MHz	30KHz	TM8	650000	Inner 1RB Left	24.03	22.08	30	PASS
N78	15MHz	30KHz	TM8	650000	Inner 1RB Right	24.42	22.47	30	PASS
N78	15MHz	30KHz	TM8	652832	Inner Full	24.41	22.46	30	PASS
N78	15MHz	30KHz	TM8	652832	Inner 1RB Left	24.43	22.48	30	PASS
N78	15MHz	30KHz	TM8	652832	Inner 1RB Right	24.26	22.31	30	PASS
N78	15MHz	30KHz	TM9	647168	Inner Full	24.23	22.28	30	PASS
N78	15MHz	30KHz	TM9	647168	Inner 1RB Left	23.16	21.21	30	PASS
N78	15MHz	30KHz	TM9	647168	Inner 1RB Right	23.56	21.61	30	PASS
N78	15MHz	30KHz	TM9	650000	Inner Full	22.14	20.19	30	PASS
N78	15MHz	30KHz	TM9	650000	Inner 1RB Left	22.51	20.56	30	PASS
N78	15MHz	30KHz	TM9	650000	Inner 1RB Right	22.28	20.33	30	PASS
N78	15MHz	30KHz	TM9	652832	Inner Full	22.45	20.50	30	PASS
N78	15MHz	30KHz	TM9	652832	Inner 1RB Left	22.58	20.63	30	PASS
N78	15MHz	30KHz	TM9	652832	Inner 1RB Right	22.47	20.52	30	PASS
N78	20MHz	30KHz	TM1	647334	Inner Full	26.00	24.05	30	PASS
N78	20MHz	30KHz	TM1	647334	Inner 1RB Left	26.38	24.43	30	PASS
N78	20MHz	30KHz	TM1	647334	Inner 1RB Right	26.12	24.17	30	PASS
N78	20MHz	30KHz	TM1	650000	Inner Full	25.55	23.60	30	PASS
N78	20MHz	30KHz	TM1	650000	Inner 1RB Left	25.71	23.76	30	PASS
N78	20MHz	30KHz	TM1	650000	Inner 1RB Right	25.11	23.16	30	PASS
N78	20MHz	30KHz	TM1	652666	Inner Full	25.49	23.54	30	PASS
N78	20MHz	30KHz	TM1	652666	Inner 1RB Left	25.65	23.70	30	PASS
N78	20MHz	30KHz	TM1	652666	Inner 1RB Right	25.42	23.47	30	PASS
N78	20MHz	30KHz	TM2	647334	Inner Full	25.93	23.98	30	PASS
N78	20MHz	30KHz	TM2	647334	Inner 1RB Left	26.28	24.33	30	PASS
N78	20MHz	30KHz	TM2	647334	Inner 1RB Right	26.33	24.38	30	PASS
N78	20MHz	30KHz	TM2	650000	Inner Full	25.59	23.64	30	PASS
N78	20MHz	30KHz	TM2	650000	Inner 1RB Left	25.85	23.90	30	PASS
N78	20MHz	30KHz	TM2	650000	Inner 1RB Right	25.01	23.06	30	PASS
N78	20MHz	30KHz	TM2	652666	Inner Full	25.57	23.62	30	PASS
N78	20MHz	30KHz	TM2	652666	Inner 1RB Left	25.72	23.77	30	PASS
N78	20MHz	30KHz	TM2	652666	Inner 1RB Right	25.46	23.51	30	PASS
N78	20MHz	30KHz	TM3	647334	Inner Full	25.05	23.10	30	PASS
N78	20MHz	30KHz	TM3	647334	Inner 1RB Left	25.02	23.07	30	PASS
N78	20MHz	30KHz	TM3	647334	Inner 1RB Right	25.24	23.29	30	PASS
N78	20MHz	30KHz	TM3	650000	Inner Full	24.36	22.41	30	PASS
N78	20MHz	30KHz	TM3	650000	Inner 1RB Left	24.80	22.85	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	20MHz	30KHz	TM3	650000	Inner 1RB Right	24.39	22.44	30	PASS
N78	20MHz	30KHz	TM3	652666	Inner Full	24.55	22.60	30	PASS
N78	20MHz	30KHz	TM3	652666	Inner 1RB Left	24.77	22.82	30	PASS
N78	20MHz	30KHz	TM3	652666	Inner 1RB Right	24.63	22.68	30	PASS
N78	20MHz	30KHz	TM4	647334	Inner Full	24.95	23.00	30	PASS
N78	20MHz	30KHz	TM4	647334	Inner 1RB Left	25.26	23.31	30	PASS
N78	20MHz	30KHz	TM4	647334	Inner 1RB Right	25.15	23.20	30	PASS
N78	20MHz	30KHz	TM4	650000	Inner Full	24.45	22.50	30	PASS
N78	20MHz	30KHz	TM4	650000	Inner 1RB Left	24.68	22.73	30	PASS
N78	20MHz	30KHz	TM4	650000	Inner 1RB Right	24.07	22.12	30	PASS
N78	20MHz	30KHz	TM4	652666	Inner Full	24.39	22.44	30	PASS
N78	20MHz	30KHz	TM4	652666	Inner 1RB Left	24.76	22.81	30	PASS
N78	20MHz	30KHz	TM4	652666	Inner 1RB Right	24.38	22.43	30	PASS
N78	20MHz	30KHz	TM5	647334	Inner Full	23.51	21.56	30	PASS
N78	20MHz	30KHz	TM5	647334	Inner 1RB Left	23.51	21.56	30	PASS
N78	20MHz	30KHz	TM5	647334	Inner 1RB Right	23.95	22.00	30	PASS
N78	20MHz	30KHz	TM5	650000	Inner Full	22.76	20.81	30	PASS
N78	20MHz	30KHz	TM5	650000	Inner 1RB Left	23.23	21.28	30	PASS
N78	20MHz	30KHz	TM5	650000	Inner 1RB Right	22.46	20.51	30	PASS
N78	20MHz	30KHz	TM5	652666	Inner Full	22.96	21.01	30	PASS
N78	20MHz	30KHz	TM5	652666	Inner 1RB Left	23.10	21.15	30	PASS
N78	20MHz	30KHz	TM5	652666	Inner 1RB Right	23.13	21.18	30	PASS
N78	20MHz	30KHz	TM6	647334	Inner Full	24.95	23.00	30	PASS
N78	20MHz	30KHz	TM6	647334	Inner 1RB Left	25.05	23.10	30	PASS
N78	20MHz	30KHz	TM6	647334	Inner 1RB Right	25.31	23.36	30	PASS
N78	20MHz	30KHz	TM6	650000	Inner Full	24.42	22.47	30	PASS
N78	20MHz	30KHz	TM6	650000	Inner 1RB Left	24.65	22.70	30	PASS
N78	20MHz	30KHz	TM6	650000	Inner 1RB Right	24.15	22.20	30	PASS
N78	20MHz	30KHz	TM6	652666	Inner Full	24.53	22.58	30	PASS
N78	20MHz	30KHz	TM6	652666	Inner 1RB Left	24.41	22.46	30	PASS
N78	20MHz	30KHz	TM6	652666	Inner 1RB Right	24.66	22.71	30	PASS
N78	20MHz	30KHz	TM7	647334	Inner Full	25.23	23.28	30	PASS
N78	20MHz	30KHz	TM7	647334	Inner 1RB Left	25.25	23.30	30	PASS
N78	20MHz	30KHz	TM7	647334	Inner 1RB Right	25.30	23.35	30	PASS
N78	20MHz	30KHz	TM7	650000	Inner Full	24.40	22.45	30	PASS
N78	20MHz	30KHz	TM7	650000	Inner 1RB Left	24.46	22.51	30	PASS
N78	20MHz	30KHz	TM7	650000	Inner 1RB Right	24.25	22.30	30	PASS
N78	20MHz	30KHz	TM7	652666	Inner Full	24.66	22.71	30	PASS
N78	20MHz	30KHz	TM7	652666	Inner 1RB Left	24.40	22.45	30	PASS
N78	20MHz	30KHz	TM7	652666	Inner 1RB Right	24.37	22.42	30	PASS
N78	20MHz	30KHz	TM8	647334	Inner Full	25.15	23.20	30	PASS
N78	20MHz	30KHz	TM8	647334	Inner 1RB Left	25.19	23.24	30	PASS
N78	20MHz	30KHz	TM8	647334	Inner 1RB Right	25.40	23.45	30	PASS
N78	20MHz	30KHz	TM8	650000	Inner Full	24.42	22.47	30	PASS
N78	20MHz	30KHz	TM8	650000	Inner 1RB Left	21.57	19.62	30	PASS
N78	20MHz	30KHz	TM8	650000	Inner 1RB Right	24.32	22.37	30	PASS
N78	20MHz	30KHz	TM8	652666	Inner Full	24.74	22.79	30	PASS
N78	20MHz	30KHz	TM8	652666	Inner 1RB Left	24.67	22.72	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	20MHz	30KHz	TM8	652666	Inner 1RB Right	24.55	22.60	30	PASS
N78	20MHz	30KHz	TM9	647334	Inner Full	23.42	21.47	30	PASS
N78	20MHz	30KHz	TM9	647334	Inner 1RB Left	23.65	21.70	30	PASS
N78	20MHz	30KHz	TM9	647334	Inner 1RB Right	23.73	21.78	30	PASS
N78	20MHz	30KHz	TM9	650000	Inner Full	23.00	21.05	30	PASS
N78	20MHz	30KHz	TM9	650000	Inner 1RB Left	22.97	21.02	30	PASS
N78	20MHz	30KHz	TM9	650000	Inner 1RB Right	22.75	20.80	30	PASS
N78	20MHz	30KHz	TM9	652666	Inner Full	23.23	21.28	30	PASS
N78	20MHz	30KHz	TM9	652666	Inner 1RB Left	23.23	21.28	30	PASS
N78	20MHz	30KHz	TM9	652666	Inner 1RB Right	23.06	21.11	30	PASS
N78	40MHz	30KHz	TM1	648000	Inner Full	26.43	24.48	30	PASS
N78	40MHz	30KHz	TM1	648000	Inner 1RB Left	26.34	24.39	30	PASS
N78	40MHz	30KHz	TM1	648000	Inner 1RB Right	26.45	24.50	30	PASS
N78	40MHz	30KHz	TM1	650000	Inner Full	25.33	23.38	30	PASS
N78	40MHz	30KHz	TM1	650000	Inner 1RB Left	25.49	23.54	30	PASS
N78	40MHz	30KHz	TM1	650000	Inner 1RB Right	25.67	23.72	30	PASS
N78	40MHz	30KHz	TM1	652000	Inner Full	25.69	23.74	30	PASS
N78	40MHz	30KHz	TM1	652000	Inner 1RB Left	25.63	23.68	30	PASS
N78	40MHz	30KHz	TM1	652000	Inner 1RB Right	25.86	23.91	30	PASS
N78	40MHz	30KHz	TM2	648000	Inner Full	26.54	24.59	30	PASS
N78	40MHz	30KHz	TM2	648000	Inner 1RB Left	26.12	24.17	30	PASS
N78	40MHz	30KHz	TM2	648000	Inner 1RB Right	26.50	24.55	30	PASS
N78	40MHz	30KHz	TM2	650000	Inner Full	25.60	23.65	30	PASS
N78	40MHz	30KHz	TM2	650000	Inner 1RB Left	25.61	23.66	30	PASS
N78	40MHz	30KHz	TM2	650000	Inner 1RB Right	25.46	23.51	30	PASS
N78	40MHz	30KHz	TM2	652000	Inner Full	25.56	23.61	30	PASS
N78	40MHz	30KHz	TM2	652000	Inner 1RB Left	25.72	23.77	30	PASS
N78	40MHz	30KHz	TM2	652000	Inner 1RB Right	25.94	23.99	30	PASS
N78	40MHz	30KHz	TM3	648000	Inner Full	25.21	23.26	30	PASS
N78	40MHz	30KHz	TM3	648000	Inner 1RB Left	25.24	23.29	30	PASS
N78	40MHz	30KHz	TM3	648000	Inner 1RB Right	25.24	23.29	30	PASS
N78	40MHz	30KHz	TM3	650000	Inner Full	24.43	22.48	30	PASS
N78	40MHz	30KHz	TM3	650000	Inner 1RB Left	24.68	22.73	30	PASS
N78	40MHz	30KHz	TM3	650000	Inner 1RB Right	24.69	22.74	30	PASS
N78	40MHz	30KHz	TM3	652000	Inner Full	24.58	22.63	30	PASS
N78	40MHz	30KHz	TM3	652000	Inner 1RB Left	24.72	22.77	30	PASS
N78	40MHz	30KHz	TM3	652000	Inner 1RB Right	24.95	23.00	30	PASS
N78	40MHz	30KHz	TM4	648000	Inner Full	25.29	23.34	30	PASS
N78	40MHz	30KHz	TM4	648000	Inner 1RB Left	25.27	23.32	30	PASS
N78	40MHz	30KHz	TM4	648000	Inner 1RB Right	25.29	23.34	30	PASS
N78	40MHz	30KHz	TM4	650000	Inner Full	24.47	22.52	30	PASS
N78	40MHz	30KHz	TM4	650000	Inner 1RB Left	24.68	22.73	30	PASS
N78	40MHz	30KHz	TM4	650000	Inner 1RB Right	24.55	22.60	30	PASS
N78	40MHz	30KHz	TM4	652000	Inner Full	24.56	22.61	30	PASS
N78	40MHz	30KHz	TM4	652000	Inner 1RB Left	25.04	23.09	30	PASS
N78	40MHz	30KHz	TM4	652000	Inner 1RB Right	24.85	22.90	30	PASS
N78	40MHz	30KHz	TM5	648000	Inner Full	23.60	21.65	30	PASS
N78	40MHz	30KHz	TM5	648000	Inner 1RB Left	23.59	21.64	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	40MHz	30KHz	TM5	648000	Inner 1RB Right	23.85	21.90	30	PASS
N78	40MHz	30KHz	TM5	650000	Inner Full	22.95	21.00	30	PASS
N78	40MHz	30KHz	TM5	650000	Inner 1RB Left	23.09	21.14	30	PASS
N78	40MHz	30KHz	TM5	650000	Inner 1RB Right	23.13	21.18	30	PASS
N78	40MHz	30KHz	TM5	652000	Inner Full	23.30	21.35	30	PASS
N78	40MHz	30KHz	TM5	652000	Inner 1RB Left	23.11	21.16	30	PASS
N78	40MHz	30KHz	TM5	652000	Inner 1RB Right	23.29	21.34	30	PASS
N78	40MHz	30KHz	TM6	648000	Inner Full	25.25	23.30	30	PASS
N78	40MHz	30KHz	TM6	648000	Inner 1RB Left	25.29	23.34	30	PASS
N78	40MHz	30KHz	TM6	648000	Inner 1RB Right	25.40	23.45	30	PASS
N78	40MHz	30KHz	TM6	650000	Inner Full	24.17	22.22	30	PASS
N78	40MHz	30KHz	TM6	650000	Inner 1RB Left	24.63	22.68	30	PASS
N78	40MHz	30KHz	TM6	650000	Inner 1RB Right	24.51	22.56	30	PASS
N78	40MHz	30KHz	TM6	652000	Inner Full	24.62	22.67	30	PASS
N78	40MHz	30KHz	TM6	652000	Inner 1RB Left	24.82	22.87	30	PASS
N78	40MHz	30KHz	TM6	652000	Inner 1RB Right	24.74	22.79	30	PASS
N78	40MHz	30KHz	TM7	648000	Inner Full	24.15	22.20	30	PASS
N78	40MHz	30KHz	TM7	648000	Inner 1RB Left	25.34	23.39	30	PASS
N78	40MHz	30KHz	TM7	648000	Inner 1RB Right	25.29	23.34	30	PASS
N78	40MHz	30KHz	TM7	650000	Inner Full	24.25	22.30	30	PASS
N78	40MHz	30KHz	TM7	650000	Inner 1RB Left	24.47	22.52	30	PASS
N78	40MHz	30KHz	TM7	650000	Inner 1RB Right	24.39	22.44	30	PASS
N78	40MHz	30KHz	TM7	652000	Inner Full	24.69	22.74	30	PASS
N78	40MHz	30KHz	TM7	652000	Inner 1RB Left	24.43	22.48	30	PASS
N78	40MHz	30KHz	TM7	652000	Inner 1RB Right	24.80	22.85	30	PASS
N78	40MHz	30KHz	TM8	648000	Inner Full	25.15	23.20	30	PASS
N78	40MHz	30KHz	TM8	648000	Inner 1RB Left	25.05	23.10	30	PASS
N78	40MHz	30KHz	TM8	648000	Inner 1RB Right	25.45	23.50	30	PASS
N78	40MHz	30KHz	TM8	650000	Inner Full	24.16	22.21	30	PASS
N78	40MHz	30KHz	TM8	650000	Inner 1RB Left	24.60	22.65	30	PASS
N78	40MHz	30KHz	TM8	650000	Inner 1RB Right	24.55	22.60	30	PASS
N78	40MHz	30KHz	TM8	652000	Inner Full	24.70	22.75	30	PASS
N78	40MHz	30KHz	TM8	652000	Inner 1RB Left	24.43	22.48	30	PASS
N78	40MHz	30KHz	TM8	652000	Inner 1RB Right	24.16	22.21	30	PASS
N78	40MHz	30KHz	TM9	648000	Inner Full	24.36	22.41	30	PASS
N78	40MHz	30KHz	TM9	648000	Inner 1RB Left	23.60	21.65	30	PASS
N78	40MHz	30KHz	TM9	648000	Inner 1RB Right	23.99	22.04	30	PASS
N78	40MHz	30KHz	TM9	650000	Inner Full	23.27	21.32	30	PASS
N78	40MHz	30KHz	TM9	650000	Inner 1RB Left	22.75	20.80	30	PASS
N78	40MHz	30KHz	TM9	650000	Inner 1RB Right	23.14	21.19	30	PASS
N78	40MHz	30KHz	TM9	652000	Inner Full	20.99	19.04	30	PASS
N78	40MHz	30KHz	TM9	652000	Inner 1RB Left	21.38	19.43	30	PASS
N78	40MHz	30KHz	TM9	652000	Inner 1RB Right	21.42	19.47	30	PASS
N78	50MHz	30KHz	TM1	648334	Inner Full	26.26	24.31	30	PASS
N78	50MHz	30KHz	TM1	648334	Inner 1RB Left	25.88	23.93	30	PASS
N78	50MHz	30KHz	TM1	648334	Inner 1RB Right	26.56	24.61	30	PASS
N78	50MHz	30KHz	TM1	650000	Inner Full	25.54	23.59	30	PASS
N78	50MHz	30KHz	TM1	650000	Inner 1RB Left	25.29	23.34	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	50MHz	30KHz	TM1	650000	Inner 1RB Right	25.58	23.63	30	PASS
N78	50MHz	30KHz	TM1	651666	Inner Full	25.84	23.89	30	PASS
N78	50MHz	30KHz	TM1	651666	Inner 1RB Left	25.77	23.82	30	PASS
N78	50MHz	30KHz	TM1	651666	Inner 1RB Right	25.54	23.59	30	PASS
N78	50MHz	30KHz	TM2	648334	Inner Full	26.31	24.36	30	PASS
N78	50MHz	30KHz	TM2	648334	Inner 1RB Left	25.90	23.95	30	PASS
N78	50MHz	30KHz	TM2	648334	Inner 1RB Right	26.41	24.46	30	PASS
N78	50MHz	30KHz	TM2	650000	Inner Full	25.37	23.42	30	PASS
N78	50MHz	30KHz	TM2	650000	Inner 1RB Left	25.04	23.09	30	PASS
N78	50MHz	30KHz	TM2	650000	Inner 1RB Right	25.30	23.35	30	PASS
N78	50MHz	30KHz	TM2	651666	Inner Full	25.85	23.90	30	PASS
N78	50MHz	30KHz	TM2	651666	Inner 1RB Left	25.42	23.47	30	PASS
N78	50MHz	30KHz	TM2	651666	Inner 1RB Right	25.31	23.36	30	PASS
N78	50MHz	30KHz	TM3	648334	Inner Full	25.15	23.20	30	PASS
N78	50MHz	30KHz	TM3	648334	Inner 1RB Left	25.00	23.05	30	PASS
N78	50MHz	30KHz	TM3	648334	Inner 1RB Right	25.45	23.50	30	PASS
N78	50MHz	30KHz	TM3	650000	Inner Full	24.41	22.46	30	PASS
N78	50MHz	30KHz	TM3	650000	Inner 1RB Left	24.09	22.14	30	PASS
N78	50MHz	30KHz	TM3	650000	Inner 1RB Right	24.21	22.26	30	PASS
N78	50MHz	30KHz	TM3	651666	Inner Full	24.62	22.67	30	PASS
N78	50MHz	30KHz	TM3	651666	Inner 1RB Left	24.75	22.80	30	PASS
N78	50MHz	30KHz	TM3	651666	Inner 1RB Right	24.38	22.43	30	PASS
N78	50MHz	30KHz	TM4	648334	Inner Full	25.29	23.34	30	PASS
N78	50MHz	30KHz	TM4	648334	Inner 1RB Left	25.00	23.05	30	PASS
N78	50MHz	30KHz	TM4	648334	Inner 1RB Right	25.47	23.52	30	PASS
N78	50MHz	30KHz	TM4	650000	Inner Full	24.19	22.24	30	PASS
N78	50MHz	30KHz	TM4	650000	Inner 1RB Left	24.22	22.27	30	PASS
N78	50MHz	30KHz	TM4	650000	Inner 1RB Right	24.45	22.50	30	PASS
N78	50MHz	30KHz	TM4	651666	Inner Full	24.65	22.70	30	PASS
N78	50MHz	30KHz	TM4	651666	Inner 1RB Left	24.57	22.62	30	PASS
N78	50MHz	30KHz	TM4	651666	Inner 1RB Right	24.43	22.48	30	PASS
N78	50MHz	30KHz	TM5	648334	Inner Full	23.91	21.96	30	PASS
N78	50MHz	30KHz	TM5	648334	Inner 1RB Left	23.51	21.56	30	PASS
N78	50MHz	30KHz	TM5	648334	Inner 1RB Right	24.03	22.08	30	PASS
N78	50MHz	30KHz	TM5	650000	Inner Full	22.74	20.79	30	PASS
N78	50MHz	30KHz	TM5	650000	Inner 1RB Left	22.51	20.56	30	PASS
N78	50MHz	30KHz	TM5	650000	Inner 1RB Right	22.97	21.02	30	PASS
N78	50MHz	30KHz	TM5	651666	Inner Full	23.20	21.25	30	PASS
N78	50MHz	30KHz	TM5	651666	Inner 1RB Left	22.89	20.94	30	PASS
N78	50MHz	30KHz	TM5	651666	Inner 1RB Right	22.99	21.04	30	PASS
N78	50MHz	30KHz	TM6	648334	Inner Full	25.03	23.08	30	PASS
N78	50MHz	30KHz	TM6	648334	Inner 1RB Left	25.01	23.06	30	PASS
N78	50MHz	30KHz	TM6	648334	Inner 1RB Right	25.47	23.52	30	PASS
N78	50MHz	30KHz	TM6	650000	Inner Full	25.08	23.13	30	PASS
N78	50MHz	30KHz	TM6	650000	Inner 1RB Left	24.31	22.36	30	PASS
N78	50MHz	30KHz	TM6	650000	Inner 1RB Right	24.27	22.32	30	PASS
N78	50MHz	30KHz	TM6	651666	Inner Full	24.63	22.68	30	PASS
N78	50MHz	30KHz	TM6	651666	Inner 1RB Left	24.50	22.55	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	50MHz	30KHz	TM6	651666	Inner 1RB Right	24.61	22.66	30	PASS
N78	50MHz	30KHz	TM7	648334	Inner Full	25.34	23.39	30	PASS
N78	50MHz	30KHz	TM7	648334	Inner 1RB Left	25.33	23.38	30	PASS
N78	50MHz	30KHz	TM7	648334	Inner 1RB Right	25.59	23.64	30	PASS
N78	50MHz	30KHz	TM7	650000	Inner Full	24.26	22.31	30	PASS
N78	50MHz	30KHz	TM7	650000	Inner 1RB Left	24.01	22.06	30	PASS
N78	50MHz	30KHz	TM7	650000	Inner 1RB Right	24.36	22.41	30	PASS
N78	50MHz	30KHz	TM7	651666	Inner Full	24.62	22.67	30	PASS
N78	50MHz	30KHz	TM7	651666	Inner 1RB Left	24.52	22.57	30	PASS
N78	50MHz	30KHz	TM7	651666	Inner 1RB Right	24.38	22.43	30	PASS
N78	50MHz	30KHz	TM8	648334	Inner Full	24.32	22.37	30	PASS
N78	50MHz	30KHz	TM8	648334	Inner 1RB Left	24.97	23.02	30	PASS
N78	50MHz	30KHz	TM8	648334	Inner 1RB Right	25.60	23.65	30	PASS
N78	50MHz	30KHz	TM8	650000	Inner Full	24.17	22.22	30	PASS
N78	50MHz	30KHz	TM8	650000	Inner 1RB Left	24.31	22.36	30	PASS
N78	50MHz	30KHz	TM8	650000	Inner 1RB Right	24.42	22.47	30	PASS
N78	50MHz	30KHz	TM8	651666	Inner Full	24.52	22.57	30	PASS
N78	50MHz	30KHz	TM8	651666	Inner 1RB Left	24.60	22.65	30	PASS
N78	50MHz	30KHz	TM8	651666	Inner 1RB Right	24.31	22.36	30	PASS
N78	50MHz	30KHz	TM9	648334	Inner Full	24.23	22.28	30	PASS
N78	50MHz	30KHz	TM9	648334	Inner 1RB Left	23.80	21.85	30	PASS
N78	50MHz	30KHz	TM9	648334	Inner 1RB Right	23.76	21.81	30	PASS
N78	50MHz	30KHz	TM9	650000	Inner Full	22.38	20.43	30	PASS
N78	50MHz	30KHz	TM9	650000	Inner 1RB Left	22.81	20.86	30	PASS
N78	50MHz	30KHz	TM9	650000	Inner 1RB Right	22.80	20.85	30	PASS
N78	50MHz	30KHz	TM9	651666	Inner Full	22.70	20.75	30	PASS
N78	50MHz	30KHz	TM9	651666	Inner 1RB Left	23.00	21.05	30	PASS
N78	50MHz	30KHz	TM9	651666	Inner 1RB Right	22.97	21.02	30	PASS
N78	60MHz	30KHz	TM1	648668	Inner Full	26.27	24.32	30	PASS
N78	60MHz	30KHz	TM1	648668	Inner 1RB Left	25.83	23.88	30	PASS
N78	60MHz	30KHz	TM1	648668	Inner 1RB Right	25.84	23.89	30	PASS
N78	60MHz	30KHz	TM1	650000	Inner Full	24.87	22.92	30	PASS
N78	60MHz	30KHz	TM1	650000	Inner 1RB Left	24.98	23.03	30	PASS
N78	60MHz	30KHz	TM1	650000	Inner 1RB Right	25.27	23.32	30	PASS
N78	60MHz	30KHz	TM1	651332	Inner Full	25.42	23.47	30	PASS
N78	60MHz	30KHz	TM1	651332	Inner 1RB Left	25.69	23.74	30	PASS
N78	60MHz	30KHz	TM1	651332	Inner 1RB Right	25.53	23.58	30	PASS
N78	60MHz	30KHz	TM2	648668	Inner Full	26.00	24.05	30	PASS
N78	60MHz	30KHz	TM2	648668	Inner 1RB Left	25.86	23.91	30	PASS
N78	60MHz	30KHz	TM2	648668	Inner 1RB Right	25.85	23.90	30	PASS
N78	60MHz	30KHz	TM2	650000	Inner Full	25.22	23.27	30	PASS
N78	60MHz	30KHz	TM2	650000	Inner 1RB Left	24.91	22.96	30	PASS
N78	60MHz	30KHz	TM2	650000	Inner 1RB Right	25.27	23.32	30	PASS
N78	60MHz	30KHz	TM2	651332	Inner Full	25.47	23.52	30	PASS
N78	60MHz	30KHz	TM2	651332	Inner 1RB Left	25.45	23.50	30	PASS
N78	60MHz	30KHz	TM2	651332	Inner 1RB Right	25.25	23.30	30	PASS
N78	60MHz	30KHz	TM3	648668	Inner Full	25.27	23.32	30	PASS
N78	60MHz	30KHz	TM3	648668	Inner 1RB Left	24.93	22.98	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	60MHz	30KHz	TM3	648668	Inner 1RB Right	25.29	23.34	30	PASS
N78	60MHz	30KHz	TM3	650000	Inner Full	23.90	21.95	30	PASS
N78	60MHz	30KHz	TM3	650000	Inner 1RB Left	24.10	22.15	30	PASS
N78	60MHz	30KHz	TM3	650000	Inner 1RB Right	24.33	22.38	30	PASS
N78	60MHz	30KHz	TM3	651332	Inner Full	24.37	22.42	30	PASS
N78	60MHz	30KHz	TM3	651332	Inner 1RB Left	24.74	22.79	30	PASS
N78	60MHz	30KHz	TM3	651332	Inner 1RB Right	24.49	22.54	30	PASS
N78	60MHz	30KHz	TM4	648668	Inner Full	24.01	22.06	30	PASS
N78	60MHz	30KHz	TM4	648668	Inner 1RB Left	24.78	22.83	30	PASS
N78	60MHz	30KHz	TM4	648668	Inner 1RB Right	25.09	23.14	30	PASS
N78	60MHz	30KHz	TM4	650000	Inner Full	24.07	22.12	30	PASS
N78	60MHz	30KHz	TM4	650000	Inner 1RB Left	24.05	22.10	30	PASS
N78	60MHz	30KHz	TM4	650000	Inner 1RB Right	24.25	22.30	30	PASS
N78	60MHz	30KHz	TM4	651332	Inner Full	24.41	22.46	30	PASS
N78	60MHz	30KHz	TM4	651332	Inner 1RB Left	24.60	22.65	30	PASS
N78	60MHz	30KHz	TM4	651332	Inner 1RB Right	24.19	22.24	30	PASS
N78	60MHz	30KHz	TM5	648668	Inner Full	23.48	21.53	30	PASS
N78	60MHz	30KHz	TM5	648668	Inner 1RB Left	23.70	21.75	30	PASS
N78	60MHz	30KHz	TM5	648668	Inner 1RB Right	23.46	21.51	30	PASS
N78	60MHz	30KHz	TM5	650000	Inner Full	22.53	20.58	30	PASS
N78	60MHz	30KHz	TM5	650000	Inner 1RB Left	22.36	20.41	30	PASS
N78	60MHz	30KHz	TM5	650000	Inner 1RB Right	22.83	20.88	30	PASS
N78	60MHz	30KHz	TM5	651332	Inner Full	22.89	20.94	30	PASS
N78	60MHz	30KHz	TM5	651332	Inner 1RB Left	22.97	21.02	30	PASS
N78	60MHz	30KHz	TM5	651332	Inner 1RB Right	22.76	20.81	30	PASS
N78	60MHz	30KHz	TM6	648668	Inner Full	25.12	23.17	30	PASS
N78	60MHz	30KHz	TM6	648668	Inner 1RB Left	24.87	22.92	30	PASS
N78	60MHz	30KHz	TM6	648668	Inner 1RB Right	24.89	22.94	30	PASS
N78	60MHz	30KHz	TM6	650000	Inner Full	24.15	22.20	30	PASS
N78	60MHz	30KHz	TM6	650000	Inner 1RB Left	24.17	22.22	30	PASS
N78	60MHz	30KHz	TM6	650000	Inner 1RB Right	23.97	22.02	30	PASS
N78	60MHz	30KHz	TM6	651332	Inner Full	24.50	22.55	30	PASS
N78	60MHz	30KHz	TM6	651332	Inner 1RB Left	24.45	22.50	30	PASS
N78	60MHz	30KHz	TM6	651332	Inner 1RB Right	24.49	22.54	30	PASS
N78	60MHz	30KHz	TM7	648668	Inner Full	24.94	22.99	30	PASS
N78	60MHz	30KHz	TM7	648668	Inner 1RB Left	25.13	23.18	30	PASS
N78	60MHz	30KHz	TM7	648668	Inner 1RB Right	25.05	23.10	30	PASS
N78	60MHz	30KHz	TM7	650000	Inner Full	24.06	22.11	30	PASS
N78	60MHz	30KHz	TM7	650000	Inner 1RB Left	23.98	22.03	30	PASS
N78	60MHz	30KHz	TM7	650000	Inner 1RB Right	24.07	22.12	30	PASS
N78	60MHz	30KHz	TM7	651332	Inner Full	24.48	22.53	30	PASS
N78	60MHz	30KHz	TM7	651332	Inner 1RB Left	24.62	22.67	30	PASS
N78	60MHz	30KHz	TM7	651332	Inner 1RB Right	24.27	22.32	30	PASS
N78	60MHz	30KHz	TM8	648668	Inner Full	25.04	23.09	30	PASS
N78	60MHz	30KHz	TM8	648668	Inner 1RB Left	24.65	22.70	30	PASS
N78	60MHz	30KHz	TM8	648668	Inner 1RB Right	25.26	23.31	30	PASS
N78	60MHz	30KHz	TM8	650000	Inner Full	24.22	22.27	30	PASS
N78	60MHz	30KHz	TM8	650000	Inner 1RB Left	24.01	22.06	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	60MHz	30KHz	TM8	650000	Inner 1RB Right	23.99	22.04	30	PASS
N78	60MHz	30KHz	TM8	651332	Inner Full	24.42	22.47	30	PASS
N78	60MHz	30KHz	TM8	651332	Inner 1RB Left	24.51	22.56	30	PASS
N78	60MHz	30KHz	TM8	651332	Inner 1RB Right	24.46	22.51	30	PASS
N78	60MHz	30KHz	TM9	648668	Inner Full	23.71	21.76	30	PASS
N78	60MHz	30KHz	TM9	648668	Inner 1RB Left	23.59	21.64	30	PASS
N78	60MHz	30KHz	TM9	648668	Inner 1RB Right	23.67	21.72	30	PASS
N78	60MHz	30KHz	TM9	650000	Inner Full	22.54	20.59	30	PASS
N78	60MHz	30KHz	TM9	650000	Inner 1RB Left	22.48	20.53	30	PASS
N78	60MHz	30KHz	TM9	650000	Inner 1RB Right	22.57	20.62	30	PASS
N78	60MHz	30KHz	TM9	651332	Inner Full	22.84	20.89	30	PASS
N78	60MHz	30KHz	TM9	651332	Inner 1RB Left	23.15	21.20	30	PASS
N78	60MHz	30KHz	TM9	651332	Inner 1RB Right	23.23	21.28	30	PASS
N78	80MHz	30KHz	TM1	649334	Inner Full	26.19	24.24	30	PASS
N78	80MHz	30KHz	TM1	649334	Inner 1RB Left	26.00	24.05	30	PASS
N78	80MHz	30KHz	TM1	649334	Inner 1RB Right	26.09	24.14	30	PASS
N78	80MHz	30KHz	TM1	650000	Inner Full	25.05	23.10	30	PASS
N78	80MHz	30KHz	TM1	650000	Inner 1RB Left	25.29	23.34	30	PASS
N78	80MHz	30KHz	TM1	650000	Inner 1RB Right	24.82	22.87	30	PASS
N78	80MHz	30KHz	TM1	650666	Inner Full	25.30	23.35	30	PASS
N78	80MHz	30KHz	TM1	650666	Inner 1RB Left	25.42	23.47	30	PASS
N78	80MHz	30KHz	TM1	650666	Inner 1RB Right	25.23	23.28	30	PASS
N78	80MHz	30KHz	TM2	649334	Inner Full	26.33	24.38	30	PASS
N78	80MHz	30KHz	TM2	649334	Inner 1RB Left	25.92	23.97	30	PASS
N78	80MHz	30KHz	TM2	649334	Inner 1RB Right	26.09	24.14	30	PASS
N78	80MHz	30KHz	TM2	650000	Inner Full	24.96	23.01	30	PASS
N78	80MHz	30KHz	TM2	650000	Inner 1RB Left	25.43	23.48	30	PASS
N78	80MHz	30KHz	TM2	650000	Inner 1RB Right	24.77	22.82	30	PASS
N78	80MHz	30KHz	TM2	650666	Inner Full	25.50	23.55	30	PASS
N78	80MHz	30KHz	TM2	650666	Inner 1RB Left	25.46	23.51	30	PASS
N78	80MHz	30KHz	TM2	650666	Inner 1RB Right	25.40	23.45	30	PASS
N78	80MHz	30KHz	TM3	649334	Inner Full	25.18	23.23	30	PASS
N78	80MHz	30KHz	TM3	649334	Inner 1RB Left	24.75	22.80	30	PASS
N78	80MHz	30KHz	TM3	649334	Inner 1RB Right	24.99	23.04	30	PASS
N78	80MHz	30KHz	TM3	650000	Inner Full	23.98	22.03	30	PASS
N78	80MHz	30KHz	TM3	650000	Inner 1RB Left	24.53	22.58	30	PASS
N78	80MHz	30KHz	TM3	650000	Inner 1RB Right	23.94	21.99	30	PASS
N78	80MHz	30KHz	TM3	650666	Inner Full	24.25	22.30	30	PASS
N78	80MHz	30KHz	TM3	650666	Inner 1RB Left	24.11	22.16	30	PASS
N78	80MHz	30KHz	TM3	650666	Inner 1RB Right	24.22	22.27	30	PASS
N78	80MHz	30KHz	TM4	649334	Inner Full	25.31	23.36	30	PASS
N78	80MHz	30KHz	TM4	649334	Inner 1RB Left	24.98	23.03	30	PASS
N78	80MHz	30KHz	TM4	649334	Inner 1RB Right	25.14	23.19	30	PASS
N78	80MHz	30KHz	TM4	650000	Inner Full	24.07	22.12	30	PASS
N78	80MHz	30KHz	TM4	650000	Inner 1RB Left	24.49	22.54	30	PASS
N78	80MHz	30KHz	TM4	650000	Inner 1RB Right	23.81	21.86	30	PASS
N78	80MHz	30KHz	TM4	650666	Inner Full	24.35	22.40	30	PASS
N78	80MHz	30KHz	TM4	650666	Inner 1RB Left	24.21	22.26	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	80MHz	30KHz	TM4	650666	Inner 1RB Right	24.43	22.48	30	PASS
N78	80MHz	30KHz	TM5	649334	Inner Full	23.73	21.78	30	PASS
N78	80MHz	30KHz	TM5	649334	Inner 1RB Left	23.84	21.89	30	PASS
N78	80MHz	30KHz	TM5	649334	Inner 1RB Right	23.38	21.43	30	PASS
N78	80MHz	30KHz	TM5	650000	Inner Full	22.64	20.69	30	PASS
N78	80MHz	30KHz	TM5	650000	Inner 1RB Left	22.95	21.00	30	PASS
N78	80MHz	30KHz	TM5	650000	Inner 1RB Right	22.39	20.44	30	PASS
N78	80MHz	30KHz	TM5	650666	Inner Full	22.89	20.94	30	PASS
N78	80MHz	30KHz	TM5	650666	Inner 1RB Left	22.79	20.84	30	PASS
N78	80MHz	30KHz	TM5	650666	Inner 1RB Right	22.80	20.85	30	PASS
N78	80MHz	30KHz	TM6	649334	Inner Full	25.19	23.24	30	PASS
N78	80MHz	30KHz	TM6	649334	Inner 1RB Left	25.20	23.25	30	PASS
N78	80MHz	30KHz	TM6	649334	Inner 1RB Right	24.76	22.81	30	PASS
N78	80MHz	30KHz	TM6	650000	Inner Full	25.02	23.07	30	PASS
N78	80MHz	30KHz	TM6	650000	Inner 1RB Left	24.40	22.45	30	PASS
N78	80MHz	30KHz	TM6	650000	Inner 1RB Right	24.05	22.10	30	PASS
N78	80MHz	30KHz	TM6	650666	Inner Full	23.66	21.71	30	PASS
N78	80MHz	30KHz	TM6	650666	Inner 1RB Left	24.15	22.20	30	PASS
N78	80MHz	30KHz	TM6	650666	Inner 1RB Right	24.07	22.12	30	PASS
N78	80MHz	30KHz	TM7	649334	Inner Full	24.99	23.04	30	PASS
N78	80MHz	30KHz	TM7	649334	Inner 1RB Left	25.05	23.10	30	PASS
N78	80MHz	30KHz	TM7	649334	Inner 1RB Right	25.13	23.18	30	PASS
N78	80MHz	30KHz	TM7	650000	Inner Full	25.13	23.18	30	PASS
N78	80MHz	30KHz	TM7	650000	Inner 1RB Left	24.22	22.27	30	PASS
N78	80MHz	30KHz	TM7	650000	Inner 1RB Right	23.94	21.99	30	PASS
N78	80MHz	30KHz	TM7	650666	Inner Full	23.68	21.73	30	PASS
N78	80MHz	30KHz	TM7	650666	Inner 1RB Left	24.23	22.28	30	PASS
N78	80MHz	30KHz	TM7	650666	Inner 1RB Right	24.06	22.11	30	PASS
N78	80MHz	30KHz	TM8	649334	Inner Full	24.88	22.93	30	PASS
N78	80MHz	30KHz	TM8	649334	Inner 1RB Left	25.02	23.07	30	PASS
N78	80MHz	30KHz	TM8	649334	Inner 1RB Right	24.98	23.03	30	PASS
N78	80MHz	30KHz	TM8	650000	Inner Full	25.23	23.28	30	PASS
N78	80MHz	30KHz	TM8	650000	Inner 1RB Left	24.64	22.69	30	PASS
N78	80MHz	30KHz	TM8	650000	Inner 1RB Right	23.92	21.97	30	PASS
N78	80MHz	30KHz	TM8	650666	Inner Full	23.56	21.61	30	PASS
N78	80MHz	30KHz	TM8	650666	Inner 1RB Left	24.15	22.20	30	PASS
N78	80MHz	30KHz	TM8	650666	Inner 1RB Right	24.19	22.24	30	PASS
N78	80MHz	30KHz	TM9	649334	Inner Full	24.17	22.22	30	PASS
N78	80MHz	30KHz	TM9	649334	Inner 1RB Left	23.69	21.74	30	PASS
N78	80MHz	30KHz	TM9	649334	Inner 1RB Right	23.49	21.54	30	PASS
N78	80MHz	30KHz	TM9	650000	Inner Full	23.13	21.18	30	PASS
N78	80MHz	30KHz	TM9	650000	Inner 1RB Left	22.91	20.96	30	PASS
N78	80MHz	30KHz	TM9	650000	Inner 1RB Right	22.12	20.17	30	PASS
N78	80MHz	30KHz	TM9	650666	Inner Full	22.67	20.72	30	PASS
N78	80MHz	30KHz	TM9	650666	Inner 1RB Left	22.89	20.94	30	PASS
N78	80MHz	30KHz	TM9	650666	Inner 1RB Right	22.44	20.49	30	PASS
N78	90MHz	30KHz	TM1	649668	Inner Full	26.07	24.12	30	PASS
N78	90MHz	30KHz	TM1	649668	Inner 1RB Left	26.09	24.14	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	90MHz	30KHz	TM1	649668	Inner 1RB Right	25.84	23.89	30	PASS
N78	90MHz	30KHz	TM1	650000	Inner Full	25.14	23.19	30	PASS
N78	90MHz	30KHz	TM1	650000	Inner 1RB Left	24.98	23.03	30	PASS
N78	90MHz	30KHz	TM1	650000	Inner 1RB Right	25.22	23.27	30	PASS
N78	90MHz	30KHz	TM1	650332	Inner Full	25.52	23.57	30	PASS
N78	90MHz	30KHz	TM1	650332	Inner 1RB Left	25.45	23.50	30	PASS
N78	90MHz	30KHz	TM1	650332	Inner 1RB Right	25.54	23.59	30	PASS
N78	90MHz	30KHz	TM2	649668	Inner Full	26.12	24.17	30	PASS
N78	90MHz	30KHz	TM2	649668	Inner 1RB Left	26.26	24.31	30	PASS
N78	90MHz	30KHz	TM2	649668	Inner 1RB Right	25.85	23.90	30	PASS
N78	90MHz	30KHz	TM2	650000	Inner Full	25.02	23.07	30	PASS
N78	90MHz	30KHz	TM2	650000	Inner 1RB Left	25.14	23.19	30	PASS
N78	90MHz	30KHz	TM2	650000	Inner 1RB Right	25.15	23.20	30	PASS
N78	90MHz	30KHz	TM2	650332	Inner Full	25.37	23.42	30	PASS
N78	90MHz	30KHz	TM2	650332	Inner 1RB Left	25.45	23.50	30	PASS
N78	90MHz	30KHz	TM2	650332	Inner 1RB Right	25.35	23.40	30	PASS
N78	90MHz	30KHz	TM3	649668	Inner Full	24.87	22.92	30	PASS
N78	90MHz	30KHz	TM3	649668	Inner 1RB Left	24.91	22.96	30	PASS
N78	90MHz	30KHz	TM3	649668	Inner 1RB Right	25.09	23.14	30	PASS
N78	90MHz	30KHz	TM3	650000	Inner Full	24.02	22.07	30	PASS
N78	90MHz	30KHz	TM3	650000	Inner 1RB Left	24.01	22.06	30	PASS
N78	90MHz	30KHz	TM3	650000	Inner 1RB Right	24.23	22.28	30	PASS
N78	90MHz	30KHz	TM3	650332	Inner Full	24.25	22.30	30	PASS
N78	90MHz	30KHz	TM3	650332	Inner 1RB Left	24.64	22.69	30	PASS
N78	90MHz	30KHz	TM3	650332	Inner 1RB Right	24.19	22.24	30	PASS
N78	90MHz	30KHz	TM4	649668	Inner Full	24.21	22.26	30	PASS
N78	90MHz	30KHz	TM4	649668	Inner 1RB Left	24.94	22.99	30	PASS
N78	90MHz	30KHz	TM4	649668	Inner 1RB Right	25.19	23.24	30	PASS
N78	90MHz	30KHz	TM4	650000	Inner Full	24.25	22.30	30	PASS
N78	90MHz	30KHz	TM4	650000	Inner 1RB Left	24.15	22.20	30	PASS
N78	90MHz	30KHz	TM4	650000	Inner 1RB Right	24.32	22.37	30	PASS
N78	90MHz	30KHz	TM4	650332	Inner Full	24.43	22.48	30	PASS
N78	90MHz	30KHz	TM4	650332	Inner 1RB Left	24.31	22.36	30	PASS
N78	90MHz	30KHz	TM4	650332	Inner 1RB Right	24.29	22.34	30	PASS
N78	90MHz	30KHz	TM5	649668	Inner Full	23.68	21.73	30	PASS
N78	90MHz	30KHz	TM5	649668	Inner 1RB Left	23.61	21.66	30	PASS
N78	90MHz	30KHz	TM5	649668	Inner 1RB Right	23.86	21.91	30	PASS
N78	90MHz	30KHz	TM5	650000	Inner Full	22.72	20.77	30	PASS
N78	90MHz	30KHz	TM5	650000	Inner 1RB Left	22.26	20.31	30	PASS
N78	90MHz	30KHz	TM5	650000	Inner 1RB Right	22.43	20.48	30	PASS
N78	90MHz	30KHz	TM5	650332	Inner Full	22.92	20.97	30	PASS
N78	90MHz	30KHz	TM5	650332	Inner 1RB Left	22.87	20.92	30	PASS
N78	90MHz	30KHz	TM5	650332	Inner 1RB Right	22.75	20.80	30	PASS
N78	90MHz	30KHz	TM6	649668	Inner Full	25.23	23.28	30	PASS
N78	90MHz	30KHz	TM6	649668	Inner 1RB Left	25.05	23.10	30	PASS
N78	90MHz	30KHz	TM6	649668	Inner 1RB Right	24.87	22.92	30	PASS
N78	90MHz	30KHz	TM6	650000	Inner Full	24.24	22.29	30	PASS
N78	90MHz	30KHz	TM6	650000	Inner 1RB Left	24.17	22.22	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	90MHz	30KHz	TM6	650000	Inner 1RB Right	24.04	22.09	30	PASS
N78	90MHz	30KHz	TM6	650332	Inner Full	24.43	22.48	30	PASS
N78	90MHz	30KHz	TM6	650332	Inner 1RB Left	24.45	22.50	30	PASS
N78	90MHz	30KHz	TM6	650332	Inner 1RB Right	24.57	22.62	30	PASS
N78	90MHz	30KHz	TM7	649668	Inner Full	24.94	22.99	30	PASS
N78	90MHz	30KHz	TM7	649668	Inner 1RB Left	25.03	23.08	30	PASS
N78	90MHz	30KHz	TM7	649668	Inner 1RB Right	25.02	23.07	30	PASS
N78	90MHz	30KHz	TM7	650000	Inner Full	24.24	22.29	30	PASS
N78	90MHz	30KHz	TM7	650000	Inner 1RB Left	24.18	22.23	30	PASS
N78	90MHz	30KHz	TM7	650000	Inner 1RB Right	24.15	22.20	30	PASS
N78	90MHz	30KHz	TM7	650332	Inner Full	24.48	22.53	30	PASS
N78	90MHz	30KHz	TM7	650332	Inner 1RB Left	24.54	22.59	30	PASS
N78	90MHz	30KHz	TM7	650332	Inner 1RB Right	24.67	22.72	30	PASS
N78	90MHz	30KHz	TM8	649668	Inner Full	24.94	22.99	30	PASS
N78	90MHz	30KHz	TM8	649668	Inner 1RB Left	24.85	22.90	30	PASS
N78	90MHz	30KHz	TM8	649668	Inner 1RB Right	24.86	22.91	30	PASS
N78	90MHz	30KHz	TM8	650000	Inner Full	23.94	21.99	30	PASS
N78	90MHz	30KHz	TM8	650000	Inner 1RB Left	24.12	22.17	30	PASS
N78	90MHz	30KHz	TM8	650000	Inner 1RB Right	24.09	22.14	30	PASS
N78	90MHz	30KHz	TM8	650332	Inner Full	24.51	22.56	30	PASS
N78	90MHz	30KHz	TM8	650332	Inner 1RB Left	24.50	22.55	30	PASS
N78	90MHz	30KHz	TM8	650332	Inner 1RB Right	24.25	22.30	30	PASS
N78	90MHz	30KHz	TM9	649668	Inner Full	23.51	21.56	30	PASS
N78	90MHz	30KHz	TM9	649668	Inner 1RB Left	23.34	21.39	30	PASS
N78	90MHz	30KHz	TM9	649668	Inner 1RB Right	23.27	21.32	30	PASS
N78	90MHz	30KHz	TM9	650000	Inner Full	22.64	20.69	30	PASS
N78	90MHz	30KHz	TM9	650000	Inner 1RB Left	22.58	20.63	30	PASS
N78	90MHz	30KHz	TM9	650000	Inner 1RB Right	22.67	20.72	30	PASS
N78	90MHz	30KHz	TM9	650332	Inner Full	22.74	20.79	30	PASS
N78	90MHz	30KHz	TM9	650332	Inner 1RB Left	22.85	20.90	30	PASS
N78	90MHz	30KHz	TM9	650332	Inner 1RB Right	22.93	20.98	30	PASS
N78	100MHz	30KHz	TM1	650000	Inner Full	25.94	23.99	30	PASS
N78	100MHz	30KHz	TM1	650000	Inner 1RB Left	25.79	23.84	30	PASS
N78	100MHz	30KHz	TM1	650000	Inner 1RB Right	25.78	23.83	30	PASS
N78	100MHz	30KHz	TM2	650000	Inner Full	26.22	24.27	30	PASS
N78	100MHz	30KHz	TM2	650000	Inner 1RB Left	26.14	24.19	30	PASS
N78	100MHz	30KHz	TM2	650000	Inner 1RB Right	25.87	23.92	30	PASS
N78	100MHz	30KHz	TM3	650000	Inner Full	24.88	22.93	30	PASS
N78	100MHz	30KHz	TM3	650000	Inner 1RB Left	25.14	23.19	30	PASS
N78	100MHz	30KHz	TM3	650000	Inner 1RB Right	24.72	22.77	30	PASS
N78	100MHz	30KHz	TM4	650000	Inner Full	25.23	23.28	30	PASS
N78	100MHz	30KHz	TM4	650000	Inner 1RB Left	24.93	22.98	30	PASS
N78	100MHz	30KHz	TM4	650000	Inner 1RB Right	25.04	23.09	30	PASS
N78	100MHz	30KHz	TM5	650000	Inner Full	23.74	21.79	30	PASS
N78	100MHz	30KHz	TM5	650000	Inner 1RB Left	23.44	21.49	30	PASS
N78	100MHz	30KHz	TM5	650000	Inner 1RB Right	23.35	21.40	30	PASS
N78	100MHz	30KHz	TM6	650000	Inner Full	25.16	23.21	30	PASS
N78	100MHz	30KHz	TM6	650000	Inner 1RB Left	25.10	23.15	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	100MHz	30KHz	TM6	650000	Inner 1RB Right	24.94	22.99	30	PASS
N78	100MHz	30KHz	TM7	650000	Inner Full	24.85	22.90	30	PASS
N78	100MHz	30KHz	TM7	650000	Inner 1RB Left	25.17	23.22	30	PASS
N78	100MHz	30KHz	TM7	650000	Inner 1RB Right	24.84	22.89	30	PASS
N78	100MHz	30KHz	TM8	650000	Inner Full	24.95	23.00	30	PASS
N78	100MHz	30KHz	TM8	650000	Inner 1RB Left	25.04	23.09	30	PASS
N78	100MHz	30KHz	TM8	650000	Inner 1RB Right	24.97	23.02	30	PASS
N78	100MHz	30KHz	TM9	650000	Inner Full	23.07	21.12	30	PASS
N78	100MHz	30KHz	TM9	650000	Inner 1RB Left	23.59	21.64	30	PASS
N78	100MHz	30KHz	TM9	650000	Inner 1RB Right	23.25	21.30	30	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$EIRP [dBm] = \text{Conducted Power [dBm]} + \text{Gain [dBi]}$

$ERP [dBm] = \text{Conducted Power [dBm]} + \text{Gain [dBi]} - 2.15$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


2 Peak-to-Average Ratio

2.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Result (dB)	Limit (dBm)	Verdict
N78	100MHz	30KHz	TM1	650000	Outer Full	5.15	13	PASS
N78	100MHz	30KHz	TM6	650000	Outer Full	7.47	13	PASS

2.2 Test Plots





REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report.


3 Modulation Characteristics

3.1 Test Plots

3.1.1 Test Band = N78


3.1.1.1 Test Mode = TM1 100MHz

3.1.1.1.1 Test Channel = MCH




3.1.1.2 Test Mode = TM2 100MHz

3.1.1.2.1 Test Channel = MCH




3.1.1.3 Test Mode = TM3 100MHz

3.1.1.3.1 Test Channel = MCH



3.1.1.4 Test Mode = TM4 100MHz

3.1.1.4.1 Test Channel = MCH




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


3.1.1.5 Test Mode = TM5 100MHz

3.1.1.5.1 Test Channel = MCH



3.1.1.6 Test Mode = TM6 100MHz

3.1.1.6.1 Test Channel = MCH



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4 Occupied Bandwidth & 26dB Emission Bandwidth

4.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
N78	10MHz	30KHz	TM1	650000	Outer Full	8.58	9.47	PASS
N78	10MHz	30KHz	TM2	650000	Outer Full	8.58	9.40	PASS
N78	10MHz	30KHz	TM3	650000	Outer Full	8.58	9.11	PASS
N78	10MHz	30KHz	TM4	650000	Outer Full	8.58	9.18	PASS
N78	10MHz	30KHz	TM5	650000	Outer Full	8.60	9.20	PASS
N78	10MHz	30KHz	TM6	650000	Outer Full	8.57	9.34	PASS
N78	10MHz	30KHz	TM7	650000	Outer Full	8.58	9.13	PASS
N78	10MHz	30KHz	TM8	650000	Outer Full	8.58	9.24	PASS
N78	10MHz	30KHz	TM9	650000	Outer Full	8.58	9.08	PASS
N78	15MHz	30KHz	TM1	650000	Outer Full	12.83	13.68	PASS
N78	15MHz	30KHz	TM2	650000	Outer Full	12.82	13.71	PASS
N78	15MHz	30KHz	TM3	650000	Outer Full	12.86	13.83	PASS
N78	15MHz	30KHz	TM4	650000	Outer Full	12.83	13.82	PASS
N78	15MHz	30KHz	TM5	650000	Outer Full	12.84	13.97	PASS
N78	15MHz	30KHz	TM6	650000	Outer Full	13.59	14.48	PASS
N78	15MHz	30KHz	TM7	650000	Outer Full	13.58	14.52	PASS
N78	15MHz	30KHz	TM8	650000	Outer Full	13.55	14.39	PASS
N78	15MHz	30KHz	TM9	650000	Outer Full	13.61	14.41	PASS
N78	20MHz	30KHz	TM1	650000	Outer Full	17.84	18.85	PASS
N78	20MHz	30KHz	TM2	650000	Outer Full	17.85	18.76	PASS
N78	20MHz	30KHz	TM3	650000	Outer Full	17.82	18.71	PASS
N78	20MHz	30KHz	TM4	650000	Outer Full	17.76	18.90	PASS
N78	20MHz	30KHz	TM5	650000	Outer Full	17.84	18.86	PASS
N78	20MHz	30KHz	TM6	650000	Outer Full	18.26	19.06	PASS
N78	20MHz	30KHz	TM7	650000	Outer Full	18.31	19.35	PASS
N78	20MHz	30KHz	TM8	650000	Outer Full	18.16	19.27	PASS
N78	20MHz	30KHz	TM9	650000	Outer Full	18.22	19.15	PASS
N78	40MHz	30KHz	TM1	650000	Outer Full	35.77	37.40	PASS
N78	40MHz	30KHz	TM2	650000	Outer Full	35.69	37.17	PASS
N78	40MHz	30KHz	TM3	650000	Outer Full	35.71	37.16	PASS
N78	40MHz	30KHz	TM4	650000	Outer Full	35.78	37.10	PASS
N78	40MHz	30KHz	TM5	650000	Outer Full	35.74	37.06	PASS
N78	40MHz	30KHz	TM6	650000	Outer Full	37.82	39.35	PASS
N78	40MHz	30KHz	TM7	650000	Outer Full	37.84	39.22	PASS
N78	40MHz	30KHz	TM8	650000	Outer Full	37.94	39.33	PASS
N78	40MHz	30KHz	TM9	650000	Outer Full	37.81	39.49	PASS
N78	50MHz	30KHz	TM1	650000	Outer Full	45.81	47.98	PASS
N78	50MHz	30KHz	TM2	650000	Outer Full	45.76	47.83	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N78	50MHz	30KHz	TM3	650000	Outer Full	45.86	47.18	PASS
N78	50MHz	30KHz	TM4	650000	Outer Full	45.72	47.83	PASS
N78	50MHz	30KHz	TM5	650000	Outer Full	45.80	47.74	PASS
N78	50MHz	30KHz	TM6	650000	Outer Full	47.37	49.32	PASS
N78	50MHz	30KHz	TM7	650000	Outer Full	47.47	49.13	PASS
N78	50MHz	30KHz	TM8	650000	Outer Full	47.46	49.28	PASS
N78	50MHz	30KHz	TM9	650000	Outer Full	47.45	49.12	PASS
N78	60MHz	30KHz	TM1	650000	Outer Full	58.00	59.99	PASS
N78	60MHz	30KHz	TM2	650000	Outer Full	57.95	59.88	PASS
N78	60MHz	30KHz	TM3	650000	Outer Full	57.88	59.69	PASS
N78	60MHz	30KHz	TM4	650000	Outer Full	57.88	59.71	PASS
N78	60MHz	30KHz	TM5	650000	Outer Full	57.67	59.74	PASS
N78	60MHz	30KHz	TM6	650000	Outer Full	57.87	59.68	PASS
N78	60MHz	30KHz	TM7	650000	Outer Full	57.88	59.72	PASS
N78	60MHz	30KHz	TM8	650000	Outer Full	57.82	59.70	PASS
N78	60MHz	30KHz	TM9	650000	Outer Full	57.56	59.93	PASS
N78	80MHz	30KHz	TM1	650000	Outer Full	77.21	79.60	PASS
N78	80MHz	30KHz	TM2	650000	Outer Full	77.46	79.82	PASS
N78	80MHz	30KHz	TM3	650000	Outer Full	77.05	79.64	PASS
N78	80MHz	30KHz	TM4	650000	Outer Full	77.06	79.44	PASS
N78	80MHz	30KHz	TM5	650000	Outer Full	77.32	79.57	PASS
N78	80MHz	30KHz	TM6	650000	Outer Full	77.50	79.95	PASS
N78	80MHz	30KHz	TM7	650000	Outer Full	77.61	79.94	PASS
N78	80MHz	30KHz	TM8	650000	Outer Full	77.66	79.88	PASS
N78	80MHz	30KHz	TM9	650000	Outer Full	77.38	80.03	PASS
N78	90MHz	30KHz	TM1	650000	Outer Full	86.86	89.67	PASS
N78	90MHz	30KHz	TM2	650000	Outer Full	87.05	89.52	PASS
N78	90MHz	30KHz	TM3	650000	Outer Full	86.83	89.54	PASS
N78	90MHz	30KHz	TM4	650000	Outer Full	86.59	89.42	PASS
N78	90MHz	30KHz	TM5	650000	Outer Full	86.84	89.47	PASS
N78	90MHz	30KHz	TM6	650000	Outer Full	87.60	90.29	PASS
N78	90MHz	30KHz	TM7	650000	Outer Full	87.35	90.23	PASS
N78	90MHz	30KHz	TM8	650000	Outer Full	87.45	90.17	PASS
N78	90MHz	30KHz	TM9	650000	Outer Full	87.67	90.37	PASS
N78	100MHz	30KHz	TM1	650000	Outer Full	96.46	99.92	PASS
N78	100MHz	30KHz	TM2	650000	Outer Full	96.34	101.2	PASS
N78	100MHz	30KHz	TM3	650000	Outer Full	96.45	99.39	PASS
N78	100MHz	30KHz	TM4	650000	Outer Full	96.43	99.52	PASS
N78	100MHz	30KHz	TM5	650000	Outer Full	96.26	99.45	PASS
N78	100MHz	30KHz	TM6	650000	Outer Full	97.21	100.4	PASS
N78	100MHz	30KHz	TM7	650000	Outer Full	97.26	100.5	PASS
N78	100MHz	30KHz	TM8	650000	Outer Full	97.29	100.5	PASS
N78	100MHz	30KHz	TM9	650000	Outer Full	97.32	100.5	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Technical Services Co., Ltd. Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.2 Test Plots




OBW&EBW N78 30KHz TM3 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 10MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 15MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 20MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 40MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 50MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 60MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM7 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM8 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM9 80MHz 650000 Outer Full




OBW&EBW N78 30KHz TM1 90MHz 650000 Outer Full




OBW&EBW N78 30KHz TM2 90MHz 650000 Outer Full




OBW&EBW N78 30KHz TM3 90MHz 650000 Outer Full




OBW&EBW N78 30KHz TM4 90MHz 650000 Outer Full




OBW&EBW N78 30KHz TM5 90MHz 650000 Outer Full




OBW&EBW N78 30KHz TM6 90MHz 650000 Outer Full



OBW&EBW N78 30KHz TM7 90MHz 650000 Outer Full



OBW&EBW N78 30KHz TM8 90MHz 650000 Outer Full



OBW&EBW N78 30KHz TM9 90MHz 650000 Outer Full

