

Test Laboratory: Sporton International Inc.

#### Device Under Test Properties

Manufacturer	Dimensions [mm]	IMEI	DUT Type
	70.0 x 50.0 x 9.0		Verification Source

#### Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz]	Conversion Factor
5G	FRONT, 10.00	10000.0	1.0

#### Hardware Setup

Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - xxxx	Air -	EUmmWV4 - SN9441_F1-78GHz, 2020-11-24	DAE4 Sn376, 2020-11-23

#### Scans Setup


Grid Extents [mm]	120.0 x 120.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0

#### Measurement Results

Date	2021-01-28, 00:14
Avg. Area [cm <sup>2</sup> ]	4.00
S <sub>avg inc</sub> [W/m <sup>2</sup> ]	28.4
S <sub>avg tot</sub> [W/m <sup>2</sup> ]	28.6
S <sub>peak</sub> [W/m <sup>2</sup> ]	34.0
E <sub>peak</sub> [V/m]	116
H <sub>peak</sub> [A/m]	0.299
Power Drift [dB]	0.05

Averaged [4.0 cm<sup>2</sup>] |Re{S}|(x,y,z,f0) [dB(28.6W/m<sup>2</sup>)]

0



-10