

Report No.: AR/2020/C000206

Page: 1 of 21

### TEST REPORT

Application No: AR/2020/C0002

**Applicant:** Xiaomi Communications Co., Ltd.

Address of Applicant #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

EUT Description: Mobile Phone Model No.: M2101K9G
Trade Mark: XIAOMI
FCC ID: 2AFZZK9G

Standard(s): 47 CFR Part 15, Subpart B

**Date of Receipt:** 2020/12/21

**Date of Test:** 2020/12/21 to 2021/1/18

**Date of Issue:** 2021/1/19

Test Result: Pass\*

Authorized Signature:

Derek Yang

Derele yang

Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apxx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.apx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.apx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443

UF, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaarud, China 710086 中国・西安・沣东新城科源三路137号康鸿権方科技园1号楼D单元1层 邮第: 710086

t (86-29) 6282 7885

sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: AR/2020/C000206

Page: 2 of 21

	Revision Record								
Version	Chapter	Date	Modifier	Remark					
01		2021/1/19		Original					

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Mass.com

1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, X7an, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2020/C000206

Page: 3 of 21

### **Test Summary**

Emission Part									
Item	Standard	Method	Requirement	Result					
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower

Test By Checked By

David Chen Reviewer

David Chen

专用章

**Daniel Wang** Project Engineer

South



www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: AR/2020/C000206

Page: 4 of 21

### **Contents**

1 GE	NERAL INFORMATION	5
1.1 1.2	DESCRIPTION OF SUPPORT UNITSTEST LOCATION	
1.3	TEST FACILITY	
1.4	DEVIATION FROM STANDARDS	_
1.5 Galileo 6	Abnormalities from Standard Conditions * GNSS = GPS + Glonass + Bei	dou +
2 EM	ISSION TEST RESULTS	7
2.1	CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)	7
2.1.		
2.1.	.2 Test Setup Diagram	8
2.1.		
2.2	RADIATED EMISSIONS (30MHz-1GHz)	
2.2.		
2.2.	=	
2.2.		
2.3	RADIATED EMISSIONS (ABOVE 1GHz)	
2.3.		
2.3. 2.3.		
_		
3 EQ	UIPMENT LIST	19
4 ME	ASUREMENT UNCERTAINTY	20
5 PH	OTOGRAPHS	21
5.1	TEST SETUP	21
5.2	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS).	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Mass.com

1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, X7an, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086



Report No.: AR/2020/C000206

Page: 5 of 21

#### 1 General Information

Product Name:	Mobile Phone							
Model No.(EUT):	M2101K9G							
Trade Mark:	XIAOMI							
Hardware Version:	P2							
Software Version:	MIUI 12							
	Band	Tx (MHz)	Rx (MHz)					
	GSM850	824~849	869~894					
	GSM1900	1850~1910	1930~1990					
	WCDMA Band II	1850~1910	1930~1990					
	WCDMA Band IV	1710~1755	2110~2155					
	WCDMA Band V	824~849	869~894					
	LTE Band 2	1850~1910	1930~1990					
	LTE Band 4	1710~1755	2110~2155					
	LTE Band 5	824~849	869~894					
	LTE Band 7	2500~2570	2620~2690					
	LTE Band 12	699~716	729~746					
	LTE Band 13	777~787	746~756					
	LTE Band 17	704~716	734~746					
	LTE Band 38	2570~2620	2570~2620					
	LTE Band 41	2496~2690	2496~2690					
Frequency Bands:	LTE Band 66	1710~1780	2110~2200					
Trequency Bands.	LTE CA_2C	1850 ~ 1910	1930 ~1990					
	LTE CA_7C	2500~2570	2620~2690					
	LTE CA_38C	2570~2620	2570~2620					
	LTE CA 4A-7A	1710~1755	2110~2155					
		2500~2570	2620~2690					
	NR Band n5	824~849	869~894					
	NR Band n7	2500~2570	2620~2690					
	NR Band n38	2570~2620	2570~2620					
	NR Band n41	2496~2690	2496~2690					
	NR Band n66	1710~1780	2110~2180					
	NR Band n77	3700~3980	3700~3980					
	Wi-Fi 2.4G	2400~2483.5	2400~2483.5					
	Bluetooth	2400~2483.5	2400~2483.5					
	Wi-Fi 5G	5150~5850	5150~5850					
	GNSS*	1559~161	0					
	NFC	13.56						

<sup>\*</sup> GNSS = GPS + Glonass + Beidou + Galileo+SBAS EUT 1=8+128G EUT 2= 6+128G EUT3=8+256G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Mass.com

1/F, Unit D, Building 1, Kanghang Orange Szience Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xifan, Stasansi, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 6 of 21

#### 1.1 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	T430u	REF. No.SEA1800
Mouse	Lenovo	M-U0025-O	REF. No.:SEA2400
Router	NETGEAR	DGN2200	REF. No.SEA2200

#### 1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1st Floor, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi, China
Post code:	710086

No tests were sub-contracted.

#### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Test Site No.:	SG	S Xian Site No.	FCC Designation No.
	CO01-XA	03CH01-XA	CN1271

#### 1.4 Deviation from Standards

None

#### 1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions, sapy, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Ferms-a-Documents.yx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please cancact us at telephone; (86-75) 8307 1442.

1/F, Unit D, Building 1, Kanghang Orange Science Park, Na.137, Keyuan 3rd Road, Fengolong New Tourn, Xifan, Shaamai, China 710086 中国・西安・洋东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 v t (86–29) 6282 7885 s



Report No.: AR/2020/C000206

Page: 7 of 21

#### 2 Emission Test Results

#### 2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 150kHz to 30MHz

Limit:

0.15M-0.5MHz 66dB( $\mu$ V)-56dB( $\mu$ V) quasi-peak, 56dB( $\mu$ V)-46dB( $\mu$ V) average

0.5M-5MHz 56dB( $\mu$ V) quasi-peak, 46dB( $\mu$ V) average 5M-30MHz 60dB( $\mu$ V) quasi-peak, 50dB( $\mu$ V) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 2.1.1 E.U.T. Operation

Operating Environment:

Temperature: 18.9 °C Humidity: 55.1 % RH Atmospheric Pressure: 1000 mbar

Pretest these
modes to find
the worst case:

a: Transfer data between the EUT1 and the PC+USB cable1
b: Transfer data between the EUT1 and the PC+USB cable2

c: GSM 850 Idle+ BT+ 2.4G WLAN +GPS Rx+ NFC +playing MP4+ earphone1+

EUT1+ Cable(worst)+ adapter

d: WCDMA Band V Idle+ BT+ 5G WLAN +GPS Rx+ NFC +playing MP4 + EUT1+

Cable(worst)+ adapter

e: LTE Band 5 Idle+BT+2.4G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

Cable(worst)+ adapter

f: LTE Band 12 Idle+ BT+ 5G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

Cable(worst)+ adapter

g: LTE Band 13 Idle+ BT+ 5G WLAN +GPS Rx+ NFC +camera (Back) + EUT1+

Cable(worst)+ adapter

h: LTE Band 17 Idle+ BT+2.4G WLAN +GPS Rx+ NFC+ camera (Back) + EUT1+

Cable(worst)+ adapter

i: NR Band n5 Idle+ BT+5G WLAN +GPS Rx+ NFC+ camera (Back) + EUT2+

Cable(worst)+ adapter

j: NR Band n66 Idle+ BT+5G WLAN +GPS Rx+ NFC+ playing MP4 + EUT3+

Cable(worst)+ adapter

k: WCDMA Band V Idle+ BT+ 5G WLAN +GPS Rx+ NFC +playing MP4 +

EUT1+Audio cable+earphone

The worst case d: WCDMA Band V Idle+ BT+ 5G WLAN +GPS Rx+ NFC +playing MP4 + EUT1+

for final test: Cable2+ adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.aps.com/en/Terms-and-Conditions.aps and, for electronic format documents subject to Terms and Conditions for Electronic Document as the http://www.aps.com/en/Terms-and-Conditions/T


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shazmui, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 8 of 21

#### 2.1.2 Test Setup Diagram



#### 2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVP. Doccheck@ss.com.



Report No.: AR/2020/C000206

Page: 9 of 21

#### Mode:d; Line:Live Line



#### **Test Graph**

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	
1	0.1650	10.10	51.14	65.21	14.07	35.00	55.21	20.21	
2	0.1785	10.10	49.64	64.56	14.92	33.03	54.56	21.53	
3	0.1945	10.10	47.57	63.84	16.27	32.45	53.84	21.39	
4	0.6366	10.10	44.41	56.00	11.59	37.92	46.00	8.08	
5	1.8046	10.10	26.88	56.00	29.12	20.03	46.00	25.97	
6	6.4598	10.10	27.92	60.00	32.08	22.26	50.00	27.74	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of fits document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\* (Advisors Company and Company


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, X7an, Shaamai, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 10 of 21

#### Mode:d; Line:Neutral Line



#### **Test Graph**

Final	Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Value [dBμV]	AV Limit [dBµV]	AV Margin [dB]		
1	0.1594	10.10	50.25	65.49	15.24	35.27	55.49	20.22		
2	0.2121	10.10	43.68	63.12	19.44	29.45	53.12	23.67		
3	0.3594	10.10	30.31	58.74	28.43	22.23	48.74	26.51		
4	0.6468	10.10	42.86	56.00	13.14	36.82	46.00	9.18		
5	2.6350	10.10	25.18	56.00	30.82	20.44	46.00	25.56		
6	11.8160	10.10	27.99	60.00	32.01	22.20	50.00	27.80		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is darwn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmile CORD Reported/Wass.com"

1/F, Unit D, Building 1, Kanghang Orange Science Park, Na.137, Keyuan 3rd Road, Fengolong New Tourn, Xifan, Shaamai, China 710086 中国・西安・洋东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs



Report No.: AR/2020/C000206

Page: 11 of 21

#### 2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 30MHz to 1GHz

Measurement Distance: 3m

Limit:

30MHz -88MHz 40.0(dBμV/m) quasi-peak 88MHz-216MHz 43.5(dBμV/m) quasi-peak 216MHz-960MHz 46.0(dBμV/m) quasi-peak 960MHz-1000MHz 54.0(dBμV/m) quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz

#### 2.2.1 E.U.T. Operation

#### Operating Environment:

Temperature: 25 °C Humidity: 66.5 % RH Atmospheric Pressure: 1010 mbar

Pretest these modes to find the worst case:

a: Transfer data between the EUT1 and the PC+USB cable1 b: Transfer data between the EUT1 and the PC+USB cable2

c: GSM 850 Idle+ BT+ 2.4G WLAN +GPS Rx+ NFC +playing MP4+ earphone1+

EUT1+ Cable(worst)+ adapter

d: WCDMA Band V Idle+ BT+ 5G WLAN +GPS Rx+ NFC +playing MP4 + EUT1+

Cable(worst)+ adapter

e: LTE Band 5 Idle+BT+2.4G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

Cable(worst)+ adapter

f: LTE Band 12 Idle+ BT+ 5G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

Cable(worst)+ adapter

q: LTE Band 13 Idle+ BT+ 5G WLAN +GPS Rx+ NFC +camera (Back) + EUT1+

Cable(worst)+ adapter

h: LTE Band 17 Idle+ BT+2.4G WLAN +GPS Rx+ NFC+ camera (Back) + EUT1+

Cable(worst)+ adapter

i: NR Band n5 Idle+ BT+5G WLAN +GPS Rx+ NFC+ camera (Back) + EUT2+

Cable(worst)+ adapter

j: NR Band n66 Idle+ BT+5G WLAN +GPS Rx+ NFC+ playing MP4 + EUT3+

Cable(worst)+ adapter

k: NR Band n38 Idle+ BT+5G WLAN +GPS Rx+ NFC+ playing MP4 + EUT1+

Cable(worst)+ adapter

I: Transfer data between the EUT2 and the PC+USB cable2

m: Transfer data between the EUT3 and the PC+USB cable2

The worst case

for final test:

b: Transfer data between the EUT1 and the PC+USB cable2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agp and, for electronic format documents subject to Terms and Conditions for Electronic Documents and the Intelligence of Conditions for Electronic Documents and Electronic Documents and Service of Electronic Documents and Service Documents and Service Documents Service Documents

1/F,Unit D,Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xi'an, Shasmui, China 710086 中国・西安・沣东新城科源三路137号康鸿程方科技园1号楼D单元1层 邮第: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2020/C000206

Page: 12 of 21

#### 2.2.2 Test Setup Diagram



#### 2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.aspx">http://www.sps.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Condit

1/F, Unit D, Building I, Kanghong Change Science Park, No. 137. Keyuan 3rd Road, Fengolong New Town, Xian, Shaanvi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2020/C000206

Page: 13 of 21

#### Mode:b; Polarization:Horizontal



#### **Suspected List**

	tou Liot								
Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	67.4495	30.27	40.00	9.73	200	25	Horizontal		
2	167.9616	24.38	43.50	19.12	100	51	Horizontal		
3	249.6519	29.62	46.00	16.38	100	37	Horizontal		
4	374.2248	30.78	46.00	15.22	100	19	Horizontal		
5	618.5197	29.27	46.00	16.73	100	54	Horizontal		
6	844.9630	28.97	46.00	17.03	200	151	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspy">http://www.sgs.com/en/Terms-and-Conditions.aspy</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Doccheck-Givess come.


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaarui, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 14 of 21

#### Mode:b; Polarization:Vertical



#### **Suspected List**

Suspected List										
Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	67.4495	30.27	40.00	9.73	200	25	Horizontal			
2	167.9616	24.38	43.50	19.12	100	51	Horizontal			
3	249.6519	29.62	46.00	16.38	100	37	Horizontal			
4	374.2248	30.78	46.00	15.22	100	19	Horizontal			
5	618.5197	29.27	46.00	16.73	100	54	Horizontal			
6	844.9630	28.97	46.00	17.03	200	151	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is darwn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmile CORD Reported/Wass.com"

1/F, Unit D, Building 1, Kanghang Orange Science Park, Na.137, Keyuan 3rd Road, Fengolong New Tourn, Xifan, Shaamai, China 710086 中国・西安・洋东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 15 of 21

### 2.3 Radiated Emissions (above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014
Frequency Range: Above 1GHz

Measurement Distance: 3m

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000M to18000MHz

#### 2.3.1 E.U.T. Operation

Operating Environment:

Temperature: 21.7 °C Humidity: 56.4 % RH Atmospheric Pressure: 1010 mbar

Pretest these a: Transfer data between the EUT1 and the PC+USB cable1 b: Transfer data between the EUT1 and the PC+USB cable2 the worst case:

c: GSM 850 Idle+ BT+ 2.4G WLAN +GPS Rx+ NFC +playing MP4+ earphone1+

EUT1+ Cable(worst)+ adapter

d: WCDMA Band V Idle+ BT+ 5G WLAN +GPS Rx+ NFC +playing MP4 + EUT1+

Cable(worst)+ adapter

e: LTE Band 5 Idle+BT+2.4G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

Cable(worst)+ adapter

f: LTE Band 12 Idle+ BT+ 5G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

Cable(worst)+ adapter

g: LTE Band 13 Idle+ BT+ 5G WLAN +GPS Rx+ NFC +camera (Back) + EUT1+

Cable(worst)+ adapter

h: LTE Band 17 Idle+ BT+2.4G WLAN +GPS Rx+ NFC+ camera (Back) + EUT1+

Cable(worst)+ adapter

i: NR Band n5 Idle+ BT+5G WLAN +GPS Rx+ NFC+ camera (Back) + EUT2+

Cable(worst)+ adapter

j: NR Band n66 Idle+ BT+5G WLAN +GPS Rx+ NFC+ playing MP4 + EUT3+

Cable(worst)+ adapter

k: NR Band n38 Idle+ BT+5G WLAN +GPS Rx+ NFC+ playing MP4 + EUT1+

Cable(worst)+ adapter

The worst case

e: LTE Band 5 Idle+BT+2.4G WLAN +GPS Rx+ NFC +camera (Front) + EUT1+

for final test: Cable2+ adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions, aspx and, for electronic format documents a subject to Terms and Conditions of Electronic Documents at Intb://www.ags.com/en/Terms-and-Conditions/


1/F,Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaarui, Chira 710086 中国•西安•沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 16 of 21

#### 2.3.2 **Test Setup Diagram**



#### 2.3.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.aspx">http://www.sps.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Condit ne: (86-755) 8307 1443,

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanxi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885



Report No.: AR/2020/C000206

Page: 17 of 21

#### Mode:e; Polarization:Horizontal



#### Suspected List

Suspected List							
Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2428.921	38.79	74.00	35.21	200	102	Horizontal
2	2861.593	29.38	54.00	24.62	200	37	Horizontal
3	7342.167	49.98	74.00	24.02	100	18	Horizontal
4	8467.623	41.27	54.00	12.73	100	170	Horizontal
5	13441.22	47.57	54.00	6.43	200	124	Horizontal
6	15044.40	57.65	74.00	16.35	200	16	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVP. Doccheck@ss.com.


1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, X7an, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086 t (86–29) 6282 7885 www.sgsgl t (86–29) 6282 7885 sgs.china@



Report No.: AR/2020/C000206

Page: 18 of 21

#### Mode:e; Polarization:Vertical



#### Suspected List

acposica List							
Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2028.551	26.57	54.00	27.43	200	16	Vertical
2	3053.702	40.46	74.00	33.54	100	193	Vertical
3	7824.991	50.63	74.00	23.37	200	80	Vertical
4	8390.269	41.88	54.00	12.12	200	188	Vertical
5	13391.06	57.02	74.00	16.98	100	63	Vertical
6	13975.04	47.10	54.00	6.90	200	210	Vertical

#### Remark:

1) Scan from 1GHz to 40GHz, The disturbance between 18GHz to 40GHz was very low, so only 1GHz to 18GHz test data had been displayed. The amplitude of emissions from the Eut which are attenuated more than 20dB below the limit need not be reported .



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document aspt http://www.aspx.com/en/Terms-and-Conditions/Terms-and-Condition

1/F, Unit D, Building 1, Kanghang Orange Szience Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xifan, Shasanzi, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.sgsgr t (86–29) 6282 7885 sgs.china@



Report No.: AR/2020/C000206

Page: 19 of 21

### 3 Equipment List

Chamber						
Toot Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date	
Test Equipment				(yyyy-mm-dd)	(yyyy-mm-dd)	
Semi-Anechoic Chamber	Brilliant-emc	966	XAW03-35-01	NCR	NCR	
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2020/4/2	2021/4/2	
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2020/4/2	2021/4/2	
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020/9/7	2021/9/6	
Receiving antenna	Rosenberger	VULB 9163	XAW01-09-01	2019/10/13	2021/10/12	
Receiving antenna	Rosenberger	BBHA 9120D	XAW01-09-02	2019/10/13	2021/10/12	
Receiving antenna	Rosenberger	BBHA 9170	XAW01-09-03	2019/10/13	2021/10/12	
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR	
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR	
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR	
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR	
Amplifier	Tonscend	TAP00903040	XAW01-41-01	2020/11/18	2021/11/18	
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2020/11/18	2021/11/18	
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2020/12/3	2021/12/3	
Amplifier	Brilliant-emc	YX28980930	XAW01-41-06	2020/11/18	2021/11/18	
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-19-02	2020/9/16	2021/9/15	
5G UXM	Keysight	E7515B	XAW01-04-01	2020/9/11	2021/9/10	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Mass.com

1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, X7an, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: AR/2020/C000206

Page: 20 of 21

### 4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 3.4dB (150kHz to 30MHz)		
2		± 4.8dB (30MHz-1GHz)		
	Radiated Emission	± 5.2dB (1GHz-6GHz)		
		± 5.5dB (6GHz-18GHz)		
		± 5.02dB (18GHz-40GHz)		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@ass.com

1/F, Unit D, Building 1, Kanghang Orange Szience Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xifan, Stasansi, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: AR/2020/C000206

Page: 21 of 21

### 5 Photographs

#### 5.1 Test Setup

Refer to Appendix A JBP Setup Photos.

### 5.2 EUT Constructional Details (EUT Photos)

Refer to Photographs of EUT Constructional Details

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

Th, Lind D, Building I, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885