

EUT EXTERNAL PHOTOS


FRONT VIEW OF EUT



REAR VIEW OF EUT



LEFT VIEW OF EUT



RIGHT VIEW OF EUT




TOP VIEW OF EUT



BOTTOM VIEW OF EUT




Accessory- Power Supply Unit 1 (MDY-15-EAAohai)



Close-up




Accessory- Power Supply Unit 2 (MDY-15-EAChenyang)



Close-up



Accessory- Power Supply Unit 3(MDY-15-EASalcomp)



Close-up




Accessory-USB Cable 1 (K43220)



Accessory-USB Cable 2 (L43220)



Accessory-USB Cable 3 (H43220)



Ancillary Equipment 1	Li-Polymer Battery 1	
	Brand Name	Mi
	Model No.	BN5R
	Serial No.	N/A
	Capacitance	Rated: 4900mAh/18.72Wh Typical: 5000mAh/19.10Wh
	Rated Voltage	3.82 V
	Limited Voltage	4.40 V
	Manufacturer	Sunwoda Electronic Co., Ltd.
Ancillary Equipment 2	Li-Polymer Battery (alternative) 2	
	Brand Name	Mi
	Model No.	BN5R
	Serial No.	N/A
	Capacitance	Rated: 4900mAh/18.72Wh Typical: 5000mAh/19.10Wh
	Rated Voltage	3.82 V
	Limited Voltage	4.40 V
	Manufacturer	Zhuhai CosMX Battery Co., Ltd.
Ancillary Equipment 3	Power Supply Unit 1	
	Brand Name	Mi
	Model No.	MDY-15-EA(US Plug)
	Serial No.	N/A
	Rated Input	100-240VAC 50-60Hz 0.35A
	Rated Output	5.0VDC 2A
	Manufacturer	Xiaomi
Ancillary Equipment 4	Power Supply Unit(alternative)2	
	Brand Name	Mi
	Model No.	MDY-15-EA (US Plug)
	Serial No.	N/A
	Rated Input	100-240VAC 50-60Hz 0.35A
	Rated Output	5.0VDC 2A
	Manufacturer	Xiaomi
Ancillary Equipment 5	Power Supply Unit(alternative)3	
	Brand Name	Mi
	Model No.	MDY-15-EA (US Plug)
	Serial No.	N/A
	Rated Input	100-240VAC 50-60Hz 0.35A
	Rated Output	5.0VDC 2A
	Manufacturer	Xiaomi
Ancillary Equipment 6	USB Cable 1	
	Model No.	K43220
	Length(Approx.)	1.0 m
Ancillary Equipment 7	USB Cable 2	

	Model No.	L43220
	Length(Approx.)	1.0 m
Ancillary Equipment 8	USB Cable 3	
	Model No.	H43220
	Length(Approx.)	1.0 m
Note 1: All adapters are tested, only the worst data of MDY-15-EA (US Plug Chenyang) shown in this report. Note 2: All batteries are tested, only the worst data of BN5R (Sunwoda Electronic Co., Ltd.) shown in this report. Note 3: All LCD panel are tested, only the worst data of INO-0671F40588-N (Truly Opto-electronics Ltd.) shown in this report. Note 4: All USB Cables are tested, only the worst data of H43220 shown in this report.		

--BLANK BELOW--