



		42																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-3_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																		
ANT	CDD18+19																																																																																																		
Pol.	Vertical	Fundamental																																																																																																	
Peak																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.05</td> <td>49.82</td> <td>74.00</td> <td>-24.18</td> <td>39.25</td> <td>34.78</td> <td>8.34 32.55 280 276 Peak</td> </tr> <tr> <td>2</td> <td>5464.40</td> <td>50.28</td> <td>68.30</td> <td>-18.02</td> <td>39.52</td> <td>34.87</td> <td>8.40 32.51 280 276 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>105.97</td> <td>-----</td> <td>-----</td> <td>94.83</td> <td>35.02</td> <td>8.62 32.50 280 276 Peak</td> </tr> <tr> <td>4</td> <td>5863.70</td> <td>51.54</td> <td>68.30</td> <td>-16.76</td> <td>40.06</td> <td>35.12</td> <td>8.86 32.50 280 276 Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	5356.05	49.82	74.00	-24.18	39.25	34.78	8.34 32.55 280 276 Peak	2	5464.40	50.28	68.30	-18.02	39.52	34.87	8.40 32.51 280 276 Peak	3	5710.00	105.97	-----	-----	94.83	35.02	8.62 32.50 280 276 Peak	4	5863.70	51.54	68.30	-16.76	40.06	35.12	8.86 32.50 280 276 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5402.80</td> <td>40.84</td> <td>54.00</td> <td>-13.16</td> <td>30.09</td> <td>34.82</td> <td>8.47 32.54 280 276 Peak</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>99.01</td> <td>-----</td> <td>-----</td> <td>87.87</td> <td>35.02</td> <td>8.62 32.50 280 276 Average</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	5402.80	40.84	54.00	-13.16	30.09	34.82	8.47 32.54 280 276 Peak	2	5710.00	99.01	-----	-----	87.87	35.02
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																												
1	5356.05	49.82	74.00	-24.18	39.25	34.78	8.34 32.55 280 276 Peak																																																																																												
2	5464.40	50.28	68.30	-18.02	39.52	34.87	8.40 32.51 280 276 Peak																																																																																												
3	5710.00	105.97	-----	-----	94.83	35.02	8.62 32.50 280 276 Peak																																																																																												
4	5863.70	51.54	68.30	-16.76	40.06	35.12	8.86 32.50 280 276 Peak																																																																																												
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																												
1	5402.80	40.84	54.00	-13.16	30.09	34.82	8.47 32.54 280 276 Peak																																																																																												
2	5710.00	99.01	-----	-----	87.87	35.02	8.62 32.50 280 276 Average																																																																																												





Mode	42																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																															
ANT	CDD18+19																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2024-10-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>63.09</td> <td>37.77</td> <td>11.41</td> <td>62.95</td> <td>157</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>46.17</td> <td>68.30</td> <td>-22.13</td> <td>58.11</td> <td>40.11</td> <td>13.15</td> <td>65.20</td> <td>165</td> <td>246</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11420.00	49.32	74.00	-24.68	63.09	37.77	11.41	62.95	157	285	Peak	2	17130.00	46.17	68.30	-22.13	58.11	40.11	13.15	65.20	165	246	Peak	<p>Date: 2024-10-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>61.24</td> <td>37.77</td> <td>11.41</td> <td>62.95</td> <td>122</td> <td>291</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>47.56</td> <td>68.30</td> <td>-20.74</td> <td>59.50</td> <td>40.11</td> <td>13.15</td> <td>65.20</td> <td>153</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11420.00	47.47	74.00	-26.53	61.24	37.77	11.41	62.95	122	291	Peak	2	17130.00	47.56	68.30	-20.74	59.50	40.11	13.15	65.20	153	102	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11420.00	49.32	74.00	-24.68	63.09	37.77	11.41	62.95	157	285	Peak																																																																																					
2	17130.00	46.17	68.30	-22.13	58.11	40.11	13.15	65.20	165	246	Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11420.00	47.47	74.00	-26.53	61.24	37.77	11.41	62.95	122	291	Peak																																																																																					
2	17130.00	47.56	68.30	-20.74	59.50	40.11	13.15	65.20	153	102	Peak																																																																																					



Mode	43																																																																																																	
	Band Edge																																																																																																	
	U-NII-3_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																																																	
ANT	CDD18+19																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<p style="text-align: right;">Date: 2024-10-18</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.30</td> <td>48.78</td> <td>74.00</td> <td>-25.22</td> <td>38.01</td> <td>34.84</td> <td>8.45</td> <td>32.52</td> <td>155</td> <td>183</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5464.95</td> <td>49.44</td> <td>68.30</td> <td>-18.86</td> <td>38.68</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>155</td> <td>183</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>98.99</td> <td>-----</td> <td>-----</td> <td>87.94</td> <td>35.01</td> <td>8.54</td> <td>32.50</td> <td>155</td> <td>183</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5862.05</td> <td>51.27</td> <td>68.30</td> <td>-17.03</td> <td>39.79</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>155</td> <td>183</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	APos (cm)	TPos (deg)	Remark	1	5430.30	48.78	74.00	-25.22	38.01	34.84	8.45	32.52	155	183	Peak	2	5464.95	49.44	68.30	-18.86	38.68	34.87	8.40	32.51	155	183	Peak	3	5690.00	98.99	-----	-----	87.94	35.01	8.54	32.50	155	183	Peak	4	5862.05	51.27	68.30	-17.03	39.79	35.12	8.86	32.50	155	183	Peak	<p style="text-align: right;">Date: 2024-10-18</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.50</td> <td>42.38</td> <td>54.00</td> <td>-11.62</td> <td>31.61</td> <td>34.86</td> <td>8.42</td> <td>32.51</td> <td>155</td> <td>183</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>83.15</td> <td>35.01</td> <td>8.54</td> <td>32.50</td> <td>155</td> <td>183</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	APos (cm)	TPos (deg)	Remark	1	5454.50	42.38	54.00	-11.62	31.61	34.86	8.42	32.51	155	183	Peak	2	5690.00	94.20	-----	-----	83.15	35.01	8.54	32.50	155	183	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	APos (cm)	TPos (deg)	Remark																																																																																						
1	5430.30	48.78	74.00	-25.22	38.01	34.84	8.45	32.52	155	183	Peak																																																																																							
2	5464.95	49.44	68.30	-18.86	38.68	34.87	8.40	32.51	155	183	Peak																																																																																							
3	5690.00	98.99	-----	-----	87.94	35.01	8.54	32.50	155	183	Peak																																																																																							
4	5862.05	51.27	68.30	-17.03	39.79	35.12	8.86	32.50	155	183	Peak																																																																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	APos (cm)	TPos (deg)	Remark																																																																																							
1	5454.50	42.38	54.00	-11.62	31.61	34.86	8.42	32.51	155	183	Peak																																																																																							
2	5690.00	94.20	-----	-----	83.15	35.01	8.54	32.50	155	183	Peak																																																																																							







		<b>43</b>																																																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																																																											
	<b>U-NII-3_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz</b>																																																																																																																											
<b>ANT</b>	<b>CDD18+19</b>																																																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																										
<b>Peak</b>	 <p style="text-align: right; font-size: small;">Date: 2024-10-18</p> <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.35</td> <td>48.87</td> <td>74.00</td> <td>-25.13</td> <td>38.16</td> <td>34.81</td> <td>8.44</td> <td>32.54</td> <td>303</td> <td>255 Peak</td> </tr> <tr> <td>2</td> <td>5465.50</td> <td>49.48</td> <td>68.30</td> <td>-18.82</td> <td>38.72</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>303</td> <td>255 Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>100.33</td> <td>-----</td> <td>-----</td> <td>89.28</td> <td>35.01</td> <td>8.54</td> <td>32.50</td> <td>303</td> <td>255 Peak</td> </tr> <tr> <td>4</td> <td>5862.60</td> <td>49.80</td> <td>68.30</td> <td>-18.50</td> <td>38.32</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>303</td> <td>255 Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5392.35	48.87	74.00	-25.13	38.16	34.81	8.44	32.54	303	255 Peak	2	5465.50	49.48	68.30	-18.82	38.72	34.87	8.40	32.51	303	255 Peak	3	5690.00	100.33	-----	-----	89.28	35.01	8.54	32.50	303	255 Peak	4	5862.60	49.80	68.30	-18.50	38.32	35.12	8.86	32.50	303	255 Peak	 <p style="text-align: right; font-size: small;">Date: 2024-10-18</p> <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.50</td> <td>42.55</td> <td>54.00</td> <td>-11.45</td> <td>31.78</td> <td>34.86</td> <td>8.42</td> <td>32.51</td> <td>303</td> <td>255 Peak</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>94.48</td> <td>-----</td> <td>-----</td> <td>83.43</td> <td>35.01</td> <td>8.54</td> <td>32.50</td> <td>303</td> <td>255 Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5454.50	42.55	54.00	-11.45	31.78	34.86	8.42	32.51	303	255 Peak	2	5690.00	94.48	-----	-----	83.43	35.01	8.54	32.50	303	255 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																				
1	5392.35	48.87	74.00	-25.13	38.16	34.81	8.44	32.54	303	255 Peak																																																																																																																		
2	5465.50	49.48	68.30	-18.82	38.72	34.87	8.40	32.51	303	255 Peak																																																																																																																		
3	5690.00	100.33	-----	-----	89.28	35.01	8.54	32.50	303	255 Peak																																																																																																																		
4	5862.60	49.80	68.30	-18.50	38.32	35.12	8.86	32.50	303	255 Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																				
1	5454.50	42.55	54.00	-11.45	31.78	34.86	8.42	32.51	303	255 Peak																																																																																																																		
2	5690.00	94.48	-----	-----	83.43	35.01	8.54	32.50	303	255 Peak																																																																																																																		



Mode	44																																																																											
	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial 26/0_5180MHz																																																																											
ANT	CDD18+19																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5012.96</td> <td>49.78</td> <td>74.00</td> <td>-24.22</td> <td>40.14</td> <td>34.51</td> <td>7.83</td> <td>32.70</td> <td>287</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5012.96	49.78	74.00	-24.22	40.14	34.51	7.83	32.70	287	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.98</td> <td>-----</td> <td>-----</td> <td>93.04</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> <td>287</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	102.98	-----	-----	93.04	34.64	7.93	32.63	287	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5012.96	49.78	74.00	-24.22	40.14	34.51	7.83	32.70	287	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	102.98	-----	-----	93.04	34.64	7.93	32.63	287	0	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.24</td> <td>40.64</td> <td>54.00</td> <td>-13.36</td> <td>30.76</td> <td>34.61</td> <td>7.91</td> <td>32.64</td> <td>287</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5138.24	40.64	54.00	-13.36	30.76	34.61	7.91	32.64	287	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>96.10</td> <td>-----</td> <td>-----</td> <td>86.16</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> <td>287</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	96.10	-----	-----	86.16	34.64	7.93	32.63	287	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5138.24	40.64	54.00	-13.36	30.76	34.61	7.91	32.64	287	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	96.10	-----	-----	86.16	34.64	7.93	32.63	287	0	AVERAGE																																																																	







Mode	44																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial 26/0_5180MHz																																																																									
ANT	CDD18+19																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.34</td> <td>50.20</td> <td>74.00</td> <td>-23.80</td> <td>40.38</td> <td>34.59</td> <td>7.89</td> <td>32.66</td> <td>289</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5110.34	50.20	74.00	-23.80	40.38	34.59	7.89	32.66	289	275	PEAK	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.87</td> <td>-----</td> <td>-----</td> <td>95.93</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> <td>289</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5180.00	105.87	-----	-----	95.93	34.64	7.93	32.63	289	275	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5110.34	50.20	74.00	-23.80	40.38	34.59	7.89	32.66	289	275	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5180.00	105.87	-----	-----	95.93	34.64	7.93	32.63	289	275	PEAK																																																															
Avg	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.70</td> <td>41.73</td> <td>54.00</td> <td>-12.27</td> <td>31.85</td> <td>34.61</td> <td>7.91</td> <td>32.64</td> <td>289</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5137.70	41.73	54.00	-12.27	31.85	34.61	7.91	32.64	289	275	AVERAGE	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.73</td> <td>-----</td> <td>-----</td> <td>88.79</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> <td>289</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5180.00	98.73	-----	-----	88.79	34.64	7.93	32.63	289	275	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5137.70	41.73	54.00	-12.27	31.85	34.61	7.91	32.64	289	275	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5180.00	98.73	-----	-----	88.79	34.64	7.93	32.63	289	275	AVERAGE																																																															



Mode	45																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 52/37_5180MHz																																																																									
ANT	CDD18+19																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5018.90</td> <td>50.39</td> <td>74.00</td> <td>-23.61</td> <td>40.73</td> <td>34.52</td> <td>7.83</td> <td>32.69</td> <td>282</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5018.90	50.39	74.00	-23.61	40.73	34.52	7.83	32.69	282	140	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>105.31</td> <td>-----</td> <td>-----</td> <td>95.36</td> <td>34.64</td> <td>7.94</td> <td>32.63</td> <td>282</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	105.31	-----	-----	95.36	34.64	7.94	32.63	282	140	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5018.90	50.39	74.00	-23.61	40.73	34.52	7.83	32.69	282	140	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5180.00	105.31	-----	-----	95.36	34.64	7.94	32.63	282	140	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5143.10</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>31.32</td> <td>34.62</td> <td>7.91</td> <td>32.64</td> <td>282</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5143.10	41.21	54.00	-12.79	31.32	34.62	7.91	32.64	282	140	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>98.24</td> <td>-----</td> <td>-----</td> <td>88.29</td> <td>34.64</td> <td>7.94</td> <td>32.63</td> <td>282</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	98.24	-----	-----	88.29	34.64	7.94	32.63	282	140	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5143.10	41.21	54.00	-12.79	31.32	34.62	7.91	32.64	282	140	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5180.00	98.24	-----	-----	88.29	34.64	7.94	32.63	282	140	AVERAGE																																																																



Mode	45																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 52/37_5180MHz																																																																																	
ANT	CDD18+19																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5143.46</td> <td>51.86</td> <td>74.00</td> <td>-22.14</td> <td>41.97</td> <td>34.62</td> <td>7.91</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5143.46	51.86	74.00	-22.14	41.97	34.62	7.91	32.64							300	274 PEAK	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>108.91</td> <td>-----</td> <td>-----</td> <td>98.97</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5180.00	108.91	-----	-----	98.97	34.64	7.93	32.63							300	274 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5143.46	51.86	74.00	-22.14	41.97	34.62	7.91	32.64																																																																											
						300	274 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5180.00	108.91	-----	-----	98.97	34.64	7.93	32.63																																																																											
						300	274 PEAK																																																																											
Avg	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5140.04</td> <td>42.01</td> <td>54.00</td> <td>-11.99</td> <td>32.13</td> <td>34.61</td> <td>7.91</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5140.04	42.01	54.00	-11.99	32.13	34.61	7.91	32.64							300	274 AVERAGE	 <p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>101.57</td> <td>-----</td> <td>-----</td> <td>91.63</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5180.00	101.57	-----	-----	91.63	34.64	7.93	32.63							300	274 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5140.04	42.01	54.00	-11.99	32.13	34.61	7.91	32.64																																																																											
						300	274 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5180.00	101.57	-----	-----	91.63	34.64	7.93	32.63																																																																											
						300	274 AVERAGE																																																																											







		<b>46</b>																																																																						
<b>Mode</b>	<b>Band Edge</b>																																																																							
	<b>U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 106/53_5180MHz</b>																																																																							
<b>ANT</b>	<b>CDD18+19</b>																																																																							
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																						
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-16</p>	<p style="text-align: right;">Date: 2024-10-16</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.94</td> <td>51.69</td> <td>74.00</td> <td>-22.31</td> <td>41.79</td> <td>34.62</td> <td>7.92</td> <td>32.64</td> <td>300</td> <td>325 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.94	51.69	74.00	-22.31	41.79	34.62	7.92	32.64	300	325 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>103.46</td> <td>-----</td> <td>-----</td> <td>93.51</td> <td>34.64</td> <td>7.94</td> <td>32.63</td> <td>300</td> <td>325 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	103.46	-----	-----	93.51	34.64	7.94	32.63	300
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5149.94	51.69	74.00	-22.31	41.79	34.62	7.92	32.64	300	325 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5180.00	103.46	-----	-----	93.51	34.64	7.94	32.63	300	325 PEAK																																																															
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-16</p>	<p style="text-align: right;">Date: 2024-10-16</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.94</td> <td>42.05</td> <td>54.00</td> <td>-11.95</td> <td>32.15</td> <td>34.62</td> <td>7.92</td> <td>32.64</td> <td>300</td> <td>325 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.94	42.05	54.00	-11.95	32.15	34.62	7.92	32.64	300	325 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>96.23</td> <td>-----</td> <td>-----</td> <td>86.29</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> <td>300</td> <td>325 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	96.23	-----	-----	86.29	34.64	7.93	32.63	300
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5149.94	42.05	54.00	-11.95	32.15	34.62	7.92	32.64	300	325 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5180.00	96.23	-----	-----	86.29	34.64	7.93	32.63	300	325 AVERAGE																																																															



Mode	46																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 106/53_5180MHz																																																																																	
ANT	CDD18+19																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5147.42</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>48.72</td> <td>34.62</td> <td>7.92</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>282 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5147.42	58.62	74.00	-15.38	48.72	34.62	7.92	32.64							300	282 PEAK	<p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>109.82</td> <td>-----</td> <td>-----</td> <td>99.87</td> <td>34.64</td> <td>7.94</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>282 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5180.00	109.82	-----	-----	99.87	34.64	7.94	32.63							300	282 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5147.42	58.62	74.00	-15.38	48.72	34.62	7.92	32.64																																																																											
						300	282 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5180.00	109.82	-----	-----	99.87	34.64	7.94	32.63																																																																											
						300	282 PEAK																																																																											
Avg	<p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.94</td> <td>44.84</td> <td>54.00</td> <td>-9.16</td> <td>34.94</td> <td>34.62</td> <td>7.92</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>282 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.94	44.84	54.00	-9.16	34.94	34.62	7.92	32.64							300	282 AVERAGE	<p>Date: 2024-10-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>102.80</td> <td>-----</td> <td>-----</td> <td>92.86</td> <td>34.64</td> <td>7.93</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> <td>282 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5180.00	102.80	-----	-----	92.86	34.64	7.93	32.63							300	282 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5149.94	44.84	54.00	-9.16	34.94	34.62	7.92	32.64																																																																											
						300	282 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5180.00	102.80	-----	-----	92.86	34.64	7.93	32.63																																																																											
						300	282 AVERAGE																																																																											



<b>47</b>																																					
<b>Mode</b>	<b>Band Edge</b>																																				
	<b>U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU 26/8_5320MHz</b>																																				
<b>ANT</b>	<b>CDD18+19</b>																																				
<b>Pol.</b>	<b>Horizontal</b>																																				
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.62</td> <td>50.37</td> <td>74.00</td> <td>-23.63</td> <td>39.82</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>200</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5352.62	50.37	74.00	-23.63	39.82	34.78	8.33	32.56	200	51	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5352.62	50.37	74.00	-23.63	39.82	34.78	8.33	32.56	200	51	PEAK																										
 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.92</td> <td>-----</td> <td>-----</td> <td>93.44</td> <td>34.76</td> <td>8.28</td> <td>32.56</td> <td>200</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	103.92	-----	-----	93.44	34.76	8.28	32.56	200	51	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5320.00	103.92	-----	-----	93.44	34.76	8.28	32.56	200	51	PEAK																										
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.72</td> <td>40.76</td> <td>54.00</td> <td>-13.24</td> <td>30.16</td> <td>34.79</td> <td>8.36</td> <td>32.55</td> <td>200</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5361.72	40.76	54.00	-13.24	30.16	34.79	8.36	32.55	200	51	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5361.72	40.76	54.00	-13.24	30.16	34.79	8.36	32.55	200	51	AVERAGE																										
 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>96.50</td> <td>-----</td> <td>-----</td> <td>86.02</td> <td>34.76</td> <td>8.28</td> <td>32.56</td> <td>200</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	96.50	-----	-----	86.02	34.76	8.28	32.56	200	51	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5320.00	96.50	-----	-----	86.02	34.76	8.28	32.56	200	51	AVERAGE																										



<b>47</b>																																					
<b>Mode</b>	<b>Band Edge</b>																																				
	<b>U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU 26/8_5320MHz</b>																																				
<b>ANT</b>	<b>CDD18+19</b>																																				
<b>Pol.</b>	<b>Vertical</b>																																				
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5401.48</td> <td>50.41</td> <td>74.00</td> <td>-23.59</td> <td>39.66</td> <td>34.82</td> <td>8.47</td> <td>32.54</td> <td>200</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5401.48	50.41	74.00	-23.59	39.66	34.82	8.47	32.54	200	300	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5401.48	50.41	74.00	-23.59	39.66	34.82	8.47	32.54	200	300	PEAK																										
<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.95</td> <td>-----</td> <td>-----</td> <td>98.47</td> <td>34.76</td> <td>8.28</td> <td>32.56</td> <td>200</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	108.95	-----	-----	98.47	34.76	8.28	32.56	200	300	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5320.00	108.95	-----	-----	98.47	34.76	8.28	32.56	200	300	PEAK																										
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.72</td> <td>41.57</td> <td>54.00</td> <td>-12.43</td> <td>30.97</td> <td>34.79</td> <td>8.36</td> <td>32.55</td> <td>200</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5361.72	41.57	54.00	-12.43	30.97	34.79	8.36	32.55	200	300	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5361.72	41.57	54.00	-12.43	30.97	34.79	8.36	32.55	200	300	AVERAGE																										
<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.52</td> <td>-----</td> <td>-----</td> <td>92.07</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>200</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	102.52	-----	-----	92.07	34.76	8.26	32.57	200	300	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5320.00	102.52	-----	-----	92.07	34.76	8.26	32.57	200	300	AVERAGE																										



	<b>48</b>																																																																									
<b>Mode</b>	<b>Band Edge</b>																																																																									
	<b>U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU 52/40_5320MHz</b>																																																																									
<b>ANT</b>	<b>CDD18+19</b>																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5428.64</td> <td>50.12</td> <td>74.00</td> <td>-23.88</td> <td>39.35</td> <td>34.84</td> <td>8.45</td> <td>32.52</td> <td>200</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5428.64	50.12	74.00	-23.88	39.35	34.84	8.45	32.52	200	48	PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>107.79</td> <td>-----</td> <td>-----</td> <td>97.34</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>200</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	107.79	-----	-----	97.34	34.76	8.26	32.57	200	48	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5428.64	50.12	74.00	-23.88	39.35	34.84	8.45	32.52	200	48	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5320.00	107.79	-----	-----	97.34	34.76	8.26	32.57	200	48	PEAK																																																															
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.42</td> <td>41.33</td> <td>54.00</td> <td>-12.67</td> <td>30.76</td> <td>34.78</td> <td>8.34</td> <td>32.55</td> <td>200</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5355.42	41.33	54.00	-12.67	30.76	34.78	8.34	32.55	200	48	AVERAGE	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.81</td> <td>-----</td> <td>-----</td> <td>87.36</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>200</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	97.81	-----	-----	87.36	34.76	8.26	32.57	200	48	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5355.42	41.33	54.00	-12.67	30.76	34.78	8.34	32.55	200	48	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5320.00	97.81	-----	-----	87.36	34.76	8.26	32.57	200	48	AVERAGE																																																															



		<b>48</b>																																																																								
<b>Mode</b>	<b>Band Edge</b>																																																																									
	<b>U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU 52/40_5320MHz</b>																																																																									
<b>ANT</b>	<b>CDD18+19</b>																																																																									
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.46</td> <td>51.98</td> <td>74.00</td> <td>-22.02</td> <td>41.38</td> <td>34.79</td> <td>8.36</td> <td>32.55</td> <td>200</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5360.46	51.98	74.00	-22.02	41.38	34.79	8.36	32.55	200	297	PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.12</td> <td>-----</td> <td>-----</td> <td>100.67</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>200</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	111.12	-----	-----	100.67	34.76	8.26	32.57	200	297	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5360.46	51.98	74.00	-22.02	41.38	34.79	8.36	32.55	200	297	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5320.00	111.12	-----	-----	100.67	34.76	8.26	32.57	200	297	PEAK																																																															
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.52</td> <td>43.56</td> <td>54.00</td> <td>-10.44</td> <td>32.98</td> <td>34.78</td> <td>8.35</td> <td>32.55</td> <td>200</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5357.52	43.56	54.00	-10.44	32.98	34.78	8.35	32.55	200	297	AVERAGE	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.84</td> <td>-----</td> <td>-----</td> <td>93.39</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>200</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	103.84	-----	-----	93.39	34.76	8.26	32.57	200	297	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5357.52	43.56	54.00	-10.44	32.98	34.78	8.35	32.55	200	297	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5320.00	103.84	-----	-----	93.39	34.76	8.26	32.57	200	297	AVERAGE																																																															



		<b>49</b>																																																																								
<b>Mode</b>	<b>Band Edge</b>																																																																									
	<b>U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU 106/54_5320MHz</b>																																																																									
<b>ANT</b>	<b>CDD18+19</b>																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.64</td> <td>53.75</td> <td>74.00</td> <td>-20.25</td> <td>43.20</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>147</td> <td>146</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.64	53.75	74.00	-20.25	43.20	34.78	8.33	32.56	147	146	PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.57</td> <td>74.00</td> <td>31.57</td> <td>95.12</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>147</td> <td>146</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	105.57	74.00	31.57	95.12	34.76	8.26	32.57	147	146	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5351.64	53.75	74.00	-20.25	43.20	34.78	8.33	32.56	147	146	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5320.00	105.57	74.00	31.57	95.12	34.76	8.26	32.57	147	146	PEAK																																																															
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.08</td> <td>42.28</td> <td>54.00</td> <td>-11.72</td> <td>31.73</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>147</td> <td>146</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.08	42.28	54.00	-11.72	31.73	34.78	8.33	32.56	147	146	AVERAGE	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.24</td> <td>54.00</td> <td>44.24</td> <td>87.79</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>147</td> <td>146</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	98.24	54.00	44.24	87.79	34.76	8.26	32.57	147	146	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5351.08	42.28	54.00	-11.72	31.73	34.78	8.33	32.56	147	146	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5320.00	98.24	54.00	44.24	87.79	34.76	8.26	32.57	147	146	AVERAGE																																																															



		<b>49</b>																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																					
	<b>U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU 106/54_5320MHz</b>																																																																					
<b>ANT</b>	<b>CDD18+19</b>																																																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																				
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p>	<p style="text-align: right;">Date: 2024-10-17</p>																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5351.08</td> <td>54.35</td> <td>74.00</td> <td>-19.65</td> <td>43.80</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>204</td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5351.08	54.35	74.00	-19.65	43.80	34.78	8.33	32.56	204	298 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.75</td> <td>-----</td> <td>-----</td> <td>100.32</td> <td>34.75</td> <td>8.25</td> <td>32.57</td> <td>204</td> <td>298 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5320.00	110.75	-----	-----	100.32	34.75	8.25	32.57	204
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5351.08	54.35	74.00	-19.65	43.80	34.78	8.33	32.56	204	298 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5320.00	110.75	-----	-----	100.32	34.75	8.25	32.57	204	298 PEAK																																																													
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-17</p>	<p style="text-align: right;">Date: 2024-10-17</p>																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5351.36</td> <td>44.32</td> <td>54.00</td> <td>-9.68</td> <td>33.77</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>204</td> <td>298 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5351.36	44.32	54.00	-9.68	33.77	34.78	8.33	32.56	204	298 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.43</td> <td>-----</td> <td>-----</td> <td>92.98</td> <td>34.76</td> <td>8.26</td> <td>32.57</td> <td>204</td> <td>298 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5320.00	103.43	-----	-----	92.98	34.76	8.26	32.57	204
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5351.36	44.32	54.00	-9.68	33.77	34.78	8.33	32.56	204	298 AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5320.00	103.43	-----	-----	92.98	34.76	8.26	32.57	204	298 AVERAGE																																																													



Mode	50																																																																					
	Band Edge																																																																					
	U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU 26/0_5500MHz																																																																					
ANT	CDD18+19																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.30</td> <td>49.43</td> <td>74.00</td> <td>-24.57</td> <td>38.67</td> <td>34.84</td> <td>8.44</td> <td>32.52</td> <td>160</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.20</td> <td>49.97</td> <td>68.30</td> <td>-18.33</td> <td>39.21</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>160</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5434.30	49.43	74.00	-24.57	38.67	34.84	8.44	32.52	160	136	PEAK	2	5468.20	49.97	68.30	-18.33	39.21	34.87	8.40	32.51	160	136	PEAK	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.92</td> <td>-----</td> <td>-----</td> <td>96.17</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>160</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5500.00	106.92	-----	-----	96.17	34.89	8.36	32.50	160	136	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																																															
1	5434.30	49.43	74.00	-24.57	38.67	34.84	8.44	32.52	160	136	PEAK																																																											
2	5468.20	49.97	68.30	-18.33	39.21	34.87	8.40	32.51	160	136	PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																																															
1	5500.00	106.92	-----	-----	96.17	34.89	8.36	32.50	160	136	PEAK																																																											
Avg	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.80</td> <td>40.64</td> <td>54.00</td> <td>-13.36</td> <td>29.88</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>160</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5456.80	40.64	54.00	-13.36	29.88	34.86	8.41	32.51	160	136	AVERAGE	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.05</td> <td>-----</td> <td>-----</td> <td>89.30</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>160</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5500.00	100.05	-----	-----	89.30	34.89	8.36	32.50	160	136	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																																															
1	5456.80	40.64	54.00	-13.36	29.88	34.86	8.41	32.51	160	136	AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																																															
1	5500.00	100.05	-----	-----	89.30	34.89	8.36	32.50	160	136	AVERAGE																																																											







		<b>50</b>																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																														
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU 26/0_5500MHz</b>																																																																																														
<b>ANT</b>	<b>CDD18+19</b>																																																																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																													
<b>Peak</b>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.80</td> <td>50.46</td> <td>74.00</td> <td>-23.54</td> <td>39.70</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.25</td> <td>50.42</td> <td>68.30</td> <td>-17.88</td> <td>39.66</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.80	50.46	74.00	-23.54	39.70	34.86	8.41	32.51	300	306	PEAK	2	5469.25	50.42	68.30	-17.88	39.66	34.87	8.40	32.51	300	306	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.72</td> <td>-----</td> <td>-----</td> <td>95.97</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	106.72	-----	-----	95.97	34.89	8.36	32.50	300	306
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5456.80	50.46	74.00	-23.54	39.70	34.86	8.41	32.51	300	306	PEAK																																																																																				
2	5469.25	50.42	68.30	-17.88	39.66	34.87	8.40	32.51	300	306	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5500.00	106.72	-----	-----	95.97	34.89	8.36	32.50	300	306	PEAK																																																																																				
<b>Avg</b>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.50</td> <td>41.46</td> <td>54.00</td> <td>-12.54</td> <td>30.70</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.50	41.46	54.00	-12.54	30.70	34.86	8.41	32.51	300	306	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.46</td> <td>-----</td> <td>-----</td> <td>88.71</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	99.46	-----	-----	88.71	34.89	8.36	32.50	300	306	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5456.50	41.46	54.00	-12.54	30.70	34.86	8.41	32.51	300	306	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5500.00	99.46	-----	-----	88.71	34.89	8.36	32.50	300	306	AVERAGE																																																																																				



		<b>51</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU 52/37_5500MHz</b>																																																																																											
<b>ANT</b>	<b>CDD18+19</b>																																																																																											
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5408.95</td> <td>50.12</td> <td>74.00</td> <td>-23.88</td> <td>39.35</td> <td>34.82</td> <td>8.48</td> <td>32.53</td> <td>110</td> <td>140</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.90</td> <td>50.44</td> <td>68.30</td> <td>-17.86</td> <td>39.67</td> <td>34.87</td> <td>8.41</td> <td>32.51</td> <td>110</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5408.95	50.12	74.00	-23.88	39.35	34.82	8.48	32.53	110	140	PEAK	2	5461.90	50.44	68.30	-17.86	39.67	34.87	8.41	32.51	110	140	PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.18</td> <td>-----</td> <td>-----</td> <td>97.43</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>110</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	108.18	-----	-----	97.43	34.89	8.36	32.50	110	140	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5408.95	50.12	74.00	-23.88	39.35	34.82	8.48	32.53	110	140	PEAK																																																																																	
2	5461.90	50.44	68.30	-17.86	39.67	34.87	8.41	32.51	110	140	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5500.00	108.18	-----	-----	97.43	34.89	8.36	32.50	110	140	PEAK																																																																																	
<b>Avg</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>40.76</td> <td>54.00</td> <td>-13.24</td> <td>30.00</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>110</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.35	40.76	54.00	-13.24	30.00	34.86	8.41	32.51	110	140	AVERAGE	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.85</td> <td>-----</td> <td>-----</td> <td>90.10</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>110</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	100.85	-----	-----	90.10	34.89	8.36	32.50	110	140	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5459.35	40.76	54.00	-13.24	30.00	34.86	8.41	32.51	110	140	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5500.00	100.85	-----	-----	90.10	34.89	8.36	32.50	110	140	AVERAGE																																																																																	



<b>51</b>																																																		
<b>Mode</b>	<b>Band Edge</b>																																																	
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU 52/37_5500MHz</b>																																																	
<b>ANT</b>	<b>CDD18+19</b>																																																	
<b>Pol.</b>	<b>Vertical</b>																																																	
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.45</td> <td>50.32</td> <td>74.00</td> <td>-23.68</td> <td>39.56</td> <td>34.82</td> <td>8.47</td> <td>32.53</td> <td>203</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.25</td> <td>50.89</td> <td>68.30</td> <td>-17.41</td> <td>40.13</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>203</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5404.45	50.32	74.00	-23.68	39.56	34.82	8.47	32.53	203	288	PEAK	2	5466.25	50.89	68.30	-17.41	40.13	34.87	8.40	32.51	203	288	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5404.45	50.32	74.00	-23.68	39.56	34.82	8.47	32.53	203	288	PEAK																																							
2	5466.25	50.89	68.30	-17.41	40.13	34.87	8.40	32.51	203	288	PEAK																																							
<b>Fundamental</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.15</td> <td>-----</td> <td>-----</td> <td>99.40</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>203</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	110.15	-----	-----	99.40	34.89	8.36	32.50	203	288	PEAK												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5500.00	110.15	-----	-----	99.40	34.89	8.36	32.50	203	288	PEAK																																							
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>41.52</td> <td>54.00</td> <td>-12.48</td> <td>30.76</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>203</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.90	41.52	54.00	-12.48	30.76	34.86	8.41	32.51	203	288	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5458.90	41.52	54.00	-12.48	30.76	34.86	8.41	32.51	203	288	AVERAGE																																							
<b>Fundamental</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>91.26</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>203</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.01	-----	-----	91.26	34.89	8.36	32.50	203	288	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5500.00	102.01	-----	-----	91.26	34.89	8.36	32.50	203	288	AVERAGE																																							






<b>52</b>																																									
<b>Mode</b>	<b>Band Edge</b>																																								
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU 106/53_5500MHz</b>																																								
<b>ANT</b>	<b>CDD18+19</b>																																								
<b>Pol.</b>	<b>Horizontal</b>																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.25</td> <td>50.89</td> <td>74.00</td> <td>-23.11</td> <td>40.13</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>109</td> <td>142</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.25</td> <td>50.33</td> <td>68.30</td> <td>-17.97</td> <td>39.57</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>109</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5457.25	50.89	74.00	-23.11	40.13	34.86	8.41	32.51	109	142	PEAK	2	5466.25	50.33	68.30	-17.97	39.57	34.87	8.40	32.51	109	142	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																		
1	5457.25	50.89	74.00	-23.11	40.13	34.86	8.41	32.51	109	142	PEAK																														
2	5466.25	50.33	68.30	-17.97	39.57	34.87	8.40	32.51	109	142	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.64</td> <td>-----</td> <td>-----</td> <td>95.89</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>109</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5500.00	106.64	-----	-----	95.89	34.89	8.36	32.50	109	142	PEAK													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																		
1	5500.00	106.64	-----	-----	95.89	34.89	8.36	32.50	109	142	PEAK																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.45</td> <td>41.07</td> <td>54.00</td> <td>-12.93</td> <td>30.31</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>109</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5458.45	41.07	54.00	-12.93	30.31	34.86	8.41	32.51	109	142	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																		
1	5458.45	41.07	54.00	-12.93	30.31	34.86	8.41	32.51	109	142	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.24</td> <td>-----</td> <td>-----</td> <td>88.49</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>109</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	1	5500.00	99.24	-----	-----	88.49	34.89	8.36	32.50	109	142	AVERAGE													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg																																		
1	5500.00	99.24	-----	-----	88.49	34.89	8.36	32.50	109	142	AVERAGE																														



<b>52</b>																																																		
<b>Mode</b>	<b>Band Edge</b>																																																	
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU 106/53_5500MHz</b>																																																	
<b>ANT</b>	<b>CDD18+19</b>																																																	
<b>Pol.</b>	<b>Vertical</b>																																																	
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.40</td> <td>51.29</td> <td>74.00</td> <td>-22.71</td> <td>40.52</td> <td>34.84</td> <td>8.45</td> <td>32.52</td> <td>194</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.85</td> <td>50.82</td> <td>68.30</td> <td>-17.48</td> <td>40.06</td> <td>34.87</td> <td>8.40</td> <td>32.51</td> <td>194</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5430.40	51.29	74.00	-22.71	40.52	34.84	8.45	32.52	194	280	PEAK	2	5463.85	50.82	68.30	-17.48	40.06	34.87	8.40	32.51	194	280	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5430.40	51.29	74.00	-22.71	40.52	34.84	8.45	32.52	194	280	PEAK																																							
2	5463.85	50.82	68.30	-17.48	40.06	34.87	8.40	32.51	194	280	PEAK																																							
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.62</td> <td>-----</td> <td>-----</td> <td>96.87</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>194</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	107.62	-----	-----	96.87	34.89	8.36	32.50	194	280	PEAK												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5500.00	107.62	-----	-----	96.87	34.89	8.36	32.50	194	280	PEAK																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.45</td> <td>41.67</td> <td>54.00</td> <td>-12.33</td> <td>30.91</td> <td>34.86</td> <td>8.41</td> <td>32.51</td> <td>194</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.45	41.67	54.00	-12.33	30.91	34.86	8.41	32.51	194	280	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5458.45	41.67	54.00	-12.33	30.91	34.86	8.41	32.51	194	280	AVERAGE																																							
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.31</td> <td>-----</td> <td>-----</td> <td>90.56</td> <td>34.89</td> <td>8.36</td> <td>32.50</td> <td>194</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	101.31	-----	-----	90.56	34.89	8.36	32.50	194	280	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5500.00	101.31	-----	-----	90.56	34.89	8.36	32.50	194	280	AVERAGE																																							



<b>53</b>																																					
<b>Mode</b>	<b>Band Edge</b>																																				
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU 26/8_5700MHz</b>																																				
<b>ANT</b>	<b>CDD18+19</b>																																				
<b>Pol.</b>	<b>Horizontal</b>																																				
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.95</td> <td>51.14</td> <td>68.30</td> <td>-17.16</td> <td>39.87</td> <td>35.04</td> <td>8.73</td> <td>32.50</td> <td>200</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5740.95	51.14	68.30	-17.16	39.87	35.04	8.73	32.50	200	175	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5740.95	51.14	68.30	-17.16	39.87	35.04	8.73	32.50	200	175	PEAK																										
 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.95</td> <td>-----</td> <td>-----</td> <td>95.81</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>200</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	106.95	-----	-----	95.81	35.02	8.62	32.50	200	175	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5700.00	106.95	-----	-----	95.81	35.02	8.62	32.50	200	175	PEAK																										
<b>Avg</b>	<b>Blank</b>																																				
	 <p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.21</td> <td>-----</td> <td>-----</td> <td>89.07</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>200</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	100.21	-----	-----	89.07	35.02	8.62	32.50	200	175	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5700.00	100.21	-----	-----	89.07	35.02	8.62	32.50	200	175	AVERAGE																										



		<b>53</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																																
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU 26/8_5700MHz</b>																																																																																
<b>ANT</b>	<b>CDD18+19</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5759.28</td> <td>51.30</td> <td>68.30</td> <td>-17.00</td> <td>39.95</td> <td>35.05</td> <td>8.80</td> <td>32.50</td> <td>400</td> <td>237 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5759.28	51.30	68.30	-17.00	39.95	35.05	8.80	32.50	400	237 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>105.76</td> <td>-----</td> <td>-----</td> <td>94.62</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>400</td> <td>237 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	105.76	-----	-----	94.62	35.02	8.62	32.50	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5759.28	51.30	68.30	-17.00	39.95	35.05	8.80	32.50	400	237 PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5700.00	105.76	-----	-----	94.62	35.02	8.62	32.50	400	237 PEAK																																																																							
<b>Avg</b>	<b>Blank</b>																																																																																
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.80</td> <td>-----</td> <td>-----</td> <td>88.66</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>400</td> <td>237 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	99.80	-----	-----	88.66	35.02	8.62	32.50	400	237 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5700.00	99.80	-----	-----	88.66	35.02	8.62	32.50	400	237 AVERAGE																																																																							



	<b>54</b>																																																																																	
<b>Mode</b>	<b>Band Edge</b>																																																																																	
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU 52/40_5700MHz</b>																																																																																	
<b>ANT</b>	<b>CDD18+19</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5739.26</td> <td>51.24</td> <td>68.30</td> <td>-17.06</td> <td>39.97</td> <td>35.04</td> <td>8.73</td> <td>32.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107</td> <td>138 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5739.26	51.24	68.30	-17.06	39.97	35.04	8.73	32.50							107	138 PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>106.76</td> <td>-----</td> <td>-----</td> <td>95.62</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107</td> <td>138 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	106.76	-----	-----	95.62	35.02	8.62	32.50							107	138 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5739.26	51.24	68.30	-17.06	39.97	35.04	8.73	32.50																																																																											
						107	138 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5700.00	106.76	-----	-----	95.62	35.02	8.62	32.50																																																																											
						107	138 PEAK																																																																											
<b>Avg</b>	<b>Blank</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>100.56</td> <td>-----</td> <td>-----</td> <td>89.42</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107</td> <td>138 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	100.56	-----	-----	89.42	35.02	8.62	32.50							107	138 AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5700.00	100.56	-----	-----	89.42	35.02	8.62	32.50																																																																											
						107	138 AVERAGE																																																																											



	<b>54</b>																																																																					
<b>Mode</b>	<b>Band Edge</b>																																																																					
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU 52/40_5700MHz</b>																																																																					
<b>ANT</b>	<b>CDD18+19</b>																																																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																				
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5735.17</td> <td>52.16</td> <td>68.30</td> <td>-16.14</td> <td>40.91</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>200</td> <td>299 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5735.17	52.16	68.30	-16.14	40.91	35.04	8.71	32.50	200	299 PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.46</td> <td>-----</td> <td>-----</td> <td>97.34</td> <td>35.02</td> <td>8.60</td> <td>32.50</td> <td>200</td> <td>299 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	108.46	-----	-----	97.34	35.02	8.60	32.50	200	299 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1 5735.17	52.16	68.30	-16.14	40.91	35.04	8.71	32.50	200	299 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1 5700.00	108.46	-----	-----	97.34	35.02	8.60	32.50	200	299 PEAK																																																													
<b>Avg</b>	<b>Blank</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>101.07</td> <td>-----</td> <td>-----</td> <td>89.93</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>200</td> <td>299 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	101.07	-----	-----	89.93	35.02	8.62	32.50	200	299 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1 5700.00	101.07	-----	-----	89.93	35.02	8.62	32.50	200	299 AVERAGE																																																													





<b>55</b>																																			
<b>Mode</b>	<b>Band Edge</b>																																		
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU 106/54_5700MHz</b>																																		
<b>ANT</b>	<b>CDD18+19</b>																																		
<b>Pol.</b>	<b>Horizontal</b>																																		
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.35</td> <td>61.99</td> <td>68.30</td> <td>-6.31</td> <td>50.78</td> <td>35.03</td> <td>8.68</td> <td>32.50</td> <td>400</td> <td>15 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5725.35	61.99	68.30	-6.31	50.78	35.03	8.68	32.50	400	15 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5725.35	61.99	68.30	-6.31	50.78	35.03	8.68	32.50	400	15 PEAK																										
<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.25</td> <td>-----</td> <td>-----</td> <td>91.11</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>400</td> <td>15 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.25	-----	-----	91.11	35.02	8.62	32.50	400	15 PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5700.00	102.25	-----	-----	91.11	35.02	8.62	32.50	400	15 PEAK																										
<b>Avg</b>	<b>Blank</b>																																		
	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.58</td> <td>-----</td> <td>-----</td> <td>84.46</td> <td>35.02</td> <td>8.60</td> <td>32.50</td> <td>400</td> <td>15 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	95.58	-----	-----	84.46	35.02	8.60	32.50	400	15 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5700.00	95.58	-----	-----	84.46	35.02	8.60	32.50	400	15 AVERAGE																										



		<b>55</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																																
	<b>U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU 106/54_5700MHz</b>																																																																																
<b>ANT</b>	<b>CDD18+19</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p>		<p style="text-align: right;">Date: 2024-10-17</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5731.20</td> <td>63.16</td> <td>68.30</td> <td>-5.14</td> <td>51.92</td> <td>35.04</td> <td>8.70</td> <td>32.50</td> <td>300</td> <td>285 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5731.20	63.16	68.30	-5.14	51.92	35.04	8.70	32.50	300	285 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.20</td> <td>-----</td> <td>-----</td> <td>99.08</td> <td>35.02</td> <td>8.60</td> <td>32.50</td> <td>300</td> <td>285 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	110.20	-----	-----	99.08	35.02	8.60	32.50	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5731.20	63.16	68.30	-5.14	51.92	35.04	8.70	32.50	300	285 PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5700.00	110.20	-----	-----	99.08	35.02	8.60	32.50	300	285 PEAK																																																																							
<b>Avg</b>	<b>Blank</b>		<p style="text-align: right;">Date: 2024-10-17</p>																																																																														
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.68</td> <td>-----</td> <td>-----</td> <td>89.54</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>300</td> <td>285 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	100.68	-----	-----	89.54	35.02	8.62	32.50	300	285 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5700.00	100.68	-----	-----	89.54	35.02	8.62	32.50	300	285 AVERAGE																																																																							



<b>56</b>																																																																								
<b>Mode</b>	<b>Band Edge</b>																																																																							
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 26/0_5745MHz</b>																																																																							
<b>ANT</b>	<b>CDD18+19</b>																																																																							
<b>Pol.</b>	<b>Horizontal</b>																																																																							
<b>Peak</b>	<b>Fundamental</b>																																																																							
	 <p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.46</td> <td>50.20</td> <td>68.30</td> <td>-18.10</td> <td>39.36</td> <td>34.98</td> <td>8.36</td> <td>32.50</td> <td>350</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>49.11</td> <td>68.96</td> <td>-19.85</td> <td>38.22</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>350</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.23</td> <td>74.58</td> <td>105.82</td> <td>-31.24</td> <td>63.47</td> <td>35.02</td> <td>8.59</td> <td>32.50</td> <td>350</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.79</td> <td>55.42</td> <td>112.59</td> <td>-57.17</td> <td>44.23</td> <td>35.03</td> <td>8.66</td> <td>32.50</td> <td>350</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5640.46	50.20	68.30	-18.10	39.36	34.98	8.36	32.50	350	0	PEAK	2	5650.90	49.11	68.96	-19.85	38.22	34.99	8.40	32.50	350	0	PEAK	3	5702.23	74.58	105.82	-31.24	63.47	35.02	8.59	32.50	350	0	PEAK	4	5720.79	55.42	112.59	-57.17	44.23	35.03	8.66	32.50	350	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1	5640.46	50.20	68.30	-18.10	39.36	34.98	8.36	32.50	350	0	PEAK																																																													
2	5650.90	49.11	68.96	-19.85	38.22	34.99	8.40	32.50	350	0	PEAK																																																													
3	5702.23	74.58	105.82	-31.24	63.47	35.02	8.59	32.50	350	0	PEAK																																																													
4	5720.79	55.42	112.59	-57.17	44.23	35.03	8.66	32.50	350	0	PEAK																																																													
<b>Avg</b>	<b>Blank</b>																																																																							
	 <p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.29</td> <td>-----</td> <td>-----</td> <td>90.04</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>350</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	101.29	-----	-----	90.04	35.04	8.71	32.50	350	0	AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1	5745.00	101.29	-----	-----	90.04	35.04	8.71	32.50	350	0	AVERAGE																																																													



Mode	56																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 26/0_5745MHz																																																																																																																									
ANT	CDD18+19																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.92</td> <td>50.40</td> <td>68.30</td> <td>-17.90</td> <td>39.59</td> <td>34.98</td> <td>8.33</td> <td>32.50</td> <td>365</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>48.44</td> <td>68.64</td> <td>-20.20</td> <td>37.55</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>365</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.23</td> <td>77.29</td> <td>105.82</td> <td>-28.53</td> <td>66.18</td> <td>35.02</td> <td>8.59</td> <td>32.50</td> <td>365</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>61.51</td> <td>110.94</td> <td>-49.43</td> <td>50.32</td> <td>35.03</td> <td>8.66</td> <td>32.50</td> <td>365</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5632.92	50.40	68.30	-17.90	39.59	34.98	8.33	32.50	365	267	PEAK	2	5650.46	48.44	68.64	-20.20	37.55	34.99	8.40	32.50	365	267	PEAK	3	5702.23	77.29	105.82	-28.53	66.18	35.02	8.59	32.50	365	267	PEAK	4	5720.06	61.51	110.94	-49.43	50.32	35.03	8.66	32.50	365	267	PEAK	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>114.79</td> <td>-----</td> <td>-----</td> <td>103.54</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>365</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5745.00	114.79	-----	-----	103.54	35.04	8.71	32.50	365	267	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																																
1	5632.92	50.40	68.30	-17.90	39.59	34.98	8.33	32.50	365	267	PEAK																																																																																																															
2	5650.46	48.44	68.64	-20.20	37.55	34.99	8.40	32.50	365	267	PEAK																																																																																																															
3	5702.23	77.29	105.82	-28.53	66.18	35.02	8.59	32.50	365	267	PEAK																																																																																																															
4	5720.06	61.51	110.94	-49.43	50.32	35.03	8.66	32.50	365	267	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																																
1	5745.00	114.79	-----	-----	103.54	35.04	8.71	32.50	365	267	PEAK																																																																																																															
Avg	Blank	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.63</td> <td>-----</td> <td>-----</td> <td>97.38</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>365</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5745.00	108.63	-----	-----	97.38	35.04	8.71	32.50	365	267	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																																
1	5745.00	108.63	-----	-----	97.38	35.04	8.71	32.50	365	267	AVERAGE																																																																																																															



<b>57</b>																																																												
<b>Mode</b>	<b>Band Edge</b>																																																											
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 52/37_5745MHz</b>																																																											
<b>ANT</b>	<b>CDD18+19</b>																																																											
<b>Pol.</b>	<b>Horizontal</b>																																																											
<b>Peak</b>	<b>Fundamental</b>																																																											
	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5624.36</td> <td>50.12</td> <td>68.30</td> <td>-18.18</td> <td>39.35</td> <td>34.97</td> <td>8.30</td> <td>32.50</td> <td>212</td> <td>177 PEAK</td> </tr> <tr> <td>2 5650.03</td> <td>48.85</td> <td>68.32</td> <td>-19.47</td> <td>37.96</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>212</td> <td>177 PEAK</td> </tr> <tr> <td>3 5708.46</td> <td>74.11</td> <td>107.57</td> <td>-33.46</td> <td>62.98</td> <td>35.02</td> <td>8.61</td> <td>32.50</td> <td>212</td> <td>177 PEAK</td> </tr> <tr> <td>4 5723.83</td> <td>70.18</td> <td>119.53</td> <td>-49.35</td> <td>58.98</td> <td>35.03</td> <td>8.67</td> <td>32.50</td> <td>212</td> <td>177 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5624.36	50.12	68.30	-18.18	39.35	34.97	8.30	32.50	212	177 PEAK	2 5650.03	48.85	68.32	-19.47	37.96	34.99	8.40	32.50	212	177 PEAK	3 5708.46	74.11	107.57	-33.46	62.98	35.02	8.61	32.50	212	177 PEAK	4 5723.83	70.18	119.53	-49.35	58.98	35.03	8.67	32.50	212
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1 5624.36	50.12	68.30	-18.18	39.35	34.97	8.30	32.50	212	177 PEAK																																																			
2 5650.03	48.85	68.32	-19.47	37.96	34.99	8.40	32.50	212	177 PEAK																																																			
3 5708.46	74.11	107.57	-33.46	62.98	35.02	8.61	32.50	212	177 PEAK																																																			
4 5723.83	70.18	119.53	-49.35	58.98	35.03	8.67	32.50	212	177 PEAK																																																			
<b>Avg</b>	<b>Blank</b>																																																											
	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>110.81</td> <td>-----</td> <td>-----</td> <td>99.54</td> <td>35.04</td> <td>8.73</td> <td>32.50</td> <td>212</td> <td>177 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	110.81	-----	-----	99.54	35.04	8.73	32.50	212	177 PEAK																													
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1 5745.00	110.81	-----	-----	99.54	35.04	8.73	32.50	212	177 PEAK																																																			



<b>57</b>																																																																		
<b>Mode</b>	<b>Band Edge</b>																																																																	
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 52/37_5745MHz</b>																																																																	
<b>ANT</b>	<b>CDD18+19</b>																																																																	
<b>Pol.</b>	<b>Vertical</b>																																																																	
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.41</td> <td>49.93</td> <td>68.30</td> <td>-18.37</td> <td>39.10</td> <td>34.98</td> <td>8.35</td> <td>32.50</td> <td>400</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.48</td> <td>49.25</td> <td>69.39</td> <td>-20.14</td> <td>38.36</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>400</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5705.13</td> <td>75.04</td> <td>106.64</td> <td>-31.60</td> <td>63.92</td> <td>35.02</td> <td>8.60</td> <td>32.50</td> <td>400</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.22</td> <td>65.11</td> <td>113.58</td> <td>-48.47</td> <td>53.92</td> <td>35.03</td> <td>8.66</td> <td>32.50</td> <td>400</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	5637.41	49.93	68.30	-18.37	39.10	34.98	8.35	32.50	400	258	PEAK	2	5651.48	49.25	69.39	-20.14	38.36	34.99	8.40	32.50	400	258	PEAK	3	5705.13	75.04	106.64	-31.60	63.92	35.02	8.60	32.50	400	258	PEAK	4	5721.22	65.11	113.58	-48.47	53.92	35.03	8.66	32.50	400	258	PEAK
	Limit	Read	Ant	Cable	Apos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																									
1	5637.41	49.93	68.30	-18.37	39.10	34.98	8.35	32.50	400	258	PEAK																																																							
2	5651.48	49.25	69.39	-20.14	38.36	34.99	8.40	32.50	400	258	PEAK																																																							
3	5705.13	75.04	106.64	-31.60	63.92	35.02	8.60	32.50	400	258	PEAK																																																							
4	5721.22	65.11	113.58	-48.47	53.92	35.03	8.66	32.50	400	258	PEAK																																																							
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.23</td> <td>-----</td> <td>-----</td> <td>101.96</td> <td>35.04</td> <td>8.73</td> <td>32.50</td> <td>400</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	5745.00	113.23	-----	-----	101.96	35.04	8.73	32.50	400	258	PEAK																																				
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																									
1	5745.00	113.23	-----	-----	101.96	35.04	8.73	32.50	400	258	PEAK																																																							
<b>Avg</b>	<b>Blank</b>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.42</td> <td>-----</td> <td>-----</td> <td>95.15</td> <td>35.04</td> <td>8.73</td> <td>32.50</td> <td>400</td> <td>258</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	5745.00	106.42	-----	-----	95.15	35.04	8.73	32.50	400	258	AVERAGE																																				
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																									
1	5745.00	106.42	-----	-----	95.15	35.04	8.73	32.50	400	258	AVERAGE																																																							



		<b>58</b>																																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																																					
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 106/53_5745MHz</b>																																																																																																					
<b>ANT</b>	<b>CDD18+19</b>																																																																																																					
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																				
<b>Peak</b>																																																																																																						
	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.95</td> <td>50.25</td> <td>68.30</td> <td>-18.05</td> <td>39.38</td> <td>34.99</td> <td>8.38</td> <td>32.50</td> <td>200</td> <td>186 PEAK</td> </tr> <tr> <td>2</td> <td>5652.06</td> <td>49.44</td> <td>69.82</td> <td>-20.38</td> <td>38.55</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>200</td> <td>186 PEAK</td> </tr> <tr> <td>3</td> <td>5714.12</td> <td>68.76</td> <td>109.15</td> <td>-40.39</td> <td>57.60</td> <td>35.03</td> <td>8.63</td> <td>32.50</td> <td>200</td> <td>186 PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>70.70</td> <td>111.93</td> <td>-41.23</td> <td>59.51</td> <td>35.03</td> <td>8.66</td> <td>32.50</td> <td>200</td> <td>186 PEAK</td> </tr> </tbody> </table>			Limit Freq	Limit Level	Read Level	Line Margin	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.95	50.25	68.30	-18.05	39.38	34.99	8.38	32.50	200	186 PEAK	2	5652.06	49.44	69.82	-20.38	38.55	34.99	8.40	32.50	200	186 PEAK	3	5714.12	68.76	109.15	-40.39	57.60	35.03	8.63	32.50	200	186 PEAK	4	5720.50	70.70	111.93	-41.23	59.51	35.03	8.66	32.50	200	186 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.47</td> <td>-----</td> <td>-----</td> <td>98.22</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>200</td> <td>186 PEAK</td> </tr> </tbody> </table>			Limit Freq	Limit Level	Read Level	Line Margin	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.47	-----	-----	98.22	35.04	8.71	32.50	200
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5644.95	50.25	68.30	-18.05	39.38	34.99	8.38	32.50	200	186 PEAK																																																																																												
2	5652.06	49.44	69.82	-20.38	38.55	34.99	8.40	32.50	200	186 PEAK																																																																																												
3	5714.12	68.76	109.15	-40.39	57.60	35.03	8.63	32.50	200	186 PEAK																																																																																												
4	5720.50	70.70	111.93	-41.23	59.51	35.03	8.66	32.50	200	186 PEAK																																																																																												
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5745.00	109.47	-----	-----	98.22	35.04	8.71	32.50	200	186 PEAK																																																																																												
<b>Avg</b>	<b>Blank</b>																																																																																																					
			<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.43</td> <td>-----</td> <td>-----</td> <td>91.16</td> <td>35.04</td> <td>8.73</td> <td>32.50</td> <td>200</td> <td>186 AVERAGE</td> </tr> </tbody> </table>			Limit Freq	Limit Level	Read Level	Line Margin	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.43	-----	-----	91.16	35.04	8.73	32.50	200	186 AVERAGE																																																																	
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5745.00	102.43	-----	-----	91.16	35.04	8.73	32.50	200	186 AVERAGE																																																																																												



		<b>58</b>																																																																																																												
<b>Mode</b>	<b>Band Edge</b>																																																																																																													
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 106/53_5745MHz</b>																																																																																																													
<b>ANT</b>	<b>CDD18+19</b>																																																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																												
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p>		<p style="text-align: right;">Date: 2024-10-17</p>																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.56</td> <td>49.98</td> <td>68.30</td> <td>-18.32</td> <td>39.10</td> <td>34.99</td> <td>8.39</td> <td>32.50</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>50.36</td> <td>68.53</td> <td>-18.17</td> <td>39.47</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.35</td> <td>71.66</td> <td>108.10</td> <td>-36.44</td> <td>60.52</td> <td>35.02</td> <td>8.62</td> <td>32.50</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>72.56</td> <td>111.60</td> <td>-39.04</td> <td>61.37</td> <td>35.03</td> <td>8.66</td> <td>32.50</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5647.56	49.98	68.30	-18.32	39.10	34.99	8.39	32.50	300	261	PEAK	2	5650.32	50.36	68.53	-18.17	39.47	34.99	8.40	32.50	300	261	PEAK	3	5710.35	71.66	108.10	-36.44	60.52	35.02	8.62	32.50	300	261	PEAK	4	5720.35	72.56	111.60	-39.04	61.37	35.03	8.66	32.50	300	261	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.10</td> <td>-----</td> <td>-----</td> <td>100.85</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>300</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5745.00	112.10	-----	-----	100.85	35.04	8.71	32.50	300	261
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	5647.56	49.98	68.30	-18.32	39.10	34.99	8.39	32.50	300	261	PEAK																																																																																																			
2	5650.32	50.36	68.53	-18.17	39.47	34.99	8.40	32.50	300	261	PEAK																																																																																																			
3	5710.35	71.66	108.10	-36.44	60.52	35.02	8.62	32.50	300	261	PEAK																																																																																																			
4	5720.35	72.56	111.60	-39.04	61.37	35.03	8.66	32.50	300	261	PEAK																																																																																																			
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	5745.00	112.10	-----	-----	100.85	35.04	8.71	32.50	300	261	PEAK																																																																																																			
<b>Avg</b>	<b>Blank</b>		<p style="text-align: right;">Date: 2024-10-17</p>																																																																																																											
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.80</td> <td>-----</td> <td>-----</td> <td>92.55</td> <td>35.04</td> <td>8.71</td> <td>32.50</td> <td>300</td> <td>261</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5745.00	103.80	-----	-----	92.55	35.04	8.71	32.50	300	261	AVERAGE																																																																							
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	5745.00	103.80	-----	-----	92.55	35.04	8.71	32.50	300	261	AVERAGE																																																																																																			



	<b>59</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																														
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 26/8_5825MHz</b>																																																																														
<b>ANT</b>	<b>CDD18+19</b>																																																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																													
<b>Peak</b>	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5851.13 67.87 119.63 -51.76</td> <td>56.38</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>100</td> <td>131 PEAK</td> </tr> <tr> <td>2 5869.00 73.62 106.88 -33.26</td> <td>62.14</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>100</td> <td>131 PEAK</td> </tr> <tr> <td>3 5924.50 50.27 68.57 -18.30</td> <td>38.82</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>100</td> <td>131 PEAK</td> </tr> <tr> <td>4 5931.75 51.83 68.30 -16.47</td> <td>40.39</td> <td>35.16</td> <td>8.78</td> <td>32.50</td> <td>100</td> <td>131 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg	1 5851.13 67.87 119.63 -51.76	56.38	35.11	8.88	32.50	100	131 PEAK	2 5869.00 73.62 106.88 -33.26	62.14	35.12	8.86	32.50	100	131 PEAK	3 5924.50 50.27 68.57 -18.30	38.82	35.16	8.79	32.50	100	131 PEAK	4 5931.75 51.83 68.30 -16.47	40.39	35.16	8.78	32.50	100	131 PEAK	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00 115.86</td> <td>104.37</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>131 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00 115.86	104.37	35.10	8.89	32.50	100	131 PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																								
Freq Level Line Margin	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5851.13 67.87 119.63 -51.76	56.38	35.11	8.88	32.50	100	131 PEAK																																																																									
2 5869.00 73.62 106.88 -33.26	62.14	35.12	8.86	32.50	100	131 PEAK																																																																									
3 5924.50 50.27 68.57 -18.30	38.82	35.16	8.79	32.50	100	131 PEAK																																																																									
4 5931.75 51.83 68.30 -16.47	40.39	35.16	8.78	32.50	100	131 PEAK																																																																									
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5825.00 115.86	104.37	35.10	8.89	32.50	100	131 PEAK																																																																									
<b>Avg</b>	<b>Blank</b>	<p>Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00 108.85</td> <td>97.36</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>131 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00 108.85	97.36	35.10	8.89	32.50	100	131 AVERAGE																																																	
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5825.00 108.85	97.36	35.10	8.89	32.50	100	131 AVERAGE																																																																									



	<b>59</b>																																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																																													
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 26/8_5825MHz</b>																																																																																																													
<b>ANT</b>	<b>CDD18+19</b>																																																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																												
<b>Peak</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.63</td> <td>68.28</td> <td>118.49</td> <td>-50.21</td> <td>56.79</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>200</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.38</td> <td>69.28</td> <td>107.05</td> <td>-37.77</td> <td>57.80</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>200</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.88</td> <td>50.17</td> <td>69.03</td> <td>-18.86</td> <td>38.73</td> <td>35.15</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.25</td> <td>51.79</td> <td>68.30</td> <td>-16.51</td> <td>40.35</td> <td>35.16</td> <td>8.78</td> <td>32.50</td> <td>200</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5851.63	68.28	118.49	-50.21	56.79	35.11	8.88	32.50	200	276	PEAK	2	5868.38	69.28	107.05	-37.77	57.80	35.12	8.86	32.50	200	276	PEAK	3	5923.88	50.17	69.03	-18.86	38.73	35.15	8.79	32.50	200	276	PEAK	4	5934.25	51.79	68.30	-16.51	40.35	35.16	8.78	32.50	200	276	PEAK	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>116.00</td> <td>-----</td> <td>-----</td> <td>104.51</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>200</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	116.00	-----	-----	104.51	35.10	8.89	32.50	200	276	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5851.63	68.28	118.49	-50.21	56.79	35.11	8.88	32.50	200	276	PEAK																																																																																																			
2	5868.38	69.28	107.05	-37.77	57.80	35.12	8.86	32.50	200	276	PEAK																																																																																																			
3	5923.88	50.17	69.03	-18.86	38.73	35.15	8.79	32.50	200	276	PEAK																																																																																																			
4	5934.25	51.79	68.30	-16.51	40.35	35.16	8.78	32.50	200	276	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	116.00	-----	-----	104.51	35.10	8.89	32.50	200	276	PEAK																																																																																																			
<b>Avg</b>	<b>Blank</b>	<p style="text-align: right;">Date: 2024-10-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.52</td> <td>-----</td> <td>-----</td> <td>98.03</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>200</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	109.52	-----	-----	98.03	35.10	8.89	32.50	200	276	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	109.52	-----	-----	98.03	35.10	8.89	32.50	200	276	AVERAGE																																																																																																			






Mode	60																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 52/40_5825MHz																																																																																																													
ANT	CDD18+19																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>53.75</td> <td>110.80</td> <td>-57.05</td> <td>42.27</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>200</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5863.13</td> <td>72.56</td> <td>108.52</td> <td>-35.96</td> <td>61.08</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>200</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>49.24</td> <td>68.20</td> <td>-18.96</td> <td>37.79</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.50</td> <td>51.13</td> <td>68.30</td> <td>-17.17</td> <td>39.69</td> <td>35.16</td> <td>8.78</td> <td>32.50</td> <td>200</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5855.00	53.75	110.80	-57.05	42.27	35.11	8.87	32.50	200	235	PEAK	2	5863.13	72.56	108.52	-35.96	61.08	35.12	8.86	32.50	200	235	PEAK	3	5925.00	49.24	68.20	-18.96	37.79	35.16	8.79	32.50	200	235	PEAK	4	5933.50	51.13	68.30	-17.17	39.69	35.16	8.78	32.50	200	235	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.69</td> <td>-----</td> <td>-----</td> <td>98.19</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>200</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	109.69	-----	-----	98.19	35.10	8.90	32.50	200	235	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5855.00	53.75	110.80	-57.05	42.27	35.11	8.87	32.50	200	235	PEAK																																																																																																			
2	5863.13	72.56	108.52	-35.96	61.08	35.12	8.86	32.50	200	235	PEAK																																																																																																			
3	5925.00	49.24	68.20	-18.96	37.79	35.16	8.79	32.50	200	235	PEAK																																																																																																			
4	5933.50	51.13	68.30	-17.17	39.69	35.16	8.78	32.50	200	235	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	109.69	-----	-----	98.19	35.10	8.90	32.50	200	235	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.40</td> <td>-----</td> <td>-----</td> <td>91.90</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>200</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	103.40	-----	-----	91.90	35.10	8.90	32.50	200	235	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	103.40	-----	-----	91.90	35.10	8.90	32.50	200	235	AVERAGE																																																																																																			



Mode	60																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 52/40_5825MHz																																																																																																													
ANT	CDD18+19																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>62.21</td> <td>110.80</td> <td>-48.59</td> <td>50.73</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>274</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.75</td> <td>72.64</td> <td>109.19</td> <td>-36.55</td> <td>61.16</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>274</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>50.48</td> <td>68.48</td> <td>-18.00</td> <td>39.03</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>274</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.00</td> <td>51.22</td> <td>68.30</td> <td>-17.08</td> <td>39.78</td> <td>35.17</td> <td>8.77</td> <td>32.50</td> <td>274</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5855.00	62.21	110.80	-48.59	50.73	35.11	8.87	32.50	274	276	PEAK	2	5860.75	72.64	109.19	-36.55	61.16	35.12	8.86	32.50	274	276	PEAK	3	5924.63	50.48	68.48	-18.00	39.03	35.16	8.79	32.50	274	276	PEAK	4	5941.00	51.22	68.30	-17.08	39.78	35.17	8.77	32.50	274	276	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.28</td> <td>-----</td> <td>-----</td> <td>101.78</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>274</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	113.28	-----	-----	101.78	35.10	8.90	32.50	274	276	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5855.00	62.21	110.80	-48.59	50.73	35.11	8.87	32.50	274	276	PEAK																																																																																																			
2	5860.75	72.64	109.19	-36.55	61.16	35.12	8.86	32.50	274	276	PEAK																																																																																																			
3	5924.63	50.48	68.48	-18.00	39.03	35.16	8.79	32.50	274	276	PEAK																																																																																																			
4	5941.00	51.22	68.30	-17.08	39.78	35.17	8.77	32.50	274	276	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	113.28	-----	-----	101.78	35.10	8.90	32.50	274	276	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.74</td> <td>-----</td> <td>-----</td> <td>94.24</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>274</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	105.74	-----	-----	94.24	35.10	8.90	32.50	274	276	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	105.74	-----	-----	94.24	35.10	8.90	32.50	274	276	AVERAGE																																																																																																			



	<b>61</b>																																																																																																																					
<b>Mode</b>	<b>Band Edge</b>																																																																																																																					
<b>ANT</b>	<b>CDD18+19</b>																																																																																																																					
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																				
<b>Peak</b>	 <table border="1" data-bbox="268 1070 794 1249"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.13</td> <td>69.54</td> <td>112.79</td> <td>-43.25</td> <td>58.06</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.00</td> <td>67.56</td> <td>109.96</td> <td>-42.40</td> <td>56.08</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>50.08</td> <td>68.20</td> <td>-18.12</td> <td>38.63</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.88</td> <td>51.34</td> <td>68.30</td> <td>-16.96</td> <td>39.90</td> <td>35.16</td> <td>8.78</td> <td>32.50</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.13	69.54	112.79	-43.25	58.06	35.11	8.87	32.50	200	138	PEAK	2	5858.00	67.56	109.96	-42.40	56.08	35.11	8.87	32.50	200	138	PEAK	3	5925.00	50.08	68.20	-18.12	38.63	35.16	8.79	32.50	200	138	PEAK	4	5930.88	51.34	68.30	-16.96	39.90	35.16	8.78	32.50	200	138	PEAK	 <table border="1" data-bbox="909 1126 1436 1249"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.59</td> <td>-----</td> <td>-----</td> <td>98.09</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.59	-----	-----	98.09	35.10	8.90	32.50	200	138	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5854.13	69.54	112.79	-43.25	58.06	35.11	8.87	32.50	200	138	PEAK																																																																																																											
2	5858.00	67.56	109.96	-42.40	56.08	35.11	8.87	32.50	200	138	PEAK																																																																																																											
3	5925.00	50.08	68.20	-18.12	38.63	35.16	8.79	32.50	200	138	PEAK																																																																																																											
4	5930.88	51.34	68.30	-16.96	39.90	35.16	8.78	32.50	200	138	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	109.59	-----	-----	98.09	35.10	8.90	32.50	200	138	PEAK																																																																																																											
<b>Avg</b>	<b>Blank</b>	 <table border="1" data-bbox="909 1805 1436 1928"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>90.52</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.01	-----	-----	90.52	35.10	8.89	32.50	200	138	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	102.01	-----	-----	90.52	35.10	8.89	32.50	200	138	AVERAGE																																																																																																											



	<b>61</b>																																																																																									
<b>Mode</b>	<b>Band Edge</b>																																																																																									
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 106/54_5825MHz</b>																																																																																									
<b>ANT</b>	<b>CDD18+19</b>																																																																																									
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5855.00 70.24 110.80 -40.56</td> <td>58.76</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>247</td> <td>257</td> <td>PEAK</td> </tr> <tr> <td>2 5855.13 71.41 110.76 -39.35</td> <td>59.93</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>247</td> <td>257</td> <td>PEAK</td> </tr> <tr> <td>3 5924.50 51.33 68.57 -17.24</td> <td>39.88</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>247</td> <td>257</td> <td>PEAK</td> </tr> <tr> <td>4 5948.13 52.14 68.30 -16.16</td> <td>40.71</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>247</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg		1 5855.00 70.24 110.80 -40.56	58.76	35.11	8.87	32.50	247	257	PEAK	2 5855.13 71.41 110.76 -39.35	59.93	35.11	8.87	32.50	247	257	PEAK	3 5924.50 51.33 68.57 -17.24	39.88	35.16	8.79	32.50	247	257	PEAK	4 5948.13 52.14 68.30 -16.16	40.71	35.17	8.76	32.50	247	257	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5825.00 113.31</td> <td>101.81</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>247</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg		1 5825.00 113.31	101.81	35.10	8.90	32.50	247	257	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5855.00 70.24 110.80 -40.56	58.76	35.11	8.87	32.50	247	257	PEAK																																																																																			
2 5855.13 71.41 110.76 -39.35	59.93	35.11	8.87	32.50	247	257	PEAK																																																																																			
3 5924.50 51.33 68.57 -17.24	39.88	35.16	8.79	32.50	247	257	PEAK																																																																																			
4 5948.13 52.14 68.30 -16.16	40.71	35.17	8.76	32.50	247	257	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line Margin	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5825.00 113.31	101.81	35.10	8.90	32.50	247	257	PEAK																																																																																			
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5825.00 104.47</td> <td>92.97</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>247</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg		1 5825.00 104.47	92.97	35.10	8.90	32.50	247	257	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line Margin	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5825.00 104.47	92.97	35.10	8.90	32.50	247	257	AVERAGE																																																																																			







Mode	62																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290_MHz																																																																																																																																																																									
ANT	CDD18+19																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
QP/ Peak	<p>Date: 2024-10-22</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>46.49</td><td>20.87</td><td>40.00</td><td>-19.13</td><td>35.56</td><td>19.62</td><td>0.69</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>142.52</td><td>22.81</td><td>43.50</td><td>-20.69</td><td>37.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>287.05</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>40.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>349.13</td><td>28.91</td><td>46.00</td><td>-17.09</td><td>41.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>437.40</td><td>25.48</td><td>46.00</td><td>-20.52</td><td>35.35</td><td>22.42</td><td>2.21</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>840.92</td><td>29.68</td><td>46.00</td><td>-16.32</td><td>32.26</td><td>28.63</td><td>3.09</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	--	--	Peak	2	142.52	22.81	43.50	-20.69	37.93	18.35	1.25	34.72	--	--	Peak	3	287.05	25.91	46.00	-20.09	40.06	18.72	1.76	34.63	--	--	Peak	4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	--	--	Peak	5	437.40	25.48	46.00	-20.52	35.35	22.42	2.21	34.50	--	--	Peak	6	840.92	29.68	46.00	-16.32	32.26	28.63	3.09	34.30	--	--	Peak	<p>Date: 2024-10-22</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>33.88</td><td>23.98</td><td>40.00</td><td>-16.02</td><td>39.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>141.55</td><td>25.03</td><td>43.50</td><td>-18.47</td><td>40.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>198.78</td><td>22.84</td><td>43.50</td><td>-20.66</td><td>40.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>282.20</td><td>25.45</td><td>46.00</td><td>-20.55</td><td>39.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>671.17</td><td>26.82</td><td>46.00</td><td>-19.18</td><td>31.92</td><td>26.61</td><td>2.75</td><td>34.46</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>915.61</td><td>31.36</td><td>46.00</td><td>-14.64</td><td>33.50</td><td>28.98</td><td>3.18</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak	2	141.55	25.03	43.50	-18.47	40.23	18.27	1.25	34.72	--	--	Peak	3	198.78	22.84	43.50	-20.66	40.01	16.05	1.48	34.70	--	--	Peak	4	282.20	25.45	46.00	-20.55	39.78	18.57	1.74	34.64	--	--	Peak	5	671.17	26.82	46.00	-19.18	31.92	26.61	2.75	34.46	--	--	Peak	6	915.61	31.36	46.00	-14.64	33.50	28.98	3.18	34.30	--	--	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																														
1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	--	--	Peak																																																																																																																																																															
2	142.52	22.81	43.50	-20.69	37.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																															
3	287.05	25.91	46.00	-20.09	40.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																															
4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																															
5	437.40	25.48	46.00	-20.52	35.35	22.42	2.21	34.50	--	--	Peak																																																																																																																																																															
6	840.92	29.68	46.00	-16.32	32.26	28.63	3.09	34.30	--	--	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak																																																																																																																																																															
2	141.55	25.03	43.50	-18.47	40.23	18.27	1.25	34.72	--	--	Peak																																																																																																																																																															
3	198.78	22.84	43.50	-20.66	40.01	16.05	1.48	34.70	--	--	Peak																																																																																																																																																															
4	282.20	25.45	46.00	-20.55	39.78	18.57	1.74	34.64	--	--	Peak																																																																																																																																																															
5	671.17	26.82	46.00	-19.18	31.92	26.61	2.75	34.46	--	--	Peak																																																																																																																																																															
6	915.61	31.36	46.00	-14.64	33.50	28.98	3.18	34.30	--	--	Peak																																																																																																																																																															



Mode	63																																																																																																																																																																																																
	LF																																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825_MHz																																																																																																																																																																																																
ANT	CDD18+19																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																															
QP/ Peak	<p>Date: 2024-10-22</p>	<p>Date: 2024-10-22</p>																																																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>46.49</td><td>20.87</td><td>40.00</td><td>-19.13</td><td>35.56</td><td>19.62</td><td>0.69</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>142.52</td><td>23.81</td><td>43.50</td><td>-19.69</td><td>38.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>287.05</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>40.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>353.98</td><td>29.69</td><td>46.00</td><td>-16.31</td><td>42.02</td><td>20.31</td><td>1.95</td><td>34.59</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>651.77</td><td>26.90</td><td>46.00</td><td>-19.10</td><td>32.41</td><td>26.28</td><td>2.70</td><td>34.49</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>948.59</td><td>31.41</td><td>46.00</td><td>-14.59</td><td>32.71</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	--	--	Peak	2	142.52	23.81	43.50	-19.69	38.93	18.35	1.25	34.72	--	--	Peak	3	287.05	25.91	46.00	-20.09	40.06	18.72	1.76	34.63	--	--	Peak	4	353.98	29.69	46.00	-16.31	42.02	20.31	1.95	34.59	--	--	Peak	5	651.77	26.90	46.00	-19.10	32.41	26.28	2.70	34.49	--	--	Peak	6	948.59	31.41	46.00	-14.59	32.71	29.74	3.26	34.30	--	--	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>34.85</td><td>24.73</td><td>40.00</td><td>-15.27</td><td>40.37</td><td>18.68</td><td>0.58</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>141.55</td><td>25.03</td><td>43.50</td><td>-18.47</td><td>40.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>282.20</td><td>24.45</td><td>46.00</td><td>-21.55</td><td>38.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>376.29</td><td>22.91</td><td>46.00</td><td>-23.09</td><td>34.58</td><td>20.85</td><td>2.03</td><td>34.55</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>627.52</td><td>25.40</td><td>46.00</td><td>-20.60</td><td>31.10</td><td>26.18</td><td>2.66</td><td>34.54</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>915.61</td><td>29.36</td><td>46.00</td><td>-16.64</td><td>31.50</td><td>28.98</td><td>3.18</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	34.85	24.73	40.00	-15.27	40.37	18.68	0.58	34.90	--	--	Peak	2	141.55	25.03	43.50	-18.47	40.23	18.27	1.25	34.72	--	--	Peak	3	282.20	24.45	46.00	-21.55	38.78	18.57	1.74	34.64	--	--	Peak	4	376.29	22.91	46.00	-23.09	34.58	20.85	2.03	34.55	--	--	Peak	5	627.52	25.40	46.00	-20.60	31.10	26.18	2.66	34.54	--	--	Peak	6	915.61	29.36	46.00	-16.64	31.50	28.98	3.18	34.30	--	--
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	--	--	Peak																																																																																																																																																																																						
2	142.52	23.81	43.50	-19.69	38.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																																																						
3	287.05	25.91	46.00	-20.09	40.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																																																						
4	353.98	29.69	46.00	-16.31	42.02	20.31	1.95	34.59	--	--	Peak																																																																																																																																																																																						
5	651.77	26.90	46.00	-19.10	32.41	26.28	2.70	34.49	--	--	Peak																																																																																																																																																																																						
6	948.59	31.41	46.00	-14.59	32.71	29.74	3.26	34.30	--	--	Peak																																																																																																																																																																																						
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	34.85	24.73	40.00	-15.27	40.37	18.68	0.58	34.90	--	--	Peak																																																																																																																																																																																						
2	141.55	25.03	43.50	-18.47	40.23	18.27	1.25	34.72	--	--	Peak																																																																																																																																																																																						
3	282.20	24.45	46.00	-21.55	38.78	18.57	1.74	34.64	--	--	Peak																																																																																																																																																																																						
4	376.29	22.91	46.00	-23.09	34.58	20.85	2.03	34.55	--	--	Peak																																																																																																																																																																																						
5	627.52	25.40	46.00	-20.60	31.10	26.18	2.66	34.54	--	--	Peak																																																																																																																																																																																						
6	915.61	29.36	46.00	-16.64	31.50	28.98	3.18	34.30	--	--	Peak																																																																																																																																																																																						







Mode	64																																																																									
	Band Edge																																																																									
	CO-TX																																																																									
ANT	17																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.86</td> <td>51.50</td> <td>74.00</td> <td>-22.50</td> <td>49.23</td> <td>30.86</td> <td>4.92</td> <td>33.51</td> <td>300</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.86	51.50	74.00	-22.50	49.23	30.86	4.92	33.51	300	338	PEAK	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>107.36</td> <td>-----</td> <td>-----</td> <td>105.14</td> <td>30.83</td> <td>4.91</td> <td>33.52</td> <td>300</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2478.00	107.36	-----	-----	105.14	30.83	4.91	33.52	300	338	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2484.86	51.50	74.00	-22.50	49.23	30.86	4.92	33.51	300	338	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2478.00	107.36	-----	-----	105.14	30.83	4.91	33.52	300	338	PEAK																																																															
Avg	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.76</td> <td>42.43</td> <td>54.00</td> <td>-11.57</td> <td>40.17</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>300</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.76	42.43	54.00	-11.57	40.17	30.85	4.92	33.51	300	338	AVERAGE	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>105.45</td> <td>-----</td> <td>-----</td> <td>103.23</td> <td>30.83</td> <td>4.91</td> <td>33.52</td> <td>300</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2478.00	105.45	-----	-----	103.23	30.83	4.91	33.52	300	338	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.76	42.43	54.00	-11.57	40.17	30.85	4.92	33.51	300	338	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2478.00	105.45	-----	-----	103.23	30.83	4.91	33.52	300	338	AVERAGE																																																															



Mode	64																																																																									
	Band Edge																																																																									
	CO-TX																																																																									
ANT	17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>59.37</td> <td>74.00</td> <td>-14.63</td> <td>57.11</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>200</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.74	59.37	74.00	-14.63	57.11	30.85	4.92	33.51	200	25	PEAK	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>99.28</td> <td>-----</td> <td>-----</td> <td>97.06</td> <td>30.83</td> <td>4.91</td> <td>33.52</td> <td>200</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2478.00	99.28	-----	-----	97.06	30.83	4.91	33.52	200	25	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.74	59.37	74.00	-14.63	57.11	30.85	4.92	33.51	200	25	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2478.00	99.28	-----	-----	97.06	30.83	4.91	33.52	200	25	PEAK																																																															
Avg	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.23</td> <td>42.44</td> <td>54.00</td> <td>-11.56</td> <td>40.11</td> <td>30.90</td> <td>4.94</td> <td>33.51</td> <td>200</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2495.23	42.44	54.00	-11.56	40.11	30.90	4.94	33.51	200	25	AVERAGE	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>94.38</td> <td>-----</td> <td>-----</td> <td>92.16</td> <td>30.83</td> <td>4.91</td> <td>33.52</td> <td>200</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2478.00	94.38	-----	-----	92.16	30.83	4.91	33.52	200	25	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2495.23	42.44	54.00	-11.56	40.11	30.90	4.94	33.51	200	25	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2478.00	94.38	-----	-----	92.16	30.83	4.91	33.52	200	25	AVERAGE																																																															



Mode	64																																																																									
	Band Edge - L																																																																									
	CO-TX																																																																									
ANT	CDD18+19																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5103.24</td> <td>50.83</td> <td>74.00</td> <td>-23.17</td> <td>41.02</td> <td>34.58</td> <td>7.89</td> <td>32.66</td> <td>143</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5103.24	50.83	74.00	-23.17	41.02	34.58	7.89	32.66	143	143	PEAK	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>98.16</td> <td>68.30</td> <td>29.86</td> <td>87.89</td> <td>34.72</td> <td>8.14</td> <td>32.59</td> <td>143</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	98.16	68.30	29.86	87.89	34.72	8.14	32.59	143	143	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5103.24	50.83	74.00	-23.17	41.02	34.58	7.89	32.66	143	143	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	98.16	68.30	29.86	87.89	34.72	8.14	32.59	143	143	PEAK																																																															
Avg	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.01</td> <td>44.00</td> <td>54.00</td> <td>-10.00</td> <td>34.13</td> <td>34.61</td> <td>7.91</td> <td>32.65</td> <td>143</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5136.01	44.00	54.00	-10.00	34.13	34.61	7.91	32.65	143	143	AVERAGE	 <p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.12</td> <td>68.30</td> <td>26.82</td> <td>87.89</td> <td>30.82</td> <td>4.91</td> <td>33.52</td> <td>143</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	95.12	68.30	26.82	87.89	30.82	4.91	33.52	143	143	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5136.01	44.00	54.00	-10.00	34.13	34.61	7.91	32.65	143	143	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	95.12	68.30	26.82	87.89	30.82	4.91	33.52	143	143	AVERAGE																																																															



Mode	64																																									
	Band Edge - R																																									
	CO-TX																																									
ANT	CDD18+19																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>55.07</td> <td>74.00</td> <td>-18.93</td> <td>44.52</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>143</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.18	55.07	74.00	-18.93	44.52	34.78	8.33	32.56	143	143	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.18	55.07	74.00	-18.93	44.52	34.78	8.33	32.56	143	143	PEAK																															
Avg	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.75</td> <td>48.22</td> <td>54.00</td> <td>-5.78</td> <td>37.66</td> <td>34.78</td> <td>8.34</td> <td>32.56</td> <td>143</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.75	48.22	54.00	-5.78	37.66	34.78	8.34	32.56	143	143	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5353.75	48.22	54.00	-5.78	37.66	34.78	8.34	32.56	143	143	AVERAGE																															



Mode	64																																																																							
	Band Edge - L																																																																							
	CO-TX																																																																							
ANT	CDD18+19																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5147.90</td> <td>52.05</td> <td>74.00</td> <td>-21.95</td> <td>42.15</td> <td>34.62</td> <td>7.92</td> <td>32.64</td> <td>186</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5147.90	52.05	74.00	-21.95	42.15	34.62	7.92	32.64	186	296 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>101.35</td> <td>68.30</td> <td>33.05</td> <td>91.08</td> <td>34.72</td> <td>8.14</td> <td>32.59</td> <td>186</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5290.00	101.35	68.30	33.05	91.08	34.72	8.14	32.59	186	296 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5147.90	52.05	74.00	-21.95	42.15	34.62	7.92	32.64	186	296 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5290.00	101.35	68.30	33.05	91.08	34.72	8.14	32.59	186	296 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5146.16</td> <td>45.60</td> <td>54.00</td> <td>-8.40</td> <td>35.70</td> <td>34.62</td> <td>7.92</td> <td>32.64</td> <td>186</td> <td>296 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5146.16	45.60	54.00	-8.40	35.70	34.62	7.92	32.64	186	296 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>98.96</td> <td>-----</td> <td>-----</td> <td>96.75</td> <td>30.82</td> <td>4.91</td> <td>33.52</td> <td>186</td> <td>296 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5290.00	98.96	-----	-----	96.75	30.82	4.91	33.52	186	296 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5146.16	45.60	54.00	-8.40	35.70	34.62	7.92	32.64	186	296 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5290.00	98.96	-----	-----	96.75	30.82	4.91	33.52	186	296 AVERAGE																																																															



Mode	64																												
	Band Edge - R																												
	CO-TX																												
ANT	CDD18+19																												
Pol.	Vertical	Fundamental																											
Peak	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.35</td> <td>58.59</td> <td>74.00</td> <td>-15.41</td> <td>48.04</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>186 296 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5350.35	58.59	74.00	-15.41	48.04	34.78	8.33	32.56	186 296 PEAK	Blank
Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																					
1 5350.35	58.59	74.00	-15.41	48.04	34.78	8.33	32.56	186 296 PEAK																					
Avg	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.35</td> <td>50.07</td> <td>54.00</td> <td>-3.93</td> <td>39.52</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>186 296 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5350.35	50.07	54.00	-3.93	39.52	34.78	8.33	32.56	186 296 AVERAGE	Blank
Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																					
1 5350.35	50.07	54.00	-3.93	39.52	34.78	8.33	32.56	186 296 AVERAGE																					



Mode	64																																																																																																																									
	Harmonic																																																																																																																									
	CO-TX																																																																																																																									
ANT	CDD18+19																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
QP/ Peak	<p>Data: 5 Date: 2024-10-23</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>42.29</td> <td>-31.71</td> <td>74.00</td> <td>65.33</td> <td>34.45</td> <td>7.80</td> <td>65.29</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>40.17</td> <td>-33.83</td> <td>74.00</td> <td>60.13</td> <td>35.41</td> <td>9.19</td> <td>64.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10580.00</td> <td>45.08</td> <td>-23.22</td> <td>68.30</td> <td>61.27</td> <td>37.52</td> <td>10.90</td> <td>64.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>45.65</td> <td>-28.35</td> <td>74.00</td> <td>57.80</td> <td>39.20</td> <td>12.71</td> <td>64.06</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4956.00	42.29	-31.71	74.00	65.33	34.45	7.80	65.29	---	---	Peak	2	7434.00	40.17	-33.83	74.00	60.13	35.41	9.19	64.56	---	---	Peak	3	10580.00	45.08	-23.22	68.30	61.27	37.52	10.90	64.61	---	---	Peak	4	15870.00	45.65	-28.35	74.00	57.80	39.20	12.71	64.06	---	---	Peak	<p>Data: 6 Date: 2024-10-23</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>39.48</td> <td>-34.52</td> <td>74.00</td> <td>62.52</td> <td>34.45</td> <td>7.80</td> <td>65.29</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>40.54</td> <td>-33.46</td> <td>74.00</td> <td>60.50</td> <td>35.41</td> <td>9.19</td> <td>64.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10580.00</td> <td>44.92</td> <td>-23.38</td> <td>68.30</td> <td>61.11</td> <td>37.52</td> <td>10.90</td> <td>64.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>45.33</td> <td>-28.67</td> <td>74.00</td> <td>57.48</td> <td>39.20</td> <td>12.71</td> <td>64.06</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4956.00	39.48	-34.52	74.00	62.52	34.45	7.80	65.29	---	---	Peak	2	7434.00	40.54	-33.46	74.00	60.50	35.41	9.19	64.56	---	---	Peak	3	10580.00	44.92	-23.38	68.30	61.11	37.52	10.90	64.61	---	---	Peak	4	15870.00	45.33	-28.67	74.00	57.48	39.20	12.71	64.06	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																														
1	4956.00	42.29	-31.71	74.00	65.33	34.45	7.80	65.29	---	---	Peak																																																																																																															
2	7434.00	40.17	-33.83	74.00	60.13	35.41	9.19	64.56	---	---	Peak																																																																																																															
3	10580.00	45.08	-23.22	68.30	61.27	37.52	10.90	64.61	---	---	Peak																																																																																																															
4	15870.00	45.65	-28.35	74.00	57.80	39.20	12.71	64.06	---	---	Peak																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																															
1	4956.00	39.48	-34.52	74.00	62.52	34.45	7.80	65.29	---	---	Peak																																																																																																															
2	7434.00	40.54	-33.46	74.00	60.50	35.41	9.19	64.56	---	---	Peak																																																																																																															
3	10580.00	44.92	-23.38	68.30	61.11	37.52	10.90	64.61	---	---	Peak																																																																																																															
4	15870.00	45.33	-28.67	74.00	57.48	39.20	12.71	64.06	---	---	Peak																																																																																																															



Mode	65																																																																									
	Band Edge																																																																									
	CO-TX																																																																									
ANT	17																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>60.55</td> <td>74.00</td> <td>-13.45</td> <td>58.29</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>184</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	60.55	74.00	-13.45	58.29	30.85	4.92	33.51	184	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.96</td> <td>-----</td> <td>-----</td> <td>102.83</td> <td>30.77</td> <td>4.89</td> <td>33.53</td> <td>184</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	104.96	-----	-----	102.83	30.77	4.89	33.53	184	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	60.55	74.00	-13.45	58.29	30.85	4.92	33.51	184	360	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	104.96	-----	-----	102.83	30.77	4.89	33.53	184	360	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>47.11</td> <td>54.00</td> <td>-6.89</td> <td>44.85</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>184</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	47.11	54.00	-6.89	44.85	30.85	4.92	33.51	184	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.24</td> <td>-----</td> <td>-----</td> <td>96.10</td> <td>30.77</td> <td>4.89</td> <td>33.52</td> <td>184</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	98.24	-----	-----	96.10	30.77	4.89	33.52	184	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	47.11	54.00	-6.89	44.85	30.85	4.92	33.51	184	360	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	98.24	-----	-----	96.10	30.77	4.89	33.52	184	360	AVERAGE																																																															



Mode	65																																																																									
	Band Edge																																																																									
	CO-TX																																																																									
ANT	17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>58.58</td> <td>74.00</td> <td>-15.42</td> <td>56.32</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>396</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	58.58	74.00	-15.42	56.32	30.85	4.92	33.51	396	271	PEAK	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.62</td> <td>-----</td> <td>-----</td> <td>98.48</td> <td>30.77</td> <td>4.89</td> <td>33.52</td> <td>396</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	100.62	-----	-----	98.48	30.77	4.89	33.52	396	271	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	58.58	74.00	-15.42	56.32	30.85	4.92	33.51	396	271	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	100.62	-----	-----	98.48	30.77	4.89	33.52	396	271	PEAK																																																															
Avg	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>44.22</td> <td>54.00</td> <td>-9.78</td> <td>41.96</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>396</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	44.22	54.00	-9.78	41.96	30.85	4.92	33.51	396	271	AVERAGE	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>93.35</td> <td>-----</td> <td>-----</td> <td>91.18</td> <td>30.79</td> <td>4.90</td> <td>33.52</td> <td>396</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	93.35	-----	-----	91.18	30.79	4.90	33.52	396	271	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	44.22	54.00	-9.78	41.96	30.85	4.92	33.51	396	271	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	93.35	-----	-----	91.18	30.79	4.90	33.52	396	271	AVERAGE																																																															



Mode	65																																																																									
	Band Edge - L																																																																									
	CO-TX																																																																									
ANT	19																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.19</td> <td>49.53</td> <td>74.00</td> <td>-24.47</td> <td>39.68</td> <td>34.60</td> <td>7.90</td> <td>32.65</td> <td>400</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5119.19	49.53	74.00	-24.47	39.68	34.60	7.90	32.65	400	141	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>93.91</td> <td>68.30</td> <td>25.61</td> <td>91.77</td> <td>30.77</td> <td>4.89</td> <td>33.52</td> <td>400</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	93.91	68.30	25.61	91.77	30.77	4.89	33.52	400	141	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5119.19	49.53	74.00	-24.47	39.68	34.60	7.90	32.65	400	141	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	93.91	68.30	25.61	91.77	30.77	4.89	33.52	400	141	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5016.24</td> <td>42.61</td> <td>54.00</td> <td>-11.39</td> <td>32.95</td> <td>34.52</td> <td>7.83</td> <td>32.69</td> <td>400</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5016.24	42.61	54.00	-11.39	32.95	34.52	7.83	32.69	400	141	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>87.47</td> <td>-----</td> <td>-----</td> <td>85.33</td> <td>30.77</td> <td>4.89</td> <td>33.52</td> <td>400</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5290.00	87.47	-----	-----	85.33	30.77	4.89	33.52	400	141	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5016.24	42.61	54.00	-11.39	32.95	34.52	7.83	32.69	400	141	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5290.00	87.47	-----	-----	85.33	30.77	4.89	33.52	400	141	AVERAGE																																																															



Mode	65																																					
	Band Edge - R																																					
	CO-TX																																					
ANT	19																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.86</td> <td>51.44</td> <td>74.00</td> <td>-22.56</td> <td>40.89</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>400</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.86	51.44	74.00	-22.56	40.89	34.78	8.33	32.56	400	141	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.86	51.44	74.00	-22.56	40.89	34.78	8.33	32.56	400	141	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>45.48</td> <td>54.00</td> <td>-8.52</td> <td>34.93</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>400</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.18	45.48	54.00	-8.52	34.93	34.78	8.33	32.56	400	141	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.18	45.48	54.00	-8.52	34.93	34.78	8.33	32.56	400	141	AVERAGE																											



Mode	65																																																													
	Band Edge - L																																																													
	CO-TX																																																													
ANT	19																																																													
Pol.	Vertical	Fundamental																																																												
Peak	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5112.81</td> <td>50.37</td> <td>74.00</td> <td>-23.63</td> <td>40.54</td> <td>34.59</td> <td>7.89</td> <td>32.65</td> <td>153</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5112.81	50.37	74.00	-23.63	40.54	34.59	7.89	32.65	153	360 PEAK	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>96.31</td> <td>68.30</td> <td>28.01</td> <td>86.01</td> <td>34.73</td> <td>8.15</td> <td>32.58</td> <td>153</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5290.00	96.31	68.30	28.01	86.01	34.73	8.15	32.58	153	360 PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5112.81	50.37	74.00	-23.63	40.54	34.59	7.89	32.65	153	360 PEAK																																																					
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5290.00	96.31	68.30	28.01	86.01	34.73	8.15	32.58	153	360 PEAK																																																					
Avg	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5140.36</td> <td>43.16</td> <td>54.00</td> <td>-10.84</td> <td>33.28</td> <td>34.61</td> <td>7.91</td> <td>32.64</td> <td>153</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5140.36	43.16	54.00	-10.84	33.28	34.61	7.91	32.64	153	360 AVERAGE	<p>Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>89.44</td> <td>79.12</td> <td>10.32</td> <td>79.12</td> <td>34.73</td> <td>8.17</td> <td>32.58</td> <td>153</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5290.00	89.44	79.12	10.32	79.12	34.73	8.17	32.58	153	360 AVERAGE
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5140.36	43.16	54.00	-10.84	33.28	34.61	7.91	32.64	153	360 AVERAGE																																																					
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5290.00	89.44	79.12	10.32	79.12	34.73	8.17	32.58	153	360 AVERAGE																																																					



Mode	65																																					
	Band Edge - R																																					
	CO-TX																																					
ANT	19																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>55.00</td> <td>74.00</td> <td>-19.00</td> <td>44.45</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>153</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.18	55.00	74.00	-19.00	44.45	34.78	8.33	32.56	153	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.18	55.00	74.00	-19.00	44.45	34.78	8.33	32.56	153	360	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>47.30</td> <td>54.00</td> <td>-6.70</td> <td>36.75</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>153</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.18	47.30	54.00	-6.70	36.75	34.78	8.33	32.56	153	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.18	47.30	54.00	-6.70	36.75	34.78	8.33	32.56	153	360	AVERAGE																											



Mode	65																																																																																																															
	Harmonic																																																																																																															
	CO-TX																																																																																																															
ANT	17+19																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
QP/ Peak	<p>Data: 5 Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.30</td> <td>-33.70</td> <td>74.00</td> <td>63.37</td> <td>34.40</td> <td>7.80</td> <td>65.27</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>42.46</td> <td>-31.54</td> <td>74.00</td> <td>62.42</td> <td>35.42</td> <td>9.20</td> <td>64.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10580.00</td> <td>45.79</td> <td>-22.51</td> <td>68.30</td> <td>61.98</td> <td>37.52</td> <td>10.90</td> <td>64.61</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>46.09</td> <td>-27.91</td> <td>74.00</td> <td>58.24</td> <td>39.20</td> <td>12.71</td> <td>64.06</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4924.00	40.30	-33.70	74.00	63.37	34.40	7.80	65.27	---	Peak	2	7386.00	42.46	-31.54	74.00	62.42	35.42	9.20	64.58	---	Peak	3	10580.00	45.79	-22.51	68.30	61.98	37.52	10.90	64.61	---	Peak	4	15870.00	46.09	-27.91	74.00	58.24	39.20	12.71	64.06	---	Peak	<p>Data: 6 Date: 2024-10-21</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.42</td> <td>-33.58</td> <td>74.00</td> <td>63.49</td> <td>34.40</td> <td>7.80</td> <td>65.27</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>41.71</td> <td>-32.29</td> <td>74.00</td> <td>61.67</td> <td>35.42</td> <td>9.20</td> <td>64.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10580.00</td> <td>45.77</td> <td>-22.53</td> <td>68.30</td> <td>61.96</td> <td>37.52</td> <td>10.90</td> <td>64.61</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>46.43</td> <td>-27.57</td> <td>74.00</td> <td>58.58</td> <td>39.20</td> <td>12.71</td> <td>64.06</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4924.00	40.42	-33.58	74.00	63.49	34.40	7.80	65.27	---	Peak	2	7386.00	41.71	-32.29	74.00	61.67	35.42	9.20	64.58	---	Peak	3	10580.00	45.77	-22.53	68.30	61.96	37.52	10.90	64.61	---	Peak	4	15870.00	46.43	-27.57	74.00	58.58	39.20	12.71	64.06	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																						
1	4924.00	40.30	-33.70	74.00	63.37	34.40	7.80	65.27	---	Peak																																																																																																						
2	7386.00	42.46	-31.54	74.00	62.42	35.42	9.20	64.58	---	Peak																																																																																																						
3	10580.00	45.79	-22.51	68.30	61.98	37.52	10.90	64.61	---	Peak																																																																																																						
4	15870.00	46.09	-27.91	74.00	58.24	39.20	12.71	64.06	---	Peak																																																																																																						
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																						
1	4924.00	40.42	-33.58	74.00	63.49	34.40	7.80	65.27	---	Peak																																																																																																						
2	7386.00	41.71	-32.29	74.00	61.67	35.42	9.20	64.58	---	Peak																																																																																																						
3	10580.00	45.77	-22.53	68.30	61.96	37.52	10.90	64.61	---	Peak																																																																																																						
4	15870.00	46.43	-27.57	74.00	58.58	39.20	12.71	64.06	---	Peak																																																																																																						

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored




# Appendix D. Duty Cycle Plots

MIMO Mode:

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	93.33	1.4	0.714	1KHz
802.11ax HE20	90.99	1.01	0.990	1KHz
802.11ax HE40	84.13	0.53	1.887	3KHz
802.11ax HE80	74.36	0.29	3.448	10KHZ
802.11ax HE160	62.96	0.17	5.882	10KHZ


## 802.11a



Date: 11.OCT.2024 16:25:31




### 802.11ax HE20



Date: 11.OCT.2024 17:17:21


### 802.11ax HE40



Date: 11.OCT.2024 17:40:03




802.11ax HE80



Date: 11.OCT.2024 21:16:57

802.11ax HE160



Date: 12.OCT.2024 13:57:54