





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.500	42.98	54.00	11.02	43.83	V	197.8	2.00
2	5,150.000	43.08	54.00	10.92	43.83	V	197.8	2.00
2	5,228.300	84.87			43.83	V	197.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5230MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	46.10	54.00	7.90	43.83	H	351.1	2.00
10	5,150.000	46.23	54.00	7.77	43.83	H	351.1	2.00
10	5,207.325	84.72			43.97	H	351.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,136.350	64.16	74.00	9.84	43.80	V	177.7	1.00
10	5,150.000	61.77	74.00	12.23	43.83	V	177.7	1.00
10	5,216.250	92.23			43.91	V	223	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	43.81	54.00	10.19	43.83	V	176.5	1.00
10	5,150.000	43.87	54.00	10.13	43.83	V	176.5	1.00
10	5,212.425	76.17			43.94	V	219.4	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5210MHz: Fundamental frequency.




Band 2

802.11a

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.950	110.74			43.64	H	309.2	1.00
4	5,350.000	58.60	74.00	15.40	43.55	H	359.1	1.00
4	5,374.800	59.36	74.00	14.64	43.55	H	251.8	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.800	98.05			43.63	H	299.6	1.00
4	5,350.000	44.78	54.00	9.22	43.55	H	299.6	1.00
4	5,350.575	44.79	54.00	9.21	43.55	H	299.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.850	99.74			43.64	V	177.8	1.00
4	5,350.000	58.73	74.00	15.27	43.55	V	1	2.00
4	5,357.700	60.49	74.00	13.51	43.55	V	358	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.950	88.84			43.64	V	251.8	1.00
4	5,350.000	44.29	54.00	9.71	43.55	V	117.8	1.00
4	5,350.575	44.32	54.00	9.68	43.55	V	163.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.800	109.85			43.45	H	291.2	1.00
5	5,350.000	61.38	74.00	12.62	43.55	H	291.2	1.00
5	5,351.000	61.87	74.00	12.13	43.55	H	354.2	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	96.43			43.45	H	355	2.00
5	5,350.000	45.25	54.00	8.75	43.55	H	272	1.00
5	5,350.100	45.25	54.00	8.75	43.55	H	272	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.200	101.63			43.45	V	184.8	2.00
5	5,350.000	58.41	74.00	15.59	43.55	V	274.4	2.00
5	5,376.800	59.35	74.00	14.65	43.55	V	139.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.500	89.63			43.45	V	186	2.00
5	5,350.000	44.32	54.00	9.68	43.55	V	163.4	1.00
5	5,351.000	44.32	54.00	9.68	43.55	V	119	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	108.50			43.49	H	306.8	1.00
6	5,350.000	65.86	74.00	8.14	43.55	H	262.5	1.00
6	5,353.600	65.96	74.00	8.04	43.55	H	306.8	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	95.39			43.49	H	346.6	1.00
6	5,350.000	46.18	54.00	7.82	43.55	H	306.8	1.00
6	5,350.400	46.25	54.00	7.75	43.55	H	306.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.400	101.27			43.49	V	188.4	2.00
6	5,350.000	58.85	74.00	15.15	43.55	V	217	1.00
6	5,356.800	59.22	74.00	14.78	43.55	V	128.6	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	88.88			43.49	V	174.1	1.00
6	5,350.000	44.29	54.00	9.71	43.55	V	227.8	2.00
6	5,350.800	44.32	54.00	9.68	43.55	V	174.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	96.73			43.64	H	313.9	1.00
4	5,350.000	44.92	54.00	9.08	43.55	H	313.9	1.00
4	5,350.575	44.94	54.00	9.06	43.55	H	313.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.375	99.24			43.64	V	177.6	1.00
4	5,350.000	58.21	74.00	15.79	43.55	V	133.3	1.00
4	5,382.875	59.10	74.00	14.90	43.55	V	268.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.275	87.12			43.63	V	178.9	1.00
4	5,350.000	44.26	54.00	9.74	43.55	V	359	2.00
4	5,351.050	44.29	54.00	9.71	43.55	V	133.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.800	109.19			43.46	H	309.2	1.00
5	5,350.000	62.48	74.00	11.52	43.55	H	348	1.00
5	5,354.300	63.28	74.00	10.72	43.55	H	309.2	1.00




○ PK+ Level@CriticalPoint ∩ PK+ Level@Spectrum Overview ∩ PK+ Limit @5G WiFi 20M-B2_CH60



ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	96.84			43.45	H	337.5	1.00
5	5,350.000	45.28	54.00	8.72	43.55	H	294.8	1.00
5	5,350.700	45.30	54.00	8.70	43.55	H	294.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,304.500	100.42			43.46	V	227.8	1.00
5	5,350.000	58.49	74.00	15.51	43.55	V	321.1	2.00
5	5,351.600	59.34	74.00	14.66	43.55	V	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.800	87.40			43.45	V	175.3	1.00
5	5,350.000	44.37	54.00	9.63	43.55	V	219.4	1.00
5	5,351.000	44.41	54.00	9.59	43.55	V	219.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

=ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,319.200	108.89			43.49	H	330.6	1.00
6	5,350.000	67.22	74.00	6.78	43.55	H	330.6	1.00
6	5,352.400	68.41	74.00	5.59	43.55	H	330.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	95.92			43.49	H	349.4	1.00
6	5,350.000	46.07	54.00	7.93	43.55	H	310.4	1.00
6	5,350.400	46.05	54.00	7.95	43.55	H	310.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.400	99.63			43.49	V	186	2.00
6	5,350.000	59.23	74.00	14.77	43.55	V	226.6	1.00
6	5,350.400	60.83	74.00	13.17	43.55	V	182.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	87.09			43.49	V	177.6	1.00
6	5,350.000	44.44	54.00	9.56	43.55	V	223	1.00
6	5,350.800	44.43	54.00	9.57	43.55	V	177.6	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




802.11n (40MHz)

CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.630	105.55			43.57	H	320.4	1.00
3	5,350.000	61.73	74.00	12.27	43.55	H	320.4	1.00
3	5,360.267	61.32	74.00	12.68	43.55	H	320.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.267	91.76			43.58	H	328.1	1.00
3	5,350.000	44.91	54.00	9.09	43.55	H	337	2.00
3	5,352.200	44.85	54.00	9.15	43.55	H	328.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,266.400	96.14			43.60	V	197.8	2.00
3	5,350.000	57.90	74.00	16.10	43.55	V	181.2	1.00
3	5,350.367	59.24	74.00	14.76	43.55	V	5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.867	83.81			43.60	V	250.6	1.00
3	5,350.000	44.44	54.00	9.56	43.55	V	199	2.00
3	5,351.100	44.43	54.00	9.57	43.55	V	199	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.