





<b>CHANNEL</b>	TX Channel 62	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,311.500	88.17			43.48	H	340.6	1.00
4	5,350.000	46.76	54.00	7.24	43.55	H	355.6	2.00
4	5,351.000	46.73	54.00	7.27	43.55	H	355.6	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,318.500	96.11			43.49	V	177.7	2.00
4	5,350.000	62.56	74.00	11.44	43.55	V	246.3	2.00
4	5,351.000	62.83	74.00	11.17	43.55	V	200.2	2.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,298.667	83.47			43.45	H	299.6	1.00
1	5,350.000	48.65	54.00	5.35	43.55	H	299.6	1.00
1	5,350.367	48.57	54.00	5.43	43.55	H	299.6	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,295.733	92.05			43.46	V	229.1	1.00
1	5,350.000	58.39	74.00	15.61	43.55	V	322.3	1.00
1	5,363.200	61.19	74.00	12.81	43.55	V	226.7	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,295.000	76.74			43.47	V	166.9	1.00
1	5,350.000	45.68	54.00	8.32	43.55	V	166.9	1.00
1	5,350.367	45.56	54.00	8.44	43.55	V	166.9	1.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.




**Band 3**

**802.11a**

<b>CHANNEL</b>	TX Channel 100	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.000	64.83	74.00	9.17	44.16	H	355	2.00
7	5,460.000	64.56	74.00	9.44	44.19	H	358.4	1.00
7	5,499.750	111.05			44.64	H	308	1.00




○ PK+ Level @CriticalPoint    ~ PK+ Level @Spectrum Overview    ~ PK+ Limit @5G WiFi 20M B3\_CH100



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	46.40	54.00	7.60	44.19	H	315.2	1.00
7	5,460.000	46.40	54.00	7.60	44.19	H	315.2	1.00
7	5,498.850	98.89			44.63	H	315.2	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,452.500	59.30	74.00	14.70	44.11	V	355	2.00
7	5,460.000	58.48	74.00	15.52	44.19	V	221.8	1.00
7	5,500.650	105.47			44.65	V	131	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,451.150	44.40	54.00	9.60	44.10	V	148.9	1.00
7	5,460.000	44.36	54.00	9.64	44.19	V	148.9	1.00
7	5,498.850	91.79			44.63	V	148.9	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,450.825	59.32	74.00	14.68	44.09	H	88	1.00
8	5,460.000	57.41	74.00	16.59	44.19	H	353.8	1.00
8	5,578.325	110.17			44.46	H	322.2	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,450.825	44.25	54.00	9.75	44.09	H	292.3	1.00
8	5,460.000	43.97	54.00	10.03	44.19	H	1	1.00
8	5,579.175	99.88			44.45	H	292.3	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB $\mu$ V/m]	PK+ Limit [dB $\mu$ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,432.975	59.04	74.00	14.96	43.89	V	108.4	2.00
8	5,460.000	57.26	74.00	16.74	44.19	V	352.6	1.00
8	5,578.750	104.87			44.46	V	133.4	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,451.250	44.21	54.00	9.79	44.10	V	0.9	2.00
8	5,460.000	43.81	54.00	10.19	44.19	V	227.9	2.00
8	5,579.175	91.44			44.45	V	153.8	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 140	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.325	105.25			44.48	H	306.8	1.00
10	5,725.000	63.69	68.20	4.51	44.48	H	261.3	1.00
10	5,725.625	64.26	68.20	3.94	44.48	H	319.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,701.250	99.40			44.48	V	172.9	1.00
10	5,725.000	58.99	68.20	9.21	44.48	V	128.6	1.00
10	5,725.625	58.99	68.20	9.21	44.48	V	128.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.




<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dB $\mu$ V/m]	PK+ Limit [dB $\mu$ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,720.000	106.31			44.48	H	306.8	1.00
9	5,850.000	58.39	68.20	9.81	44.73	H	231.6	2.00
9	5,850.500	60.06	68.20	8.14	44.73	H	262.5	1.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	45.42	54.00	8.58	44.19	H	309.1	1.00
7	5,460.000	45.42	54.00	8.58	44.19	H	309.1	1.00
7	5,498.850	97.86			44.63	H	309.1	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,441.250	59.43	74.00	14.57	43.98	V	358.6	1.00
7	5,460.000	58.38	74.00	15.62	44.18	V	263.7	1.00
7	5,505.150	102.67			44.70	V	129.8	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,450.700	44.30	54.00	9.70	44.09	V	174.1	1.00
7	5,460.000	44.04	54.00	9.96	44.19	V	174.1	1.00
7	5,501.100	90.02			44.66	V	129.8	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,439.350	59.43	74.00	14.57	43.96	H	131	1.00
8	5,460.000	57.87	74.00	16.13	44.18	H	96.3	2.00
8	5,581.300	110.54			44.45	H	309.1	1.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.100	44.31	54.00	9.69	44.11	H	359.1	1.00
8	5,460.000	43.90	54.00	10.10	44.18	H	359.1	1.00
8	5,579.175	96.80			44.45	H	263.6	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.100	59.72	74.00	14.28	44.11	V	49.7	2.00
8	5,460.000	58.04	74.00	15.96	44.18	V	5.1	1.00
8	5,581.300	103.76			44.45	V	129.8	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,451.675	44.19	54.00	9.81	44.10	V	354.9	2.00
8	5,460.000	43.84	54.00	10.16	44.18	V	1	1.00
8	5,578.750	91.00			44.46	V	129.8	1.00





**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 140	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.




<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.000	107.68			44.48	H	310.4	1.00
9	5,850.000	58.59	68.20	9.61	44.73	H	264.9	1.00
9	5,871.500	59.04	68.20	9.16	44.65	H	359	1.00





**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.