





BUREAU VERITAS

Test Mode: 802.11be EHT80



Mode:802.11be EHT80 Frequency:5210MHz
Ant:Chain0



Mode:802.11be EHT80 Frequency:5210MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.



Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU VERITAS

Test Mode: 802.11ac VHT160



Mode:802.11ac VHT160 Frequency:5250MHz
Ant:Chain0

Mode:802.11ac VHT160 Frequency:5250MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008




BUREAU VERITAS

Test Mode: 802.11ax HE160



Mode:802.11ax HE160 Frequency:5250MHz
Ant:Chain0



Mode:802.11ax HE160 Frequency:5250MHz
Ant:Chain1



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



Test Mode: 802.11be EHT160



Mode:802.11be EHT160 Frequency:5250MHz
Ant:Chain0

Mode:802.11be EHT160 Frequency:5250MHz
Ant:Chain1



Occupied Bandwidth

Offset 11.71dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5180MHz	5220MHz	5240MHz
802.11a	Chain0	19.192	19.159	19.150
802.11a	Chain1	19.191	19.159	19.165
802.11n HT20	Chain0	19.082	19.130	19.156
802.11n HT20	Chain1	19.144	19.161	19.095
802.11ac VHT20	Chain0	19.216	19.128	19.094
802.11ac VHT20	Chain1	19.121	19.117	19.096
802.11ax HE20	Chain0	19.154	19.137	19.157
802.11ax HE20	Chain1	19.143	19.155	19.173
802.11be EHT20	Chain0	19.143	19.184	19.202
802.11be EHT20	Chain1	19.103	19.051	19.100

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5190MHz	---	5230MHz
802.11n HT40	Chain0	38.035	---	38.189
802.11n HT40	Chain1	38.138	---	38.207
802.11ac VHT40	Chain0	38.335	---	38.017
802.11ac VHT40	Chain1	38.128	---	38.143
802.11ax HE40	Chain0	38.135	---	38.146
802.11ax HE40	Chain1	38.304	---	38.231
802.11be EHT40	Chain0	38.126	---	38.136
802.11be EHT40	Chain1	38.064	---	38.162


Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5210MHz	---	---
802.11ac VHT80	Chain0	78.013	---	---
802.11ac VHT80	Chain1	77.878	---	---
802.11ax HE80	Chain0	78.700	---	---
802.11ax HE80	Chain1	78.320	---	---
802.11be EHT80	Chain0	78.335	---	---
802.11be EHT80	Chain1	78.205	---	---

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5250MHz	---	---
802.11ac VHT160	Chain0	158.098	---	---
802.11ac VHT160	Chain1	158.516	---	---
802.11ax HE160	Chain0	158.589	---	---
802.11ax HE160	Chain1	158.753	---	---
802.11be EHT160	Chain0	158.239	---	---
802.11be EHT160	Chain1	158.135	---	---




BUREAU VERITAS


Test Mode: 802.11a




Mode:802.11a Frequency:5180MHz Ant:Chain0




Mode:802.11a Frequency:5220MHz Ant:Chain0




Mode:802.11a Frequency:5240MHz Ant:Chain0



Mode:802.11a Frequency:5180MHz Ant:Chain1



Mode:802.11a Frequency:5220MHz Ant:Chain1



Mode:802.11a Frequency:5240MHz Ant:Chain1

Huarui 7layers High Technology (Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008




BUREAU VERITAS


Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20 Frequency:5180MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5220MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5240MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5180MHz
Ant:Chain1



Mode:802.11ac VHT20 Frequency:5220MHz
Ant:Chain1



Mode:802.11ac VHT20 Frequency:5240MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008




BUREAU VERITAS


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5180MHz
Ant:Chain0




Mode:802.11ax HE20 Frequency:5220MHz
Ant:Chain0




Mode:802.11ax HE20 Frequency:5240MHz
Ant:Chain0



Mode:802.11ax HE20 Frequency:5180MHz
Ant:Chain1



Mode:802.11ax HE20 Frequency:5220MHz
Ant:Chain1



Mode:802.11ax HE20 Frequency:5240MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008




BUREAU VERITAS


Test Mode: 802.11be EHT20




Mode:802.11be EHT20 Frequency:5180MHz
Ant:Chain0




Mode:802.11be EHT20 Frequency:5220MHz
Ant:Chain0




Mode:802.11be EHT20 Frequency:5240MHz
Ant:Chain0



Mode:802.11be EHT20 Frequency:5180MHz
Ant:Chain1



Mode:802.11be EHT20 Frequency:5220MHz
Ant:Chain1



Mode:802.11be EHT20 Frequency:5240MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.



Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008





BUREAU VERITAS

Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:5190MHz Ant:Chain0

Mode:802.11n HT40 Frequency:5230MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5190MHz Ant:Chain1

Mode:802.11n HT40 Frequency:5230MHz Ant:Chain1

Huarui 7layers High Technology (Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008




BUREAU VERITAS


Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5190MHz
Ant:Chain0



Mode:802.11ac VHT40 Frequency:5230MHz
Ant:Chain0




Mode:802.11ac VHT40 Frequency:5190MHz
Ant:Chain1




Mode:802.11ac VHT40 Frequency:5230MHz
Ant:Chain1




Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5190MHz
Ant:Chain0



Mode:802.11ax HE40 Frequency:5230MHz
Ant:Chain0



Mode:802.11ax HE40 Frequency:5190MHz
Ant:Chain1




Mode:802.11ax HE40 Frequency:5230MHz
Ant:Chain1




BUREAU VERITAS


Test Mode: 802.11be EHT40




Mode:802.11be EHT40 Frequency:5190MHz
Ant:Chain0



Mode:802.11be EHT40 Frequency:5230MHz
Ant:Chain0



Mode:802.11be EHT40 Frequency:5190MHz
Ant:Chain1




Mode:802.11be EHT40 Frequency:5230MHz
Ant:Chain1




**BUREAU
VERITAS**

Test Mode: 802.11ac VHT80



Mode:802.11ac VHT80 Frequency:5210MHz
Ant:Chain0



Mode:802.11ac VHT80 Frequency:5210MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008




BUREAU VERITAS

Test Mode: 802.11ax HE80



Mode:802.11ax HE80 Frequency:5210MHz
Ant:Chain0



Mode:802.11ax HE80 Frequency:5210MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008




BUREAU VERITAS

Test Mode: 802.11be EHT80



Mode:802.11be EHT80 Frequency:5210MHz
Ant:Chain0



Mode:802.11be EHT80 Frequency:5210MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.



Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU VERITAS

Test Mode: 802.11ac VHT160



Mode:802.11ac VHT160 Frequency:5250MHz
Ant:Chain0

Mode:802.11ac VHT160 Frequency:5250MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008




BUREAU VERITAS

Test Mode: 802.11ax HE160



Mode:802.11ax HE160 Frequency:5250MHz
Ant:Chain0



Mode:802.11ax HE160 Frequency:5250MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.



Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU VERITAS

Test Mode: 802.11be EHT160



Mode:802.11be EHT160 Frequency:5250MHz
Ant:Chain0

Mode:802.11be EHT160 Frequency:5250MHz
Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



Transmitter Power Spectral Density

Offset 11.71dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Tones	5180MHz		5220MHz		5240MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11a	Chain0	NA	0.00	6.214	0.00	5.970	0.00	6.005
802.11a	Chain1	NA	0.00	6.185	0.00	5.969	0.00	5.999
802.11n HT20	Chain0	NA	0.00	4.847	0.00	4.721	0.00	4.848
802.11n HT20	Chain1	NA	0.00	4.874	0.00	4.749	0.00	4.829
802.11n HT20	MIMO	NA	0.00	7.871	0.00	7.745	0.00	7.849
802.11ac VHT20	Chain0	NA	0.00	4.804	0.00	4.714	0.00	4.854
802.11ac VHT20	Chain1	NA	0.00	4.888	0.00	4.661	0.00	4.903
802.11ac VHT20	MIMO	NA	0.00	7.857	0.00	7.698	0.00	7.889
802.11ax HE20	Chain0	26T	0.00	5.036	0.00	4.750	0.00	4.802
802.11ax HE20	Chain1	26T	0.00	5.026	0.00	4.772	0.00	4.649
802.11ax HE20	MIMO	26T	0.00	8.041	0.00	7.771	0.00	7.736
802.11ax HE20	Chain0	52T	0.00	1.982	0.00	1.734	0.00	1.662
802.11ax HE20	Chain1	52T	0.00	1.973	0.00	1.747	0.00	1.652
802.11ax HE20	MIMO	52T	0.00	4.988	0.00	4.751	0.00	4.667
802.11ax HE20	Chain0	106T	0.00	-1.072	0.00	-1.364	0.00	-1.210
802.11ax HE20	Chain1	106T	0.00	-1.066	0.00	-1.324	0.00	-1.223
802.11ax HE20	MIMO	106T	0.00	1.941	0.00	1.666	0.00	1.794
802.11ax HE20	Chain0	242T	0.00	-7.071	0.00	-7.044	0.00	-6.776
802.11ax HE20	Chain1	242T	0.00	-7.023	0.00	-6.995	0.00	-6.826
802.11ax HE20	MIMO	242T	0.00	-4.037	0.00	-4.009	0.00	-3.791
802.11be EHT20	Chain0	26T	0.00	8.395	0.00	8.131	0.00	8.352
802.11be EHT20	Chain1	26T	0.00	8.385	0.00	8.144	0.00	8.331
802.11be EHT20	MIMO	26T	0.00	11.400	0.00	11.148	0.00	11.352
802.11be EHT20	Chain0	52T	0.00	5.457	0.00	5.203	0.00	5.375



BUREAU
VERITAS

802.11b e EHT20	Chain1	52T	0.00	5.468	0.00	5.205	0.00	5.398
802.11b e EHT20	MIMO	52T	0.00	8.473	0.00	8.214	0.00	8.397
802.11b e EHT20	Chain0	106T	0.00	2.400	0.00	2.091	0.00	2.265
802.11b e EHT20	Chain1	106T	0.00	2.400	0.00	2.120	0.00	2.267
802.11b e EHT20	MIMO	106T	0.00	5.410	0.00	5.116	0.00	5.276
802.11b e EHT20	Chain0	242T	0.00	-3.231	0.00	-3.442	0.00	-3.423
802.11b e EHT20	Chain1	242T	0.00	-3.208	0.00	-3.469	0.00	-3.392
802.11b e EHT20	MIMO	242T	0.00	-0.209	0.00	-0.445	0.00	-0.397



Test Mode	Antenna	Tones	5190MHz		---		5230MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11n HT40	Chain0	NA	0.00	1.867	---	---	0.00	1.828
802.11n HT40	Chain1	NA	0.00	1.845	---	---	0.00	1.840
802.11n HT40	MIMO	NA	0.00	4.866	---	---	0.00	4.844
802.11ac VHT40	Chain0	NA	0.00	1.837	---	---	0.00	1.868
802.11ac VHT40	Chain1	NA	0.00	1.850	---	---	0.00	1.866
802.11ac VHT40	MIMO	NA	0.00	4.854	---	---	0.00	4.877
802.11ax HE40	Chain0	26T	0.00	2.881	---	---	0.00	2.770
802.11ax HE40	Chain1	26T	0.00	2.808	---	---	0.00	2.722
802.11ax HE40	MIMO	26T	0.00	5.855	---	---	0.00	5.756
802.11ax HE40	Chain0	52T	0.00	-0.139	---	---	0.00	-0.269
802.11ax HE40	Chain1	52T	0.00	-0.152	---	---	0.00	-0.288
802.11ax HE40	MIMO	52T	0.00	2.865	---	---	0.00	2.732
802.11ax HE40	Chain0	106T	0.00	-3.074	---	---	0.00	-2.745
802.11ax HE40	Chain1	106T	0.00	-2.951	---	---	0.00	-2.776
802.11ax HE40	MIMO	106T	0.00	-0.002	---	---	0.00	0.250
802.11ax HE40	Chain0	242T	0.00	-8.814	---	---	0.00	-8.480
802.11ax HE40	Chain1	242T	0.00	-8.822	---	---	0.00	-8.486
802.11ax HE40	MIMO	242T	0.00	-5.808	---	---	0.00	-5.473
802.11ax HE40	Chain0	484T	0.00	-15.355	---	---	0.00	-15.008
802.11ax HE40	Chain1	484T	0.00	-15.340	---	---	0.00	-14.991
802.11ax HE40	MIMO	484T	0.00	-12.337	---	---	0.00	-11.989
802.11be EHT40	Chain0	26T	0.00	6.564	---	---	0.00	6.574
802.11be EHT40	Chain1	26T	0.00	6.583	---	---	0.00	6.594
802.11be EHT40	MIMO	26T	0.00	9.584	---	---	0.00	9.594
802.11be EHT40	Chain0	52T	0.00	3.643	---	---	0.00	3.606



802.11b e EHT40	Chain1	52T	0.00	3.651	---	---	0.00	3.611
802.11b e EHT40	MIMO	52T	0.00	6.657	---	---	0.00	6.619
802.11b e EHT40	Chain0	106T	0.00	0.524	---	---	0.00	0.546
802.11b e EHT40	Chain1	106T	0.00	0.522	---	---	0.00	0.539
802.11b e EHT40	MIMO	106T	0.00	3.533	---	---	0.00	3.553
802.11b e EHT40	Chain0	242T	0.00	-5.177	---	---	0.00	-5.152
802.11b e EHT40	Chain1	242T	0.00	-5.155	---	---	0.00	-5.124
802.11b e EHT40	MIMO	242T	0.00	-2.156	---	---	0.00	-2.128
802.11b e EHT40	Chain0	484T	0.00	-11.603	---	---	0.00	-11.637
802.11b e EHT40	Chain1	484T	0.00	-11.619	---	---	0.00	-11.640
802.11b e EHT40	MIMO	484T	0.00	-8.601	---	---	0.00	-8.628



Test Mode	Antenna	Tones	5210MHz		---		---	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11ac VHT80	Chain0	NA	0.00	-2.295	---	---	---	---
802.11ac VHT80	Chain1	NA	0.00	-2.233	---	---	---	---
802.11ac VHT80	MIMO	NA	0.00	0.746	---	---	---	---
802.11ax HE80	Chain0	26T	0.00	0.177	---	---	---	---
802.11ax HE80	Chain1	26T	0.00	1.651	---	---	---	---
802.11ax HE80	MIMO	26T	0.00	3.987	---	---	---	---
802.11ax HE80	Chain0	52T	0.00	-0.365	---	---	---	---
802.11ax HE80	Chain1	52T	0.00	-1.118	---	---	---	---
802.11ax HE80	MIMO	52T	0.00	2.285	---	---	---	---
802.11ax HE80	Chain0	106T	0.00	-4.246	---	---	---	---
802.11ax HE80	Chain1	106T	0.00	-4.268	---	---	---	---
802.11ax HE80	MIMO	106T	0.00	-1.247	---	---	---	---
802.11ax HE80	Chain0	242T	0.00	-9.687	---	---	---	---
802.11ax HE80	Chain1	242T	0.00	-9.660	---	---	---	---
802.11ax HE80	MIMO	242T	0.00	-6.663	---	---	---	---
802.11ax HE80	Chain0	484T	0.00	-15.568	---	---	---	---
802.11ax HE80	Chain1	484T	0.00	-15.500	---	---	---	---
802.11ax HE80	MIMO	484T	0.00	-12.524	---	---	---	---
802.11ax HE80	Chain0	996T	0.00	-18.579	---	---	---	---
802.11ax HE80	Chain1	996T	0.00	-18.540	---	---	---	---
802.11ax HE80	MIMO	996T	0.00	-15.549	---	---	---	---
802.11be EHT80	Chain0	26T	0.00	9.372	---	---	---	---
802.11be EHT80	Chain1	26T	0.00	9.316	---	---	---	---
802.11be EHT80	MIMO	26T	0.00	12.354	---	---	---	---
802.11be EHT80	Chain0	52T	0.00	6.548	---	---	---	---



BUREAU
VERITAS

802.11b e EHT80	Chain1	52T	0.00	6.526	---	---	---	---
802.11b e EHT80	MIMO	52T	0.00	9.547	---	---	---	---
802.11b e EHT80	Chain0	106T	0.00	3.411	---	---	---	---
802.11b e EHT80	Chain1	106T	0.00	3.456	---	---	---	---
802.11b e EHT80	MIMO	106T	0.00	6.444	---	---	---	---
802.11b e EHT80	Chain0	242T	0.00	2.231	---	---	---	---
802.11b e EHT80	Chain1	242T	0.00	2.217	---	---	---	---
802.11b e EHT80	MIMO	242T	0.00	5.234	---	---	---	---
802.11b e EHT80	Chain0	484T	0.00	-7.903	---	---	---	---
802.11b e EHT80	Chain1	484T	0.00	-7.893	---	---	---	---
802.11b e EHT80	MIMO	484T	0.00	-4.888	---	---	---	---
802.11b e EHT80	Chain0	996T	0.00	-11.006	---	---	---	---
802.11b e EHT80	Chain1	996T	0.00	-11.006	---	---	---	---
802.11b e EHT80	MIMO	996T	0.00	-7.996	---	---	---	---



Test Mode	Antenna	Tones	5250MHz		---		---	
			Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)	Correction Factor(dB)	Power Density (dBm/MHz)
802.11ac VHT160	Chain0	NA	0.00	-6.676	---	---	---	---
802.11ac VHT160	Chain1	NA	0.00	-6.666	---	---	---	---
802.11ac VHT160	MIMO	NA	0.00	-3.661	---	---	---	---
802.11ax HE160	Chain0	26T	0.00	-0.291	---	---	---	---
802.11ax HE160	Chain1	26T	0.00	-0.327	---	---	---	---
802.11ax HE160	MIMO	26T	0.00	2.701	---	---	---	---
802.11ax HE160	Chain0	52T	0.00	7.634	---	---	---	---
802.11ax HE160	Chain1	52T	0.00	7.603	---	---	---	---
802.11ax HE160	MIMO	52T	0.00	10.629	---	---	---	---
802.11ax HE160	Chain0	106T	0.00	4.763	---	---	---	---
802.11ax HE160	Chain1	106T	0.00	4.687	---	---	---	---
802.11ax HE160	MIMO	106T	0.00	7.735	---	---	---	---
802.11ax HE160	Chain0	242T	0.00	-0.823	---	---	---	---
802.11ax HE160	Chain1	242T	0.00	-0.852	---	---	---	---
802.11ax HE160	MIMO	242T	0.00	2.173	---	---	---	---
802.11ax HE160	Chain0	484T	0.00	-3.806	---	---	---	---
802.11ax HE160	Chain1	484T	0.00	-3.779	---	---	---	---



802.11a x HE160	MIMO	484T	0.00	-0.782	---	---	---	---
802.11a x HE160	Chain0	996T	0.00	-6.920	---	---	---	---
802.11a x HE160	Chain1	996T	0.00	-6.951	---	---	---	---
802.11a x HE160	MIMO	996T	0.00	-3.925	---	---	---	---
802.11a x HE160	Chain0	1992T	0.00	-9.831	---	---	---	---
802.11a x HE160	Chain1	1992T	0.00	-9.844	---	---	---	---
802.11a x HE160	MIMO	1992T	0.00	-6.827	---	---	---	---
802.11b e EHT160	Chain0	26T	0.00	8.648	---	---	---	---
802.11b e EHT160	Chain1	26T	0.00	8.783	---	---	---	---
802.11b e EHT160	MIMO	26T	0.00	11.726	---	---	---	---
802.11b e EHT160	Chain0	52T	0.00	9.055	---	---	---	---
802.11b e EHT160	Chain1	52T	0.00	9.004	---	---	---	---
802.11b e EHT160	MIMO	52T	0.00	12.040	---	---	---	---
802.11b e EHT160	Chain0	106T	0.00	7.135	---	---	---	---
802.11b e EHT160	Chain1	106T	0.00	7.109	---	---	---	---
802.11b e EHT160	MIMO	106T	0.00	10.132	---	---	---	---
802.11b e EHT160	Chain0	242T	0.00	1.346	---	---	---	---
802.11b e EHT160	Chain1	242T	0.00	1.337	---	---	---	---
802.11b e	MIMO	242T	0.00	4.352	---	---	---	---



EHT160								
802.11b e EHT160	Chain0	484T	0.00	-2.549	---	---	---	---
802.11b e EHT160	Chain1	484T	0.00	-2.496	---	---	---	---
802.11b e EHT160	MIMO	484T	0.00	0.488	---	---	---	---
802.11b e EHT160	Chain0	996T	0.00	-6.691	---	---	---	---
802.11b e EHT160	Chain1	996T	0.00	-6.638	---	---	---	---
802.11b e EHT160	MIMO	996T	0.00	-3.654	---	---	---	---
802.11b e EHT160	Chain0	1992T	0.00	-12.940	---	---	---	---
802.11b e EHT160	Chain1	1992T	0.00	-12.943	---	---	---	---
802.11b e EHT160	MIMO	1992T	0.00	-9.931	---	---	---	---
802.11b e EHT160	Chain0	484+996	0.00	-7.275	---	---	---	---
802.11b e EHT160	Chain1	484+996	0.00	-7.274	---	---	---	---
802.11b e EHT160	MIMO	484+996	0.00	-4.264	---	---	---	---
802.11b e EHT160	Chain0	242+484+996	0.00	-7.201	---	---	---	---
802.11b e EHT160	Chain1	242+484+996	0.00	-7.175	---	---	---	---
802.11b e EHT160	MIMO	242+484+996	0.00	-4.178	---	---	---	---



Test Mode: 802.11a



Mode:802.11a Frequency:5180MHz Ant:Chain0



Mode:802.11a Frequency:5220MHz Ant:Chain0



Mode:802.11a Frequency:5240MHz Ant:Chain0



Mode:802.11a Frequency:5180MHz Ant:Chain1



Mode:802.11a Frequency:5220MHz Ant:Chain1



Mode:802.11a Frequency:5240MHz Ant:Chain1



BUREAU VERITAS

Test Mode: 802.11n HT20



Mode:802.11n HT20 Frequency:5180MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5220MHz Ant:Chain0



Mode:802.11n HT20 Frequency:5240MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5180MHz Ant:Chain1



Mode:802.11n HT20 Frequency:5220MHz Ant:Chain1

Mode:802.11n HT20 Frequency:5240MHz Ant:Chain1

Huarui 7layers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008



BUREAU VERITAS


Test Mode: 802.11ac VHT20



Mode:802.11ac VHT20 Frequency:5180MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5220MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5240MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5180MHz
Ant:Chain1



Mode:802.11ac VHT20 Frequency:5220MHz
Ant:Chain1



Mode:802.11ac VHT20 Frequency:5240MHz
Ant:Chain1