




Test Mode: 802.11ax HE40





Mode:802.11ax HE40 Tone:26T Frequency:5270MHz
Ant:Chain0

Mode:802.11ax HE40 Tone:26T Frequency:5310MHz
Ant:Chain0



Mode:802.11ax HE40 Tone:26T Frequency:5270MHz
Ant:Chain1

Mode:802.11ax HE40 Tone:26T Frequency:5310MHz
Ant:Chain1




Mode:802.11ax HE40 Tone:52T Frequency:5270MHz
Ant:Chain0


Mode:802.11ax HE40 Tone:52T Frequency:5310MHz
Ant:Chain0




BUREAU
VERITAS



Mode:802.11ax HE40 Tone:52T Frequency:5270MHz
Ant:Chain1




Mode:802.11ax HE40 Tone:52T Frequency:5310MHz
Ant:Chain1



Mode:802.11ax HE40 Tone:106T
Frequency:5270MHz Ant:Chain0



Mode:802.11ax HE40 Tone:106T
Frequency:5310MHz Ant:Chain0



Mode:802.11ax HE40 Tone:106T
Frequency:5270MHz Ant:Chain1




Mode:802.11ax HE40 Tone:106T
Frequency:5310MHz Ant:Chain1




BUREAU
VERITAS




Mode:802.11ax HE40 Tone:242T
Frequency:5270MHz Ant:Chain0



Mode:802.11ax HE40 Tone:242T
Frequency:5310MHz Ant:Chain0



Mode:802.11ax HE40 Tone:242T
Frequency:5270MHz Ant:Chain1



Mode:802.11ax HE40 Tone:242T
Frequency:5310MHz Ant:Chain1



Mode:802.11ax HE40 Tone:484T
Frequency:5270MHz Ant:Chain0



Mode:802.11ax HE40 Tone:484T
Frequency:5310MHz Ant:Chain0



BUREAU
VERITAS



Mode:802.11ax HE40 Tone:484T
Frequency:5270MHz Ant:Chain1




Mode:802.11ax HE40 Tone:484T
Frequency:5310MHz Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008


Test Mode: 802.11be EHT40




Mode:802.11be EHT40 Tone:26T
Frequency:5270MHz Ant:Chain0




Mode:802.11be EHT40 Tone:26T
Frequency:5310MHz Ant:Chain0




Mode:802.11be EHT40 Tone:26T
Frequency:5270MHz Ant:Chain1



Mode:802.11be EHT40 Tone:26T
Frequency:5310MHz Ant:Chain1




Mode:802.11be EHT40 Tone:52T
Frequency:5270MHz Ant:Chain0




Mode:802.11be EHT40 Tone:52T
Frequency:5310MHz Ant:Chain0




BUREAU
VERITAS




Mode:802.11be EHT40 Tone:52T
Frequency:5270MHz Ant:Chain1




Mode:802.11be EHT40 Tone:52T
Frequency:5310MHz Ant:Chain1




Mode:802.11be EHT40 Tone:106T
Frequency:5270MHz Ant:Chain0



Mode:802.11be EHT40 Tone:106T
Frequency:5310MHz Ant:Chain0



Mode:802.11be EHT40 Tone:106T
Frequency:5270MHz Ant:Chain1



Mode:802.11be EHT40 Tone:106T
Frequency:5310MHz Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368


1008



BUREAU
VERITAS




Mode:802.11be EHT40 Tone:242T
Frequency:5270MHz Ant:Chain0



Mode:802.11be EHT40 Tone:242T
Frequency:5310MHz Ant:Chain0



Mode:802.11be EHT40 Tone:242T
Frequency:5270MHz Ant:Chain1



Mode:802.11be EHT40 Tone:242T
Frequency:5310MHz Ant:Chain1



Mode:802.11be EHT40 Tone:484T
Frequency:5270MHz Ant:Chain0



Mode:802.11be EHT40 Tone:484T
Frequency:5310MHz Ant:Chain0



BUREAU
VERITAS



Mode:802.11be EHT40 Tone:484T
Frequency:5270MHz Ant:Chain1



Mode:802.11be EHT40 Tone:484T
Frequency:5310MHz Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU
VERITAS

Test Mode: 802.11ac VHT80




Mode:802.11ac VHT80 Frequency:5290MHz
Ant:Chain0



Mode:802.11ac VHT80 Frequency:5290MHz
Ant:Chain1


Test Mode: 802.11ax HE80



Mode:802.11ax HE80 Tone:26T Frequency:5290MHz
Ant:Chain0



Mode:802.11ax HE80 Tone:26T Frequency:5290MHz
Ant:Chain1




Mode:802.11ax HE80 Tone:52T Frequency:5290MHz
Ant:Chain0



Mode:802.11ax HE80 Tone:52T Frequency:5290MHz
Ant:Chain1



Mode:802.11ax HE80 Tone:106T
Frequency:5290MHz Ant:Chain0




Mode:802.11ax HE80 Tone:106T
Frequency:5290MHz Ant:Chain1




BUREAU
VERITAS



Mode:802.11ax HE80 Tone:242T
Frequency:5290MHz Ant:Chain0



Mode:802.11ax HE80 Tone:242T
Frequency:5290MHz Ant:Chain1



Mode:802.11ax HE80 Tone:484T
Frequency:5290MHz Ant:Chain0



Mode:802.11ax HE80 Tone:484T
Frequency:5290MHz Ant:Chain1




Mode:802.11ax HE80 Tone:996T
Frequency:5290MHz Ant:Chain0



Mode:802.11ax HE80 Tone:996T
Frequency:5290MHz Ant:Chain1

Test Mode: 802.11be EHT80




Mode:802.11be EHT80 Tone:26T
 Frequency:5290MHz Ant:Chain0



Mode:802.11be EHT80 Tone:26T
 Frequency:5290MHz Ant:Chain1




Mode:802.11be EHT80 Tone:52T
 Frequency:5290MHz Ant:Chain0



Mode:802.11be EHT80 Tone:52T
 Frequency:5290MHz Ant:Chain1




Mode:802.11be EHT80 Tone:106T
 Frequency:5290MHz Ant:Chain0



Mode:802.11be EHT80 Tone:106T
 Frequency:5290MHz Ant:Chain1



BUREAU
VERITAS



Mode:802.11be EHT80 Tone:242T
Frequency:5290MHz Ant:Chain0



Mode:802.11be EHT80 Tone:242T
Frequency:5290MHz Ant:Chain1



Mode:802.11be EHT80 Tone:484T
Frequency:5290MHz Ant:Chain0



Mode:802.11be EHT80 Tone:484T
Frequency:5290MHz Ant:Chain1



Mode:802.11be EHT80 Tone:996T
Frequency:5290MHz Ant:Chain0



Mode:802.11be EHT80 Tone:996T
Frequency:5290MHz Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368

1008




Dynamic Frequency Selection DESCRIPTION OF Master Device

The Master Device is a SKSpruce Technologies Co., Ltd., Indoor Access Point, FCC ID: 2AHKT-WIA3300-20, Antenna gain: 3 dBi. The rated output power of the Master unit is > 23dBm (EIRP). Therefore the required interference threshold level is -64dBm

Radar Waveform Calibration Result

<20MHz / 5320 MHz> Radar Type 0

Radar / DFS detection threshold level and the burst of pulses on the Channel frequency






BUREAU
VERITAS

<80MHz / 5530 MHz> Radar Type 0

Radar / DFS detection threshold level and the burst of pulses on the Channel frequency







BUREAU
VERITAS

<160MHz / 5570 MHz> Radar Type 0


Radar / DFS detection threshold level and the burst of pulses on the Channel frequency




**<20MHz / 5320 MHz>
EUT data traffic (Client)
Traffic loading :70.11%**




**<20MHz / 5320 MHz>
Noise Floor (No transmission)**



**<80MHz / 5530 MHz>
EUT data traffic (Client)
Traffic loading :50.23%**




**<80MHz / 5530 MHz>
Noise Floor (No transmission)**






BUREAU
VERITAS

<160MHz / 5570 MHz> EUT data traffic (Client) Traffic loading :50.23%



<160MHz / 5570 MHz> Noise Floor (No transmission)





Channel Move Time, Channel Closing Transmission Time

Frequency	Test Item	Test Result	Limit	Pass/Fail
5320MHz	Channel Move Time	< 10s*	< 10s	Pass
	Channel Closing Transmission Time	102.0ms	< 260ms	Pass
	Non-Occupancy Period	≥ 30	≥ 30 min	Pass
5530MHz	Channel Move Time	< 10s*	< 10s	Pass
	Channel Closing Transmission Time	102.0ms	< 260ms	Pass
	Non-Occupancy Period	≥ 30	≥ 30 min	Pass

Note*: We notice clearly that “Channel Move Time” is less than 10s from the figure. The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 seconds period. The aggregate duration of control signals will not count quiet periods in between transmissions.




BUREAU
VERITAS

Channel Move Time, Channel Closing Transmission Time

<20MHz / 5320 MHz>

Channel Move Time & Channel Closing Transmission Time





Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008

<80MHz / 5530 MHz>
Channel Move Time & Channel Closing Transmission Time






Frequency
Auto Tune
Center Freq 5.570000000 GHz
Start Freq 5.570000000 GHz
Stop Freq 5.570000000 GHz
CF Step 8.000000 MHz Man
Auto
Freq Offset 0 Hz



BUREAU
VERITAS

<20MHz / 5320 MHz> Non-Occupancy Period



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008

**<80MHz / 5530 MHz>
Non-Occupancy Period**

