|	
Mode:802.11be HE20 Tone:242T Frequency:5745MHz Ant:Chain0	Mode:802.11be HE20 Tone:242T Frequency:5785MHz Ant:Chain0
Mode:802.11be HE20 Tone:242T Frequency:5825MHz Ant:Chain0	Mode:802.11be HE20 Tone:242T Frequency:5745MHz Ant:Chain1
Mode:802.11be HE20 Tone:242T Frequency:5785MHz Ant:Chain1	Mode:802.11be HE20 Tone:242T Frequency:5825MHz Ant:Chain1

Test Mode: 802.11n HT40


| Mode:802.11n HT40 Frequency:5755MHz Ant:Chain0	Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0
Mode:802.11n HT40 Frequency:5755MHz Ant:Chain1	Mode:802.11n HT40 Frequency:5795MHz Ant:Chain1

Test Mode: 802.11ac VHT40

Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain0

Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain0

Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain1

Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain1

Test Mode: 802.11ax HE40

| Mode:802.11ax HE40 Tone:26T Frequency:5755MHz Ant:Chain0	Mode:802.11ax HE40 Tone:26T Frequency:5795MHz Ant:Chain0
Mode:802.11ax HE40 Tone:26T Frequency:5755MHz Ant:Chain1	Mode:802.11ax HE40 Tone:26T Frequency:5795MHz Ant:Chain1
Mode:802.11ax HE40 Tone:52T Frequency:5755MHz Ant:Chain0	Mode:802.11ax HE40 Tone:52T Frequency:5795MHz Ant:Chain0

Huarui 7layers High Technology (Suzhou) Co., Ltd.	Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province	Tel: +86 (0557) 368 1008

Page 77 of 89

|	
Mode:802.11ax HE40 Tone:52T Frequency:5755MHz Ant:Chain1	Mode:802.11ax HE40 Tone:52T Frequency:5795MHz Ant:Chain1
Mode:802.11ax HE40 Tone:106T Frequency:5755MHz Ant:Chain0	Mode:802.11ax HE40 Tone:106T Frequency:5795MHz Ant:Chain0
Mode:802.11ax HE40 Tone:106T Frequency:5755MHz Ant:Chain1	Mode:802.11ax HE40 Tone:106T Frequency:5795MHz Ant:Chain1

Mode:802.11ax HE40 Tone:242T
Frequency:5755MHz Ant:Chain0

Mode:802.11ax HE40 Tone:242T
Frequency:5795MHz Ant:Chain0



Mode:802.11ax HE40 Tone:242T
Frequency:5755MHz Ant:Chain1



Mode:802.11ax HE40 Tone:242T
Frequency:5795MHz Ant:Chain1



Mode:802.11ax HE40 Tone:484T
Frequency:5755MHz Ant:Chain0

Mode:802.11ax HE40 Tone:484T
Frequency:5795MHz Ant:Chain0

Huarui 7layers High Technology (Suzhou) Co., Ltd. | Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province | Tel: +86 (0557) 368 1008

Page 79 of 89

Mode:802.11ax HE40 Tone:484T Frequency:5755MHz Ant:Chain1	Mode:802.11ax HE40 Tone:484T Frequency:5795MHz Ant:Chain1

Test Mode: 802.11be HE40

| Mode:802.11be HE40 Tone:26T Frequency:5755MHz Ant:Chain0	Mode:802.11be HE40 Tone:26T Frequency:5795MHz Ant:Chain0
Mode:802.11be HE40 Tone:26T Frequency:5755MHz Ant:Chain1	Mode:802.11be HE40 Tone:26T Frequency:5795MHz Ant:Chain1
Mode:802.11be HE40 Tone:52T Frequency:5755MHz Ant:Chain0	Mode:802.11be HE40 Tone:52T Frequency:5795MHz Ant:Chain0

Mode:802.11be HE40 Tone:52T Frequency:5755MHz Ant:Chain1

Mode:802.11be HE40 Tone:52T Frequency:5795MHz Ant:Chain1

Mode:802.11be HE40 Tone:106T Frequency:5755MHz Ant:Chain0

Mode:802.11be HE40 Tone:106T Frequency:5795MHz Ant:Chain0

Mode:802.11be HE40 Tone:106T Frequency:5755MHz Ant:Chain1



Mode:802.11be HE40 Tone:106T Frequency:5795MHz Ant:Chain1

Mode:802.11be HE40 Tone:242T
Frequency:5755MHz Ant:Chain0

Mode:802.11be HE40 Tone:242T
Frequency:5795MHz Ant:Chain0

Mode:802.11be HE40 Tone:242T
Frequency:5755MHz Ant:Chain1

Mode:802.11be HE40 Tone:242T
Frequency:5795MHz Ant:Chain1

Mode:802.11be HE40 Tone:484T
Frequency:5755MHz Ant:Chain0

Mode:802.11be HE40 Tone:484T
Frequency:5795MHz Ant:Chain0

Mode:802.11be HE40 Tone:484T Frequency:5755MHz Ant:Chain1	Mode:802.11be HE40 Tone:484T Frequency:5795MHz Ant:Chain1

Test Mode: 802.11ac VHT80

Mode:802.11ac VHT80 Frequency:5775MHz Ant:Chain0	Mode:802.11ac VHT80 Frequency:5775MHz Ant:Chain1

Huarui 7layers High Technology (Suzhou) Co., Ltd. Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province Tel: +86 (0557) 368 1008

Page 85 of 89

Test Mode: 802.11ax HE80

Mode:802.11ax HE80 Tone:26T Frequency:5775MHz Ant:Chain0	Mode:802.11ax HE80 Tone:26T Frequency:5775MHz Ant:Chain1

Mode:802.11ax HE80 Tone:52T Frequency:5775MHz Ant:Chain0	Mode:802.11ax HE80 Tone:52T Frequency:5775MHz Ant:Chain1

| Mode:802.11ax HE80 Tone:106T Frequency:5775MHz Ant:Chain0	Mode:802.11ax HE80 Tone:106T Frequency:5775MHz Ant:Chain1

Mode:802.11ax HE80 Tone:242T
Frequency:5775MHz Ant:Chain0

Mode:802.11ax HE80 Tone:242T
Frequency:5775MHz Ant:Chain1



Mode:802.11ax HE80 Tone:484T
Frequency:5775MHz Ant:Chain0

Mode:802.11ax HE80 Tone:484T
Frequency:5775MHz Ant:Chain1

Mode:802.11ax HE80 Tone:996T
Frequency:5775MHz Ant:Chain0

Mode:802.11ax HE80 Tone:996T
Frequency:5775MHz Ant:Chain1

Huarui 7layers High Technology (Suzhou) Co., Ltd. | Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province | Tel: +86 (0557) 368 1008

Page 87 of 89

Test Mode: 802.11be HE80

| Mode:802.11be HE80 Tone:26T Frequency:5775MHz Ant:Chain0	Mode:802.11be HE80 Tone:26T Frequency:5775MHz Ant:Chain1
Mode:802.11be HE80 Tone:52T Frequency:5775MHz Ant:Chain0	Mode:802.11be HE80 Tone:52T Frequency:5775MHz Ant:Chain1
Mode:802.11be HE80 Tone:106T Frequency:5775MHz Ant:Chain0	Mode:802.11be HE80 Tone:106T Frequency:5775MHz Ant:Chain1