




**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 376000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,733.000	-50.73	-13.00	37.73	21.93	V	130.9	1.00
4	5,599.500	-49.62	-13.00	36.62	25.02	V	341	1.00






**CHANNEL BANDWIDTH: 35MHz / QPSK**

<b>MODE</b>	TX channel 376000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,728.500	-51.23	-13.00	38.23	21.26	H	359	2.00
4	5,592.750	-50.98	-13.00	37.98	24.43	H	111	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 376000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,728.500	-51.49	-13.00	38.49	21.90	V	359	2.00
4	5,592.750	-48.98	-13.00	35.98	25.01	V	1	2.00






**CHANNEL BANDWIDTH: 40MHz / QPSK**

<b>MODE</b>	TX channel 376000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,724.000	-51.03	-13.00	38.03	21.23	H	359	1.00
4	5,586.000	-50.19	-13.00	37.19	24.37	H	2.1	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 376000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,724.000	-49.32	-13.00	36.32	21.86	V	3.7	2.00
4	5,586.000	-49.81	-13.00	36.81	25.00	V	266.7	2.00






N5

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.000	-40.63	-13.00	27.63	15.41	H	333.3	1.00
3	2,502.750	-49.31	-13.00	36.31	20.64	H	159	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.000	-35.00	-13.00	22.00	14.30	V	98.2	2.00
3	2,502.750	-49.64	-13.00	36.64	21.08	V	268.9	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 10MHz / QPSK**

**CH167300**

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-40.03	-13.00	27.03	15.32	H	34.6	1.00
3	2,496.000	-49.17	-13.00	36.17	20.76	H	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,663.500	-37.66	-13.00	24.66	14.19	V	0.9	2.00
3	2,496.000	-49.77	-13.00	36.77	21.03	V	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

<b>MODE</b>	TX channel 166300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.500	-53.80	-13.00	40.80	14.85	H	329.7	1.00
3	2,474.250	-50.39	-13.00	37.39	20.32	H	338.2	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 166300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,648.500	-30.94	-13.00	17.94	14.38	V	263.2	1.00
3	2,474.250	-48.66	-13.00	35.66	20.57	V	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,659.500	-32.65	-13.00	19.65	15.24	H	191	1.00
3	2,489.250	-49.51	-13.00	36.51	20.68	H	336.1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,659.500	-35.22	-13.00	22.22	14.12	V	191	1.00
3	2,489.250	-47.53	-13.00	34.53	20.91	V	198.8	1.00





<b>MODE</b>	TX channel 168300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.000	-37.36	-13.00	24.36	15.41	H	96.7	2.00
3	2,504.250	-49.13	-13.00	36.13	20.61	H	18.9	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 168300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,669.500	-55.50	-13.00	42.50	14.30	V	359	1.00
3	2,504.250	-49.12	-13.00	36.12	21.09	V	20.3	2.00






**CHANNEL BANDWIDTH: 20MHz / QPSK**

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,654.500	-32.96	-13.00	19.96	15.04	H	30.2	2.00
3	2,482.500	-48.76	-13.00	35.76	20.52	H	266	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 167300	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,654.000	-39.34	-13.00	26.34	14.25	V	1	1.00
3	2,482.500	-49.06	-13.00	36.06	20.76	V	96.9	1.00






N7

CHANNEL BANDWIDTH: 5MHz / QPSK

CH 507000:

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,065.500	-49.58	-25.00	24.58	23.81	H	1	1.00
5	7,598.250	-45.84	-25.00	20.84	27.56	H	263.1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,065.500	-48.76	-25.00	23.76	24.26	V	262.4	2.00
5	7,598.250	-46.88	-25.00	21.88	27.34	V	137.1	2.00






**CHANNEL BANDWIDTH: 10MHz / QPSK**

<b>MODE</b>	TX channel 501000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,001.000	-50.98	-25.00	25.98	23.66	H	2.3	2.00
5	7,501.500	-45.22	-25.00	20.22	27.41	H	1.6	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 501000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,001.000	-49.23	-25.00	24.23	23.87	V	21.8	2.00
5	7,501.500	-45.96	-25.00	20.96	27.39	V	13.3	2.00






**CHANNEL BANDWIDTH: 10MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,061.000	-47.64	-25.00	22.64	23.87	H	1	1.00
5	7,591.500	-42.97	-25.00	17.97	27.52	H	138.6	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,061.000	-48.38	-25.00	23.38	24.30	V	242.7	1.00
5	7,591.500	-45.88	-25.00	20.88	27.30	V	139.3	2.00






**CHANNEL BANDWIDTH: 10MHz / QPSK**

<b>MODE</b>	TX channel 513000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,121.000	-47.93	-25.00	22.93	23.51	H	1.5	2.00
5	7,681.500	-45.12	-25.00	20.12	28.00	H	127.3	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 513000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,121.000	-49.11	-25.00	24.11	23.91	V	101.8	1.00
5	7,681.500	-45.12	-25.00	20.12	27.82	V	0.9	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	DC12V
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,056.500	-48.49	-25.00	23.49	23.92	H	49.4	2.00
5	7,584.750	-47.69	-25.00	22.69	27.48	H	208.6	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,056.500	-48.64	-25.00	23.64	24.34	V	98.3	1.00
5	7,584.750	-46.99	-25.00	21.99	27.26	V	359	2.00






**CHANNEL BANDWIDTH: 20MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,052.000	-48.10	-25.00	23.10	23.97	H	263.1	2.00
5	7,578.000	-45.77	-25.00	20.77	27.48	H	303.5	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,052.000	-47.59	-25.00	22.59	24.38	V	262.4	2.00
5	7,578.000	-46.83	-25.00	21.83	27.27	V	207.3	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 25MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,047.500	-49.73	-25.00	24.73	24.02	H	145	2.00
5	7,571.250	-46.14	-25.00	21.14	27.47	H	359	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,047.500	-48.81	-25.00	23.81	24.41	V	70.6	2.00
5	7,571.250	-46.78	-25.00	21.78	27.28	V	63.5	2.00






**CHANNEL BANDWIDTH: 30MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,043.000	-50.72	-25.00	25.72	23.98	H	0.9	2.00
5	7,564.500	-46.59	-25.00	21.59	27.47	H	0.9	2.00





<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,043.000	-48.87	-25.00	23.87	24.36	V	341	1.00
5	7,564.500	-46.62	-25.00	21.62	27.30	V	0.9	2.00






**CHANNEL BANDWIDTH: 35MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,038.500	-48.88	-25.00	23.88	23.95	H	357.8	2.00
5	7,557.750	-46.67	-25.00	21.67	27.46	H	1	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,038.500	-50.42	-25.00	25.42	24.31	V	1	2.00
5	7,557.750	-47.79	-25.00	22.79	27.31	V	152.7	2.00






CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,034.000	-48.09	-25.00	23.09	23.91	H	331	1.00
5	7,551.000	-47.46	-25.00	22.46	27.46	H	245.4	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,034.000	-48.65	-25.00	23.65	24.25	V	1	1.00
5	7,551.000	-45.62	-25.00	20.62	27.32	V	230.6	1.00





**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 50MHz / QPSK**

<b>MODE</b>	TX channel 507000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,025.000	-50.00	-25.00	25.00	23.84	H	359	2.00
5	7,537.500	-46.35	-25.00	21.35	27.45	H	276.6	2.00

