




BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,025.000	-51.43	-25.00	26.43	24.15	V	117.4	2.00
5	7,537.500	-47.64	-25.00	22.64	27.35	V	359.1	2.00






Note: For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 518598

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,176.980	-50.78	-25.00	25.78	23.75	H	94.7	1.00
5	7,765.470	-45.41	-25.00	20.41	28.11	H	0.9	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,176.980	-48.83	-25.00	23.83	24.18	V	359	2.00
5	7,765.470	-47.38	-25.00	22.38	27.88	V	359.1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.480	-50.05	-25.00	25.05	23.73	H	356.9	2.00
5	7,758.720	-46.35	-25.00	21.35	28.14	H	157.7	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.480	-50.11	-25.00	25.11	24.12	V	1	2.00
5	7,758.720	-45.95	-25.00	20.95	27.89	V	359.1	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 501204	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,994.040	-49.55	-25.00	24.55	23.61	H	33.2	2.00
5	7,491.060	-44.32	-25.00	19.32	27.41	H	236.2	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 501204	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	4,994.040	-50.94	-25.00	25.94	23.84	V	203	1.00
5	7,491.060	-44.64	-25.00	19.64	27.39	V	340.3	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,167.980	-47.95	-25.00	22.95	23.72	H	359	2.00
5	7,751.970	-44.58	-25.00	19.58	28.17	H	0.9	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,167.980	-49.67	-25.00	24.67	24.07	V	1	1.00
5	7,751.970	-46.32	-25.00	21.32	27.90	V	1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 535998	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,341.980	-50.15	-25.00	25.15	24.25	H	359.1	1.00
6	8,012.970	-57.41	-25.00	32.41	16.95	H	359	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 535998	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,341.980	-49.19	-25.00	24.19	24.71	V	160.5	2.00
6	8,012.970	-54.38	-25.00	29.38	16.76	V	79.1	2.00






CHANNEL BANDWIDTH: 25MHz / QPSK

MODE	TX channel 631000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,163.480	-50.43	-25.00	25.43	23.70	H	359.1	2.00
5	7,745.220	-46.24	-25.00	21.24	28.19	H	358.3	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 631000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,163.480	-50.95	-25.00	25.95	24.01	V	111	2.00
5	7,745.220	-47.20	-25.00	22.20	27.92	V	266.6	2.00






CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 631000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,158.980	-49.64	-25.00	24.64	23.68	H	1	2.00
5	7,738.470	-44.75	-25.00	19.75	28.22	H	1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 631000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,158.980	-50.54	-25.00	25.54	23.96	V	359.1	1.00
5	7,738.470	-45.85	-25.00	20.85	27.93	V	1	2.00






CHANNEL BANDWIDTH: 35MHz / QPSK

MODE	TX channel 631000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,154.480	-51.26	-25.00	26.26	23.66	H	358.6	2.00
5	7,731.720	-46.05	-25.00	21.05	28.20	H	359.1	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 631000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,154.480	-52.34	-25.00	27.34	23.90	V	359	2.00
5	7,731.720	-46.28	-25.00	21.28	27.92	V	359	2.00






CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 631334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,149.980	-48.10	-25.00	23.10	23.64	H	102.5	2.00
5	7,724.970	-45.92	-25.00	20.92	28.17	H	331.8	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 631334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,149.980	-50.36	-25.00	25.36	23.85	V	265.3	2.00
5	7,724.970	-45.64	-25.00	20.64	27.91	V	1	1.00






CHANNEL BANDWIDTH: 45MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,145.480	-50.49	-25.00	25.49	23.62	H	108.1	2.00
5	7,718.220	-46.56	-25.00	21.56	28.14	H	144.2	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,145.480	-51.72	-25.00	26.72	23.85	V	355.1	2.00
5	7,718.220	-45.59	-25.00	20.59	27.89	V	147	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 50MHz / QPSK

MODE	TX channel 635332	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,140.980	-51.05	-25.00	26.05	23.60	H	33.2	2.00
5	7,711.470	-45.26	-25.00	20.26	28.12	H	235.5	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 635332	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,140.980	-49.41	-25.00	24.41	23.86	V	159.8	2.00
5	7,711.470	-45.72	-25.00	20.72	27.88	V	332.5	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,131.980	-49.98	-25.00	24.98	23.56	H	139.4	2.00
5	7,697.970	-46.34	-25.00	21.34	28.06	H	65	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,131.980	-49.21	-25.00	24.21	23.88	V	94.6	2.00
5	7,697.970	-45.51	-25.00	20.51	27.85	V	359.1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 70MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,122.980	-50.27	-25.00	25.27	23.52	H	359	2.00
5	7,684.470	-46.54	-25.00	21.54	28.01	H	359.1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,122.980	-49.24	-25.00	24.24	23.90	V	1	2.00
5	7,684.470	-45.10	-25.00	20.10	27.82	V	154.1	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH:80MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,113.980	-50.62	-25.00	25.62	23.48	H	198.7	1.00
5	7,670.970	-45.90	-25.00	20.90	27.97	H	336.7	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,113.980	-49.87	-25.00	24.87	23.93	V	99	2.00
5	7,670.970	-45.88	-25.00	20.88	27.80	V	1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,104.980	-50.66	-25.00	25.66	23.44	H	359	2.00
5	7,657.470	-46.61	-25.00	21.61	27.91	H	85.5	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,104.980	-48.62	-25.00	23.62	23.95	V	266.6	1.00
5	7,657.470	-47.02	-25.00	22.02	27.76	V	124.4	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,095.980	-49.75	-25.00	24.75	23.44	H	318.3	1.00
5	7,643.970	-46.94	-25.00	21.94	27.83	H	88.3	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,095.980	-49.19	-25.00	24.19	23.99	V	206.5	1.00
5	7,643.970	-46.89	-25.00	21.89	27.67	V	1	1.00






N66

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 342500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,420.500	-51.91	-13.00	38.91	20.53	H	5.6	2.00
4	5,130.750	-49.46	-13.00	36.46	23.56	H	359.1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 342500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,420.500	-49.64	-13.00	36.64	20.87	V	75.6	2.00
4	5,130.750	-49.06	-13.00	36.06	23.89	V	236.2	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,485.500	-51.71	-13.00	38.71	20.46	H	266.7	2.00
4	5,228.250	-50.45	-13.00	37.45	24.00	H	1	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,485.500	-50.63	-13.00	37.63	21.24	V	265.9	2.00
4	5,228.250	-47.99	-13.00	34.99	24.54	V	330.4	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 355500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,550.500	-48.24	-13.00	35.24	20.69	H	78.4	2.00
4	5,325.750	-49.54	-13.00	36.54	24.20	H	6.3	2.00





MODE	TX channel 355500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,550.500	-51.33	-13.00	38.33	21.23	V	359	1.00
4	5,325.750	-49.86	-13.00	36.86	24.70	V	97.6	1.00

