




**CHANNEL BANDWIDTH: 10MHz / QPSK**

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,481.000	-51.66	-13.00	38.66	20.42	H	1.9	2.00
4	5,221.500	-48.44	-13.00	35.44	23.97	H	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,481.000	-50.95	-13.00	37.95	21.18	V	359	1.00
4	5,221.500	-48.83	-13.00	35.83	24.53	V	64.2	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,476.500	-51.86	-13.00	38.86	20.39	H	1	1.00
4	5,214.750	-49.30	-13.00	36.30	23.93	H	5.5	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,476.500	-51.15	-13.00	38.15	21.13	V	356.9	1.00
4	5,214.750	-49.79	-13.00	36.79	24.51	V	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-52.97	-13.00	39.97	20.35	H	266.7	2.00
4	5,208.000	-49.46	-13.00	36.46	23.90	H	0.9	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-50.41	-13.00	37.41	21.07	V	266	2.00
4	5,208.000	-49.76	-13.00	36.76	24.49	V	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 25MHz / QPSK**

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,467.500	-52.73	-13.00	39.73	20.32	H	1	1.00
4	5,201.250	-49.35	-13.00	36.35	23.86	H	89.7	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,467.500	-51.50	-13.00	38.50	21.02	V	266.6	2.00
4	5,201.250	-49.57	-13.00	36.57	24.47	V	6.3	2.00






CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,463.000	-51.79	-13.00	38.79	20.28	H	91.9	1.00
4	5,194.500	-50.22	-13.00	37.22	23.82	H	204.5	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,463.000	-52.23	-13.00	39.23	20.96	V	266	2.00
4	5,194.500	-48.35	-13.00	35.35	24.39	V	148.5	2.00






CHANNEL BANDWIDTH: 40MHz / QPSK  
CH349000

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,454.000	-51.80	-13.00	38.80	20.30	H	359	1.00
4	5,181.000	-50.27	-13.00	37.27	23.77	H	213.6	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,454.000	-51.75	-13.00	38.75	20.92	V	265.9	2.00
4	5,181.000	-49.82	-13.00	36.82	24.23	V	321.8	1.00





**N77 (Part 27Q)**


**Note:** For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

**CHANNEL BANDWIDTH: 10MHz / QPSK**

**CH 633334**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,991.000	-41.20	-13.00	28.20	32.81	H	320.6	1.00
6	10,486.000	-54.72	-13.00	41.72	18.72	H	326.9	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,991.000	-40.69	-13.00	27.69	32.85	V	101.8	2.00
6	10,486.000	-55.12	-13.00	42.12	18.47	V	1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 15MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,986.520	-40.79	-13.00	27.79	32.80	H	147.1	2.00
6	10,479.780	-54.79	-13.00	41.79	18.68	H	182.5	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,986.520	-41.71	-13.00	28.71	32.85	V	1	2.00
6	10,479.780	-53.89	-13.00	40.89	18.45	V	181	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 20MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,982.020	-41.12	-13.00	28.12	32.80	H	355.6	1.00
6	10,473.030	-54.15	-13.00	41.15	18.64	H	256.8	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,982.020	-41.56	-13.00	28.56	32.84	V	143.6	1.00
6	10,473.030	-53.83	-13.00	40.83	18.42	V	2.1	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 25MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,977.520	-41.79	-13.00	28.79	32.79	H	357.7	2.00
6	10,466.280	-56.44	-13.00	43.44	18.61	H	176.2	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,977.520	-41.25	-13.00	28.25	32.84	V	142.8	2.00
6	10,466.280	-56.31	-13.00	43.31	18.39	V	355.1	2.00






**CHANNEL BANDWIDTH: 30MHz / QPSK**

<b>MODE</b>	TX channel 631000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.020	-40.29	-13.00	27.29	32.79	H	2.9	2.00
6	10,459.530	-53.12	-13.00	40.12	18.56	H	321.2	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 631000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.020	-40.56	-13.00	27.56	32.84	V	238.3	2.00
6	10,459.530	-54.97	-13.00	41.97	18.36	V	359	1.00






CHANNEL BANDWIDTH: 40MHz / QPSK

<b>MODE</b>	TX channel 631334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,904.020	-40.87	-13.00	27.87	32.84	H	359	2.00
6	10,356.030	-53.05	-13.00	40.05	17.93	H	359	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 631334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,904.020	-41.65	-13.00	28.65	32.81	V	149.2	2.00
6	10,356.030	-54.27	-13.00	41.27	17.65	V	204.4	1.00






**CHANNEL BANDWIDTH: 40MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.020	-41.19	-13.00	28.19	32.78	H	165.4	2.00
6	10,446.030	-52.94	-13.00	39.94	18.49	H	150.6	1.00





<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,023.960	-41.45	-13.00	28.45	32.69	H	1	1.00
6	10,535.940	-53.71	-13.00	40.71	18.78	H	210.8	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 40MHz / QPSK**

<b>MODE</b>	TX channel 635332	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,023.960	-41.45	-13.00	28.45	32.69	H	1	1.00
6	10,535.940	-53.71	-13.00	40.71	18.78	H	210.8	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 635332	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,023.960	-41.24	-13.00	28.24	32.66	V	161.9	2.00
6	10,535.940	-54.81	-13.00	41.81	18.47	V	154.9	2.00



Huarui 7layers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008




**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 50MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,955.020	-40.80	-13.00	27.80	32.77	H	236.2	2.00
6	10,432.530	-54.34	-13.00	41.34	18.41	H	204.4	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,955.020	-40.44	-13.00	27.44	32.82	V	2.5	2.00
6	10,432.530	-54.49	-13.00	41.49	18.25	V	210.1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 60MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.020	-40.42	-13.00	27.42	32.76	H	359	1.00
6	10,419.030	-54.34	-13.00	41.34	18.33	H	208.6	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.020	-41.21	-13.00	28.21	32.81	V	359	2.00
6	10,419.030	-54.44	-13.00	41.44	18.17	V	358.6	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 70MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,937.020	-42.63	-13.00	29.63	32.75	H	105.9	2.00
6	10,405.530	-54.69	-13.00	41.69	18.24	H	156.2	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,937.020	-42.00	-13.00	29.00	32.80	V	198.8	1.00
6	10,405.530	-56.00	-13.00	43.00	18.06	V	359	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH:80MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.020	-41.76	-13.00	28.76	32.82	H	49.4	2.00
6	10,392.030	-54.64	-13.00	41.64	18.16	H	1.4	2.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.020	-41.44	-13.00	28.44	32.84	V	359.1	1.00
6	10,392.030	-54.33	-13.00	41.33	17.95	V	359.1	1.00






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: 90MHz / QPSK**

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,919.020	-41.41	-13.00	28.41	32.88	H	314.9	1.00
6	10,378.530	-55.04	-13.00	42.04	18.07	H	207.2	2.00





**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

<b>MODE</b>	TX channel 633334	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Hanwen Xu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,919.020	-40.79	-13.00	27.79	32.88	V	1.8	2.00
6	10,378.530	-55.23	-13.00	42.23	17.84	V	359	2.00

