




MODE	TX channel 636000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,062.000	-40.92	-13.00	27.92	32.27	V	237.6	2.00
6	10,593.000	-53.12	-13.00	40.12	18.26	V	109.4	2.00






CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.000	-40.70	-13.00	27.70	32.79	H	238.3	1.00
6	10,459.000	-54.59	-13.00	41.59	18.56	H	359	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.000	-39.71	-13.00	26.71	32.84	V	22.5	2.00
6	10,459.000	-55.00	-13.00	42.00	18.36	V	299.9	1.00






CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.000	-41.34	-13.00	28.34	32.78	H	1	1.00
6	10,446.000	-53.65	-13.00	40.65	18.49	H	109.5	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.000	-39.80	-13.00	26.80	32.83	V	238.4	1.00
6	10,446.000	-54.72	-13.00	41.72	18.30	V	208.6	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 50MHz / QPSK

CH 656000

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,955.000	-40.85	-13.00	27.85	32.77	H	118.7	2.00
6	10,432.000	-53.22	-13.00	40.22	18.40	H	295	1.00





MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,955.000	-40.83	-13.00	27.83	32.82	V	120.2	2.00
6	10,432.000	-54.86	-13.00	41.86	18.24	V	161.1	2.00






CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.000	-40.91	-13.00	27.91	32.76	H	62.2	2.00
6	10,419.000	-53.95	-13.00	40.95	18.33	H	55	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.000	-39.21	-13.00	26.21	32.81	V	290.1	1.00
6	10,419.000	-53.67	-13.00	40.67	18.17	V	207.9	2.00





MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,937.000	-41.56	-13.00	28.56	32.75	H	345.3	1.00
6	10,405.000	-54.24	-13.00	41.24	18.24	H	351.4	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,937.000	-41.82	-13.00	28.82	32.80	V	1	2.00
6	10,405.000	-56.72	-13.00	43.72	18.06	V	162.6	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.000	-41.55	-13.00	28.55	32.82	H	124.5	1.00
6	10,392.000	-54.07	-13.00	41.07	18.16	H	0.9	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.000	-41.34	-13.00	28.34	32.84	V	176.8	1.00
6	10,392.000	-53.23	-13.00	40.23	17.95	V	262.4	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,919.000	-41.73	-13.00	28.73	32.88	H	115.8	2.00
6	10,378.000	-54.81	-13.00	41.81	18.07	H	6.6	2.00



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province


Tel: +86 (0557)
368 1008



BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,919.000	-41.29	-13.00	28.29	32.88	V	302.7	1.00
6	10,378.000	-55.51	-13.00	42.51	17.83	V	359	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,910.000	-39.98	-13.00	26.98	32.88	H	123.8	1.00
6	10,365.000	-53.71	-13.00	40.71	17.98	H	309.2	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,910.000	-40.78	-13.00	27.78	32.85	V	326.1	1.00
6	10,365.000	-53.90	-13.00	40.90	17.73	V	108.1	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_2A_N78A

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 18700/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,702.000	-26.31	-13.00	13.31	31.20	H	266	2.00
4	5,553.000	-39.10	-13.00	26.10	34.60	H	186.1	1.00
5	6,909.000	-41.61	-13.00	28.61	32.87	H	348.8	1.00
6	10,363.500	-52.97	-13.00	39.97	17.98	H	9.8	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 18700/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,702.000	-41.32	-13.00	28.32	31.79	V	1	1.00
4	5,553.000	-39.23	-13.00	26.23	35.30	V	359.1	1.00
5	6,909.000	-40.72	-13.00	27.72	32.84	V	189.5	1.00
6	10,363.500	-53.93	-13.00	40.93	17.71	V	106.7	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 18900/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.000	-24.96	-13.00	11.96	31.45	H	266.7	2.00
4	5,613.000	-38.72	-13.00	25.72	35.00	H	1	1.00
5	6,919.020	-41.62	-13.00	28.62	32.88	H	11.9	2.00
6	10,378.530	-53.03	-13.00	40.03	18.07	H	153.5	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 18900/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.000	-38.66	-13.00	25.66	32.10	V	1	1.00
4	5,613.000	-38.09	-13.00	25.09	35.45	V	126.6	2.00
5	6,919.020	-39.86	-13.00	26.86	32.88	V	67.8	2.00
6	10,378.530	-55.09	-13.00	42.09	17.84	V	60.8	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 19100/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,782.500	-28.49	-13.00	15.49	32.26	H	1	1.00
4	5,673.000	-37.55	-13.00	24.55	35.26	H	0.9	2.00
5	6,928.980	-41.91	-13.00	28.91	32.81	H	113.8	2.00
6	10,393.470	-53.95	-13.00	40.95	18.17	H	1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 19100/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,782.000	-40.34	-13.00	27.34	32.46	V	123	2.00
4	5,673.000	-39.03	-13.00	26.03	35.65	V	285	1.00
5	6,928.980	-42.04	-13.00	29.04	32.83	V	1	2.00
6	10,393.470	-53.30	-13.00	40.30	17.96	V	206.6	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_5A_N7A

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20450/502000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-54.85	-25.00	29.85	14.82	H	359	2.00
3	2,473.500	-40.88	-25.00	15.88	29.03	H	359	1.00
4	5,002.000	-50.64	-25.00	25.64	23.66	H	359	1.00
5	7,503.000	-45.75	-25.00	20.75	27.41	H	256.1	1.00





MODE	TX channel 20450/502000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-54.92	-25.00	29.92	14.37	V	234.2	1.00
3	2,473.500	-40.32	-25.00	15.32	29.28	V	1	1.00
4	5,002.000	-49.11	-25.00	24.11	23.88	V	249.7	1.00
5	7,503.000	-45.51	-25.00	20.51	27.39	V	2	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20525/507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-54.30	-25.00	29.30	15.32	H	324.7	2.00
3	2,496.000	-40.52	-25.00	15.52	29.32	H	1	1.00
4	5,052.000	-50.23	-25.00	25.23	23.97	H	55.8	2.00
5	7,578.000	-46.20	-25.00	21.20	27.48	H	321.3	1.00





MODE	TX channel 20525/507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-54.76	-25.00	29.76	14.20	V	359	1.00
3	2,496.000	-39.15	-25.00	14.15	29.60	V	123	2.00
4	5,052.000	-48.62	-25.00	23.62	24.38	V	352.9	1.00
5	7,578.000	-46.06	-25.00	21.06	27.27	V	198.8	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20600/512000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-53.99	-25.00	28.99	15.64	H	123	2.00
3	2,518.500	-41.81	-25.00	16.81	28.76	H	294.2	2.00
4	5,102.000	-51.15	-25.00	26.15	23.43	H	1.8	2.00
5	7,653.000	-46.81	-25.00	21.81	27.89	H	359	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 20600/512000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-55.67	-25.00	30.67	14.56	V	359.1	1.00
3	2,518.500	-41.80	-25.00	16.80	29.61	V	183.9	1.00
4	5,102.000	-49.09	-25.00	24.09	23.96	V	359	2.00
5	7,653.000	-46.81	-25.00	21.81	27.73	V	199.5	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_5A_N66A

CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 20450/346000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.500	-29.94	-13.00	16.94	24.45	H	86.8	2.00
3	2,473.500	-48.53	-13.00	35.53	20.30	H	65	1.00
4	3,424.000	-52.15	-13.00	39.15	20.50	H	94	1.00
4	5,136.000	-50.30	-13.00	37.30	23.58	H	19.6	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 20450/346000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-43.65	-13.00	30.65	23.98	V	358.7	1.00
3	2,473.500	-50.38	-13.00	37.38	20.55	V	278.7	1.00
4	3,424.000	-51.29	-13.00	38.29	20.88	V	236.2	1.00
4	5,136.000	-50.08	-13.00	37.08	23.87	V	70.6	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20525/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-28.84	-13.00	15.84	24.99	H	139.2	2.00
3	2,496.000	-49.93	-13.00	36.93	20.76	H	276.6	1.00
4	3,454.000	-50.26	-13.00	37.26	20.30	H	283.7	1.00
4	5,181.000	-50.22	-13.00	37.22	23.77	H	332.6	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 20525/349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-42.91	-13.00	29.91	23.87	V	191.7	2.00
3	2,496.000	-49.15	-13.00	36.15	21.03	V	296.4	2.00
4	3,454.000	-50.19	-13.00	37.19	20.92	V	94	1.00
4	5,181.000	-50.46	-13.00	37.46	24.23	V	25.4	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 20600/352000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-28.27	-13.00	15.27	25.29	H	86.9	2.00
3	2,518.500	-50.15	-13.00	37.15	20.28	H	359.1	1.00
4	3,484.000	-52.70	-13.00	39.70	20.45	H	183.9	1.00
4	5,226.000	-49.55	-13.00	36.55	23.99	H	20.4	2.00





BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 20600/352000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.500	-39.84	-13.00	26.84	24.22	V	321.1	1.00
3	2,518.500	-49.64	-13.00	36.64	21.13	V	130.8	2.00
4	3,484.000	-51.21	-13.00	38.21	21.22	V	184.6	1.00
4	5,226.000	-49.42	-13.00	36.42	24.54	V	123.7	2.00

