




BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_7A_N5A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 20850/166800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-53.80	-25.00	28.80	14.87	H	227.8	1.00
3	2,475.000	-40.45	-25.00	15.45	29.06	H	77.8	2.00
4	5,002.000	-49.18	-25.00	24.18	23.66	H	189.6	1.00
5	7,503.000	-45.60	-25.00	20.60	27.41	H	127.3	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 20850/166800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-56.14	-25.00	31.14	14.35	V	169.8	1.00
3	2,475.000	-41.28	-25.00	16.28	29.30	V	359.1	1.00
4	5,002.000	-48.62	-25.00	23.62	23.88	V	359	2.00
5	7,503.000	-45.56	-25.00	20.56	27.39	V	165.5	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-54.31	-25.00	29.31	15.06	H	33.1	2.00
3	2,482.500	-41.43	-25.00	16.43	29.19	H	67.1	1.00
4	5,052.000	-48.88	-25.00	23.88	23.97	H	189.5	1.00
5	7,578.000	-46.11	-25.00	21.11	27.48	H	61.4	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 21100/167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-55.16	-25.00	30.16	14.23	V	20.4	2.00
3	2,482.500	-39.87	-25.00	14.87	29.42	V	11.8	2.00
4	5,052.000	-47.71	-25.00	22.71	24.38	V	113.8	2.00
5	7,578.000	-46.65	-25.00	21.65	27.27	V	105.3	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 21350/167800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-55.24	-25.00	30.24	15.24	H	359.1	1.00
3	2,490.000	-39.62	-25.00	14.62	29.32	H	344.6	1.00
4	5,102.000	-50.32	-25.00	25.32	23.43	H	1	1.00
5	7,653.000	-45.31	-25.00	20.31	27.89	H	1	2.00





MODE	TX channel 21350/167800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-56.11	-25.00	31.11	14.12	V	358.7	1.00
3	2,490.000	-40.86	-25.00	15.86	29.54	V	296.4	2.00
4	5,102.000	-48.11	-25.00	23.11	23.96	V	185.4	1.00
5	7,653.000	-45.30	-25.00	20.30	27.73	V	359.1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_38A_N78A

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 37850/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,142.000	-29.37	-25.00	4.37	33.88	H	94	1.00
5	6,909.000	-41.90	-25.00	16.90	32.87	H	19.7	2.00
5	7,713.000	-40.39	-25.00	15.39	33.05	H	236.2	2.00
6	10,363.500	-53.39	-25.00	28.39	17.98	H	112.4	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 37850/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,142.000	-38.95	-25.00	13.95	34.13	V	132.2	2.00
5	6,909.000	-40.29	-25.00	15.29	32.84	V	359	2.00
5	7,713.000	-40.20	-25.00	15.20	32.81	V	289.4	1.00
6	10,363.500	-53.44	-25.00	28.44	17.71	V	67.8	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.000	-37.13	-25.00	12.13	33.98	H	0.9	2.00
5	6,919.020	-41.39	-25.00	16.39	32.88	H	358.7	1.00
5	7,758.000	-41.06	-25.00	16.06	33.01	H	234.9	1.00
6	10,378.530	-54.86	-25.00	29.86	18.07	H	1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 38000/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,172.000	-38.95	-25.00	13.95	34.36	V	319.8	1.00
5	6,919.020	-41.44	-25.00	16.44	32.88	V	359	2.00
5	7,758.000	-39.96	-25.00	14.96	32.76	V	280.8	1.00
6	10,378.530	-52.93	-25.00	27.93	17.84	V	359	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 38150/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,202.000	-33.75	-25.00	8.75	34.09	H	1.3	2.00
5	6,928.980	-40.03	-25.00	15.03	32.81	H	237.6	2.00
5	7,803.000	-39.56	-25.00	14.56	32.90	H	359	2.00
6	10,393.470	-54.32	-25.00	29.32	18.17	H	246.9	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 38150/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,202.000	-38.73	-25.00	13.73	34.71	V	31	2.00
5	6,928.980	-42.16	-25.00	17.16	32.83	V	352.8	1.00
5	7,803.000	-40.29	-25.00	15.29	32.73	V	0.9	2.00
6	10,393.470	-53.89	-25.00	28.89	17.96	V	0.9	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_40A_N78A

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 38750/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,602.000	-53.59	-40.00	13.59	18.69	H	94.2	2.00
5	6,903.000	-50.20	-40.00	10.20	23.19	H	359	2.00
5	6,909.000	-50.19	-40.00	10.19	23.15	H	153.5	1.00
6	10,363.500	-61.32	-40.00	21.32	11.51	H	205	1.00



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557)
368 1008



MODE	TX channel 38750/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,602.000	-54.77	-40.00	14.77	18.69	V	261.1	1.00
5	6,903.000	-52.18	-40.00	12.18	23.19	V	261.1	1.00
5	6,909.000	-51.61	-40.00	11.61	23.15	V	96.5	2.00
6	10,363.500	-60.36	-40.00	20.36	11.51	V	155	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 39150/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,682.000	-53.27	-40.00	13.27	19.11	H	88.1	2.00
5	6,919.200	-51.10	-40.00	11.10	23.08	H	7.8	2.00
5	7,023.000	-50.48	-40.00	10.48	23.27	H	1	1.00
6	10,378.800	-61.71	-40.00	21.71	11.58	H	207.3	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 39150/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,682.000	-53.71	-40.00	13.71	19.11	V	198.1	2.00
5	6,919.200	-53.35	-40.00	13.35	23.08	V	359	2.00
5	7,023.000	-51.64	-40.00	11.64	23.27	V	359	1.00
6	10,378.800	-59.58	-40.00	19.58	11.58	V	359	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 39550/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,762.000	-55.38	-40.00	15.38	19.31	H	1	1.00
5	6,929.000	-51.50	-40.00	11.50	23.01	H	0.9	2.00
5	7,143.000	-49.64	-40.00	9.64	24.85	H	91.8	2.00
6	10,393.500	-61.19	-40.00	21.19	11.66	H	77.4	2.00





MODE	TX channel 39550/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,762.000	-53.91	-40.00	13.91	19.31	V	359	2.00
5	6,929.000	-51.54	-40.00	11.54	23.01	V	158.2	1.00
5	7,143.000	-49.54	-40.00	9.54	24.85	V	158.2	1.00
6	10,393.500	-60.25	-40.00	20.25	11.66	V	283.8	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

DC_41A_N78A

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 39750/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,168.000	-38.35	-25.00	13.35	33.97	H	2.9	2.00
5	6,909.000	-41.87	-25.00	16.87	32.87	H	353.7	1.00
5	7,752.000	-40.77	-25.00	15.77	33.04	H	1.9	2.00
6	10,363.500	-53.53	-25.00	28.53	17.98	H	198.8	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 39750/633000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,168.000	-39.30	-25.00	14.30	34.32	V	359	2.00
5	6,909.000	-41.13	-25.00	16.13	32.84	V	1	1.00
5	7,752.000	-40.54	-25.00	15.54	32.78	V	339	1.00
6	10,363.500	-55.79	-25.00	30.79	17.71	V	152.1	1.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 40620/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,168.000	-33.87	-25.00	8.87	33.97	H	29.5	2.00
5	6,919.200	-40.92	-25.00	15.92	32.88	H	1	1.00
5	7,752.000	-40.85	-25.00	15.85	33.04	H	241.2	1.00
6	10,378.800	-52.99	-25.00	27.99	18.07	H	0.9	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 40620/633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,168.000	-36.97	-25.00	11.97	34.32	V	80.5	2.00
5	6,919.200	-40.69	-25.00	15.69	32.88	V	1	2.00
5	7,752.000	-41.05	-25.00	16.05	32.78	V	171	2.00
6	10,378.800	-54.60	-25.00	29.60	17.84	V	359	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 41490/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,342.000	-33.66	-25.00	8.66	34.45	H	124.5	2.00
5	6,928.980	-41.00	-25.00	16.00	32.81	H	0.9	2.00
6	8,013.000	-55.48	-25.00	30.48	16.95	H	153.4	2.00
6	10,393.470	-52.88	-25.00	27.88	18.17	H	11.9	2.00






BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

MODE	TX channel 41490/633666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Hanwen Xu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,342.000	-39.33	-25.00	14.33	34.91	V	129.4	2.00
5	6,928.980	-40.80	-25.00	15.80	32.83	V	0.9	2.00
6	8,013.000	-54.32	-25.00	29.32	16.76	V	15.4	2.00
6	10,393.470	-53.23	-25.00	28.23	17.96	V	359.1	1.00






3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



BUREAU Test Report No.: PSZ-QBJ2501200112RF12
VERITAS

4 INFORMATION ON THE TESTING LABORATORIES

We, Huarui 7layers High Technology (Suzhou) Co., Ltd. ,were founded in 2020 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

Huarui 7Layers High Technology (Suzhou) Co., Ltd.

Lab Address:

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Accredited Test Lab Cert 6613.01

If you have any comments, please feel free to contact us at the following:

Suzhou EMC/RF Lab:

Tel: +86 (0557) 368 1008



BUREAU Test Report No.: PSZ-QBJ2501200112RF12
VERITAS

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



BUREAU VERITAS Test Report No.: PSZ-QBJ2501200112RF12

6 Appendix

Please refer to Appendix A report