





Band edge measurements


Test Result



TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant15	Low	2402	11.86	-38.02	≤-8.14	PASS
	Ant7	Low	2402	12.23	-38.57	≤-7.77	PASS
	Ant15	High	2480	10.95	-37.58	≤-9.05	PASS
	Ant7	High	2480	10.68	-38.09	≤-9.32	PASS
	Ant15	Low	Hop_2402	10.84	-38.76	≤-9.16	PASS
	Ant7	Low	Hop_2402	11.65	-39.39	≤-8.35	PASS
	Ant15	High	Hop_2480	11.58	-37.61	≤-8.42	PASS
	Ant7	High	Hop_2480	11.98	-37.99	≤-8.02	PASS
2DH1	Ant15	Low	2402	7.89	-38.77	≤-12.11	PASS
	Ant7	Low	2402	8.71	-38.17	≤-11.29	PASS
	Ant15	High	2480	6.88	-37.65	≤-13.12	PASS
	Ant7	High	2480	7.00	-37.71	≤-13.00	PASS
	Ant15	Low	Hop_2402	7.18	-39.41	≤-12.82	PASS
	Ant7	Low	Hop_2402	8.42	-38.39	≤-11.58	PASS
	Ant15	High	Hop_2480	7.72	-37.6	≤-12.28	PASS
	Ant7	High	Hop_2480	7.95	-37.56	≤-12.05	PASS
3DH1	Ant15	Low	2402	8.04	-38.44	≤-11.96	PASS
	Ant7	Low	2402	8.85	-38.73	≤-11.15	PASS
	Ant15	High	2480	6.94	-37.13	≤-13.06	PASS
	Ant7	High	2480	7.04	-37.55	≤-12.96	PASS
	Ant15	Low	Hop_2402	7.11	-38.71	≤-12.89	PASS
	Ant7	Low	Hop_2402	8.00	-39.61	≤-12.00	PASS
	Ant15	High	Hop_2480	8.19	-37.48	≤-11.81	PASS
	Ant7	High	Hop_2480	8.48	-38.07	≤-11.52	PASS






Test Graphs



































Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant15	2402	Reference	11.78	11.78	---	PASS
			30~1000	11.78	-44.7	≤-8.22	PASS
			1000~26500	11.78	-38.72	≤-8.22	PASS
	Ant7	2402	Reference	12.25	12.25	---	PASS
			30~1000	12.25	-44.97	≤-7.75	PASS
			1000~26500	12.25	-39.3	≤-7.75	PASS
	Ant15	2441	Reference	11.61	11.61	---	PASS
			30~1000	11.61	-44.44	≤-8.39	PASS
			1000~26500	11.61	-38.93	≤-8.39	PASS
	Ant7	2441	Reference	11.66	11.66	---	PASS
			30~1000	11.66	-45.22	≤-8.34	PASS
			1000~26500	11.66	-39.73	≤-8.34	PASS
Ant15	2480	Reference	11.00	11.00	---	PASS	
		30~1000	11.00	-44.23	≤-9.00	PASS	
		1000~26500	11.00	-38.5	≤-9.00	PASS	
Ant7	2480	Reference	10.69	10.69	---	PASS	
		30~1000	10.69	-44.87	≤-9.31	PASS	
		1000~26500	10.69	-39.02	≤-9.31	PASS	
2DH1	Ant15	2402	Reference	7.91	7.91	---	PASS
			30~1000	7.91	-44.32	≤-12.09	PASS
			1000~26500	7.91	-39.04	≤-12.09	PASS
	Ant7	2402	Reference	8.72	8.72	---	PASS
			30~1000	8.72	-45.21	≤-11.28	PASS
			1000~26500	8.72	-39.22	≤-11.28	PASS
	Ant15	2441	Reference	7.91	7.91	---	PASS
			30~1000	7.91	-43.86	≤-12.09	PASS
			1000~26500	7.91	-39.03	≤-12.09	PASS
	Ant7	2441	Reference	7.85	7.85	---	PASS
			30~1000	7.85	-44.98	≤-12.15	PASS
			1000~26500	7.85	-39.12	≤-12.15	PASS
Ant15	2480	Reference	6.96	6.96	---	PASS	
		30~1000	6.96	-44.44	≤-13.04	PASS	





			1000~26500	6.96	-38.46	≤-13.04	PASS	
	Ant7	2480	Reference	7.12	7.12	---	PASS	
			30~1000	7.12	-45.01	≤-12.88	PASS	
			1000~26500	7.12	-39.15	≤-12.88	PASS	
3DH1	Ant15	2402	Reference	8.08	8.08	---	PASS	
				30~1000	8.08	-44.49	≤-11.92	PASS
				1000~26500	8.08	-39.24	≤-11.92	PASS
	Ant7	2402	Reference	8.94	8.94	---	PASS	
				30~1000	8.94	-45.58	≤-11.06	PASS
				1000~26500	8.94	-39.13	≤-11.06	PASS
	Ant15	2441	Reference	8.10	8.10	---	PASS	
				30~1000	8.10	-45.08	≤-11.90	PASS
				1000~26500	8.10	-38.28	≤-11.90	PASS
	Ant7	2441	Reference	7.98	7.98	---	PASS	
				30~1000	7.98	-45.11	≤-12.02	PASS
				1000~26500	7.98	-39	≤-12.02	PASS
	Ant15	2480	Reference	7.09	7.09	---	PASS	
				30~1000	7.09	-45.04	≤-12.91	PASS
				1000~26500	7.09	-38.4	≤-12.91	PASS
	Ant7	2480	Reference	7.20	7.20	---	PASS	
				30~1000	7.20	-45.02	≤-12.80	PASS
				1000~26500	7.20	-38.59	≤-12.80	PASS





Test Graphs
















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.152	49.14	-16.77	65.91	38.60	0.12	10.42	QP
2	0.152	36.44	-19.47	55.91	25.90	0.12	10.42	Average
3	0.176	47.11	-17.57	64.68	36.60	0.10	10.41	QP
4	0.176	31.81	-22.87	54.68	21.30	0.10	10.41	Average
5 *	0.208	47.08	-16.19	63.27	36.60	0.08	10.40	QP
6	0.208	30.78	-22.49	53.27	20.30	0.08	10.40	Average
7	0.264	42.74	-18.55	61.29	32.29	0.09	10.36	QP
8	0.264	30.04	-21.25	51.29	19.59	0.09	10.36	Average
9	0.320	41.59	-18.12	59.71	31.21	0.06	10.32	QP
10	0.320	26.29	-23.42	49.71	15.91	0.06	10.32	Average
11	0.371	40.60	-17.87	58.47	30.31	0.00	10.29	QP
12	0.371	28.60	-19.87	48.47	18.31	0.00	10.29	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.177	45.84	-18.80	64.64	35.30	0.13	10.41	QP
2	0.177	31.84	-22.80	54.64	21.30	0.13	10.41	Average
3	0.239	37.00	-25.13	62.13	26.60	0.02	10.38	QP
4	0.239	24.03	-28.10	52.13	13.63	0.02	10.38	Average
5	0.303	36.61	-23.54	60.15	26.40	-0.12	10.33	QP
6	0.303	22.71	-27.44	50.15	12.50	-0.12	10.33	Average
7	0.454	34.00	-22.80	56.80	23.89	-0.14	10.25	QP
8	0.454	25.70	-21.10	46.80	15.59	-0.14	10.25	Average
9	0.634	31.30	-24.70	56.00	21.30	-0.16	10.16	QP
10	0.634	22.30	-23.70	46.00	12.30	-0.16	10.16	Average
11	11.257	29.22	-30.78	60.00	18.60	-0.25	10.87	QP
12	11.257	22.62	-27.38	50.00	12.00	-0.25	10.87	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	RU	Remark
Mode 1	2400-2483.5	7	Bluetooth BR_GFSK	0	2402	-	-
Mode 2	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	-	-
Mode 3	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	-	-
Mode 10	2400-2483.5	15	Bluetooth BR_GFSK	0	2402	-	-
Mode 11	2400-2483.5	15	Bluetooth BR_GFSK	39	2441	-	-
Mode 12	2400-2483.5	15	Bluetooth BR_GFSK	78	2480	-	-
Mode 19	2400-2483.5	7+15	Bluetooth BR_GFSK	0	2402	-	-
Mode 20	2400-2483.5	7+15	Bluetooth BR_GFSK	39	2441	-	-
Mode 21	2400-2483.5	7+15	Bluetooth BR_GFSK	78	2480	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2380.20	54.83	74.00	-19.17	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	40.06	74.00	-33.94	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	43.51	74.00	-30.49	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2498.11	57.00	74.00	-17.00	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	42.93	74.00	-31.07	H	PEAK	Pass	Harmonic
10	Bluetooth BR_GFSK	0	2387.35	55.16	74.00	-18.84	V	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	0	4804.00	40.60	74.00	-33.40	H	PEAK	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth BR_GFSK	39	7323.00	45.17	74.00	-28.83	H	PEAK	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2491.92	55.19	74.00	-18.81	H	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7440.00	43.89	74.00	-30.11	V	PEAK	Pass	Harmonic
19	Bluetooth BR_GFSK	0	2372.27	54.65	74.00	-19.35	H	PEAK	Pass	Band Edge
19	Bluetooth BR_GFSK	0	4804.00	40.33	74.00	-33.67	V	PEAK	Pass	Harmonic
20	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
20	Bluetooth BR_GFSK	39	7323.00	39.92	74.00	-34.08	V	PEAK	Pass	Harmonic
21	Bluetooth BR_GFSK	78	2486.31	57.51	74.00	-16.49	H	PEAK	Pass	Band Edge
21	Bluetooth BR_GFSK	78	7440.00	39.72	74.00	-34.28	V	PEAK	Pass	Harmonic



Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2380.20</td> <td>54.83</td> <td>74.00</td> <td>-19.17</td> <td>39.40</td> <td>32.08</td> <td>8.04</td> <td>30.69</td> <td>6.00</td> <td>110</td> <td>129</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2380.20</td> <td>30.04</td> <td>54.00</td> <td>-23.96</td> <td>14.61</td> <td>32.08</td> <td>8.04</td> <td>30.69</td> <td>6.00</td> <td>110</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2380.20	54.83	74.00	-19.17	39.40	32.08	8.04	30.69	6.00	110	129	PEAK	2	2380.20	30.04	54.00	-23.96	14.61	32.08	8.04	30.69	6.00	110	129	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>96.52</td> <td>-----</td> <td>80.93</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>110</td> <td>129</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>71.73</td> <td>-----</td> <td>56.14</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>110</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	96.52	-----	80.93	32.20	8.07	30.68	6.00	110	129	PEAK	2	2402.00	71.73	-----	56.14	32.20	8.07	30.68	6.00	110	129	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	2380.20	54.83	74.00	-19.17	39.40	32.08	8.04	30.69	6.00	110	129	PEAK																																																																																														
2	2380.20	30.04	54.00	-23.96	14.61	32.08	8.04	30.69	6.00	110	129	AVERAGE																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	2402.00	96.52	-----	80.93	32.20	8.07	30.68	6.00	110	129	PEAK																																																																																															
2	2402.00	71.73	-----	56.14	32.20	8.07	30.68	6.00	110	129	AVERAGE																																																																																															



Mode	1																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																											
ANT	7																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.04</td> <td>54.54</td> <td>74.00</td> <td>-19.46</td> <td>39.05</td> <td>32.13</td> <td>8.05</td> <td>30.69</td> <td>6.00</td> <td>120</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2389.04</td> <td>29.75</td> <td>54.00</td> <td>-24.25</td> <td>14.26</td> <td>32.13</td> <td>8.05</td> <td>30.69</td> <td>6.00</td> <td>120</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.04	54.54	74.00	-19.46	39.05	32.13	8.05	30.69	6.00	120	233	PEAK	2	2389.04	29.75	54.00	-24.25	14.26	32.13	8.05	30.69	6.00	120	233	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>102.55</td> <td>-----</td> <td>-----</td> <td>86.96</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>120</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>77.76</td> <td>-----</td> <td>-----</td> <td>62.17</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>120</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	102.55	-----	-----	86.96	32.20	8.07	30.68	6.00	120	233	PEAK	2	2402.00	77.76	-----	-----	62.17	32.20	8.07	30.68	6.00	120	233	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2389.04	54.54	74.00	-19.46	39.05	32.13	8.05	30.69	6.00	120	233	PEAK																																																																																																
2	2389.04	29.75	54.00	-24.25	14.26	32.13	8.05	30.69	6.00	120	233	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2402.00	102.55	-----	-----	86.96	32.20	8.07	30.68	6.00	120	233	PEAK																																																																																																
2	2402.00	77.76	-----	-----	62.17	32.20	8.07	30.68	6.00	120	233	AVERAGE																																																																																																



Mode	1																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																	
ANT	7																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.84</td> <td>74.00</td> <td>-34.16</td> <td>60.16</td> <td>34.11</td> <td>11.54</td> <td>65.97</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4804.00	39.84	74.00	-34.16	60.16	34.11	11.54	65.97	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.06</td> <td>74.00</td> <td>-33.94</td> <td>60.38</td> <td>34.11</td> <td>11.54</td> <td>65.97</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4804.00	40.06	74.00	-33.94	60.38	34.11	11.54	65.97	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	4804.00	39.84	74.00	-34.16	60.16	34.11	11.54	65.97	0.00	--	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	4804.00	40.06	74.00	-33.94	60.38	34.11	11.54	65.97	0.00	--	--	PEAK																																																																						



Mode	2																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>39.87</td> <td>74.00</td> <td>-34.13</td> <td>59.90</td> <td>34.14</td> <td>11.69</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>42.64</td> <td>74.00</td> <td>-31.36</td> <td>57.60</td> <td>35.75</td> <td>14.50</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.87	74.00	-34.13	59.90	34.14	11.69	65.86	0.00	--	--	PEAK	2	7323.00	42.64	74.00	-31.36	57.60	35.75	14.50	65.21	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>39.99</td> <td>74.00</td> <td>-34.01</td> <td>60.02</td> <td>34.14</td> <td>11.69</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>43.51</td> <td>74.00</td> <td>-30.49</td> <td>58.47</td> <td>35.75</td> <td>14.50</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.99	74.00	-34.01	60.02	34.14	11.69	65.86	0.00	--	--	PEAK	2	7323.00	43.51	74.00	-30.49	58.47	35.75	14.50	65.21	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4882.00	39.87	74.00	-34.13	59.90	34.14	11.69	65.86	0.00	--	--	PEAK																																																																																																		
2	7323.00	42.64	74.00	-31.36	57.60	35.75	14.50	65.21	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4882.00	39.99	74.00	-34.01	60.02	34.14	11.69	65.86	0.00	--	--	PEAK																																																																																																		
2	7323.00	43.51	74.00	-30.49	58.47	35.75	14.50	65.21	0.00	--	--	PEAK																																																																																																		



Mode	3																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.26</td> <td>56.18</td> <td>74.00</td> <td>-17.82</td> <td>40.22</td> <td>32.37</td> <td>8.24</td> <td>30.65</td> <td>6.00</td> <td>103</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2487.26</td> <td>31.39</td> <td>54.00</td> <td>-22.61</td> <td>15.43</td> <td>32.37</td> <td>8.24</td> <td>30.65</td> <td>6.00</td> <td>103</td> <td>176</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.26	56.18	74.00	-17.82	40.22	32.37	8.24	30.65	6.00	103	176	PEAK	2	2487.26	31.39	54.00	-22.61	15.43	32.37	8.24	30.65	6.00	103	176	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.83</td> <td>-----</td> <td>79.90</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>103</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>71.04</td> <td>-----</td> <td>55.11</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>103</td> <td>176</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	95.83	-----	79.90	32.36	8.23	30.66	6.00	103	176	PEAK	2	2480.00	71.04	-----	55.11	32.36	8.23	30.66	6.00	103	176	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	2487.26	56.18	74.00	-17.82	40.22	32.37	8.24	30.65	6.00	103	176	PEAK																																																																																														
2	2487.26	31.39	54.00	-22.61	15.43	32.37	8.24	30.65	6.00	103	176	AVERAGE																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	2480.00	95.83	-----	79.90	32.36	8.23	30.66	6.00	103	176	PEAK																																																																																															
2	2480.00	71.04	-----	55.11	32.36	8.23	30.66	6.00	103	176	AVERAGE																																																																																															



Mode	3																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.11</td> <td>57.00</td> <td>74.00</td> <td>-17.00</td> <td>40.99</td> <td>32.40</td> <td>8.26</td> <td>30.65</td> <td>6.00</td> <td>123</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2498.11</td> <td>32.21</td> <td>54.00</td> <td>-21.79</td> <td>16.20</td> <td>32.40</td> <td>8.26</td> <td>30.65</td> <td>6.00</td> <td>123</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.11	57.00	74.00	-17.00	40.99	32.40	8.26	30.65	6.00	123	305	PEAK	2	2498.11	32.21	54.00	-21.79	16.20	32.40	8.26	30.65	6.00	123	305	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.33</td> <td>-----</td> <td>-----</td> <td>84.40</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>123</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>75.54</td> <td>-----</td> <td>-----</td> <td>59.61</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>123</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.33	-----	-----	84.40	32.36	8.23	30.66	6.00	123	305	PEAK	2	2480.00	75.54	-----	-----	59.61	32.36	8.23	30.66	6.00	123	305	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2498.11	57.00	74.00	-17.00	40.99	32.40	8.26	30.65	6.00	123	305	PEAK																																																																																																		
2	2498.11	32.21	54.00	-21.79	16.20	32.40	8.26	30.65	6.00	123	305	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	100.33	-----	-----	84.40	32.36	8.23	30.66	6.00	123	305	PEAK																																																																																																		
2	2480.00	75.54	-----	-----	59.61	32.36	8.23	30.66	6.00	123	305	AVERAGE																																																																																																		



Mode	3																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.06</td> <td>74.00</td> <td>-33.94</td> <td>60.02</td> <td>33.94</td> <td>11.85</td> <td>65.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.93</td> <td>74.00</td> <td>-31.07</td> <td>58.07</td> <td>35.80</td> <td>14.63</td> <td>65.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.06	74.00	-33.94	60.02	33.94	11.85	65.75	0.00	--	--	PEAK	2	7440.00	42.93	74.00	-31.07	58.07	35.80	14.63	65.57	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.45</td> <td>74.00</td> <td>-33.55</td> <td>60.41</td> <td>33.94</td> <td>11.85</td> <td>65.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.49</td> <td>74.00</td> <td>-31.51</td> <td>57.63</td> <td>35.80</td> <td>14.63</td> <td>65.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.45	74.00	-33.55	60.41	33.94	11.85	65.75	0.00	--	--	PEAK	2	7440.00	42.49	74.00	-31.51	57.63	35.80	14.63	65.57	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	40.06	74.00	-33.94	60.02	33.94	11.85	65.75	0.00	--	--	PEAK																																																																																																		
2	7440.00	42.93	74.00	-31.07	58.07	35.80	14.63	65.57	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	40.45	74.00	-33.55	60.41	33.94	11.85	65.75	0.00	--	--	PEAK																																																																																																		
2	7440.00	42.49	74.00	-31.51	57.63	35.80	14.63	65.57	0.00	--	--	PEAK																																																																																																		



Mode	10																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																				
ANT	15																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.17</td> <td>55.02</td> <td>74.00</td> <td>-18.98</td> <td>39.73</td> <td>31.98</td> <td>8.01</td> <td>30.70</td> <td>6.00</td> <td>100</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2363.17</td> <td>30.23</td> <td>54.00</td> <td>-23.77</td> <td>14.94</td> <td>31.98</td> <td>8.01</td> <td>30.70</td> <td>6.00</td> <td>100</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2363.17	55.02	74.00	-18.98	39.73	31.98	8.01	30.70	6.00	100	128	PEAK	2	2363.17	30.23	54.00	-23.77	14.94	31.98	8.01	30.70	6.00	100	128	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.96</td> <td>-----</td> <td>-----</td> <td>79.37</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>100</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>70.17</td> <td>-----</td> <td>-----</td> <td>54.58</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>100</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	94.96	-----	-----	79.37	32.20	8.07	30.68	6.00	100	128	PEAK	2	2402.00	70.17	-----	-----	54.58	32.20	8.07	30.68	6.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2363.17	55.02	74.00	-18.98	39.73	31.98	8.01	30.70	6.00	100	128	PEAK																																																																																																									
2	2363.17	30.23	54.00	-23.77	14.94	31.98	8.01	30.70	6.00	100	128	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2402.00	94.96	-----	-----	79.37	32.20	8.07	30.68	6.00	100	128	PEAK																																																																																																									
2	2402.00	70.17	-----	-----	54.58	32.20	8.07	30.68	6.00	100	128	AVERAGE																																																																																																									



Mode	10																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																												
ANT	15																																																																																																												
Pol.	Vertical	Fundamental																																																																																																											
Peak																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.35</td> <td>55.16</td> <td>74.00</td> <td>-18.84</td> <td>39.68</td> <td>32.12</td> <td>8.05</td> <td>30.69</td> <td>6.00</td> <td>119</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2387.35</td> <td>30.37</td> <td>54.00</td> <td>-23.63</td> <td>14.89</td> <td>32.12</td> <td>8.05</td> <td>30.69</td> <td>6.00</td> <td>119</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	55.16	74.00	-18.84	39.68	32.12	8.05	30.69	6.00	119	236	PEAK	2	2387.35	30.37	54.00	-23.63	14.89	32.12	8.05	30.69	6.00	119	236	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>101.88</td> <td>-----</td> <td>-----</td> <td>86.29</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>119</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>77.09</td> <td>-----</td> <td>-----</td> <td>61.50</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>119</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.88	-----	-----	86.29	32.20	8.07	30.68	6.00	119	236	PEAK	2	2402.00	77.09	-----	-----	61.50	32.20	8.07	30.68	6.00	119	236
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2387.35	55.16	74.00	-18.84	39.68	32.12	8.05	30.69	6.00	119	236	PEAK																																																																																																	
2	2387.35	30.37	54.00	-23.63	14.89	32.12	8.05	30.69	6.00	119	236	AVERAGE																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2402.00	101.88	-----	-----	86.29	32.20	8.07	30.68	6.00	119	236	PEAK																																																																																																	
2	2402.00	77.09	-----	-----	61.50	32.20	8.07	30.68	6.00	119	236	AVERAGE																																																																																																	



Mode	10																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																											
ANT	15																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.60</td> <td>74.00</td> <td>-33.40</td> <td>60.92</td> <td>34.11</td> <td>11.54</td> <td>65.97</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	40.60	74.00	-33.40	60.92	34.11	11.54	65.97	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.02</td> <td>74.00</td> <td>-33.98</td> <td>60.34</td> <td>34.11</td> <td>11.54</td> <td>65.97</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	40.02	74.00	-33.98	60.34	34.11	11.54	65.97	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4804.00	40.60	74.00	-33.40	60.92	34.11	11.54	65.97	0.00	--	--	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4804.00	40.02	74.00	-33.98	60.34	34.11	11.54	65.97	0.00	--	--	PEAK																																																																



Mode	11																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																													
ANT	15																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>39.61</td> <td>74.00</td> <td>-34.39</td> <td>59.64</td> <td>34.14</td> <td>11.69</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>45.17</td> <td>74.00</td> <td>-28.83</td> <td>60.13</td> <td>35.75</td> <td>14.50</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.61	74.00	-34.39	59.64	34.14	11.69	65.86	0.00	--	--	PEAK	2	7323.00	45.17	74.00	-28.83	60.13	35.75	14.50	65.21	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>39.69</td> <td>74.00</td> <td>-34.31</td> <td>59.72</td> <td>34.14</td> <td>11.69</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>43.02</td> <td>74.00</td> <td>-30.98</td> <td>57.98</td> <td>35.75</td> <td>14.50</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.69	74.00	-34.31	59.72	34.14	11.69	65.86	0.00	--	--	PEAK	2	7323.00	43.02	74.00	-30.98	57.98	35.75	14.50	65.21	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4882.00	39.61	74.00	-34.39	59.64	34.14	11.69	65.86	0.00	--	--	PEAK																																																																																																		
2	7323.00	45.17	74.00	-28.83	60.13	35.75	14.50	65.21	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4882.00	39.69	74.00	-34.31	59.72	34.14	11.69	65.86	0.00	--	--	PEAK																																																																																																		
2	7323.00	43.02	74.00	-30.98	57.98	35.75	14.50	65.21	0.00	--	--	PEAK																																																																																																		



Mode	12																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	15																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.92</td> <td>55.19</td> <td>74.00</td> <td>-18.81</td> <td>39.21</td> <td>32.38</td> <td>8.25</td> <td>30.65</td> <td>6.00</td> <td>133</td> <td>135</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2491.92</td> <td>30.40</td> <td>54.00</td> <td>-23.60</td> <td>14.42</td> <td>32.38</td> <td>8.25</td> <td>30.65</td> <td>6.00</td> <td>133</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.92	55.19	74.00	-18.81	39.21	32.38	8.25	30.65	6.00	133	135	PEAK	2	2491.92	30.40	54.00	-23.60	14.42	32.38	8.25	30.65	6.00	133	135	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.28</td> <td>-----</td> <td>-----</td> <td>81.35</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>133</td> <td>135</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>72.49</td> <td>-----</td> <td>-----</td> <td>56.56</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>133</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.28	-----	-----	81.35	32.36	8.23	30.66	6.00	133	135	PEAK	2	2480.00	72.49	-----	-----	56.56	32.36	8.23	30.66	6.00	133	135	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2491.92	55.19	74.00	-18.81	39.21	32.38	8.25	30.65	6.00	133	135	PEAK																																																																																																		
2	2491.92	30.40	54.00	-23.60	14.42	32.38	8.25	30.65	6.00	133	135	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	97.28	-----	-----	81.35	32.36	8.23	30.66	6.00	133	135	PEAK																																																																																																		
2	2480.00	72.49	-----	-----	56.56	32.36	8.23	30.66	6.00	133	135	AVERAGE																																																																																																		



Mode	12																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	15																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.51</td> <td>54.83</td> <td>74.00</td> <td>-19.17</td> <td>30.84</td> <td>32.39</td> <td>8.25</td> <td>30.65</td> <td>6.00</td> <td>211</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2494.51</td> <td>30.04</td> <td>54.00</td> <td>-23.96</td> <td>14.05</td> <td>32.39</td> <td>8.25</td> <td>30.65</td> <td>6.00</td> <td>211</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.51	54.83	74.00	-19.17	30.84	32.39	8.25	30.65	6.00	211	218	PEAK	2	2494.51	30.04	54.00	-23.96	14.05	32.39	8.25	30.65	6.00	211	218	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.17</td> <td>-----</td> <td>-----</td> <td>84.24</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>211</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>75.38</td> <td>-----</td> <td>-----</td> <td>59.45</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>211</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.17	-----	-----	84.24	32.36	8.23	30.66	6.00	211	218	PEAK	2	2480.00	75.38	-----	-----	59.45	32.36	8.23	30.66	6.00	211	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2494.51	54.83	74.00	-19.17	30.84	32.39	8.25	30.65	6.00	211	218	PEAK																																																																																																							
2	2494.51	30.04	54.00	-23.96	14.05	32.39	8.25	30.65	6.00	211	218	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2480.00	100.17	-----	-----	84.24	32.36	8.23	30.66	6.00	211	218	PEAK																																																																																																							
2	2480.00	75.38	-----	-----	59.45	32.36	8.23	30.66	6.00	211	218	AVERAGE																																																																																																							



Mode	12																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	15																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>39.91</td> <td>74.00</td> <td>-34.09</td> <td>59.87</td> <td>33.94</td> <td>11.85</td> <td>65.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.21</td> <td>74.00</td> <td>-31.79</td> <td>57.35</td> <td>35.80</td> <td>14.63</td> <td>65.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.91	74.00	-34.09	59.87	33.94	11.85	65.75	0.00	--	--	PEAK	2	7440.00	42.21	74.00	-31.79	57.35	35.80	14.63	65.57	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.95</td> <td>74.00</td> <td>-33.05</td> <td>60.91</td> <td>33.94</td> <td>11.85</td> <td>65.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>59.03</td> <td>35.80</td> <td>14.63</td> <td>65.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.95	74.00	-33.05	60.91	33.94	11.85	65.75	0.00	--	--	PEAK	2	7440.00	43.89	74.00	-30.11	59.03	35.80	14.63	65.57	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	39.91	74.00	-34.09	59.87	33.94	11.85	65.75	0.00	--	--	PEAK																																																																																																		
2	7440.00	42.21	74.00	-31.79	57.35	35.80	14.63	65.57	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	40.95	74.00	-33.05	60.91	33.94	11.85	65.75	0.00	--	--	PEAK																																																																																																		
2	7440.00	43.89	74.00	-30.11	59.03	35.80	14.63	65.57	0.00	--	--	PEAK																																																																																																		



Mode	19																																																																																																								
	Band Edge																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																								
ANT	7+15																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																							
Peak																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.27</td> <td>54.65</td> <td>74.00</td> <td>-19.35</td> <td>39.28</td> <td>32.03</td> <td>8.03</td> <td>30.69</td> <td>6.00</td> <td>162</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2372.27</td> <td>29.86</td> <td>54.00</td> <td>-24.14</td> <td>14.49</td> <td>32.03</td> <td>8.03</td> <td>30.69</td> <td>6.00</td> <td>162</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2372.27	54.65	74.00	-19.35	39.28	32.03	8.03	30.69	6.00	162	136	PEAK	2	2372.27	29.86	54.00	-24.14	14.49	32.03	8.03	30.69	6.00	162	136	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>101.07</td> <td>-----</td> <td>85.48</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>162</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>76.28</td> <td>-----</td> <td>60.69</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>162</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	101.07	-----	85.48	32.20	8.07	30.68	6.00	162	136	PEAK	2	2402.00	76.28	-----	60.69	32.20	8.07	30.68	6.00	162	136
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																	
1	2372.27	54.65	74.00	-19.35	39.28	32.03	8.03	30.69	6.00	162	136	PEAK																																																																																													
2	2372.27	29.86	54.00	-24.14	14.49	32.03	8.03	30.69	6.00	162	136	AVERAGE																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																	
1	2402.00	101.07	-----	85.48	32.20	8.07	30.68	6.00	162	136	PEAK																																																																																														
2	2402.00	76.28	-----	60.69	32.20	8.07	30.68	6.00	162	136	AVERAGE																																																																																														



Mode	19																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																														
ANT	7+15																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.14</td> <td>54.21</td> <td>74.00</td> <td>-19.79</td> <td>38.74</td> <td>32.11</td> <td>8.05</td> <td>30.69</td> <td>6.00</td> <td>100</td> <td>124 PEAK</td> </tr> <tr> <td>2</td> <td>2385.14</td> <td>29.42</td> <td>54.00</td> <td>-24.58</td> <td>13.95</td> <td>32.11</td> <td>8.05</td> <td>30.69</td> <td>6.00</td> <td>100</td> <td>124 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2385.14	54.21	74.00	-19.79	38.74	32.11	8.05	30.69	6.00	100	124 PEAK	2	2385.14	29.42	54.00	-24.58	13.95	32.11	8.05	30.69	6.00	100	124 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>85.81</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>100</td> <td>124 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>76.61</td> <td>-----</td> <td>-----</td> <td>61.02</td> <td>32.20</td> <td>8.07</td> <td>30.68</td> <td>6.00</td> <td>100</td> <td>124 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	101.40	-----	-----	85.81	32.20	8.07	30.68	6.00	100	124 PEAK	2	2402.00	76.61	-----	-----	61.02	32.20	8.07	30.68	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2385.14	54.21	74.00	-19.79	38.74	32.11	8.05	30.69	6.00	100	124 PEAK																																																																																																				
2	2385.14	29.42	54.00	-24.58	13.95	32.11	8.05	30.69	6.00	100	124 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2402.00	101.40	-----	-----	85.81	32.20	8.07	30.68	6.00	100	124 PEAK																																																																																																				
2	2402.00	76.61	-----	-----	61.02	32.20	8.07	30.68	6.00	100	124 AVERAGE																																																																																																				



Mode	19																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																											
ANT	7+15																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.94</td> <td>74.00</td> <td>-34.06</td> <td>60.26</td> <td>34.11</td> <td>11.54</td> <td>65.97</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	39.94	74.00	-34.06	60.26	34.11	11.54	65.97	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.33</td> <td>74.00</td> <td>-33.67</td> <td>60.65</td> <td>34.11</td> <td>11.54</td> <td>65.97</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	40.33	74.00	-33.67	60.65	34.11	11.54	65.97	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4804.00	39.94	74.00	-34.06	60.26	34.11	11.54	65.97	0.00	--	--	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4804.00	40.33	74.00	-33.67	60.65	34.11	11.54	65.97	0.00	--	--	PEAK																																																																



Mode	20																																																																																																												
	Harmonic																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																												
ANT	7+15																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>35.78</td> <td>74.00</td> <td>-38.22</td> <td>55.81</td> <td>34.14</td> <td>11.69</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>39.74</td> <td>74.00</td> <td>-34.26</td> <td>54.70</td> <td>35.75</td> <td>14.50</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	35.78	74.00	-38.22	55.81	34.14	11.69	65.86	0.00	--	--	PEAK	2	7323.00	39.74	74.00	-34.26	54.70	35.75	14.50	65.21	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>36.51</td> <td>74.00</td> <td>-37.49</td> <td>56.54</td> <td>34.14</td> <td>11.69</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>39.92</td> <td>74.00</td> <td>-34.08</td> <td>54.88</td> <td>35.75</td> <td>14.50</td> <td>65.21</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	36.51	74.00	-37.49	56.54	34.14	11.69	65.86	0.00	--	--	PEAK	2	7323.00	39.92	74.00	-34.08	54.88	35.75	14.50	65.21	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	4882.00	35.78	74.00	-38.22	55.81	34.14	11.69	65.86	0.00	--	--	PEAK																																																																																																	
2	7323.00	39.74	74.00	-34.26	54.70	35.75	14.50	65.21	0.00	--	--	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	4882.00	36.51	74.00	-37.49	56.54	34.14	11.69	65.86	0.00	--	--	PEAK																																																																																																	
2	7323.00	39.92	74.00	-34.08	54.88	35.75	14.50	65.21	0.00	--	--	PEAK																																																																																																	



Mode	21																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	7+15																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.31</td> <td>57.51</td> <td>74.00</td> <td>-16.49</td> <td>41.55</td> <td>32.37</td> <td>8.24</td> <td>30.65</td> <td>6.00</td> <td>106</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2486.31</td> <td>32.72</td> <td>54.00</td> <td>-21.28</td> <td>16.76</td> <td>32.37</td> <td>8.24</td> <td>30.65</td> <td>6.00</td> <td>106</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.31	57.51	74.00	-16.49	41.55	32.37	8.24	30.65	6.00	106	184	PEAK	2	2486.31	32.72	54.00	-21.28	16.76	32.37	8.24	30.65	6.00	106	184	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.67</td> <td>-----</td> <td>80.74</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>106</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>71.88</td> <td>-----</td> <td>55.95</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>106</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.67	-----	80.74	32.36	8.23	30.66	6.00	106	184	PEAK	2	2480.00	71.88	-----	55.95	32.36	8.23	30.66	6.00	106	184	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	2486.31	57.51	74.00	-16.49	41.55	32.37	8.24	30.65	6.00	106	184	PEAK																																																																																														
2	2486.31	32.72	54.00	-21.28	16.76	32.37	8.24	30.65	6.00	106	184	AVERAGE																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	2480.00	96.67	-----	80.74	32.36	8.23	30.66	6.00	106	184	PEAK																																																																																															
2	2480.00	71.88	-----	55.95	32.36	8.23	30.66	6.00	106	184	AVERAGE																																																																																															




Mode	21																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																					
ANT	7+15																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.84</td> <td>55.29</td> <td>74.00</td> <td>-18.71</td> <td>39.33</td> <td>32.37</td> <td>8.24</td> <td>30.65</td> <td>6.00</td> <td>100</td> <td>286 PEAK</td> </tr> <tr> <td>2 2484.84</td> <td>30.50</td> <td>54.00</td> <td>-23.50</td> <td>14.54</td> <td>32.37</td> <td>8.24</td> <td>30.65</td> <td>6.00</td> <td>100</td> <td>286 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.84	55.29	74.00	-18.71	39.33	32.37	8.24	30.65	6.00	100	286 PEAK	2 2484.84	30.50	54.00	-23.50	14.54	32.37	8.24	30.65	6.00	100	286 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.98</td> <td>74.00</td> <td>25.98</td> <td>84.05</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>100</td> <td>286 PEAK</td> </tr> <tr> <td>2 2480.00</td> <td>75.19</td> <td>54.00</td> <td>21.19</td> <td>59.26</td> <td>32.36</td> <td>8.23</td> <td>30.66</td> <td>6.00</td> <td>100</td> <td>286 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	99.98	74.00	25.98	84.05	32.36	8.23	30.66	6.00	100	286 PEAK	2 2480.00	75.19	54.00	21.19	59.26	32.36	8.23	30.66	6.00	100	286 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2484.84	55.29	74.00	-18.71	39.33	32.37	8.24	30.65	6.00	100	286 PEAK																																																																																												
2 2484.84	30.50	54.00	-23.50	14.54	32.37	8.24	30.65	6.00	100	286 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2480.00	99.98	74.00	25.98	84.05	32.36	8.23	30.66	6.00	100	286 PEAK																																																																																												
2 2480.00	75.19	54.00	21.19	59.26	32.36	8.23	30.66	6.00	100	286 AVERAGE																																																																																												




Mode	21																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	7+15																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>37.82</td> <td>74.00</td> <td>-36.18</td> <td>57.78</td> <td>33.94</td> <td>11.85</td> <td>65.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>39.25</td> <td>74.00</td> <td>-34.75</td> <td>54.39</td> <td>35.80</td> <td>14.63</td> <td>65.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	37.82	74.00	-36.18	57.78	33.94	11.85	65.75	0.00	--	--	PEAK	2	7440.00	39.25	74.00	-34.75	54.39	35.80	14.63	65.57	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>38.30</td> <td>74.00</td> <td>-35.70</td> <td>58.26</td> <td>33.94</td> <td>11.85</td> <td>65.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>39.72</td> <td>74.00</td> <td>-34.28</td> <td>54.86</td> <td>35.80</td> <td>14.63</td> <td>65.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	38.30	74.00	-35.70	58.26	33.94	11.85	65.75	0.00	--	--	PEAK	2	7440.00	39.72	74.00	-34.28	54.86	35.80	14.63	65.57	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	37.82	74.00	-36.18	57.78	33.94	11.85	65.75	0.00	--	--	PEAK																																																																																																		
2	7440.00	39.25	74.00	-34.75	54.39	35.80	14.63	65.57	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	38.30	74.00	-35.70	58.26	33.94	11.85	65.75	0.00	--	--	PEAK																																																																																																		
2	7440.00	39.72	74.00	-34.28	54.86	35.80	14.63	65.57	0.00	--	--	PEAK																																																																																																		



Mode	21
	LF
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz
ANT	7+15



Emission above 18GHz






Appendix D. Duty Cycle Plots

Ant.15/7

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.