




11BE160MIMO_Ant17_5250_UNII-2A_996Tone+484Tone_RU3





Date: 16.NOV.2024 11:32:29

11BE160MIMO_Ant17_5250_UNII-2A_996Tone+996Tone_RU9



Date: 16.NOV.2024 11:37:48







Puncturing

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE80 MIMO	Ant17	5210	Puncturing 20M	RU3	-1.32	≤11.00	PASS
	Ant16	5210	Puncturing 20M	RU3	-1.75	≤11.00	PASS
	total	5210	Puncturing 20M	RU3	1.48	≤11.00	PASS
	Ant17	5290	Puncturing 20M	RU2	-1.96	≤11.00	PASS
	Ant16	5290	Puncturing 20M	RU2	-1.66	≤11.00	PASS
	total	5290	Puncturing 20M	RU2	1.20	≤11.00	PASS
	Ant17	5530	Puncturing 20M	RU3	-1.54	≤11.00	PASS
	Ant16	5530	Puncturing 20M	RU3	-1.44	≤11.00	PASS
	total	5530	Puncturing 20M	RU3	1.52	≤11.00	PASS
	total	5775	Puncturing 20M	RU3	-4.75	≤30.00	PASS
11BE160 MIMO	Ant17	5250_UNII-1	Puncturing 20M	RU3	-1.91	≤30.00	PASS
			Puncturing 20M	RU1	-6.67	≤11.00	PASS
			Puncturing 40M	RU2	-6.37	≤11.00	PASS
	Ant16	5250_UNII-1	Puncturing 40M	RU3	-5.89	≤11.00	PASS
			Puncturing 20M	RU8	-6.14	≤11.00	PASS
			Puncturing 20M	RU1	-5.71	≤11.00	PASS
	total	5250_UNII-1	Puncturing 40M	RU2	-6.26	≤11.00	PASS
			Puncturing 40M	RU3	-5.57	≤11.00	PASS
			Puncturing 20M	RU8	-5.74	≤11.00	PASS
	total	5250_UNII-1	Puncturing 20M	RU1	-3.15	≤11.00	PASS
			Puncturing 40M	RU2	-3.30	≤11.00	PASS
			Puncturing 40M	RU3	-2.72	≤11.00	PASS
	Ant17	5250_UNII-2A	Puncturing 20M	RU8	-2.93	≤11.00	PASS
			Puncturing 20M	RU1	-6.65	≤11.00	PASS
			Puncturing 40M	RU2	-5.92	≤11.00	PASS
	Ant16	5250_UNII-2A	Puncturing 40M	RU3	-6.90	≤11.00	PASS
			Puncturing 20M	RU8	-6.21	≤11.00	PASS
			Puncturing 20M	RU1	-5.85	≤11.00	PASS
	total	5250_UNII-2A	Puncturing 40M	RU2	-5.69	≤11.00	PASS
			Puncturing 40M	RU3	-6.42	≤11.00	PASS
			Puncturing 20M	RU8	-5.91	≤11.00	PASS
	total	5250_UNII-2A	Puncturing 20M	RU1	-3.22	≤11.00	PASS
			Puncturing 40M	RU2	-2.79	≤11.00	PASS
			Puncturing 40M	RU3	-3.64	≤11.00	PASS
	Ant17	5570	Puncturing 20M	RU8	-3.05	≤11.00	PASS
			Puncturing 40M	RU3	-5.20	≤11.00	PASS
	Ant16	5570	Puncturing 20M	RU8	-5.49	≤11.00	PASS
			Puncturing 40M	RU3	-5.61	≤11.00	PASS
	total	5570	Puncturing 20M	RU8	-5.31	≤11.00	PASS
			Puncturing 40M	RU3	-2.39	≤11.00	PASS
total	5570	Puncturing 40M	RU3	-2.39	≤11.00	PASS	
		Puncturing 20M	RU8	-2.39	≤11.00	PASS	

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant17_5290_Puncturing 20M_RU2



Date: 16.NOV.2024 10:19:17


11BE80MIMO_Ant16_5290_Puncturing 20M_RU2



Date: 16.NOV.2024 10:19:57




11BE80MIMO_Ant17_5530_Puncturing 20M_RU3



Date: 16.NOV.2024 10:20:58


11BE80MIMO_Ant16_5530_Puncturing 20M_RU3



Date: 16.NOV.2024 10:21:36




11BE80MIMO_Ant17_5775_Puncturing 20M_RU3




Date: 16.NOV.2024 10:23:08

11BE80MIMO_Ant16_5775_Puncturing 20M_RU3




Date: 16.NOV.2024 10:23:48






11BE160MIMO_Ant16_5250_UNII-1_Puncturing 20M_RU1



Date: 16.NOV.2024 11:00:41


11BE160MIMO_Ant16_5250_UNII-1_Puncturing 40M_RU2



Date: 16.NOV.2024 11:11:06




11BE160MIMO_Ant16_5250_UNII-1_Puncturing 40M_RU3





Date: 16.NOV.2024 11:12:55

11BE160MIMO_Ant16_5250_UNII-1_Puncturing 20M_RU8




Date: 16.NOV.2024 11:09:09








11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 20M_RU1



Date: 16.NOV.2024 11:00:52


11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 40M_RU2



Date: 16.NOV.2024 11:11:17



11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 40M_RU3





Date: 16.NOV.2024 11:13:06

11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 20M_RU8



Date: 16.NOV.2024 11:09:20







Single RU

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant17	5180	26Tone	RU0	6.71	≤11.00	PASS
			52Tone	RU37	6.65	≤11.00	PASS
			106Tone	RU53	7.02	≤11.00	PASS
	Ant16	5180	26Tone	RU0	6.53	≤11.00	PASS
			52Tone	RU37	6.02	≤11.00	PASS
			106Tone	RU53	6.33	≤11.00	PASS
	total	5180	26Tone	RU0	9.63	≤11.00	PASS
			52Tone	RU37	9.36	≤11.00	PASS
			106Tone	RU53	9.70	≤11.00	PASS
	Ant17	5320	26Tone	RU8	5.94	≤11.00	PASS
			52Tone	RU40	5.73	≤11.00	PASS
			106Tone	RU54	6.20	≤11.00	PASS
	Ant16	5320	26Tone	RU8	5.73	≤11.00	PASS
			52Tone	RU40	5.66	≤11.00	PASS
			106Tone	RU54	6.11	≤11.00	PASS
	total	5320	26Tone	RU8	8.85	≤11.00	PASS
			52Tone	RU40	8.71	≤11.00	PASS
			106Tone	RU54	9.17	≤11.00	PASS
	Ant17	5500	26Tone	RU0	6.36	≤11.00	PASS
			52Tone	RU37	6.70	≤11.00	PASS
			106Tone	RU53	7.10	≤11.00	PASS
	Ant16	5500	26Tone	RU0	6.10	≤11.00	PASS
			52Tone	RU37	6.61	≤11.00	PASS
			106Tone	RU53	6.95	≤11.00	PASS
	total	5500	26Tone	RU0	9.24	≤11.00	PASS
			52Tone	RU37	9.67	≤11.00	PASS
			106Tone	RU53	10.04	≤11.00	PASS
Ant17	5700	26Tone	RU8	5.98	≤11.00	PASS	
		52Tone	RU40	6.35	≤11.00	PASS	
		106Tone	RU54	6.71	≤11.00	PASS	
Ant16	5700	26Tone	RU8	5.29	≤11.00	PASS	




			52Tone	RU40	5.86	≤11.00	PASS
			106Tone	RU54	6.18	≤11.00	PASS
	total	5700	26Tone	RU8	8.66	≤11.00	PASS
			52Tone	RU40	9.12	≤11.00	PASS
			106Tone	RU54	9.46	≤11.00	PASS
	Ant17	5745	26Tone	RU0	2.90	≤30.00	PASS
			52Tone	RU37	2.87	≤30.00	PASS
			106Tone	RU53	3.12	≤30.00	PASS
	Ant16	5745	26Tone	RU0	2.54	≤30.00	PASS
			52Tone	RU37	2.42	≤30.00	PASS
			106Tone	RU53	2.93	≤30.00	PASS
	total	5745	26Tone	RU0	5.73	≤30.00	PASS
			52Tone	RU37	5.66	≤30.00	PASS
			106Tone	RU53	6.04	≤30.00	PASS
	Ant17	5825	26Tone	RU8	2.84	≤30.00	PASS
			52Tone	RU40	2.81	≤30.00	PASS
			106Tone	RU54	3.09	≤30.00	PASS
	Ant16	5825	26Tone	RU8	2.41	≤30.00	PASS
			52Tone	RU40	2.23	≤30.00	PASS
			106Tone	RU54	2.72	≤30.00	PASS
	total	5825	26Tone	RU8	5.64	≤30.00	PASS
			52Tone	RU40	5.54	≤30.00	PASS
			106Tone	RU54	5.92	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs








11BE20MIMO_Ant17_5180_106Tone_RU53



11BE20MIMO_Ant16_5180_26Tone_RU0











11BE20MIMO_Ant16_5320_52Tone_RU40




Date: 12.NOV.2024 09:48:31

11BE20MIMO_Ant16_5320_106Tone_RU54




Date: 12.NOV.2024 09:49:06






11BE20MIMO_Ant17_5500_106Tone_RU53





Date: 12.NOV.2024 09:54:51


11BE20MIMO_Ant16_5500_26Tone_RU0



Date: 12.NOV.2024 09:53:56











11BE20MIMO_Ant16_5700_52Tone_RU40




Date: 12.NOV.2024 09:57:13

11BE20MIMO_Ant16_5700_106Tone_RU54




Date: 12.NOV.2024 09:57:49






11BE20MIMO_Ant16_5745_52Tone_RU37





Date: 12.NOV.2024 10:00:45

11BE20MIMO_Ant16_5745_106Tone_RU53




Date: 12.NOV.2024 10:01:20








11BE20MIMO_Ant16_5825_52Tone_RU40



Date: 12.NOV.2024 10:03:29

11BE20MIMO_Ant16_5825_106Tone_RU54



Date: 12.NOV.2024 10:04:04



Small RU

Maximum power spectral density



Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant17	5180	52Tone+26Tone	RU38+RU1	4.84	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.04	≤11.00	PASS
	Ant16	5180	52Tone+26Tone	RU38+RU1	4.26	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.33	≤11.00	PASS
	total	5180	52Tone+26Tone	RU38+RU1	7.57	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	8.71	≤11.00	PASS
	Ant17	5320	52Tone+26Tone	RU39+RU7	3.93	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.20	≤11.00	PASS
	Ant16	5320	52Tone+26Tone	RU39+RU7	3.91	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.13	≤11.00	PASS
	total	5320	52Tone+26Tone	RU39+RU7	6.93	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.18	≤11.00	PASS
	Ant17	5500	52Tone+26Tone	RU38+RU1	4.81	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.15	≤11.00	PASS
	Ant16	5500	52Tone+26Tone	RU38+RU1	4.80	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.04	≤11.00	PASS
	total	5500	52Tone+26Tone	RU38+RU1	7.82	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.11	≤11.00	PASS
	Ant17	5700	52Tone+26Tone	RU39+RU7	4.48	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.74	≤11.00	PASS
	Ant16	5700	52Tone+26Tone	RU39+RU7	3.94	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.23	≤11.00	PASS
	total	5700	52Tone+26Tone	RU39+RU7	7.23	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.50	≤11.00	PASS
	Ant17	5745	52Tone+26Tone	RU38+RU1	1.05	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	2.24	≤30.00	PASS
	Ant16	5745	52Tone+26Tone	RU38+RU1	0.61	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	1.95	≤30.00	PASS
total	5745	52Tone+26Tone	RU38+RU1	3.85	≤30.00	PASS	
		106Tone+26Tone	RU53+RU4	5.11	≤30.00	PASS	
Ant17	5825	52Tone+26Tone	RU39+RU7	1.00	≤30.00	PASS	
		106Tone+26Tone	RU54+RU4	2.15	≤30.00	PASS	
Ant16	5825	52Tone+26Tone	RU39+RU7	0.40	≤30.00	PASS	
		106Tone+26Tone	RU54+RU4	1.84	≤30.00	PASS	
total	5825	52Tone+26Tone	RU39+RU7	3.72	≤30.00	PASS	
		106Tone+26Tone	RU54+RU4	5.01	≤30.00	PASS	

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant16_5180_52Tone+26Tone_RU38+RU1




Date: 12.NOV.2024 10:06:06

11BE20MIMO_Ant16_5180_106Tone+26Tone_RU53+RU4




Date: 12.NOV.2024 10:07:50






11BE20MIMO_Ant16_5320_52Tone+26Tone_RU39+RU7



Date: 12.NOV.2024 10:09:13


11BE20MIMO_Ant16_5320_106Tone+26Tone_RU54+RU4



Date: 12.NOV.2024 10:11:03




11BE20MIMO_Ant17_5500_52Tone+26Tone_RU38+RU1



Date: 12.NOV.2024 10:12:03


11BE20MIMO_Ant17_5500_106Tone+26Tone_RU53+RU4



Date: 12.NOV.2024 10:13:34




11BE20MIMO_Ant16_5500_52Tone+26Tone_RU38+RU1



Date: 12.NOV.2024 10:12:36


11BE20MIMO_Ant16_5500_106Tone+26Tone_RU53+RU4



Date: 12.NOV.2024 10:14:07




11BE20MIMO_Ant17_5700_52Tone+26Tone_RU39+RU7



Date: 12.NOV.2024 10:15:01


11BE20MIMO_Ant17_5700_106Tone+26Tone_RU54+RU4



Date: 12.NOV.2024 10:16:17




11BE20MIMO_Ant16_5700_52Tone+26Tone_RU39+RU7



Date: 12.NOV.2024 10:15:34


11BE20MIMO_Ant16_5700_106Tone+26Tone_RU54+RU4



Date: 12.NOV.2024 10:16:49




11BE20MIMO_Ant17_5745_52Tone+26Tone_RU38+RU1



Date: 12.NOV.2024 10:17:58


11BE20MIMO_Ant17_5745_106Tone+26Tone_RU53+RU4




Date: 12.NOV.2024 10:19:15



11BE20MIMO_Ant16_5745_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant16_5745_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant17_5825_52Tone+26Tone_RU39+RU7




Date: 12.NOV.2024 10:20:46

11BE20MIMO_Ant17_5825_106Tone+26Tone_RU54+RU4




Date: 12.NOV.2024 10:21:56





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.168	56.82	-8.26	65.08	46.30	0.10	10.42	QP
2	0.168	37.92	-17.16	55.08	27.40	0.10	10.42	Average
3	0.185	55.20	-9.04	64.24	44.70	0.09	10.41	QP
4	0.185	35.70	-18.54	54.24	25.20	0.09	10.41	Average
5	0.224	50.67	-11.99	62.66	40.20	0.08	10.39	QP
6	0.224	27.37	-25.29	52.66	16.90	0.08	10.39	Average
7	0.341	50.65	-8.53	59.18	40.30	0.04	10.31	QP
8	0.341	32.55	-16.63	49.18	22.20	0.04	10.31	Average
9	0.396	46.86	-11.09	57.95	36.60	-0.02	10.28	QP
10	0.396	31.26	-16.69	47.95	21.00	-0.02	10.28	Average
11	0.452	48.48	-8.37	56.85	38.30	-0.07	10.25	QP
12	0.452	30.98	-15.87	46.85	20.80	-0.07	10.25	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.176	52.84	-11.84	64.68	42.30	0.13	10.41	QP
2	0.176	30.84	-23.84	54.68	20.30	0.13	10.41	Average
3	0.243	45.68	-16.32	62.00	35.30	0.01	10.37	QP
4	0.243	31.68	-20.32	52.00	21.30	0.01	10.37	Average
5	0.303	42.51	-17.64	60.15	32.30	-0.12	10.33	QP
6	0.303	26.11	-24.04	50.15	15.90	-0.12	10.33	Average
7	0.360	42.47	-16.27	58.74	32.30	-0.13	10.30	QP
8	0.360	30.47	-18.27	48.74	20.30	-0.13	10.30	Average
9	0.518	35.36	-20.64	56.00	25.30	-0.15	10.21	QP
10	0.518	22.66	-23.34	46.00	12.60	-0.15	10.21	Average
11	3.528	28.76	-27.24	56.00	18.90	-0.21	10.07	QP
12	3.528	19.96	-26.04	46.00	10.10	-0.21	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 16+17	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 16+17	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 16+17	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 16+17	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 16+17	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 16+17	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 16+17	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 16+17	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 16+17	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT80	106	5530	MCS0	Full	-
Mode 29	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT160	114	5570	MCS0	Full	-



Mode 32	U-NII-3	5.725-5.85	CDD 16+17	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 16+17	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 16+17	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	157	5785	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	165	5825	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT40	151	5755	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT80	155	5775	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.85	CDD 16+17	802.11a	144	5720	6Mbps	-	-
Mode 42	U-NII-2C	5.47-5.85	CDD 16+17	802.11be EHT20	144	5720	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.85	CDD 16+17	802.11be EHT40	142	5710	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.85	CDD 16+17	802.11be EHT80	138	5690	MCS0	Full	-
Mode 45	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT20	36	5180	MCS0	Single RU106/53	-
Mode 46	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT20	64	5320	MCS0	Single RU106/54	-
Mode 47	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	100	5500	MCS0	Single RU106/53	-
Mode 48	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	140	5700	MCS0	Single RU106/54	-
Mode 49	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	149	5745	MCS0	Single RU106/53	-
Mode 50	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	165	5825	MCS0	Single RU106/54	-
Mode 51	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT20	36	5180	MCS0	Small RU106+26	-
Mode 52	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT20	64	5320	MCS0	Small RU106+26	-
Mode 53	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	100	5500	MCS0	Small RU106+26	-
Mode 54	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT20	140	5700	MCS0	Small RU106+26	-
Mode 55	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	149	5745	MCS0	Small RU106+26	-
Mode 56	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT20	165	5825	MCS0	Small RU106+26	-
Mode 57	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT80	42	5210	MCS0	Puncturing 20M ⑤	-
Mode 58	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT80	58	5290	MCS0	Puncturing 20M ②	-
Mode 59	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT80	106	5530	MCS0	Puncturing 20M ③	-
Mode 60	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M ②	-
Mode 61	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M ③	-
Mode 62	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT160	114	5570	MCS0	Puncturing 40M ③	-
Mode 63	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 64	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 65	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 66	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT80	155	5775	MCS0	Puncturing 20M ③	-
Mode 67	U-NII-1	5.15-5.25	CDD 16+17	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-



Mode 68	U-NII-2A	5.25-5.35	CDD 16+17	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ②	-
Mode 69	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 70	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ③	-
Mode 71	U-NII-2A	5.15-5.35	CDD 16+17	802.11be EHT160	50	5250	MCS0	Large RU 996*2 ⑨	-
Mode 72	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ③	-
Mode 73	U-NII-2C	5.47-5.725	CDD 16+17	802.11be EHT160	114	5570	MCS0	Large RU 996*2 ⑨	-
Mode 74	U-NII-3	5.725-5.85	CDD 16+17	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	49.16	54.00	-4.84	H	AVERAGE	Pass	Band Edge
1	802.11a	36	8142.96	41.87	54.00	-12.13	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	8200.62	41.82	54.00	-12.18	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	8237.28	41.38	54.00	-12.62	H	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	45.55	68.20	-22.65	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	45.74	74.00	-28.26	H	PEAK	Pass	Harmonic
6	802.11a	64	5350.10	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	44.85	74.00	-29.15	V	PEAK	Pass	Harmonic
7	802.11a	100	5459.92	44.94	54.00	-9.06	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	45.77	74.00	-28.23	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	46.67	74.00	-27.33	V	PEAK	Pass	Harmonic
9	802.11a	140	5753.64	56.58	68.20	-11.62	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.05	74.00	-27.95	H	PEAK	Pass	Harmonic
10	802.11be EHT20	36	5141.70	45.59	54.00	-8.41	H	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	8142.96	39.25	54.00	-14.75	H	AVERAGE	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	8205.84	40.68	54.00	-13.32	H	AVERAGE	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	8237.28	39.69	54.00	-14.31	H	AVERAGE	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	8268.72	38.67	54.00	-15.33	H	AVERAGE	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	8331.60	46.70	74.00	-27.30	H	PEAK	Pass	Harmonic
15	802.11be EHT20	64	5350.00	45.90	54.00	-8.10	V	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	44.90	74.00	-29.10	V	PEAK	Pass	Harmonic



16	802.11be EHT20	100	5459.92	45.98	54.00	-8.02	H	AVERAGE	Pass	Band Edge
16	802.11be EHT20	100	11000.00	44.85	74.00	-29.15	H	PEAK	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	45.09	74.00	-28.91	H	PEAK	Pass	Harmonic
18	802.11be EHT20	140	5743.08	56.58	68.20	-11.62	V	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	45.53	74.00	-28.47	H	PEAK	Pass	Harmonic
19	802.11be EHT40	38	5149.60	46.60	54.00	-7.40	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	45.35	68.20	-22.85	H	PEAK	Pass	Harmonic
20	802.11be EHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	46	10460.00	45.27	68.20	-22.93	H	PEAK	Pass	Harmonic
21	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	54	8284.44	35.83	54.00	-18.17	H	AVERAGE	Pass	Harmonic
22	802.11be EHT40	62	5355.80	46.31	54.00	-7.69	V	AVERAGE	Pass	Band Edge
22	802.11be EHT40	62	10620.00	44.93	74.00	-29.07	V	PEAK	Pass	Harmonic
23	802.11be EHT40	102	5457.36	46.03	54.00	-7.97	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	102	8661.72	44.11	68.20	-24.09	V	PEAK	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	8724.60	44.06	68.20	-24.14	V	PEAK	Pass	Harmonic
25	802.11be EHT40	134	5450.80	43.56	54.00	-10.44	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	134	8913.24	43.56	68.20	-24.64	H	PEAK	Pass	Harmonic
26	802.11be EHT80	42	5149.60	47.58	54.00	-6.42	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	45.57	68.20	-22.63	H	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5351.30	46.63	54.00	-7.37	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	44.24	68.20	-23.96	V	PEAK	Pass	Harmonic
28	802.11be EHT80	106	5452.24	46.97	54.00	-7.03	H	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	8693.16	42.96	68.20	-25.24	V	PEAK	Pass	Harmonic
29	802.11be EHT80	122	5456.24	44.05	54.00	-9.95	H	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	8818.92	43.19	68.20	-25.01	H	PEAK	Pass	Harmonic
30	802.11be EHT160	50	5350.17	48.30	54.00	-5.70	H	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	45.19	68.20	-23.01	H	PEAK	Pass	Harmonic
31	802.11be EHT160	114	5450.54	44.87	54.00	-9.13	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	8756.04	43.35	68.20	-24.85	V	PEAK	Pass	Harmonic
32	802.11a	149	5720.80	100.57	112.72	-12.15	V	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	35.12	54.00	-18.88	V	AVERAGE	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	45.57	74.00	-28.43	H	PEAK	Pass	Harmonic
34	802.11a	165	5937.20	49.73	68.20	-18.47	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	35.87	54.00	-18.13	H	AVERAGE	Pass	Harmonic
35	802.11be EHT20	149	5649.60	52.35	68.20	-15.85	V	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	45.03	74.00	-28.97	H	PEAK	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	35.50	54.00	-18.50	H	AVERAGE	Pass	Harmonic
37	802.11be EHT20	165	5946.40	50.87	68.20	-17.33	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	11650.00	35.71	54.00	-18.29	V	AVERAGE	Pass	Harmonic
38	802.11be EHT40	151	5641.70	52.52	68.20	-15.68	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	11510.00	45.35	74.00	-28.65	H	PEAK	Pass	Harmonic



39	802.11be EHT40	159	5610.80	51.86	68.20	-16.34	V	PEAK	Pass	Band Edge
39	802.11be EHT40	159	11590.00	45.85	74.00	-28.15	H	PEAK	Pass	Harmonic
40	802.11be EHT80	155	5628.40	52.27	68.20	-15.93	H	PEAK	Pass	Band Edge
40	802.11be EHT80	155	11550.00	45.21	74.00	-28.79	V	PEAK	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	8991.84	44.28	68.20	-23.92	H	PEAK	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	8991.84	43.86	68.20	-24.34	H	PEAK	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	8976.12	44.09	68.20	-24.11	V	PEAK	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	8944.68	43.87	68.20	-24.33	H	PEAK	Pass	Harmonic
45	802.11be EHT20	36	5149.90	42.95	54.00	-11.05	H	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5350.00	42.59	54.00	-11.41	H	AVERAGE	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5458.96	42.46	54.00	-11.54	V	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5726.28	54.98	68.20	-13.22	V	PEAK	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	149	5633.60	54.02	68.20	-14.18	V	PEAK	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	165	5928.00	51.68	68.20	-16.52	V	PEAK	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5149.90	41.36	54.00	-12.64	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5350.00	40.61	54.00	-13.39	H	AVERAGE	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5459.44	40.72	54.00	-13.28	V	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5725.00	53.46	68.20	-14.74	H	PEAK	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5636.80	52.50	68.20	-15.70	H	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5971.20	50.03	68.20	-18.17	V	PEAK	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5147.36	45.20	54.00	-8.80	H	AVERAGE	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5350.00	45.18	54.00	-8.82	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5470.00	59.78	68.20	-8.42	H	PEAK	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	50	5356.68	45.43	54.00	-8.57	H	AVERAGE	Pass	Band Edge
60	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT160	50	5098.50	46.19	54.00	-7.81	H	AVERAGE	Pass	Band Edge
61	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic



62	802.11be EHT160	114	5465.94	63.93	68.20	-4.27	V	PEAK	Pass	Band Edge
62	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5376.00	47.19	54.00	-6.81	H	AVERAGE	Pass	Band Edge
63	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT160	50	5136.50	47.68	54.00	-6.32	H	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	114	5468.14	63.38	68.20	-4.82	H	PEAK	Pass	Band Edge
65	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT80	155	5600.40	52.70	68.20	-15.50	V	PEAK	Pass	Band Edge
66	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	42	5149.92	45.91	54.00	-8.09	H	AVERAGE	Pass	Band Edge
67	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	58	5351.30	45.87	54.00	-8.13	H	AVERAGE	Pass	Band Edge
68	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	106	5466.32	62.10	68.20	-6.10	H	PEAK	Pass	Band Edge
69	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	50	5117.25	49.07	54.00	-4.93	H	AVERAGE	Pass	Band Edge
70	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	50	5121.25	50.58	54.00	-3.42	H	AVERAGE	Pass	Band Edge
71	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	114	5455.38	48.46	54.00	-5.54	H	AVERAGE	Pass	Band Edge
72	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	114	5434.92	47.25	54.00	-6.75	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	155	5626.80	52.50	68.20	-15.70	V	PEAK	Pass	Band Edge
74	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic



Co-location

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 75	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSKF	39	2480	1Mbps	-	-
	U-NII-2A	5.25-5.35	CDD 16+17	802.11a	64	5320	6Mbps	-	-
	LTE Band 13_5M								
Mode 76	2400-2483.5	2400-2483.5	CDD 7+15	802.11be EHT20	01	2412	MCS0	Full RU	-
	U-NII-2A	5.25-5.35	CDD 16+17	802.11a	64	5320	6Mbps	-	-
	LTE Band 13_5M								

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
75	Bluetooth-LE_GSKF	39	2487.22	40.30	54.00	-13.70	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	4960.00	41.25	74.00	-32.75	V	PEAK	Pass	Harmonic
	802.11a	64	5350.10	48.02	54.00	-5.98	H	AVERAGE	Pass	Band Edge
	802.11a	64	10640.00	44.35	74.00	-29.65	H	PEAK	Pass	Harmonic
76	802.11be EHT20	01	2389.95	48.21	54.00	-5.79	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	01	4824.00	43.82	74.00	-30.18	V	PEAK	Pass	Harmonic
	802.11a	64	5353.20	42.58	54.00	-11.42	H	AVERAGE	Pass	Band Edge
	802.11a	64	10640.00	44.34	74.00	-29.66	H	PEAK	Pass	Harmonic



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	CDD 16+17																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.90</td> <td>61.54</td> <td>74.00</td> <td>-12.46</td> <td>47.80</td> <td>34.60</td> <td>11.30</td> <td>32.16</td> <td>0.00</td> <td>126</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.90	61.54	74.00	-12.46	47.80	34.60	11.30	32.16	0.00	126	141	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.71</td> <td>-----</td> <td>-----</td> <td>96.87</td> <td>34.68</td> <td>11.32</td> <td>32.16</td> <td>0.00</td> <td>126</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	110.71	-----	-----	96.87	34.68	11.32	32.16	0.00	126	141	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.90	61.54	74.00	-12.46	47.80	34.60	11.30	32.16	0.00	126	141	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	110.71	-----	-----	96.87	34.68	11.32	32.16	0.00	126	141	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>49.16</td> <td>54.00</td> <td>-4.84</td> <td>35.42</td> <td>34.60</td> <td>11.30</td> <td>32.16</td> <td>0.00</td> <td>126</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	49.16	54.00	-4.84	35.42	34.60	11.30	32.16	0.00	126	141	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>103.71</td> <td>-----</td> <td>-----</td> <td>89.90</td> <td>34.65</td> <td>11.32</td> <td>32.16</td> <td>0.00</td> <td>126</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	103.71	-----	-----	89.90	34.65	11.32	32.16	0.00	126	141	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5150.00	49.16	54.00	-4.84	35.42	34.60	11.30	32.16	0.00	126	141	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	103.71	-----	-----	89.90	34.65	11.32	32.16	0.00	126	141	AVERAGE																																																																														



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.20</td> <td>56.66</td> <td>74.00</td> <td>-17.34</td> <td>42.90</td> <td>34.62</td> <td>11.30</td> <td>32.16</td> <td>0.00</td> <td>153</td> <td>343 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5144.20	56.66	74.00	-17.34	42.90	34.62	11.30	32.16	0.00	153	343 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.79</td> <td>-----</td> <td>-----</td> <td>95.98</td> <td>34.65</td> <td>11.32</td> <td>32.16</td> <td>0.00</td> <td>153</td> <td>343 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	109.79	-----	-----	95.98	34.65	11.32	32.16	0.00	153	343 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5144.20	56.66	74.00	-17.34	42.90	34.62	11.30	32.16	0.00	153	343 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	109.79	-----	-----	95.98	34.65	11.32	32.16	0.00	153	343 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>47.05</td> <td>54.00</td> <td>-6.95</td> <td>33.31</td> <td>34.60</td> <td>11.30</td> <td>32.16</td> <td>0.00</td> <td>153</td> <td>343 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	47.05	54.00	-6.95	33.31	34.60	11.30	32.16	0.00	153	343 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.58</td> <td>-----</td> <td>-----</td> <td>87.76</td> <td>34.66</td> <td>11.32</td> <td>32.16</td> <td>0.00</td> <td>153</td> <td>343 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.58	-----	-----	87.76	34.66	11.32	32.16	0.00	153	343 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	47.05	54.00	-6.95	33.31	34.60	11.30	32.16	0.00	153	343 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	101.58	-----	-----	87.76	34.66	11.32	32.16	0.00	153	343 AVERAGE																																																																													



Mode	1																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																
ANT	CDD 16+17																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8142.96</td> <td>50.40</td> <td>74.00</td> <td>-23.60</td> <td>64.05</td> <td>35.89</td> <td>14.26</td> <td>63.80</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8142.96</td> <td>41.87</td> <td>54.00</td> <td>-12.13</td> <td>55.52</td> <td>35.89</td> <td>14.26</td> <td>63.80</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10360.00</td> <td>45.23</td> <td>68.20</td> <td>-22.97</td> <td>53.47</td> <td>37.60</td> <td>16.65</td> <td>62.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8142.96	50.40	74.00	-23.60	64.05	35.89	14.26	63.80	0.00	300	360	PEAK	2	8142.96	41.87	54.00	-12.13	55.52	35.89	14.26	63.80	0.00	300	360	AVERAGE	3	10360.00	45.23	68.20	-22.97	53.47	37.60	16.65	62.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8142.96</td> <td>44.26</td> <td>74.00</td> <td>-29.74</td> <td>57.91</td> <td>35.89</td> <td>14.26</td> <td>63.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10360.00</td> <td>45.46</td> <td>68.20</td> <td>-22.74</td> <td>53.70</td> <td>37.60</td> <td>16.65</td> <td>62.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8142.96	44.26	74.00	-29.74	57.91	35.89	14.26	63.80	0.00	---	---	PEAK	2	10360.00	45.46	68.20	-22.74	53.70	37.60	16.65	62.49	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8142.96	50.40	74.00	-23.60	64.05	35.89	14.26	63.80	0.00	300	360	PEAK																																																																																																																					
2	8142.96	41.87	54.00	-12.13	55.52	35.89	14.26	63.80	0.00	300	360	AVERAGE																																																																																																																					
3	10360.00	45.23	68.20	-22.97	53.47	37.60	16.65	62.49	0.00	---	---	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8142.96	44.26	74.00	-29.74	57.91	35.89	14.26	63.80	0.00	---	---	PEAK																																																																																																																					
2	10360.00	45.46	68.20	-22.74	53.70	37.60	16.65	62.49	0.00	---	---	PEAK																																																																																																																					



Mode	2																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																
ANT	CDD 16+17																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8200.62</td> <td>50.31</td> <td>74.00</td> <td>-23.69</td> <td>63.78</td> <td>35.90</td> <td>14.37</td> <td>63.74</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8200.62</td> <td>41.82</td> <td>54.00</td> <td>-12.18</td> <td>55.28</td> <td>35.89</td> <td>14.38</td> <td>63.73</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10440.00</td> <td>45.11</td> <td>68.20</td> <td>-23.09</td> <td>53.18</td> <td>37.63</td> <td>16.72</td> <td>62.42</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8200.62	50.31	74.00	-23.69	63.78	35.90	14.37	63.74	0.00	300	0	PEAK	2	8200.62	41.82	54.00	-12.18	55.28	35.89	14.38	63.73	0.00	300	0	AVERAGE	3	10440.00	45.11	68.20	-23.09	53.18	37.63	16.72	62.42	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8200.62</td> <td>43.45</td> <td>74.00</td> <td>-30.55</td> <td>56.92</td> <td>35.90</td> <td>14.37</td> <td>63.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10440.00</td> <td>44.78</td> <td>68.20</td> <td>-23.42</td> <td>52.83</td> <td>37.64</td> <td>16.73</td> <td>62.42</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8200.62	43.45	74.00	-30.55	56.92	35.90	14.37	63.74	0.00	---	---	PEAK	2	10440.00	44.78	68.20	-23.42	52.83	37.64	16.73	62.42	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8200.62	50.31	74.00	-23.69	63.78	35.90	14.37	63.74	0.00	300	0	PEAK																																																																																																																					
2	8200.62	41.82	54.00	-12.18	55.28	35.89	14.38	63.73	0.00	300	0	AVERAGE																																																																																																																					
3	10440.00	45.11	68.20	-23.09	53.18	37.63	16.72	62.42	0.00	---	---	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8200.62	43.45	74.00	-30.55	56.92	35.90	14.37	63.74	0.00	---	---	PEAK																																																																																																																					
2	10440.00	44.78	68.20	-23.42	52.83	37.64	16.73	62.42	0.00	---	---	PEAK																																																																																																																					



Mode	3																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																
ANT	CDD 16+17																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8237.28</td> <td>51.07</td> <td>74.00</td> <td>-22.93</td> <td>64.48</td> <td>35.83</td> <td>14.46</td> <td>63.70</td> <td>0.00</td> <td>285</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8237.28</td> <td>41.38</td> <td>54.00</td> <td>-12.62</td> <td>54.79</td> <td>35.83</td> <td>14.46</td> <td>63.70</td> <td>0.00</td> <td>285</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10480.00</td> <td>45.17</td> <td>68.20</td> <td>-23.03</td> <td>53.13</td> <td>37.67</td> <td>16.76</td> <td>62.39</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8237.28	51.07	74.00	-22.93	64.48	35.83	14.46	63.70	0.00	285	360	PEAK	2	8237.28	41.38	54.00	-12.62	54.79	35.83	14.46	63.70	0.00	285	360	AVERAGE	3	10480.00	45.17	68.20	-23.03	53.13	37.67	16.76	62.39	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8237.28</td> <td>43.70</td> <td>74.00</td> <td>-30.30</td> <td>57.11</td> <td>35.83</td> <td>14.46</td> <td>63.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10480.00</td> <td>44.43</td> <td>68.20</td> <td>-23.77</td> <td>52.36</td> <td>37.68</td> <td>16.77</td> <td>62.38</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8237.28	43.70	74.00	-30.30	57.11	35.83	14.46	63.70	0.00	---	---	PEAK	2	10480.00	44.43	68.20	-23.77	52.36	37.68	16.77	62.38	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8237.28	51.07	74.00	-22.93	64.48	35.83	14.46	63.70	0.00	285	360	PEAK																																																																																																																					
2	8237.28	41.38	54.00	-12.62	54.79	35.83	14.46	63.70	0.00	285	360	AVERAGE																																																																																																																					
3	10480.00	45.17	68.20	-23.03	53.13	37.67	16.76	62.39	0.00	---	---	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	8237.28	43.70	74.00	-30.30	57.11	35.83	14.46	63.70	0.00	---	---	PEAK																																																																																																																					
2	10480.00	44.43	68.20	-23.77	52.36	37.68	16.77	62.38	0.00	---	---	PEAK																																																																																																																					







Mode	4																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>44.95</td> <td>68.20</td> <td>-23.25</td> <td>52.76</td> <td>37.70</td> <td>16.83</td> <td>62.34</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	44.95	68.20	-23.25	52.76	37.70	16.83	62.34	0.00	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>45.55</td> <td>68.20</td> <td>-22.65</td> <td>53.36</td> <td>37.70</td> <td>16.83</td> <td>62.34</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	45.55	68.20	-22.65	53.36	37.70	16.83	62.34	0.00	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	10520.00	44.95	68.20	-23.25	52.76	37.70	16.83	62.34	0.00	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	10520.00	45.55	68.20	-22.65	53.36	37.70	16.83	62.34	0.00	---	PEAK																																																																													



Mode	5																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																											
ANT	CDD 16+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>45.74</td> <td>74.00</td> <td>-28.26</td> <td>53.41</td> <td>37.70</td> <td>16.91</td> <td>62.28</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	45.74	74.00	-28.26	53.41	37.70	16.91	62.28	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>45.52</td> <td>74.00</td> <td>-28.48</td> <td>53.19</td> <td>37.70</td> <td>16.91</td> <td>62.28</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	45.52	74.00	-28.48	53.19	37.70	16.91	62.28	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10600.00	45.74	74.00	-28.26	53.41	37.70	16.91	62.28	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10600.00	45.52	74.00	-28.48	53.19	37.70	16.91	62.28	0.00	--	PEAK																																																																		



Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	CDD 16+17																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal band between 5300 and 5400 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. A blue vertical line marks the peak at 5350.20 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>46.70</td> <td>34.80</td> <td>11.42</td> <td>32.16</td> <td>0.00</td> <td>271</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.20	60.76	74.00	-13.24	46.70	34.80	11.42	32.16	0.00	271	0	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal band between 1000 and 7000 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. A blue vertical line marks the peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.94</td> <td>-----</td> <td>-----</td> <td>95.90</td> <td>34.80</td> <td>11.40</td> <td>32.16</td> <td>0.00</td> <td>271</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	109.94	-----	-----	95.90	34.80	11.40	32.16	0.00	271	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.20	60.76	74.00	-13.24	46.70	34.80	11.42	32.16	0.00	271	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	109.94	-----	-----	95.90	34.80	11.40	32.16	0.00	271	0	PEAK																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows the average signal level. A red horizontal line indicates the limit at 48.8 dBuV/m. A blue vertical line marks the peak at 5350.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>50.70</td> <td>54.00</td> <td>-3.30</td> <td>36.64</td> <td>34.80</td> <td>11.42</td> <td>32.16</td> <td>0.00</td> <td>271</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.10	50.70	54.00	-3.30	36.64	34.80	11.42	32.16	0.00	271	0	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows the average signal level. A red horizontal line indicates the limit at 48.8 dBuV/m. A blue vertical line marks the peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>89.05</td> <td>34.80</td> <td>11.39</td> <td>32.16</td> <td>0.00</td> <td>271</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	103.00	-----	-----	89.05	34.80	11.39	32.16	0.00	271	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.10	50.70	54.00	-3.30	36.64	34.80	11.42	32.16	0.00	271	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	103.00	-----	-----	89.05	34.80	11.39	32.16	0.00	271	0	AVERAGE																																																																						



Mode	6																																																																																			
	Band Edge																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																			
ANT	CDD 16+17																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.20</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>42.38</td> <td>34.80</td> <td>11.42</td> <td>32.16</td> <td>0.00</td> <td>178</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	56.44	74.00	-17.56	42.38	34.80	11.42	32.16	0.00	178	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.77</td> <td>-----</td> <td>-----</td> <td>94.74</td> <td>34.80</td> <td>11.39</td> <td>32.16</td> <td>0.00</td> <td>178</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.77	-----	-----	94.74	34.80	11.39	32.16	0.00	178	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5351.20	56.44	74.00	-17.56	42.38	34.80	11.42	32.16	0.00	178	360	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5320.00	108.77	-----	-----	94.74	34.80	11.39	32.16	0.00	178	360	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.20</td> <td>46.41</td> <td>54.00</td> <td>-7.59</td> <td>32.35</td> <td>34.80</td> <td>11.42</td> <td>32.16</td> <td>0.00</td> <td>178</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	46.41	54.00	-7.59	32.35	34.80	11.42	32.16	0.00	178	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.30</td> <td>-----</td> <td>-----</td> <td>87.27</td> <td>34.80</td> <td>11.39</td> <td>32.16</td> <td>0.00</td> <td>178</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.30	-----	-----	87.27	34.80	11.39	32.16	0.00	178	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5351.20	46.41	54.00	-7.59	32.35	34.80	11.42	32.16	0.00	178	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5320.00	101.30	-----	-----	87.27	34.80	11.39	32.16	0.00	178	360	AVERAGE																																																																								



Mode	6																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.50</td> <td>74.00</td> <td>-29.50</td> <td>52.06</td> <td>37.74</td> <td>16.95</td> <td>62.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10640.00	44.50	74.00	-29.50	52.06	37.74	16.95	62.25	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.85</td> <td>74.00</td> <td>-29.15</td> <td>52.41</td> <td>37.74</td> <td>16.95</td> <td>62.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10640.00	44.85	74.00	-29.15	52.41	37.74	16.95	62.25	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10640.00	44.50	74.00	-29.50	52.06	37.74	16.95	62.25	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10640.00	44.85	74.00	-29.15	52.41	37.74	16.95	62.25	0.00	---	---	PEAK																																																																													



Mode	6	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 16+17	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	6																																																																																																																																																																																																
	30-1G																																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																
ANT	CDD 16+17																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>34.85</td> <td>22.08</td> <td>40.00</td> <td>-17.92</td> <td>32.12</td> <td>22.06</td> <td>0.79</td> <td>32.89</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>85.29</td> <td>17.40</td> <td>40.00</td> <td>-22.60</td> <td>34.65</td> <td>14.20</td> <td>1.38</td> <td>32.83</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>187.14</td> <td>22.51</td> <td>43.50</td> <td>-20.99</td> <td>37.60</td> <td>15.67</td> <td>2.07</td> <td>32.83</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>276.38</td> <td>24.88</td> <td>46.00</td> <td>-21.12</td> <td>36.24</td> <td>18.90</td> <td>2.54</td> <td>32.80</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>367.56</td> <td>25.91</td> <td>46.00</td> <td>-20.09</td> <td>35.01</td> <td>20.87</td> <td>2.92</td> <td>32.89</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>482.99</td> <td>26.33</td> <td>46.00</td> <td>-19.67</td> <td>32.70</td> <td>23.24</td> <td>3.36</td> <td>32.97</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	34.85	22.08	40.00	-17.92	32.12	22.06	0.79	32.89	0.00	---	--- Peak	2	85.29	17.40	40.00	-22.60	34.65	14.20	1.38	32.83	0.00	---	--- Peak	3	187.14	22.51	43.50	-20.99	37.60	15.67	2.07	32.83	0.00	---	--- Peak	4	276.38	24.88	46.00	-21.12	36.24	18.90	2.54	32.80	0.00	---	--- Peak	5	367.56	25.91	46.00	-20.09	35.01	20.87	2.92	32.89	0.00	---	--- Peak	6	482.99	26.33	46.00	-19.67	32.70	23.24	3.36	32.97	0.00	---	--- Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>35.82</td> <td>27.74</td> <td>40.00</td> <td>-12.26</td> <td>38.34</td> <td>21.49</td> <td>0.81</td> <td>32.90</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>89.17</td> <td>23.64</td> <td>43.50</td> <td>-19.86</td> <td>40.11</td> <td>14.97</td> <td>1.41</td> <td>32.85</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>129.91</td> <td>21.56</td> <td>43.50</td> <td>-21.94</td> <td>36.01</td> <td>16.68</td> <td>1.71</td> <td>32.84</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>186.17</td> <td>20.68</td> <td>43.50</td> <td>-22.82</td> <td>35.75</td> <td>15.69</td> <td>2.07</td> <td>32.83</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>263.77</td> <td>21.89</td> <td>46.00</td> <td>-24.11</td> <td>33.52</td> <td>18.67</td> <td>2.48</td> <td>32.78</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>497.54</td> <td>28.63</td> <td>46.00</td> <td>-17.37</td> <td>34.60</td> <td>23.55</td> <td>3.41</td> <td>32.93</td> <td>0.00</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	35.82	27.74	40.00	-12.26	38.34	21.49	0.81	32.90	0.00	---	--- Peak	2	89.17	23.64	43.50	-19.86	40.11	14.97	1.41	32.85	0.00	---	--- Peak	3	129.91	21.56	43.50	-21.94	36.01	16.68	1.71	32.84	0.00	---	--- Peak	4	186.17	20.68	43.50	-22.82	35.75	15.69	2.07	32.83	0.00	---	--- Peak	5	263.77	21.89	46.00	-24.11	33.52	18.67	2.48	32.78	0.00	---	--- Peak	6	497.54	28.63	46.00	-17.37	34.60	23.55	3.41	32.93	0.00	---
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	34.85	22.08	40.00	-17.92	32.12	22.06	0.79	32.89	0.00	---	--- Peak																																																																																																																																																																																						
2	85.29	17.40	40.00	-22.60	34.65	14.20	1.38	32.83	0.00	---	--- Peak																																																																																																																																																																																						
3	187.14	22.51	43.50	-20.99	37.60	15.67	2.07	32.83	0.00	---	--- Peak																																																																																																																																																																																						
4	276.38	24.88	46.00	-21.12	36.24	18.90	2.54	32.80	0.00	---	--- Peak																																																																																																																																																																																						
5	367.56	25.91	46.00	-20.09	35.01	20.87	2.92	32.89	0.00	---	--- Peak																																																																																																																																																																																						
6	482.99	26.33	46.00	-19.67	32.70	23.24	3.36	32.97	0.00	---	--- Peak																																																																																																																																																																																						
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	35.82	27.74	40.00	-12.26	38.34	21.49	0.81	32.90	0.00	---	--- Peak																																																																																																																																																																																						
2	89.17	23.64	43.50	-19.86	40.11	14.97	1.41	32.85	0.00	---	--- Peak																																																																																																																																																																																						
3	129.91	21.56	43.50	-21.94	36.01	16.68	1.71	32.84	0.00	---	--- Peak																																																																																																																																																																																						
4	186.17	20.68	43.50	-22.82	35.75	15.69	2.07	32.83	0.00	---	--- Peak																																																																																																																																																																																						
5	263.77	21.89	46.00	-24.11	33.52	18.67	2.48	32.78	0.00	---	--- Peak																																																																																																																																																																																						
6	497.54	28.63	46.00	-17.37	34.60	23.55	3.41	32.93	0.00	---	--- Peak																																																																																																																																																																																						



Mode	7																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																														
ANT	CDD 16+17																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.00</td> <td>55.53</td> <td>74.00</td> <td>-18.47</td> <td>41.32</td> <td>34.88</td> <td>11.49</td> <td>32.16</td> <td>0.00</td> <td>221</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>56.82</td> <td>68.20</td> <td>-11.38</td> <td>42.64</td> <td>34.84</td> <td>11.50</td> <td>32.16</td> <td>0.00</td> <td>221</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5446.00	55.53	74.00	-18.47	41.32	34.88	11.49	32.16	0.00	221	0	PEAK	2	5466.16	56.82	68.20	-11.38	42.64	34.84	11.50	32.16	0.00	221	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.65</td> <td>-----</td> <td>-----</td> <td>97.57</td> <td>34.72</td> <td>11.52</td> <td>32.16</td> <td>0.00</td> <td>221</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	111.65	-----	-----	97.57	34.72	11.52	32.16	0.00	221	0	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5446.00	55.53	74.00	-18.47	41.32	34.88	11.49	32.16	0.00	221	0	PEAK																																																																																			
2	5466.16	56.82	68.20	-11.38	42.64	34.84	11.50	32.16	0.00	221	0	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	111.65	-----	-----	97.57	34.72	11.52	32.16	0.00	221	0	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.94</td> <td>54.00</td> <td>-9.06</td> <td>30.74</td> <td>34.86</td> <td>11.50</td> <td>32.16</td> <td>0.00</td> <td>221</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.92	44.94	54.00	-9.06	30.74	34.86	11.50	32.16	0.00	221	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.72</td> <td>-----</td> <td>-----</td> <td>89.66</td> <td>34.70</td> <td>11.52</td> <td>32.16</td> <td>0.00</td> <td>221</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	103.72	-----	-----	89.66	34.70	11.52	32.16	0.00	221	0	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5459.92	44.94	54.00	-9.06	30.74	34.86	11.50	32.16	0.00	221	0	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	103.72	-----	-----	89.66	34.70	11.52	32.16	0.00	221	0	AVERAGE																																																																																			