





11BE80MIMO\_Ant17\_6785



Date: 10.NOV.2024 01:39:34


11BE80MIMO\_Ant16\_6785



Date: 10.NOV.2024 01:40:40




11BE80MIMO\_Ant17\_6865



Date: 10.NOV.2024 01:41:50


11BE80MIMO\_Ant16\_6865



Date: 10.NOV.2024 01:42:56




11BE80MIMO\_Ant17\_6945



Date: 10.NOV.2024 01:46:18


11BE80MIMO\_Ant16\_6945



Date: 10.NOV.2024 01:47:24




11BE80MIMO\_Ant17\_7025



Date: 10.NOV.2024 01:49:47


11BE80MIMO\_Ant16\_7025



Date: 10.NOV.2024 01:50:53




11BE160MIMO\_Ant17\_6025



Date: 10.NOV.2024 03:40:41


11BE160MIMO\_Ant16\_6025



Date: 10.NOV.2024 03:42:00




11BE160MIMO\_Ant17\_6185



Date: 10.NOV.2024 03:45:22


11BE160MIMO\_Ant16\_6185



Date: 10.NOV.2024 03:46:28




11BE160MIMO\_Ant17\_6345



Date: 10.NOV.2024 04:07:18


11BE160MIMO\_Ant16\_6345



Date: 10.NOV.2024 04:08:24




11BE160MIMO\_Ant17\_6505



Date: 10.NOV.2024 04:09:51


11BE160MIMO\_Ant16\_6505



Date: 10.NOV.2024 04:10:57




11BE160MIMO\_Ant17\_6665



Date: 10.NOV.2024 04:12:29


11BE160MIMO\_Ant16\_6665



Date: 10.NOV.2024 04:13:35




11BE160MIMO\_Ant17\_6825



Date: 10.NOV.2024 04:35:21


11BE160MIMO\_Ant16\_6825



Date: 10.NOV.2024 04:36:28




11BE160MIMO\_Ant17\_6985



Date: 10.NOV.2024 04:37:50

11BE160MIMO\_Ant16\_6985



Date: 10.NOV.2024 04:38:57



<Single RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant17	5955	26Tone	RU0	-6.10	-2.80	-8.90	≤-1.00	PASS
			52Tone	RU37	-6.02	-2.80	-8.82	≤-1.00	PASS
			106Tone	RU53	-5.80	-2.80	-8.60	≤-1.00	PASS
	Ant16	5955	26Tone	RU0	-6.47	-2.40	-8.87	≤-1.00	PASS
			52Tone	RU37	-6.39	-2.40	-8.79	≤-1.00	PASS
			106Tone	RU53	-6.00	-2.40	-8.40	≤-1.00	PASS
	total	5955	26Tone	RU0	-3.27	0.41	-2.86	≤-1.00	PASS
			52Tone	RU37	-3.19	0.41	-2.78	≤-1.00	PASS
			106Tone	RU53	-2.89	0.41	-2.48	≤-1.00	PASS
	Ant17	6435	26Tone	RU0	-6.09	-1.80	-7.89	≤-1.00	PASS
			52Tone	RU37	-6.00	-1.80	-7.80	≤-1.00	PASS
			106Tone	RU53	-6.71	-1.80	-8.51	≤-1.00	PASS
	Ant16	6435	26Tone	RU0	-5.58	-4.80	-10.38	≤-1.00	PASS
			52Tone	RU37	-5.68	-4.80	-10.48	≤-1.00	PASS
			106Tone	RU53	-6.49	-4.80	-11.29	≤-1.00	PASS
	total	6435	26Tone	RU0	-2.82	-0.16	-2.98	≤-1.00	PASS
			52Tone	RU37	-2.83	-0.16	-2.99	≤-1.00	PASS
			106Tone	RU53	-3.59	-0.16	-3.75	≤-1.00	PASS
	Ant17	6535	26Tone	RU0	-6.58	-1.20	-7.78	≤-1.00	PASS
			52Tone	RU37	-6.35	-1.20	-7.55	≤-1.00	PASS
			106Tone	RU53	-6.33	-1.20	-7.53	≤-1.00	PASS
	Ant16	6535	26Tone	RU0	-6.49	-2.90	-9.39	≤-1.00	PASS
			52Tone	RU37	-6.31	-2.90	-9.21	≤-1.00	PASS
			106Tone	RU53	-7.48	-2.90	-10.38	≤-1.00	PASS
total	6535	26Tone	RU0	-3.52	1.00	-2.52	≤-1.00	PASS	
		52Tone	RU37	-3.32	1.00	-2.32	≤-1.00	PASS	
		106Tone	RU53	-3.86	1.00	-2.86	≤-1.00	PASS	
Ant17	7095	26Tone	RU8	-4.94	-4.20	-9.14	≤-1.00	PASS	
		52Tone	RU40	-4.90	-4.20	-9.10	≤-1.00	PASS	
		106Tone	RU54	-4.44	-4.20	-8.64	≤-1.00	PASS	
Ant16	7095	26Tone	RU8	-6.90	-2.00	-8.90	≤-1.00	PASS	




			52Tone	RU40	-6.80	-2.00	-8.80	≤-1.00	PASS
			106Tone	RU54	-6.68	-2.00	-8.68	≤-1.00	PASS
	total	7095	26Tone	RU8	-2.80	-0.02	-2.82	≤-1.00	PASS
			52Tone	RU40	-2.74	-0.02	-2.76	≤-1.00	PASS
			106Tone	RU54	-2.41	-0.02	-2.43	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




### Test Graphs






11BE20MIMO\_Ant17\_5955\_106Tone\_RU53



Date: 12.NOV.2024 11:55:20

11BE20MIMO\_Ant16\_5955\_26Tone\_RU0




Date: 12.NOV.2024 11:49:38






11BE20MIMO\_Ant17\_6435\_26Tone\_RU0



Date: 12.NOV.2024 12:07:24


11BE20MIMO\_Ant17\_6435\_52Tone\_RU37



Date: 12.NOV.2024 12:18:40




11BE20MIMO\_Ant17\_6435\_106Tone\_RU53



Date: 12.NOV.2024 12:26:31


11BE20MIMO\_Ant16\_6435\_26Tone\_RU0



Date: 12.NOV.2024 12:09:01




11BE20MIMO\_Ant16\_6435\_52Tone\_RU37



Date: 12.NOV.2024 12:19:32


11BE20MIMO\_Ant16\_6435\_106Tone\_RU53



Date: 12.NOV.2024 12:26:43




11BE20MIMO\_Ant17\_6535\_26Tone\_RU0



Date: 12.NOV.2024 12:29:14


11BE20MIMO\_Ant17\_6535\_52Tone\_RU37



Date: 12.NOV.2024 12:30:47




11BE20MIMO\_Ant17\_6535\_106Tone\_RU53



Date: 12.NOV.2024 12:37:40

11BE20MIMO\_Ant16\_6535\_26Tone\_RU0




Date: 12.NOV.2024 12:29:57






11BE20MIMO\_Ant17\_7095\_26Tone\_RU8



Date: 12.NOV.2024 13:06:52


11BE20MIMO\_Ant17\_7095\_52Tone\_RU40



Date: 12.NOV.2024 13:08:15




11BE20MIMO\_Ant17\_7095\_106Tone\_RU54



Date: 12.NOV.2024 13:08:56


11BE20MIMO\_Ant16\_7095\_26Tone\_RU8



Date: 12.NOV.2024 13:07:05




11BE20MIMO\_Ant16\_7095\_52Tone\_RU40



Date: 12.NOV.2024 13:08:28

11BE20MIMO\_Ant16\_7095\_106Tone\_RU54



Date: 12.NOV.2024 13:09:12



### In-Band Emissions


#### Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE20MIMO	Ant17	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant16	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant17	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant16	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant17	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant16	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant17	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant16	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS






11BE20MIMO\_Ant17\_5955\_106Tone\_RU53



Date: 12.NOV.2024 11:32:37


11BE20MIMO\_Ant16\_5955\_26Tone\_RU0



Date: 12.NOV.2024 11:28:04




11BE20MIMO\_Ant16\_5955\_52Tone\_RU37



Date: 12.NOV.2024 11:30:52


11BE20MIMO\_Ant16\_5955\_106Tone\_RU53



Date: 12.NOV.2024 11:33:45




11BE20MIMO\_Ant17\_6435\_26Tone\_RU0



Date: 12.NOV.2024 12:08:31


11BE20MIMO\_Ant17\_6435\_52Tone\_RU37



Date: 12.NOV.2024 12:19:11




11BE20MIMO\_Ant17\_6435\_106Tone\_RU53



Date: 12.NOV.2024 12:21:07


11BE20MIMO\_Ant16\_6435\_26Tone\_RU0



Date: 12.NOV.2024 12:18:14




11BE20MIMO\_Ant16\_6435\_52Tone\_RU37



Date: 12.NOV.2024 12:20:02


11BE20MIMO\_Ant16\_6435\_106Tone\_RU53



Date: 12.NOV.2024 12:22:02




11BE20MIMO\_Ant17\_6535\_26Tone\_RU0



Date: 12.NOV.2024 12:29:39


11BE20MIMO\_Ant17\_6535\_52Tone\_RU37



Date: 12.NOV.2024 12:31:51




11BE20MIMO\_Ant17\_6535\_106Tone\_RU53



Date: 12.NOV.2024 12:34:14


11BE20MIMO\_Ant16\_6535\_26Tone\_RU0



Date: 12.NOV.2024 12:30:30




11BE20MIMO\_Ant16\_6535\_52Tone\_RU37



Date: 12.NOV.2024 12:33:05


11BE20MIMO\_Ant16\_6535\_106Tone\_RU53



Date: 12.NOV.2024 12:35:05




11BE20MIMO\_Ant17\_7095\_26Tone\_RU8



Date: 12.NOV.2024 12:44:01


11BE20MIMO\_Ant17\_7095\_52Tone\_RU40



Date: 12.NOV.2024 12:47:20




11BE20MIMO\_Ant17\_7095\_106Tone\_RU54



Date: 12.NOV.2024 13:02:36


11BE20MIMO\_Ant16\_7095\_26Tone\_RU8



Date: 12.NOV.2024 12:45:49




11BE20MIMO\_Ant16\_7095\_52Tone\_RU40



Date: 12.NOV.2024 12:51:56

11BE20MIMO\_Ant16\_7095\_106Tone\_RU54



Date: 12.NOV.2024 13:03:26



<Small RU>

Maximum power spectral density



Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant17	5955	52Tone+26Tone	RU38+RU1	-7.85	-2.80	-10.65	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-6.82	-2.80	-9.62	≤-1.00	PASS
	Ant16	5955	52Tone+26Tone	RU38+RU1	-8.12	-2.40	-10.52	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-7.14	-2.40	-9.54	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-4.97	0.41	-4.56	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.97	0.41	-3.56	≤-1.00	PASS
	Ant17	6435	52Tone+26Tone	RU38+RU1	-7.51	-1.80	-9.31	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-7.75	-1.80	-9.55	≤-1.00	PASS
	Ant16	6435	52Tone+26Tone	RU38+RU1	-7.58	-4.80	-12.38	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-7.29	-4.80	-12.09	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-4.53	-0.16	-4.69	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.50	-0.16	-4.66	≤-1.00	PASS
	Ant17	6535	52Tone+26Tone	RU38+RU1	-8.16	-1.20	-9.36	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-6.87	-1.20	-8.07	≤-1.00	PASS
	Ant16	6535	52Tone+26Tone	RU38+RU1	-8.17	-2.90	-11.07	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-8.37	-2.90	-11.27	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-5.15	1.00	-4.15	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.55	1.00	-3.55	≤-1.00	PASS
	Ant17	7095	52Tone+26Tone	RU39+RU7	-6.37	-4.20	-10.57	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.23	-4.20	-9.43	≤-1.00	PASS
Ant16	7095	52Tone+26Tone	RU39+RU7	-8.31	-2.00	-10.31	≤-1.00	PASS	
		106Tone+26Tone	RU54+RU4	-7.49	-2.00	-9.49	≤-1.00	PASS	
total	7095	52Tone+26Tone	RU39+RU7	-4.22	-0.02	-4.24	≤-1.00	PASS	
		106Tone+26Tone	RU54+RU4	-3.20	-0.02	-3.22	≤-1.00	PASS	

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs





11BE20MIMO\_Ant16\_5955\_52Tone+26Tone\_RU38+RU1



Date: 12.NOV.2024 13:32:45


11BE20MIMO\_Ant16\_5955\_106Tone+26Tone\_RU53+RU4



Date: 12.NOV.2024 13:34:19




11BE20MIMO\_Ant17\_6435\_52Tone+26Tone\_RU38+RU1



Date: 12.NOV.2024 13:40:06


11BE20MIMO\_Ant17\_6435\_106Tone+26Tone\_RU53+RU4



Date: 12.NOV.2024 13:41:16




11BE20MIMO\_Ant16\_6435\_52Tone+26Tone\_RU38+RU1



Date: 12.NOV.2024 13:40:37


11BE20MIMO\_Ant16\_6435\_106Tone+26Tone\_RU53+RU4



Date: 12.NOV.2024 13:41:47




11BE20MIMO\_Ant17\_6535\_52Tone+26Tone\_RU38+RU1



Date: 12.NOV.2024 13:44:46


11BE20MIMO\_Ant17\_6535\_106Tone+26Tone\_RU53+RU4



Date: 12.NOV.2024 13:45:50




11BE20MIMO\_Ant16\_6535\_52Tone+26Tone\_RU38+RU1



Date: 12.NOV.2024 13:45:17


11BE20MIMO\_Ant16\_6535\_106Tone+26Tone\_RU53+RU4



Date: 12.NOV.2024 13:46:21




11BE20MIMO\_Ant17\_7095\_52Tone+26Tone\_RU39+RU7



Date: 12.NOV.2024 13:48:02


11BE20MIMO\_Ant17\_7095\_106Tone+26Tone\_RU54+RU4



Date: 12.NOV.2024 13:49:20




11BE20MIMO\_Ant16\_7095\_52Tone+26Tone\_RU39+RU7



Date: 12.NOV.2024 13:48:33

11BE20MIMO\_Ant16\_7095\_106Tone+26Tone\_RU54+RU4



Date: 12.NOV.2024 13:49:51



<Large RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant17	6105	3*996Tone	RU4	-12.24	-2.80	-15.04	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-11.05	-2.80	-13.85	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-12.66	-2.80	-15.46	≤-1.00	PASS
	Ant16	6105	3*996Tone	RU4	-12.10	-2.40	-14.50	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-11.00	-2.40	-13.40	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-12.46	-2.40	-14.86	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-9.16	0.41	-8.75	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-8.01	0.41	-7.60	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-9.55	0.41	-9.14	≤-1.00	PASS
	Ant17	6905	3*996Tone	RU4	-13.12	-1.20	-14.32	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-12.16	-1.20	-13.36	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-13.40	-1.20	-14.60	≤-1.00	PASS
	Ant16	6905	3*996Tone	RU4	-13.02	-2.00	-15.02	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-12.30	-2.00	-14.30	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-13.55	-2.00	-15.55	≤-1.00	PASS
total	6905	3*996Tone	RU4	-10.06	1.42	-8.64	≤-1.00	PASS	
		2*996Tone+484Tone	RU6	-9.22	1.42	-7.80	≤-1.00	PASS	
		3*996Tone+484Tone	RU8	-10.46	1.42	-9.04	≤-1.00	PASS	
11BE80 MIMO	Ant17	5985	484Tone+242Tone	RU4	-5.67	-2.80	-8.47	≤-1.00	PASS
	Ant16	5985	484Tone+242Tone	RU4	-5.55	-2.40	-7.95	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-2.60	0.41	-2.19	≤-1.00	PASS
	Ant17	7025	484Tone+242Tone	RU2	-5.54	-4.20	-9.74	≤-1.00	PASS
	Ant16	7025	484Tone+242Tone	RU2	-5.55	-2.00	-7.55	≤-1.00	PASS
	total	7025	484Tone+242Tone	RU2	-2.53	-0.02	-2.55	≤-1.00	PASS
11BE160 MIMO	Ant17	6025	996Tone+484Tone	RU4	-6.69	-2.80	-9.49	≤-1.00	PASS
	Ant16	6025	996Tone+484Tone	RU4	-6.24	-2.40	-8.64	≤-1.00	PASS
	total	6025	996Tone+484Tone	RU4	-3.45	0.41	-3.04	≤-1.00	PASS
	Ant17	6985	996Tone+484Tone	RU3	-6.13	-4.20	-10.33	≤-1.00	PASS
	Ant16	6985	996Tone+484Tone	RU3	-6.59	-2.00	-8.59	≤-1.00	PASS
	total	6985	996Tone+484Tone	RU3	-3.34	-0.02	-3.36	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.



### Test Graphs





11BE320MIMO\_Ant17\_6105\_3\*996Tone+484Tone\_RU8



Date: 16.NOV.2024 12:00:15

11BE320MIMO\_Ant16\_6105\_3\*996Tone\_RU4



Date: 16.NOV.2024 12:02:13



11BE320MIMO\_Ant16\_6105\_2\*996Tone+484Tone\_RU6



Date: 16.NOV.2024 11:59:13

11BE320MIMO\_Ant16\_6105\_3\*996Tone+484Tone\_RU8



Date: 16.NOV.2024 12:00:49



11BE320MIMO\_Ant17\_6905\_3\*996Tone\_RU4



Date: 16.NOV.2024 12:07:31

11BE320MIMO\_Ant17\_6905\_2\*996Tone+484Tone\_RU6



Date: 16.NOV.2024 12:08:53



11BE320MIMO\_Ant17\_6905\_3\*996Tone+484Tone\_RU8



Date: 16.NOV.2024 12:04:58

11BE320MIMO\_Ant16\_6905\_3\*996Tone\_RU4



Date: 16.NOV.2024 12:08:05



11BE320MIMO\_Ant16\_6905\_2\*996Tone+484Tone\_RU6



Date: 16.NOV.2024 12:09:04


11BE320MIMO\_Ant16\_6905\_3\*996Tone+484Tone\_RU8



Date: 16.NOV.2024 12:05:32



11BE80MIMO\_Ant17\_5985\_484Tone+242Tone\_RU4



Date: 16.NOV.2024 11:45:44


11BE80MIMO\_Ant16\_5985\_484Tone+242Tone\_RU4



Date: 16.NOV.2024 11:46:19



11BE80MIMO\_Ant17\_7025\_484Tone+242Tone\_RU2



Date: 16.NOV.2024 11:49:37

11BE80MIMO\_Ant16\_7025\_484Tone+242Tone\_RU2



Date: 16.NOV.2024 11:50:12




11BE160MIMO\_Ant17\_6025\_996Tone+484Tone\_RU4



Date: 16.NOV.2024 11:53:46

11BE160MIMO\_Ant16\_6025\_996Tone+484Tone\_RU4



Date: 16.NOV.2024 11:54:20



11BE160MIMO\_Ant17\_6985\_996Tone+484Tone\_RU3



Date: 16.NOV.2024 11:56:04

11BE160MIMO\_Ant16\_6985\_996Tone+484Tone\_RU3



Date: 16.NOV.2024 11:56:39



<Puncturing Mode>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant17	6105	Puncturing 80M	RU2	-11.13	-2.80	-13.93	≤-1.00	PASS
			Puncturing 80+40M	RU3	-11.20	-2.80	-14.00	≤-1.00	PASS
			Puncturing 40M	RU8	-11.02	-2.80	-13.82	≤-1.00	PASS
	Ant16	6105	Puncturing 80M	RU2	-10.70	-2.40	-13.10	≤-1.00	PASS
			Puncturing 80+40M	RU3	-11.21	-2.40	-13.61	≤-1.00	PASS
			Puncturing 40M	RU8	-11.13	-2.40	-13.53	≤-1.00	PASS
	total	6105	Puncturing 80M	RU2	-7.90	0.41	-7.49	≤-1.00	PASS
			Puncturing 80+40M	RU3	-8.19	0.41	-7.78	≤-1.00	PASS
			Puncturing 40M	RU8	-8.06	0.41	-7.65	≤-1.00	PASS
	Ant17	6905	Puncturing 40M	RU1	-12.45	-1.20	-13.65	≤-1.00	PASS
			Puncturing 80M	RU3	-13.12	-1.20	-14.32	≤-1.00	PASS
			Puncturing 80+40M	RU8	-13.91	-1.20	-15.11	≤-1.00	PASS
	Ant16	6905	Puncturing 40M	RU1	-12.55	-2.00	-14.55	≤-1.00	PASS
			Puncturing 80M	RU3	-13.21	-2.00	-15.21	≤-1.00	PASS
			Puncturing 80+40M	RU8	-13.62	-2.00	-15.62	≤-1.00	PASS
total	6905	Puncturing 40M	RU1	-9.49	1.42	-8.07	≤-1.00	PASS	
		Puncturing 80M	RU3	-10.15	1.42	-8.73	≤-1.00	PASS	
		Puncturing 80+40M	RU8	-10.75	1.42	-9.33	≤-1.00	PASS	
11BE80 MIMO	Ant17	5985	Puncturing 20M	RU2	-5.26	-2.80	-8.06	≤-1.00	PASS
	Ant16	5985	Puncturing 20M	RU2	-5.03	-2.40	-7.43	≤-1.00	PASS
	total	5985	Puncturing 20M	RU2	-2.13	0.41	-1.72	≤-1.00	PASS
	Ant17	7025	Puncturing 20M	RU3	-4.93	-4.20	-9.13	≤-1.00	PASS
	Ant16	7025	Puncturing 20M	RU3	-5.22	-2.00	-7.22	≤-1.00	PASS
	total	7025	Puncturing 20M	RU3	-2.06	-0.02	-2.08	≤-1.00	PASS
11BE160 MIMO	Ant17	6025	Puncturing 40M	RU2	-6.12	-2.80	-8.92	≤-1.00	PASS
			Puncturing 20M	RU8	-6.49	-2.80	-9.29	≤-1.00	PASS
	Ant16	6025	Puncturing 40M	RU2	-5.71	-2.40	-8.11	≤-1.00	PASS
			Puncturing 20M	RU8	-6.19	-2.40	-8.59	≤-1.00	PASS
	total	6025	Puncturing 40M	RU2	-2.90	0.41	-2.49	≤-1.00	PASS
			Puncturing 20M	RU8	-3.33	0.41	-2.92	≤-1.00	PASS
Ant17	6985	Puncturing 20M	RU2	-5.08	-4.20	-9.28	≤-1.00	PASS	





			Puncturing 40M	RU3	-4.92	-4.20	-9.12	≤-1.00	PASS
	Ant16	6985	Puncturing 20M	RU2	-5.89	-2.00	-7.89	≤-1.00	PASS
			Puncturing 40M	RU3	-5.43	-2.00	-7.43	≤-1.00	PASS
	total	6985	Puncturing 20M	RU2	-2.46	-0.02	-2.48	≤-1.00	PASS
			Puncturing 40M	RU3	-2.16	-0.02	-2.18	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO\_Ant17\_6105\_Puncturing 40M\_RU8



Date: 16.NOV.2024 09:34:34


11BE320MIMO\_Ant16\_6105\_Puncturing 80M\_RU2



Date: 16.NOV.2024 09:36:37



11BE320MIMO\_Ant16\_6105\_Puncturing 80+40M\_RU3



Date: 16.NOV.2024 09:38:15

11BE320MIMO\_Ant16\_6105\_Puncturing 40M\_RU8



Date: 16.NOV.2024 09:35:11




11BE320MIMO\_Ant17\_6905\_Puncturing 40M\_RU1



Date: 16.NOV.2024 09:39:26

11BE320MIMO\_Ant17\_6905\_Puncturing 80M\_RU3



Date: 16.NOV.2024 09:41:02



11BE320MIMO\_Ant17\_6905\_Puncturing 80+40M\_RU8



Date: 16.NOV.2024 09:42:57


11BE320MIMO\_Ant16\_6905\_Puncturing 40M\_RU1



Date: 16.NOV.2024 09:40:03



11BE320MIMO\_Ant16\_6905\_Puncturing 80M\_RU3



Date: 16.NOV.2024 09:41:40

11BE320MIMO\_Ant16\_6905\_Puncturing 80+40M\_RU8



Date: 16.NOV.2024 09:43:33



11BE80MIMO\_Ant17\_5985\_Puncturing 20M\_RU2



Date: 16.NOV.2024 09:15:13

11BE80MIMO\_Ant16\_5985\_Puncturing 20M\_RU2



Date: 16.NOV.2024 09:15:50




11BE80MIMO\_Ant17\_7025\_Puncturing 20M\_RU3



Date: 16.NOV.2024 09:17:09


11BE80MIMO\_Ant16\_7025\_Puncturing 20M\_RU3



Date: 16.NOV.2024 09:17:47



11BE160MIMO\_Ant17\_6025\_Puncturing 40M\_RU2



Date: 16.NOV.2024 09:20:53


11BE160MIMO\_Ant17\_6025\_Puncturing 20M\_RU8



Date: 16.NOV.2024 09:18:57



11BE160MIMO\_Ant16\_6025\_Puncturing 40M\_RU2



Date: 16.NOV.2024 09:21:31

11BE160MIMO\_Ant16\_6025\_Puncturing 20M\_RU8



Date: 16.NOV.2024 09:19:34




11BE160MIMO\_Ant17\_6985\_Puncturing 20M\_RU2



Date: 16.NOV.2024 09:23:53


11BE160MIMO\_Ant17\_6985\_Puncturing 40M\_RU3



Date: 16.NOV.2024 09:32:37



11BE160MIMO\_Ant16\_6985\_Puncturing 20M\_RU2



Date: 16.NOV.2024 09:24:29

11BE160MIMO\_Ant16\_6985\_Puncturing 40M\_RU3




Date: 16.NOV.2024 09:32:48



## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

IMEI : 869203070050141/869203070050158

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.151	58.14	-7.82	65.96	47.60	0.12	10.42	QP
2	0.151	39.84	-16.12	55.96	29.30	0.12	10.42	Average
3	0.160	49.43	-16.04	65.47	38.90	0.11	10.42	QP
4	0.160	31.83	-23.64	55.47	21.30	0.11	10.42	Average
5	0.202	47.39	-16.15	63.54	36.90	0.08	10.41	QP
6	0.202	32.79	-20.75	53.54	22.30	0.08	10.41	Average
7	0.222	47.37	-15.37	62.74	36.90	0.08	10.39	QP
8	0.222	29.37	-23.37	52.74	18.90	0.08	10.39	Average
9	0.259	43.05	-18.42	61.47	32.60	0.09	10.36	QP
10	0.259	26.35	-25.12	51.47	15.90	0.09	10.36	Average
11	0.371	42.90	-15.57	58.47	32.61	0.00	10.29	QP
12	0.371	25.90	-22.57	48.47	15.61	0.00	10.29	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

IMEI : 869203070050141/869203070050158

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.161	47.24	-18.19	65.43	36.70	0.12	10.42	QP
2	0.161	32.84	-22.59	55.43	22.30	0.12	10.42	Average
3	0.216	27.48	-35.48	62.96	17.00	0.08	10.40	QP
4	0.216	28.08	-24.88	52.96	17.60	0.08	10.40	Average
5	0.296	35.83	-24.54	60.37	25.60	-0.11	10.34	QP
6	0.296	20.83	-29.54	50.37	10.60	-0.11	10.34	Average
7	0.518	33.36	-22.64	56.00	23.30	-0.15	10.21	QP
8	0.518	24.36	-21.64	46.00	14.30	-0.15	10.21	Average
9	1.645	30.09	-25.91	56.00	20.20	-0.19	10.08	QP
10	1.645	20.09	-25.91	46.00	10.20	-0.19	10.08	Average
11	3.528	30.96	-25.04	56.00	21.10	-0.21	10.07	QP
12	3.528	20.06	-25.94	46.00	10.20	-0.21	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	41~42 %
		Temperature :	22~23 °C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 16+17	802.11a	1	5955	6Mbps	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 16+17	802.11a	45	6175	6Mbps	Full	-
Mode 3	U-NII-5	5.925-6.425	CDD 16+17	802.11a	93	6415	6Mbps	Full	-
Mode 4	U-NII-6	6.425-6.525	CDD 16+17	802.11a	97	6435	6Mbps	Full	-
Mode 5	U-NII-6	6.425-6.525	CDD 16+17	802.11a	105	6475	6Mbps	Full	-
Mode 6	U-NII-6	6.425-6.525	CDD 16+17	802.11a	113	6515	6Mbps	Full	-
Mode 7	U-NII-7	6.525-6.875	CDD 16+17	802.11a	117	6535	6Mbps	Full	-
Mode 8	U-NII-7	6.525-6.875	CDD 16+17	802.11a	149	6695	6Mbps	Full	-
Mode 9	U-NII-7	6.525-6.875	CDD 16+17	802.11a	181	6855	6Mbps	Full	-
Mode 10	U-NII-8	6.875-7.125	CDD 16+17	802.11a	189	6895	6Mbps	Full	-
Mode 11	U-NII-8	6.875-7.125	CDD 16+17	802.11a	209	6995	6Mbps	Full	-
Mode 12	U-NII-8	6.875-7.125	CDD 16+17	802.11a	229	7095	6Mbps	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	1	5955	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	45	6175	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	93	6415	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	97	6435	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT20	105	6475	MCS0	Full	-
Mode 18	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT20	113	6515	MCS0	Full	-
Mode 19	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT20	117	6535	MCS0	Full	-
Mode 20	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT20	149	6695	MCS0	Full	-
Mode 21	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT20	181	6855	MCS0	Full	-
Mode 22	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT20	189	6895	MCS0	Full	-
Mode 23	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT20	209	6995	MCS0	Full	-
Mode 24	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT20	229	7095	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT40	3	5965	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT40	43	6165	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT40	91	6405	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT40	99	6445	MCS0	Full	-
Mode 29	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT40	107	6485	MCS0	Full	-
Mode 30	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT40	123	6565	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT40	147	6685	MCS0	Full	-
Mode 32	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT40	179	6845	MCS0	Full	-
Mode 33	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT40	195	6925	MCS0	Full	-
Mode 34	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT40	203	6965	MCS0	Full	-
Mode 35	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT40	227	7085	MCS0	Full	-
Mode 36	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	7	5985	MCS0	Full	-
Mode 37	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	39	6145	MCS0	Full	-
Mode 38	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	87	6385	MCS0	Full	-
Mode 39	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT80	103	6465	MCS0	Full	-
Mode 40	U-NII-7	6.425-6.525	CDD 16+17	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.425-6.525	CDD 16+17	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	6.425-6.525	CDD 16+17	802.11be EHT80	167	6785	MCS0	Full	-
Mode 43	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT80	199	6945	MCS0	Full	-
Mode 44	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT80	215	7025	MCS0	Full	-
Mode 45	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Full	-
Mode 46	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	47	6185	MCS0	Full	-
Mode 47	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	79	6345	MCS0	Full	-
Mode 48	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT160	143	6665	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT160	207	6985	MCS0	Full	-
Mode 50	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Full	-
Mode 51	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	63	6265	MCS0	Full	-
Mode 52	U-NII-8	6.875-7.125	CDD 16+17	802.11a	185	6875	6Mbps	Full	-
Mode 53	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT20	185	6875	MCS0	Full	-
Mode 54	U-NII-7	6.875-7.125	CDD 16+17	802.11be EHT40	187	6885	MCS0	Full	-
Mode 55	U-NII-7	6.875-7.125	CDD 16+17	802.11be EHT80	183	6865	MCS0	Full	-
Mode 56	U-NII-7	6.875-7.125	CDD 16+17	802.11be EHT160	175	6825	MCS0	Full	-
Mode 57	U-NII-7	6.875-7.125	CDD 16+17	802.11be EHT320	159	6745	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT320	191	6905	MCS0	Full	-
Mode 59	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT40	115	6525	MCS0	Full	-
Mode 60	U-NII-6	6.425-6.525	CDD 16+17	802.11be EHT80	119	6545	MCS0	Full	-
Mode 61	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	111	6505	MCS0	Full	-
Mode 62	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	95	6425	MCS0	Full	-
Mode 63	U-NII-6	6.525-6.875	CDD 16+17	802.11be EHT320	127	6585	MCS0	Full	-
Mode 64	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	1	5955	MCS0	Single RU106/53	-
Mode 65	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT20	229	7095	MCS0	Single RU/106/54	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	1	5955	MCS0	Small RU 106+26	-
Mode 67	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT20	229	7095	MCS0	Small RU 106+26	-
Mode 68	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	7	5985	MCS0	Puncturing 20M ②	-
Mode 69	U-NII-8	5.925-6.425	CDD 16+17	802.11be EHT80	215	7025	MCS0	Puncturing 20M ③	-
Mode 70	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Puncturing 40M ②	-
Mode 71	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT160	207	6985	MCS0	Puncturing 40M ③	-
Mode 72	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 73	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT160	207	6985	MCS0	Puncturing 20M ②	-
Mode 74	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ③	-
Mode 75	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M ⑧	-
Mode 76	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M ②	-
Mode 77	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT320	191	6905	MCS0	Puncturing 80M ③	-
Mode 78	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 79	U-NII-7	6.525-7.125	CDD 16+17	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 80	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 81	U-NII-8	5.925-6.425	CDD 16+17	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ②	-
Mode 82	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 83	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ③	-
Mode 84	U-NII-8	6.875-7.125	CDD 16+17	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑥	-
Mode 85	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 86	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-

**CO-location Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 87	U-NII-8	6.875-7.125	CDD 16+17	802.11ax HE40	227	7085	MCS0	Full	-
	2400-2483.5	2400-2483.5	CDD 7+15	802.11ax HE20	01	-	MCS0	-	-
LTE Band13_5M									
Mode 88	U-NII-8	6.875-7.125	CDD 16+17	802.11ax HE40	227	-	MCS0	-	-
	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSKF	39	-	1Mbps	-	-
LTE Band13_5M									



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	46.49	68.20	-21.71	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.27	74.00	-28.73	H	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	45.43	74.00	-28.57	V	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.36	88.20	-42.84	H	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.14	88.20	-42.06	V	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	45.79	88.20	-42.41	H	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	47.03	88.20	-41.17	H	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.63	88.20	-41.57	H	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.00	74.00	-28.00	H	PEAK	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	44.72	88.20	-43.48	H	PEAK	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	44.96	88.20	-43.24	H	PEAK	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	45.68	88.20	-42.52	H	PEAK	Pass	Harmonic
12	802.11a	229	7125.48	48.58	68.20	-19.62	H	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	45.47	88.20	-42.73	V	PEAK	Pass	Harmonic
13	802.11be EHT20	1	5924.32	45.58	68.20	-22.62	H	AVERAGE	Pass	Band Edge
13	802.11be EHT20	1	11910.00	45.81	74.00	-28.19	H	PEAK	Pass	Harmonic
14	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	45	12350.00	45.94	74.00	-28.06	H	PEAK	Pass	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT20	93	12830.00	46.53	88.20	-41.67	H	PEAK	Pass	Harmonic
16	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT20	97	12870.00	45.98	88.20	-42.22	V	PEAK	Pass	Harmonic
17	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	105	12950.00	46.38	88.20	-41.82	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT20	113	13030.00	45.88	88.20	-42.32	H	PEAK	Pass	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT20	117	13070.00	46.76	88.20	-41.44	H	PEAK	Pass	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT20	149	13390.00	46.53	74.00	-27.47	H	PEAK	Pass	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT20	181	13710.00	45.03	88.20	-43.17	V	PEAK	Pass	Harmonic
22	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT20	189	13790.00	44.64	88.20	-43.56	H	PEAK	Pass	Harmonic
23	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	209	13990.00	44.68	88.20	-43.52	V	PEAK	Pass	Harmonic
24	802.11be EHT20	229	7127.24	47.59	68.20	-20.61	H	AVERAGE	Pass	Band Edge
24	802.11be EHT20	229	14190.00	45.15	88.20	-43.05	H	PEAK	Pass	Harmonic
25	802.11be EHT40	3	5924.96	46.16	68.20	-22.04	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	3	11930.00	43.89	74.00	-30.11	H	PEAK	Pass	Harmonic
26	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	43	12330.00	45.24	74.00	-28.76	H	PEAK	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	91	12810.00	44.91	88.20	-43.29	V	PEAK	Pass	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	99	12890.00	45.52	88.20	-42.68	H	PEAK	Pass	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT40	107	12970.00	45.21	88.20	-42.99	V	PEAK	Pass	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	45.67	88.20	-42.53	H	PEAK	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	44.90	74.00	-29.10	H	PEAK	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	43.30	88.20	-44.90	H	PEAK	Pass	Harmonic
33	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
33	802.11be EHT40	195	13850.00	44.34	88.20	-43.86	V	PEAK	Pass	Harmonic
34	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT40	203	13930.00	43.26	88.20	-44.94	H	PEAK	Pass	Harmonic
35	802.11be EHT40	227	7125.16	49.93	68.20	-18.27	H	AVERAGE	Pass	Band Edge
35	802.11be EHT40	227	14170.00	43.37	88.20	-44.83	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11be EHT80	7	5911.24	45.52	68.20	-22.68	H	AVERAGE	Pass	Band Edge
36	802.11be EHT80	7	11970.00	43.81	74.00	-30.19	H	PEAK	Pass	Harmonic
37	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT80	39	12290.00	43.79	74.00	-30.21	V	PEAK	Pass	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT80	87	12770.00	43.69	88.20	-44.51	V	PEAK	Pass	Harmonic
39	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT80	103	12930.00	44.76	88.20	-43.44	H	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	43.57	74.00	-30.43	V	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	42.24	88.20	-45.96	V	PEAK	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	43.02	88.20	-45.18	H	PEAK	Pass	Harmonic
43	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT80	199	13890.00	42.83	88.20	-45.37	H	PEAK	Pass	Harmonic
44	802.11be EHT80	215	7201.00	47.47	68.20	-20.73	H	AVERAGE	Pass	Band Edge
44	802.11be EHT80	215	14050.00	41.48	88.20	-46.72	H	PEAK	Pass	Harmonic
45	802.11be EHT160	15	5912.00	46.47	68.20	-21.73	H	AVERAGE	Pass	Band Edge
45	802.11be EHT160	15	12050.00	43.87	74.00	-30.13	H	PEAK	Pass	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT160	47	12370.00	44.37	74.00	-29.63	H	PEAK	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT160	79	12690.00	45.04	74.00	-28.96	H	PEAK	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	42.05	74.00	-31.95	H	PEAK	Pass	Harmonic
49	802.11be EHT160	207	7201.72	47.43	68.20	-20.77	H	AVERAGE	Pass	Band Edge
49	802.11be EHT160	207	13970.00	41.35	88.20	-46.85	V	PEAK	Pass	Harmonic
50	802.11be EHT320	31	5910.12	45.32	68.20	-22.88	H	AVERAGE	Pass	Band Edge
50	802.11be EHT320	31	12210.00	44.73	74.00	-29.27	V	PEAK	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
51	802.11be EHT320	63	12530.00	45.15	74.00	-28.85	H	PEAK	Pass	Harmonic
52	802.11a	185	-	-	-	-	-	-	-	Band Edge
52	802.11a	185	13750.00	45.29	88.20	-42.91	H	PEAK	Pass	Harmonic
53	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT20	185	13750.00	45.00	88.20	-43.20	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
54	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
54	802.11be EHT40	187	13770.00	44.38	88.20	-43.82	H	PEAK	Pass	Harmonic
55	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
55	802.11be EHT80	183	13730.00	41.98	88.20	-46.22	H	PEAK	Pass	Harmonic
56	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT160	175	13650.00	42.22	88.20	-45.98	H	PEAK	Pass	Harmonic
57	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT320	159	13490.00	45.52	88.20	-42.68	H	PEAK	Pass	Harmonic
58	802.11be EHT320	191	7251.88	47.35	54.00	-6.65	H	AVERAGE	Pass	Band Edge
58	802.11be EHT320	191	13810.00	43.48	88.20	-44.72	H	PEAK	Pass	Harmonic
59	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT40	115	13050.00	45.74	88.20	-42.46	V	PEAK	Pass	Harmonic
60	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT80	119	13090.00	44.62	88.20	-43.58	H	PEAK	Pass	Harmonic
61	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT160	111	13010.00	44.73	88.20	-43.47	H	PEAK	Pass	Harmonic
62	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT320	95	12850.00	44.78	88.20	-43.42	V	PEAK	Pass	Harmonic
63	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	127	13170.00	43.60	88.20	-44.60	V	PEAK	Pass	Harmonic
64	802.11be EHT20	1	5924.45	36.50	68.20	-31.70	H	AVERAGE	Pass	Band Edge
64	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	229	7210.92	38.28	68.20	-29.92	H	AVERAGE	Pass	Band Edge
65	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	1	5924.84	37.14	68.20	-31.06	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	229	7214.92	38.28	68.20	-29.92	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	7	5925.00	40.47	68.20	-27.73	H	AVERAGE	Pass	Band Edge
68	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	215	7193.52	40.34	68.20	-27.86	H	AVERAGE	Pass	Band Edge
69	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	15	5925.00	42.31	68.20	-25.89	H	AVERAGE	Pass	Band Edge
70	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	207	7133.80	44.01	68.20	-24.19	H	AVERAGE	Pass	Band Edge
71	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
72	802.11be EHT160	15	5925.00	43.17	68.20	-25.03	H	AVERAGE	Pass	Band Edge
72	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	207	7133.56	42.60	68.20	-25.60	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	31	5912.36	39.14	68.20	-29.06	H	AVERAGE	Pass	Band Edge
74	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	191	7250.44	40.36	54.00	-13.64	H	AVERAGE	Pass	Band Edge
75	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	31	5910.12	39.95	68.20	-28.25	H	AVERAGE	Pass	Band Edge
76	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT320	191	7264.12	40.57	54.00	-13.43	H	AVERAGE	Pass	Band Edge
77	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	31	5909.80	39.32	68.20	-28.88	H	AVERAGE	Pass	Band Edge
78	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT320	191	7250.44	40.44	54.00	-13.56	H	AVERAGE	Pass	Band Edge
79	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	7	5925.00	42.31	68.20	-25.89	H	AVERAGE	Pass	Band Edge
80	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	215	7178.34	38.73	68.20	-29.47	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	15	5924.40	42.23	68.20	-25.97	H	AVERAGE	Pass	Band Edge
82	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	207	7141.48	43.35	68.20	-24.85	H	AVERAGE	Pass	Band Edge
83	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	191	7292.20	40.07	54.00	-13.93	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	31	5921.96	40.49	68.20	-27.71	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	31	5908.52	39.59	68.20	-28.61	H	AVERAGE	Pass	Band Edge
86	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic



CO-location Test Modes

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
87	802.11ax HE40	227	7125.00	49.63	68.20	-18.57	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	227	14170.00	43.40	88.20	-44.80	H	PEAK	Pass	Harmonic
	802.11ax HE20	01	2389.69	49.80	54.00	-4.20	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4824.00	43.83	74.00	-30.17	H	PEAK	Pass	Harmonic
88	802.11ax HE40	227	7125.00	43.30	68.20	-24.90	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	227	14170.00	43.30	88.20	-44.90	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	39	2494.96	43.09	54.00	-10.91	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	4960.00	40.88	74.00	-33.12	H	PEAK	Pass	Harmonic



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.02</td> <td>57.21</td> <td>88.20</td> <td>-30.99</td> <td>42.24</td> <td>35.04</td> <td>12.09</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.02	57.21	88.20	-30.99	42.24	35.04	12.09	32.16	0.00	100	9 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>110.30</td> <td>-----</td> <td>-----</td> <td>95.09</td> <td>35.25</td> <td>12.12</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	110.30	-----	-----	95.09	35.25	12.12	32.16	0.00	100	9 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5923.02	57.21	88.20	-30.99	42.24	35.04	12.09	32.16	0.00	100	9 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	110.30	-----	-----	95.09	35.25	12.12	32.16	0.00	100	9 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>46.49</td> <td>68.20</td> <td>-21.71</td> <td>31.51</td> <td>35.05</td> <td>12.09</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	46.49	68.20	-21.71	31.51	35.05	12.09	32.16	0.00	100	9 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>101.95</td> <td>-----</td> <td>-----</td> <td>86.74</td> <td>35.25</td> <td>12.12</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	101.95	-----	-----	86.74	35.25	12.12	32.16	0.00	100	9 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5924.97	46.49	68.20	-21.71	31.51	35.05	12.09	32.16	0.00	100	9 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	101.95	-----	-----	86.74	35.25	12.12	32.16	0.00	100	9 AVERAGE																																																																													



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.45</td> <td>56.80</td> <td>88.20</td> <td>-31.40</td> <td>41.91</td> <td>34.97</td> <td>12.00</td> <td>32.16</td> <td>0.00</td> <td>104</td> <td>39 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5911.45	56.80	88.20	-31.40	41.91	34.97	12.00	32.16	0.00	104	39 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>107.16</td> <td>-----</td> <td>-----</td> <td>92.01</td> <td>35.20</td> <td>12.11</td> <td>32.16</td> <td>0.00</td> <td>104</td> <td>39 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	107.16	-----	-----	92.01	35.20	12.11	32.16	0.00	104	39 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5911.45	56.80	88.20	-31.40	41.91	34.97	12.00	32.16	0.00	104	39 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	107.16	-----	-----	92.01	35.20	12.11	32.16	0.00	104	39 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.67</td> <td>45.64</td> <td>68.20</td> <td>-22.56</td> <td>30.67</td> <td>35.04</td> <td>12.09</td> <td>32.16</td> <td>0.00</td> <td>104</td> <td>39 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.67	45.64	68.20	-22.56	30.67	35.04	12.09	32.16	0.00	104	39 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.82</td> <td>-----</td> <td>-----</td> <td>84.61</td> <td>35.25</td> <td>12.12</td> <td>32.16</td> <td>0.00</td> <td>104</td> <td>39 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	99.82	-----	-----	84.61	35.25	12.12	32.16	0.00	104	39 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5923.67	45.64	68.20	-22.56	30.67	35.04	12.09	32.16	0.00	104	39 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	99.82	-----	-----	84.61	35.25	12.12	32.16	0.00	104	39 AVERAGE																																																																													



Mode	1																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																											
ANT	CDD 16+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>56.38</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.27	74.00	-28.73	56.38	38.60	16.62	66.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.09</td> <td>74.00</td> <td>-28.91</td> <td>56.20</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.09	74.00	-28.91	56.20	38.60	16.62	66.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11910.00	45.27	74.00	-28.73	56.38	38.60	16.62	66.33	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11910.00	45.09	74.00	-28.91	56.20	38.60	16.62	66.33	0.00	--	PEAK																																																																		



Mode	2																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11a_CH45_Full_6175MHz																																																																											
ANT	CDD 16+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.26</td> <td>74.00</td> <td>-28.74</td> <td>55.54</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	45.26	74.00	-28.74	55.54	38.00	16.91	65.99	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>55.71</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	45.43	74.00	-28.57	55.71	38.00	16.91	65.99	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12350.00	45.26	74.00	-28.74	55.54	38.00	16.91	65.99	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12350.00	45.43	74.00	-28.57	55.71	38.00	16.91	65.99	0.00	--	PEAK																																																																		



Mode	3																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz																																																																							
ANT	CDD 16+17																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.36</td> <td>88.20</td> <td>-42.84</td> <td>54.54</td> <td>39.13</td> <td>17.22</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	45.36	88.20	-42.84	54.54	39.13	17.22	65.53	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.28</td> <td>88.20</td> <td>-42.92</td> <td>54.46</td> <td>39.13</td> <td>17.22</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	45.28	88.20	-42.92	54.46	39.13	17.22	65.53	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12830.00	45.36	88.20	-42.84	54.54	39.13	17.22	65.53	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12830.00	45.28	88.20	-42.92	54.46	39.13	17.22	65.53	0.00	--	PEAK																																																														



Mode	4																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11a_CH97_Full_6435MHz																																																																							
ANT	CDD 16+17																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>45.82</td> <td>88.20</td> <td>-42.38</td> <td>54.89</td> <td>39.17</td> <td>17.25</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	45.82	88.20	-42.38	54.89	39.17	17.25	65.49	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.14</td> <td>88.20</td> <td>-42.06</td> <td>55.21</td> <td>39.17</td> <td>17.25</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	46.14	88.20	-42.06	55.21	39.17	17.25	65.49	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12870.00	45.82	88.20	-42.38	54.89	39.17	17.25	65.49	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12870.00	46.14	88.20	-42.06	55.21	39.17	17.25	65.49	0.00	--	PEAK																																																														



Mode	5																																																																															
	Harmonic																																																																															
	U-NII-6_6.425-6.525_802.11a_CH105_Full_6475MHz																																																																															
ANT	CDD 16+17																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>45.79</td> <td>88.20</td> <td>-42.41</td> <td>54.70</td> <td>39.20</td> <td>17.30</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	45.79	88.20	-42.41	54.70	39.20	17.30	65.41	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>45.28</td> <td>88.20</td> <td>-42.92</td> <td>54.19</td> <td>39.20</td> <td>17.30</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	45.28	88.20	-42.92	54.19	39.20	17.30	65.41	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12950.00	45.79	88.20	-42.41	54.70	39.20	17.30	65.41	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12950.00	45.28	88.20	-42.92	54.19	39.20	17.30	65.41	0.00	--	PEAK																																																																						



Mode	6																																																																									
	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_Full_6515MHz																																																																									
ANT	CDD 16+17																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak																																																																										
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>47.03</td> <td>88.20</td> <td>-41.17</td> <td>55.86</td> <td>39.14</td> <td>17.36</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	47.03	88.20	-41.17	55.86	39.14	17.36	65.33	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.11</td> <td>88.20</td> <td>-42.09</td> <td>54.94</td> <td>39.14</td> <td>17.36</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.11	88.20	-42.09	54.94	39.14	17.36	65.33	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 13030.00	47.03	88.20	-41.17	55.86	39.14	17.36	65.33	0.00	--	--	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 13030.00	46.11	88.20	-42.09	54.94	39.14	17.36	65.33	0.00	--	--	PEAK																																																															



Mode	7																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11a_CH117_Full_6535MHz																																																																											
ANT	CDD 16+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.63</td> <td>88.20</td> <td>-41.57</td> <td>55.49</td> <td>39.06</td> <td>17.38</td> <td>65.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.63	88.20	-41.57	55.49	39.06	17.38	65.30	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.10</td> <td>88.20</td> <td>-42.10</td> <td>54.96</td> <td>39.06</td> <td>17.38</td> <td>65.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.10	88.20	-42.10	54.96	39.06	17.38	65.30	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13070.00	46.63	88.20	-41.57	55.49	39.06	17.38	65.30	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13070.00	46.10	88.20	-42.10	54.96	39.06	17.38	65.30	0.00	--	PEAK																																																																		



Mode	8																																																																														
	Harmonic																																																																														
	U-NII-7_6.525-6.875_802.11a_CH149_Full_6695MHz																																																																														
ANT	CDD 16+17																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.00</td> <td>74.00</td> <td>-28.00</td> <td>54.48</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	46.00	74.00	-28.00	54.48	38.90	17.61	64.99	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.17</td> <td>74.00</td> <td>-28.83</td> <td>53.65</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	45.17	74.00	-28.83	53.65	38.90	17.61	64.99	0.00	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13390.00	46.00	74.00	-28.00	54.48	38.90	17.61	64.99	0.00	--	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13390.00	45.17	74.00	-28.83	53.65	38.90	17.61	64.99	0.00	--	PEAK																																																																					



Mode	9																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11a_CH181_Full_6855MHz																																																																															
ANT	CDD 16+17																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>44.72</td> <td>88.20</td> <td>-43.48</td> <td>53.29</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	44.72	88.20	-43.48	53.29	38.50	17.84	64.91	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>44.35</td> <td>88.20</td> <td>-43.85</td> <td>52.92</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	44.35	88.20	-43.85	52.92	38.50	17.84	64.91	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13710.00	44.72	88.20	-43.48	53.29	38.50	17.84	64.91	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13710.00	44.35	88.20	-43.85	52.92	38.50	17.84	64.91	0.00	--	PEAK																																																																						



Mode	10																																																																																
	Harmonic																																																																																
	U-NII-8_6.875-7.125_802.11a_CH189_Full_6895MHz																																																																																
ANT	CDD 16+17																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak																																																																																	
Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>44.96</td> <td>88.20</td> <td>-43.24</td> <td>53.49</td> <td>38.50</td> <td>17.89</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	44.96	88.20	-43.24	53.49	38.50	17.89	64.92	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>44.37</td> <td>88.20</td> <td>-43.83</td> <td>52.90</td> <td>38.50</td> <td>17.89</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13790.00	44.37	88.20	-43.83	52.90	38.50	17.89	64.92	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 13790.00	44.96	88.20	-43.24	53.49	38.50	17.89	64.92	0.00	--	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 13790.00	44.37	88.20	-43.83	52.90	38.50	17.89	64.92	0.00	--	PEAK																																																																							



Mode	11																																																																															
	Harmonic																																																																															
	U-NII-8_6.875-7.125_802.11a_CH209_Full_6995MHz																																																																															
ANT	CDD 16+17																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>45.68</td> <td>88.20</td> <td>-42.52</td> <td>53.90</td> <td>38.69</td> <td>18.04</td> <td>64.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	45.68	88.20	-42.52	53.90	38.69	18.04	64.95	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>44.77</td> <td>88.20</td> <td>-43.43</td> <td>52.99</td> <td>38.69</td> <td>18.04</td> <td>64.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	44.77	88.20	-43.43	52.99	38.69	18.04	64.95	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13990.00	45.68	88.20	-42.52	53.90	38.69	18.04	64.95	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13990.00	44.77	88.20	-43.43	52.99	38.69	18.04	64.95	0.00	--	PEAK																																																																						



		12																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz																																																																																												
ANT		CDD 16+17																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7189.16</td> <td>58.99</td> <td>88.20</td> <td>-29.21</td> <td>41.77</td> <td>35.81</td> <td>13.56</td> <td>32.15</td> <td>0.00</td> <td>306</td> <td>349</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7189.16	58.99	88.20	-29.21	41.77	35.81	13.56	32.15	0.00	306	349	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>112.27</td> <td>-----</td> <td>-----</td> <td>95.26</td> <td>35.69</td> <td>13.47</td> <td>32.15</td> <td>0.00</td> <td>306</td> <td>349</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	112.27	-----	-----	95.26	35.69	13.47	32.15	0.00	306	349	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7189.16	58.99	88.20	-29.21	41.77	35.81	13.56	32.15	0.00	306	349	PEAK																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7095.00	112.27	-----	-----	95.26	35.69	13.47	32.15	0.00	306	349	PEAK																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.48</td> <td>48.58</td> <td>68.20</td> <td>-19.62</td> <td>31.63</td> <td>35.60</td> <td>13.50</td> <td>32.15</td> <td>0.00</td> <td>306</td> <td>349</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.48	48.58	68.20	-19.62	31.63	35.60	13.50	32.15	0.00	306	349	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>103.26</td> <td>-----</td> <td>-----</td> <td>86.25</td> <td>35.69</td> <td>13.47</td> <td>32.15</td> <td>0.00</td> <td>306</td> <td>349</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	103.26	-----	-----	86.25	35.69	13.47	32.15	0.00	306	349	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7125.48	48.58	68.20	-19.62	31.63	35.60	13.50	32.15	0.00	306	349	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7095.00	103.26	-----	-----	86.25	35.69	13.47	32.15	0.00	306	349	AVERAGE																																																																																		







Mode	12																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz																																																																																									
ANT	CDD 16+17																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7221.32</td> <td>59.42</td> <td>88.20</td> <td>-28.78</td> <td>42.12</td> <td>35.86</td> <td>13.59</td> <td>32.15</td> <td>0.00</td> <td>300</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7221.32	59.42	88.20	-28.78	42.12	35.86	13.59	32.15	0.00	300	318	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>108.88</td> <td>-----</td> <td>-----</td> <td>91.87</td> <td>35.69</td> <td>13.47</td> <td>32.15</td> <td>0.00</td> <td>300</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	108.88	-----	-----	91.87	35.69	13.47	32.15	0.00	300	318	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7221.32	59.42	88.20	-28.78	42.12	35.86	13.59	32.15	0.00	300	318	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7095.00	108.88	-----	-----	91.87	35.69	13.47	32.15	0.00	300	318	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7202.60</td> <td>47.40</td> <td>68.20</td> <td>-20.80</td> <td>30.09</td> <td>35.89</td> <td>13.57</td> <td>32.15</td> <td>0.00</td> <td>300</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7202.60	47.40	68.20	-20.80	30.09	35.89	13.57	32.15	0.00	300	318	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>99.88</td> <td>-----</td> <td>-----</td> <td>82.85</td> <td>35.71</td> <td>13.47</td> <td>32.15</td> <td>0.00</td> <td>300</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	99.88	-----	-----	82.85	35.71	13.47	32.15	0.00	300	318	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7202.60	47.40	68.20	-20.80	30.09	35.89	13.57	32.15	0.00	300	318	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7095.00	99.88	-----	-----	82.85	35.71	13.47	32.15	0.00	300	318	AVERAGE																																																																														







Mode	12																																																																														
	Harmonic																																																																														
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz																																																																														
ANT	CDD 16+17																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.11</td> <td>88.20</td> <td>-43.09</td> <td>52.86</td> <td>38.89</td> <td>18.17</td> <td>64.81</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	45.11	88.20	-43.09	52.86	38.89	18.17	64.81	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.47</td> <td>88.20</td> <td>-42.73</td> <td>53.22</td> <td>38.89</td> <td>18.17</td> <td>64.81</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	45.47	88.20	-42.73	53.22	38.89	18.17	64.81	0.00	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 14190.00	45.11	88.20	-43.09	52.86	38.89	18.17	64.81	0.00	--	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 14190.00	45.47	88.20	-42.73	53.22	38.89	18.17	64.81	0.00	--	PEAK																																																																					



Mode	13																																																																			
	Band Edge																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																			
ANT	CDD 16+17																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5903.39</td> <td>57.07</td> <td>88.20</td> <td>-31.13</td> <td>42.24</td> <td>34.92</td> <td>12.07</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5903.39	57.07	88.20	-31.13	42.24	34.92	12.07	32.16	0.00	100	10 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>109.42</td> <td>-----</td> <td>94.21</td> <td>35.25</td> <td>12.12</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	109.42	-----	94.21	35.25	12.12	32.16	0.00	100	10	PEAK
	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5903.39	57.07	88.20	-31.13	42.24	34.92	12.07	32.16	0.00	100	10 PEAK																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5955.00	109.42	-----	94.21	35.25	12.12	32.16	0.00	100	10	PEAK																																																										
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.32</td> <td>45.58</td> <td>68.20</td> <td>-22.62</td> <td>30.60</td> <td>35.05</td> <td>12.09</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>10 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5924.32	45.58	68.20	-22.62	30.60	35.05	12.09	32.16	0.00	100	10 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>100.14</td> <td>-----</td> <td>84.93</td> <td>35.25</td> <td>12.12</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	100.14	-----	84.93	35.25	12.12	32.16	0.00	100	10	AVERAGE
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5924.32	45.58	68.20	-22.62	30.60	35.05	12.09	32.16	0.00	100	10 AVERAGE																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5955.00	100.14	-----	84.93	35.25	12.12	32.16	0.00	100	10	AVERAGE																																																										



Mode	13																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																							
ANT	CDD 16+17																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1120 798 1243"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.11</td> <td>57.75</td> <td>88.20</td> <td>-30.45</td> <td>42.88</td> <td>34.95</td> <td>12.00</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>40 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5909.11	57.75	88.20	-30.45	42.88	34.95	12.00	32.16	0.00	100	40 PEAK	 <table border="1" data-bbox="861 1120 1444 1243"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>107.71</td> <td>-----</td> <td>-----</td> <td>92.56</td> <td>35.20</td> <td>12.11</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>40 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	107.71	-----	-----	92.56	35.20	12.11	32.16	0.00	100	40 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5909.11	57.75	88.20	-30.45	42.88	34.95	12.00	32.16	0.00	100	40 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	107.71	-----	-----	92.56	35.20	12.11	32.16	0.00	100	40 PEAK																																																																													
Avg	 <table border="1" data-bbox="263 1792 798 1915"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.80</td> <td>45.26</td> <td>68.20</td> <td>-22.94</td> <td>30.29</td> <td>35.04</td> <td>12.09</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>40 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.80	45.26	68.20	-22.94	30.29	35.04	12.09	32.16	0.00	100	40 AVERAGE	 <table border="1" data-bbox="861 1792 1444 1915"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>98.78</td> <td>-----</td> <td>-----</td> <td>83.63</td> <td>35.20</td> <td>12.11</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>40 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	98.78	-----	-----	83.63	35.20	12.11	32.16	0.00	100	40 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5923.80	45.26	68.20	-22.94	30.29	35.04	12.09	32.16	0.00	100	40 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	98.78	-----	-----	83.63	35.20	12.11	32.16	0.00	100	40 AVERAGE																																																																													



Mode	13																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																															
ANT	CDD 16+17																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.81</td> <td>74.00</td> <td>-28.19</td> <td>56.92</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.81	74.00	-28.19	56.92	38.60	16.62	66.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>56.45</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.34	74.00	-28.66	56.45	38.60	16.62	66.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	45.81	74.00	-28.19	56.92	38.60	16.62	66.33	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	45.34	74.00	-28.66	56.45	38.60	16.62	66.33	0.00	--	PEAK																																																																						



Mode	14																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_Full_6175MHz																																																																											
ANT	CDD 16+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>56.22</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	45.94	74.00	-28.06	56.22	38.00	16.91	65.99	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.90</td> <td>74.00</td> <td>-28.10</td> <td>56.18</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	45.90	74.00	-28.10	56.18	38.00	16.91	65.99	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12350.00	45.94	74.00	-28.06	56.22	38.00	16.91	65.99	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12350.00	45.90	74.00	-28.10	56.18	38.00	16.91	65.99	0.00	--	PEAK																																																																		