






N12(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N12(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N12(15M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N12(15M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH






N12(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N12(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N12(15M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N12(15M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





FR1 N38 ANT5

Transmitter Conducted Output Power And EIRP, (G_T - L_c)=-1.8dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
38	30	10	515000	2575	DFT-s-OFDM QPSK	1@1	25.12	23.32	0.2148
38	30	10	515000	2575	DFT-s-OFDM 16 QAM	1@1	24.11	22.31	0.1702
38	30	10	519000	2595	DFT-s-OFDM QPSK	1@1	24.87	23.07	0.2028
38	30	10	519000	2595	DFT-s-OFDM 16 QAM	1@1	23.96	22.16	0.1644
38	30	10	523000	2615	DFT-s-OFDM QPSK	1@1	25.25	23.45	0.2213
38	30	10	523000	2615	DFT-s-OFDM 16 QAM	1@1	24.28	22.48	0.1770
38	30	15	515500	2577.5	DFT-s-OFDM QPSK	1@1	24.98	23.18	0.2080
38	30	15	515500	2577.5	DFT-s-OFDM 16 QAM	1@1	24	22.2	0.1660
38	30	15	519000	2595	DFT-s-OFDM QPSK	1@1	25.17	23.37	0.2173
38	30	15	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.25	22.45	0.1758
38	30	15	522500	2612.5	DFT-s-OFDM QPSK	1@1	25.18	23.38	0.2178
38	30	15	522500	2612.5	DFT-s-OFDM 16 QAM	1@1	24.57	22.77	0.1892
38	30	20	516000	2580	DFT-s-OFDM QPSK	1@1	24.9	23.1	0.2042
38	30	20	516000	2580	DFT-s-OFDM 16 QAM	1@1	24.16	22.36	0.1722
38	30	20	519000	2595	DFT-s-OFDM QPSK	1@1	24.8	23	0.1995
38	30	20	519000	2595	DFT-s-OFDM 16 QAM	1@1	23.93	22.13	0.1633
38	30	20	522000	2610	DFT-s-OFDM QPSK	1@1	25.23	23.43	0.2203
38	30	20	522000	2610	DFT-s-OFDM 16 QAM	1@1	24.22	22.42	0.1746
38	30	25	516500	2582.5	DFT-s-OFDM QPSK	1@1	24.73	22.93	0.1963
38	30	25	516500	2582.5	DFT-s-OFDM 16 QAM	1@1	23.76	21.96	0.1570
38	30	25	519000	2595	DFT-s-OFDM QPSK	1@1	25.05	23.25	0.2113
38	30	25	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.05	22.25	0.1679
38	30	25	521500	2607.5	DFT-s-OFDM QPSK	1@1	25.15	23.35	0.2163
38	30	25	521500	2607.5	DFT-s-OFDM 16 QAM	1@1	24.17	22.37	0.1726
38	30	30	517000	2585	DFT-s-OFDM QPSK	1@1	25.03	23.23	0.2104
38	30	30	517000	2585	DFT-s-OFDM 16 QAM	1@1	24.21	22.41	0.1742
38	30	30	519000	2595	DFT-s-OFDM QPSK	1@1	25.11	23.31	0.2143
38	30	30	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.17	22.37	0.1726
38	30	30	521000	2605	DFT-s-OFDM QPSK	1@1	25.21	23.41	0.2193
38	30	30	521000	2605	DFT-s-OFDM 16 QAM	1@1	24.28	22.48	0.1770
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	50@25	25.06	23.26	0.2118
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@1	25.14	23.34	0.2158
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@104	25.15	23.35	0.2163
38	30	40	518000	2590	DFT-s-OFDM QPSK	50@25	25.05	23.25	0.2113



38	30	40	518000	2590	DFT-s-OFDM QPSK	1@1	25.19	23.39	0.2183
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@104	25	23.2	0.2089
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	50@25	24.09	22.29	0.1694
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@1	24.13	22.33	0.1710
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@104	24.16	22.36	0.1722
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	50@25	22.56	20.76	0.1191
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@1	22.46	20.66	0.1164
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@104	22.46	20.66	0.1164
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	50@25	20.52	18.72	0.0745
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@1	20.4	18.6	0.0724
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@104	20.35	18.55	0.0716
38	30	40	518000	2590	CP-OFDM QPSK	53@26	23.59	21.79	0.1510
38	30	40	518000	2590	CP-OFDM QPSK	1@1	23.61	21.81	0.1517
38	30	40	518000	2590	CP-OFDM QPSK	1@104	23.64	21.84	0.1528
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	50@25	25.03	23.23	0.2104
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	25.1	23.3	0.2138
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@104	24.92	23.12	0.2051
38	30	40	519000	2595	DFT-s-OFDM QPSK	50@25	25.07	23.27	0.2123
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@1	25.12	23.32	0.2148
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@104	25.12	23.32	0.2148
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	50@25	24.06	22.26	0.1683
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@1	24.1	22.3	0.1698
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@104	24.04	22.24	0.1675
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	50@25	22.45	20.65	0.1161
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@1	22.34	20.54	0.1132
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@104	22.43	20.63	0.1156
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	50@25	20.41	18.61	0.0726
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@1	20.25	18.45	0.0700
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@104	20.36	18.56	0.0718
38	30	40	519000	2595	CP-OFDM QPSK	53@26	23.55	21.75	0.1496
38	30	40	519000	2595	CP-OFDM QPSK	1@1	23.51	21.71	0.1483
38	30	40	519000	2595	CP-OFDM QPSK	1@104	23.51	21.71	0.1483
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	50@25	25.23	23.43	0.2203
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@1	25.23	23.43	0.2203
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@104	25.27	23.47	0.2223
38	30	40	520000	2600	DFT-s-OFDM QPSK	50@25	25.22	23.42	0.2198
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@1	25.2	23.4	0.2188
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@104	25.26	23.46	0.2218
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	50@25	24.24	22.44	0.1754
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@1	24.28	22.48	0.1770



38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@104	24.27	22.47	0.1766
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	50@25	22.62	20.82	0.1208
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@1	22.44	20.64	0.1159
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@104	22.69	20.89	0.1227
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	50@25	20.6	18.8	0.0759
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@1	20.4	18.6	0.0724
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@104	20.42	18.62	0.0728
38	30	40	520000	2600	CP-OFDM QPSK	53@26	23.79	21.99	0.1581
38	30	40	520000	2600	CP-OFDM QPSK	1@1	23.65	21.85	0.1531
38	30	40	520000	2600	CP-OFDM QPSK	1@104	23.75	21.95	0.1567



FR1 N38 MIMO-ANT5+6

Transmitter Conducted Output Power And EIRP, (G_T - L_c)=-1.7dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	ANT5 Power (dBm)	ANT6 Power (dBm)	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
38	30	10	515000	2575	CP-OFDM QPSK	1@1	22.07	21.26	24.69	22.99	0.1993
38	30	10	515000	2575	CP-OFDM 16 QAM	1@1	21.58	20.72	24.18	22.48	0.1771
38	30	10	519000	2595	CP-OFDM QPSK	1@1	21.83	21.29	24.58	22.88	0.1940
38	30	10	519000	2595	CP-OFDM 16 QAM	1@1	21.44	20.59	24.05	22.35	0.1716
38	30	10	523000	2615	CP-OFDM QPSK	1@1	22.30	21.54	24.95	23.25	0.2112
38	30	10	523000	2615	CP-OFDM 16 QAM	1@1	21.86	20.67	24.32	22.62	0.1826
38	30	15	515500	2577.5	CP-OFDM QPSK	1@1	22.20	21.40	24.83	23.13	0.2055
38	30	15	515500	2577.5	CP-OFDM 16 QAM	1@1	21.54	20.70	24.15	22.45	0.1758
38	30	15	519000	2595	CP-OFDM QPSK	1@1	21.90	21.27	24.61	22.91	0.1953
38	30	15	519000	2595	CP-OFDM 16 QAM	1@1	21.39	20.68	24.06	22.36	0.1722
38	30	15	522500	2612.5	CP-OFDM QPSK	1@1	22.43	21.57	25.03	23.33	0.2154
38	30	15	522500	2612.5	CP-OFDM 16 QAM	1@1	21.97	21.02	24.53	22.83	0.1919
38	30	20	516000	2580	CP-OFDM QPSK	1@1	22.15	21.41	24.81	23.11	0.2045
38	30	20	516000	2580	CP-OFDM 16 QAM	1@1	21.69	20.77	24.26	22.56	0.1805
38	30	20	519000	2595	CP-OFDM QPSK	1@1	21.83	-4.07	21.84	20.14	0.1033
38	30	20	519000	2595	CP-OFDM 16 QAM	1@1	21.39	20.56	24.01	22.31	0.1700
38	30	20	522000	2610	CP-OFDM QPSK	1@1	22.20	21.50	24.87	23.17	0.2077
38	30	20	522000	2610	CP-OFDM 16 QAM	1@1	21.81	20.93	24.40	22.70	0.1863
38	30	25	516500	2582.5	CP-OFDM QPSK	1@1	22.32	21.75	25.05	23.35	0.2165
38	30	25	516500	2582.5	CP-OFDM 16 QAM	1@1	21.88	21.09	24.51	22.81	0.1911
38	30	25	519000	2595	CP-OFDM QPSK	1@1	22.04	21.57	24.82	23.12	0.2052
38	30	25	519000	2595	CP-OFDM 16 QAM	1@1	21.61	20.90	24.28	22.58	0.1811
38	30	25	521500	2607.5	CP-OFDM QPSK	1@1	22.37	21.69	25.05	23.35	0.2165
38	30	25	521500	2607.5	CP-OFDM 16 QAM	1@1	21.88	21.03	24.49	22.79	0.1899
38	30	30	517000	2585	CP-OFDM QPSK	1@1	22.15	21.54	24.87	23.17	0.2073
38	30	30	517000	2585	CP-OFDM 16 QAM	1@1	21.75	20.90	24.36	22.66	0.1843
38	30	30	519000	2595	CP-OFDM QPSK	1@1	22.01	21.59	24.82	23.12	0.2049
38	30	30	519000	2595	CP-OFDM 16 QAM	1@1	21.62	20.96	24.31	22.61	0.1825
38	30	30	521000	2605	CP-OFDM QPSK	1@1	22.05	21.55	24.82	23.12	0.2050
38	30	30	521000	2605	CP-OFDM 16 QAM	1@1	21.68	20.83	24.29	22.59	0.1814
38	30	40	518000	2590	CP-OFDM QPSK	53@26	21.96	21.41	24.70	23.00	0.1997
38	30	40	518000	2590	CP-OFDM QPSK	1@1	22.10	21.57	24.85	23.15	0.2067
38	30	40	518000	2590	CP-OFDM QPSK	1@104	22.41	21.35	24.92	23.22	0.2100
38	30	40	518000	2590	CP-OFDM 16 QAM	53@26	21.62	20.88	24.28	22.58	0.1810



38	30	40	518000	2590	CP-OFDM 16 QAM	1@1	21.78	21.02	24.43	22.73	0.1874
38	30	40	518000	2590	CP-OFDM 16 QAM	1@104	21.93	20.73	24.38	22.68	0.1854
38	30	40	518000	2590	CP-OFDM 64 QAM	53@26	20.05	19.37	22.73	21.03	0.1269
38	30	40	518000	2590	CP-OFDM 64 QAM	1@1	20.15	19.23	22.72	21.02	0.1266
38	30	40	518000	2590	CP-OFDM 64 QAM	1@104	20.31	19.04	22.73	21.03	0.1268
38	30	40	518000	2590	CP-OFDM 256 QAM	53@26	17.32	16.42	19.90	18.20	0.0661
38	30	40	518000	2590	CP-OFDM 256 QAM	1@1	17.30	16.56	19.96	18.26	0.0669
38	30	40	518000	2590	CP-OFDM 256 QAM	1@104	17.35	16.31	19.87	18.17	0.0656
38	30	40	519000	2595	CP-OFDM QPSK	53@26	22.27	20.50	24.48	22.78	0.1899
38	30	40	519000	2595	CP-OFDM QPSK	1@1	22.28	21.52	24.93	23.23	0.2102
38	30	40	519000	2595	CP-OFDM QPSK	1@104	22.42	21.38	24.94	23.24	0.2109
38	30	40	519000	2595	CP-OFDM 16 QAM	53@26	21.84	20.88	24.40	22.70	0.1861
38	30	40	519000	2595	CP-OFDM 16 QAM	1@1	21.76	20.75	24.29	22.59	0.1817
38	30	40	519000	2595	CP-OFDM 16 QAM	1@104	22.17	20.67	24.49	22.79	0.1903
38	30	40	519000	2595	CP-OFDM 64 QAM	53@26	20.26	19.26	22.80	21.10	0.1288
38	30	40	519000	2595	CP-OFDM 64 QAM	1@1	20.17	19.12	22.69	20.99	0.1255
38	30	40	519000	2595	CP-OFDM 64 QAM	1@104	20.49	18.97	22.81	21.11	0.1290
38	30	40	519000	2595	CP-OFDM 256 QAM	53@26	17.44	17.85	20.66	18.96	0.0787
38	30	40	519000	2595	CP-OFDM 256 QAM	1@1	17.40	16.48	19.97	18.27	0.0672
38	30	40	519000	2595	CP-OFDM 256 QAM	1@104	17.58	16.40	20.04	18.34	0.0682
38	30	40	520000	2600	CP-OFDM QPSK	53@26	22.46	21.52	25.03	23.33	0.2151
38	30	40	520000	2600	CP-OFDM QPSK	1@1	22.36	21.59	25.00	23.30	0.2139
38	30	40	520000	2600	CP-OFDM QPSK	1@104	22.65	21.37	25.07	23.37	0.2171
38	30	40	520000	2600	CP-OFDM 16 QAM	53@26	22.05	21.05	24.59	22.89	0.1945
38	30	40	520000	2600	CP-OFDM 16 QAM	1@1	21.80	21.01	24.43	22.73	0.1876
38	30	40	520000	2600	CP-OFDM 16 QAM	1@104	22.23	20.80	24.58	22.88	0.1943
38	30	40	520000	2600	CP-OFDM 64 QAM	53@26	20.45	19.51	23.02	21.32	0.1354
38	30	40	520000	2600	CP-OFDM 64 QAM	1@1	20.30	19.17	22.78	21.08	0.1283
38	30	40	520000	2600	CP-OFDM 64 QAM	1@104	20.59	18.90	22.84	21.14	0.1299
38	30	40	520000	2600	CP-OFDM 256 QAM	53@26	17.69	16.51	20.15	18.45	0.0700
38	30	40	520000	2600	CP-OFDM 256 QAM	1@1	17.44	16.68	20.09	18.39	0.0690
38	30	40	520000	2600	CP-OFDM 256 QAM	1@104	17.58	16.41	20.04	18.34	0.0683



Software Version: 23.06.1602

FR1 N41 ANT5

Transmitter Conducted Output Power And EIRP, (G_T - L_c)=-1.6dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@1	24.76	23.16	0.2070
41	30	10	500202	2501.01	DFT-s-OFDM 16 QAM	1@1	23.8	22.2	0.1660
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@1	25	23.4	0.2188
41	30	10	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.01	22.41	0.1742
41	30	10	537000	2685	DFT-s-OFDM QPSK	1@1	24.93	23.33	0.2153
41	30	10	537000	2685	DFT-s-OFDM 16 QAM	1@1	24.01	22.41	0.1742
41	30	15	500700	2503.5	DFT-s-OFDM QPSK	1@1	24.74	23.14	0.2061
41	30	15	500700	2503.5	DFT-s-OFDM 16 QAM	1@1	23.8	22.2	0.1660
41	30	15	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.93	23.33	0.2153
41	30	15	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.89	22.29	0.1694
41	30	15	536496	2682.48	DFT-s-OFDM QPSK	1@1	25.09	23.49	0.2234
41	30	15	536496	2682.48	DFT-s-OFDM 16 QAM	1@1	24.15	22.55	0.1799
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	1@1	24.53	22.93	0.1963
41	30	20	501204	2506.02	DFT-s-OFDM 16 QAM	1@1	23.56	21.96	0.1570
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.85	23.25	0.2113
41	30	20	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.85	22.25	0.1679
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	1@1	24.95	23.35	0.2163
41	30	20	535998	2679.99	DFT-s-OFDM 16 QAM	1@1	23.97	22.37	0.1726
41	30	25	501702	2508.51	DFT-s-OFDM QPSK	1@1	24.75	23.15	0.2065
41	30	25	501702	2508.51	DFT-s-OFDM 16 QAM	1@1	23.78	22.18	0.1652
41	30	25	518598	2592.99	DFT-s-OFDM QPSK	1@1	25.07	23.47	0.2223
41	30	25	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.06	22.46	0.1762
41	30	25	535500	2677.5	DFT-s-OFDM QPSK	1@1	25.1	23.5	0.2239
41	30	25	535500	2677.5	DFT-s-OFDM 16 QAM	1@1	24.12	22.52	0.1786
41	30	30	502200	2511	DFT-s-OFDM QPSK	1@1	24.78	23.18	0.2080
41	30	30	502200	2511	DFT-s-OFDM 16 QAM	1@1	23.8	22.2	0.1660
41	30	30	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.97	23.37	0.2173
41	30	30	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.05	22.45	0.1758
41	30	30	534996	2674.98	DFT-s-OFDM QPSK	1@1	25.29	23.69	0.2339
41	30	30	534996	2674.98	DFT-s-OFDM 16 QAM	1@1	24.37	22.77	0.1892
41	30	35	502704	2513.52	DFT-s-OFDM QPSK	1@1	24.71	23.11	0.2046
41	30	35	502704	2513.52	DFT-s-OFDM 16 QAM	1@1	23.79	22.19	0.1656



41	30	35	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.81	23.21	0.2094
41	30	35	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.97	22.37	0.1726
41	30	35	534498	2672.49	DFT-s-OFDM QPSK	1@1	25.12	23.52	0.2249
41	30	35	534498	2672.49	DFT-s-OFDM 16 QAM	1@1	24.28	22.68	0.1854
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@1	24.58	22.98	0.1986
41	30	40	503202	2516.01	DFT-s-OFDM 16 QAM	1@1	23.61	22.01	0.1589
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.81	23.21	0.2094
41	30	40	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.91	22.31	0.1702
41	30	40	534000	2670	DFT-s-OFDM QPSK	1@1	25.13	23.53	0.2254
41	30	40	534000	2670	DFT-s-OFDM 16 QAM	1@1	24.16	22.56	0.1803
41	30	45	503700	2518.5	DFT-s-OFDM QPSK	1@1	24.85	23.25	0.2113
41	30	45	503700	2518.5	DFT-s-OFDM 16 QAM	1@1	23.9	22.3	0.1698
41	30	45	518598	2592.99	DFT-s-OFDM QPSK	1@1	25	23.4	0.2188
41	30	45	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.01	22.41	0.1742
41	30	45	533496	2667.48	DFT-s-OFDM QPSK	1@1	25.26	23.66	0.2323
41	30	45	533496	2667.48	DFT-s-OFDM 16 QAM	1@1	24.3	22.7	0.1862
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@1	24.87	23.27	0.2123
41	30	50	504204	2521.02	DFT-s-OFDM 16 QAM	1@1	23.88	22.28	0.1690
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@1	25.05	23.45	0.2213
41	30	50	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.08	22.48	0.1770
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@1	25.3	23.7	0.2344
41	30	50	532998	2664.99	DFT-s-OFDM 16 QAM	1@1	24.35	22.75	0.1884
41	30	60	505200	2526	DFT-s-OFDM QPSK	1@1	24.66	23.06	0.2023
41	30	60	505200	2526	DFT-s-OFDM 16 QAM	1@1	23.67	22.07	0.1611
41	30	60	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.9	23.3	0.2138
41	30	60	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.88	22.28	0.1690
41	30	60	531996	2659.98	DFT-s-OFDM QPSK	1@1	25.12	23.52	0.2249
41	30	60	531996	2659.98	DFT-s-OFDM 16 QAM	1@1	24.14	22.54	0.1795
41	30	70	505200	2531.01	DFT-s-OFDM QPSK	1@1	24.62	23.02	0.2004
41	30	70	505200	2531.01	DFT-s-OFDM 16 QAM	1@1	23.76	22.16	0.1644
41	30	70	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.87	23.27	0.2123
41	30	70	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.98	22.38	0.1730
41	30	70	531996	2655	DFT-s-OFDM QPSK	1@1	25.02	23.42	0.2198
41	30	70	531996	2655	DFT-s-OFDM 16 QAM	1@1	24.13	22.53	0.1791
41	30	80	507204	2536.02	DFT-s-OFDM QPSK	1@1	24.7	23.1	0.2042
41	30	80	507204	2536.02	DFT-s-OFDM 16 QAM	1@1	23.72	22.12	0.1629
41	30	80	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.93	23.33	0.2153
41	30	80	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.98	22.38	0.1730
41	30	80	529998	2649.99	DFT-s-OFDM QPSK	1@1	25.17	23.57	0.2275



41	30	80	529998	2649.99	DFT-s-OFDM 16 QAM	1@1	24.18	22.58	0.1811
41	30	90	508200	2541	DFT-s-OFDM QPSK	1@1	24.72	23.12	0.2051
41	30	90	508200	2541	DFT-s-OFDM 16 QAM	1@1	23.78	22.18	0.1652
41	30	90	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.85	23.25	0.2113
41	30	90	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.92	22.32	0.1706
41	30	90	528996	2644.98	DFT-s-OFDM QPSK	1@1	24.98	23.38	0.2178
41	30	90	528996	2644.98	DFT-s-OFDM 16 QAM	1@1	24.09	22.49	0.1774
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	135@67	24.92	23.32	0.2148
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@1	24.77	23.17	0.2075
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@271	25.19	23.59	0.2286
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	135@67	24.94	23.34	0.2158
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@1	24.81	23.21	0.2094
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@271	25.18	23.58	0.2280
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	135@67	23.88	22.28	0.1690
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@1	23.88	22.28	0.1690
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@271	24.36	22.76	0.1888
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	135@67	22.52	20.92	0.1236
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@1	22.34	20.74	0.1186
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@271	22.74	21.14	0.1300
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	135@67	20.63	19.03	0.0800
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@1	20.35	18.75	0.0750
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@271	20.65	19.05	0.0804
41	30	100	509202	2546.01	CP-OFDM QPSK	137@68	23.39	21.79	0.1510
41	30	100	509202	2546.01	CP-OFDM QPSK	1@1	23.37	21.77	0.1503
41	30	100	509202	2546.01	CP-OFDM QPSK	1@271	23.7	22.1	0.1622
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	135@67	25.16	23.56	0.2270
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	25.02	23.42	0.2198
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@271	25.35	23.75	0.2371
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	135@67	25.21	23.61	0.2296
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@1	25.05	23.45	0.2213
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@271	25.32	23.72	0.2355
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	135@67	24.21	22.61	0.1824
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	24.23	22.63	0.1832
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@271	24.44	22.84	0.1923
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	135@67	22.63	21.03	0.1268
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@1	22.6	21	0.1259
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@271	22.96	21.36	0.1368
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	135@67	20.78	19.18	0.0828
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@1	20.54	18.94	0.0783



41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@271	20.86	19.26	0.0843
41	30	100	518598	2592.99	CP-OFDM QPSK	137@68	23.69	22.09	0.1618
41	30	100	518598	2592.99	CP-OFDM QPSK	1@1	23.7	22.1	0.1622
41	30	100	518598	2592.99	CP-OFDM QPSK	1@271	23.92	22.32	0.1706
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	135@67	25.22	23.62	0.2301
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@1	25.07	23.47	0.2223
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@271	25.25	23.65	0.2317
41	30	100	528000	2640	DFT-s-OFDM QPSK	135@67	25.29	23.69	0.2339
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@1	25.05	23.45	0.2213
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@271	25.24	23.64	0.2312
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	135@67	24.3	22.7	0.1862
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@1	24.32	22.72	0.1871
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@271	24.42	22.82	0.1914
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	135@67	22.92	21.32	0.1355
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@1	22.47	20.87	0.1222
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@271	22.92	21.32	0.1355
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	135@67	21	19.4	0.0871
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@1	20.53	18.93	0.0782
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@271	20.75	19.15	0.0822
41	30	100	528000	2640	CP-OFDM QPSK	137@68	23.76	22.16	0.1644
41	30	100	528000	2640	CP-OFDM QPSK	1@1	23.62	22.02	0.1592
41	30	100	528000	2640	CP-OFDM QPSK	1@271	23.72	22.12	0.1629



Frequency Stability


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (Hz)	Verdict	Environment
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	15.4	PASS	NV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	17.2	PASS	LV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	16.3	PASS	HV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	18.7	PASS	-30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	15.9	PASS	-20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	14.9	PASS	-10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	12.9	PASS	0°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	14.4	PASS	10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	16.3	PASS	20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	18.1	PASS	30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	12.1	PASS	40°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	12.3	PASS	50°C




Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	50@0	4.45	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	5.66	13	PASS

N41(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N41(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH





Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
41	30	10	518598	2592.99	CP-OFDM QPSK	24@0	8.561	9.461
41	30	10	518598	2592.99	CP-OFDM 16 QAM	24@0	8.5788	9.611
41	30	10	518598	2592.99	CP-OFDM 64 QAM	24@0	8.5799	9.449
41	30	10	518598	2592.99	CP-OFDM 256 QAM	24@0	8.5624	9.184
41	30	15	518598	2592.99	CP-OFDM QPSK	38@0	13.576	14.55
41	30	15	518598	2592.99	CP-OFDM 16 QAM	38@0	13.627	14.7
41	30	15	518598	2592.99	CP-OFDM 64 QAM	38@0	13.536	14.33
41	30	15	518598	2592.99	CP-OFDM 256 QAM	38@0	13.597	14.86
41	30	20	518598	2592.99	CP-OFDM QPSK	51@0	18.23	19.41
41	30	20	518598	2592.99	CP-OFDM 16 QAM	51@0	18.273	19.39
41	30	20	518598	2592.99	CP-OFDM 64 QAM	51@0	18.225	19.4
41	30	20	518598	2592.99	CP-OFDM 256 QAM	51@0	18.194	19.59
41	30	25	518598	2592.99	CP-OFDM QPSK	65@0	23.215	24.73
41	30	25	518598	2592.99	CP-OFDM 16 QAM	65@0	23.246	24.4
41	30	25	518598	2592.99	CP-OFDM 64 QAM	65@0	23.201	24.53
41	30	25	518598	2592.99	CP-OFDM 256 QAM	65@0	23.203	24.69
41	30	30	518598	2592.99	CP-OFDM QPSK	78@0	27.86	29.06
41	30	30	518598	2592.99	CP-OFDM 16 QAM	78@0	27.811	29.26
41	30	30	518598	2592.99	CP-OFDM 64 QAM	78@0	27.856	29.27
41	30	30	518598	2592.99	CP-OFDM 256 QAM	78@0	27.828	29.3
41	30	35	518598	2592.99	CP-OFDM QPSK	92@0	32.815	34.24
41	30	35	518598	2592.99	CP-OFDM 16 QAM	92@0	32.77	34.23




41	30	35	518598	2592.99	CP-OFDM 64 QAM	92@0	32.807	34.34
41	30	35	518598	2592.99	CP-OFDM 256 QAM	92@0	32.801	34.06
41	30	40	518598	2592.99	CP-OFDM QPSK	106@0	37.796	39.25
41	30	40	518598	2592.99	CP-OFDM 16 QAM	106@0	37.854	39.18
41	30	40	518598	2592.99	CP-OFDM 64 QAM	106@0	37.813	39.33
41	30	40	518598	2592.99	CP-OFDM 256 QAM	106@0	37.956	39.41
41	30	45	518598	2592.99	CP-OFDM QPSK	119@0	42.496	44.17
41	30	45	518598	2592.99	CP-OFDM 16 QAM	119@0	42.37	43.93
41	30	45	518598	2592.99	CP-OFDM 64 QAM	119@0	42.41	44.18
41	30	45	518598	2592.99	CP-OFDM 256 QAM	119@0	42.472	44.17
41	30	50	518598	2592.99	CP-OFDM QPSK	133@0	47.494	49.11
41	30	50	518598	2592.99	CP-OFDM 16 QAM	133@0	47.569	49.46
41	30	50	518598	2592.99	CP-OFDM 64 QAM	133@0	47.4	49.39
41	30	50	518598	2592.99	CP-OFDM 256 QAM	133@0	47.39	49.03
41	30	60	518598	2592.99	CP-OFDM QPSK	162@0	57.849	59.64
41	30	60	518598	2592.99	CP-OFDM 16 QAM	162@0	57.877	59.61
41	30	60	518598	2592.99	CP-OFDM 64 QAM	162@0	57.651	60.33
41	30	60	518598	2592.99	CP-OFDM 256 QAM	162@0	57.816	60.01
41	30	70	518598	2592.99	CP-OFDM QPSK	189@0	67.664	69.71
41	30	70	518598	2592.99	CP-OFDM 16 QAM	189@0	67.517	69.86
41	30	70	518598	2592.99	CP-OFDM 64 QAM	189@0	67.396	70.08
41	30	70	518598	2592.99	CP-OFDM 256 QAM	189@0	67.439	69.68
41	30	80	518598	2592.99	CP-OFDM QPSK	217@0	77.443	79.85
41	30	80	518598	2592.99	CP-OFDM 16 QAM	217@0	77.388	80.15



41	30	80	518598	2592.99	CP-OFDM 64 QAM	217@0	77.442	80.04
41	30	80	518598	2592.99	CP-OFDM 256 QAM	217@0	77.294	79.92
41	30	90	518598	2592.99	CP-OFDM QPSK	245@0	87.47	90.33
41	30	90	518598	2592.99	CP-OFDM 16 QAM	245@0	87.479	90.22
41	30	90	518598	2592.99	CP-OFDM 64 QAM	245@0	87.412	90.22
41	30	90	518598	2592.99	CP-OFDM 256 QAM	245@0	87.435	90.46
41	30	100	518598	2592.99	CP-OFDM QPSK	273@0	97.585	100.7
41	30	100	518598	2592.99	CP-OFDM 16 QAM	273@0	97.607	100.7
41	30	100	518598	2592.99	CP-OFDM 64 QAM	273@0	97.502	100.5
41	30	100	518598	2592.99	CP-OFDM 256 QAM	273@0	97.612	100.5



N41(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(15M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(15M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(15M)_CP-OFDM_256QAM_Outer_Full_Mid_CH





N41(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



N41(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(25M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(25M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(25M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(25M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(30M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(30M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N41(30M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(35M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(35M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(35M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(35M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(45M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(45M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(45M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(45M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(50M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(50M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(50M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(50M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(60M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(60M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(60M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(60M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







N41(70M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(70M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(70M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(70M)_CP-OFDM_256QAM_Outer_Full_Mid_CH





N41(80M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(80M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(80M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(80M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(90M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(90M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(90M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(90M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






N41(100M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N41(100M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N41(100M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N41(100M)_CP-OFDM_256QAM_Outer_Full_Mid_CH





Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	10	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM BPSK	1@0	see graph	---




41	30	40	503202	2516.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	40	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	40	534000	2670.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	40	534000	2670.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	---




41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	100	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@0	see graph	PASS



N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH






N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH






N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH







N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH






N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH







N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH






N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH

