




## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ  
 Condition : FCC 15C\_QP LISN\_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	40.95	-14.70	55.65	21.09	9.67	10.19	Average
2 *	0.16	51.35	-14.30	65.65	31.49	9.67	10.19	QP
3	0.22	32.30	-20.66	52.96	12.40	9.71	10.19	Average
4	0.22	44.40	-18.56	62.96	24.50	9.71	10.19	QP
5	0.26	30.03	-21.39	51.42	10.10	9.73	10.20	Average
6	0.26	41.93	-19.49	61.42	22.00	9.73	10.20	QP
7	0.30	27.76	-22.39	50.15	7.79	9.76	10.21	Average
8	0.30	37.96	-22.19	60.15	17.99	9.76	10.21	QP
9	0.52	27.62	-18.38	46.00	7.70	9.68	10.24	Average
10	0.52	37.72	-18.28	56.00	17.80	9.68	10.24	QP
11	0.59	27.50	-18.50	46.00	7.60	9.66	10.24	Average
12	0.59	38.40	-17.60	56.00	18.50	9.66	10.24	QP



Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ  
 Condition : FCC 15C\_QP LISN\_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.19	-17.50	55.69	18.40	9.60	10.19	Average
2 *	0.16	49.89	-15.80	65.69	30.10	9.60	10.19	QP
3	0.21	33.88	-19.44	53.32	13.90	9.80	10.18	Average
4	0.21	44.68	-18.64	63.32	24.70	9.80	10.18	QP
5	0.22	32.28	-20.38	52.66	12.40	9.69	10.19	Average
6	0.22	43.08	-19.58	62.66	23.20	9.69	10.19	QP
7	0.33	26.50	-22.99	49.49	6.60	9.69	10.21	Average
8	0.33	36.20	-23.29	59.49	16.30	9.69	10.21	QP
9	0.49	30.31	-15.79	46.10	10.00	10.07	10.24	Average
10	0.49	38.31	-17.79	56.10	18.00	10.07	10.24	QP
11	0.59	29.07	-16.93	46.00	9.19	9.64	10.24	Average
12	0.59	38.17	-17.83	56.00	18.29	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



### Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao, Shunping You	Relative Humidity :	50%
		Temperature :	20°C~24°C

#### Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	8	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	8	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	8	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 10	2400-2483.5	10	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 11	2400-2483.5	10	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 12	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 38	2400-2483.5	8	Bluetooth BR_GFSK_LF	78	2480	1DH5	-	LF
Mode 41	2400-2483.5	BF 8+10	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 42	2400-2483.5	BF 8+10	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 43	2400-2483.5	BF 8+10	Bluetooth BR_GFSK	78	2480	1DH5	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2388.75	43.90	74.00	-30.10	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	43.25	74.00	-30.75	H	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	45.19	74.00	-28.81	H	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.78	45.12	74.00	-28.88	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	46.43	74.00	-27.57	H	Peak	Pass	Harmonic
10	Bluetooth BR_GFSK	00	2363.91	43.21	74.00	-30.79	V	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	00	4804.00	45.52	74.00	-28.48	V	Peak	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth BR_GFSK	39	7320.00	46.55	74.00	-27.45	H	Peak	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2483.95	44.30	74.00	-29.70	H	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7440.00	46.69	74.00	-27.31	H	Peak	Pass	Harmonic
38	Bluetooth BR_GFSK_LF	78	36.79	27.84	40.00	-12.16	V	Peak	Pass	LF
41	Bluetooth BR_GFSK	00	2387.65	48.44	74.00	-25.56	H	PEAK	Pass	Band Edge
41	Bluetooth BR_GFSK	00	4804.00	42.16	74.00	-31.84	V	Peak	Pass	Harmonic
42	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
42	Bluetooth BR_GFSK	39	7323.00	45.90	74.00	-28.10	V	Peak	Pass	Harmonic
43	Bluetooth BR_GFSK	78	2483.83	57.77	74.00	-16.23	V	PEAK	Pass	Band Edge
43	Bluetooth BR_GFSK	78	7440.00	45.29	74.00	-28.71	V	Peak	Pass	Harmonic



Mode	1																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																
ANT	8																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																															
Peak	<p style="text-align: right;">Date: 2025-05-19</p>	<p style="text-align: right;">Date: 2025-05-19</p>																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.75</td> <td>43.90</td> <td>74.00</td> <td>-30.10</td> <td>42.39</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>144</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2388.75</td> <td>19.11</td> <td>54.00</td> <td>-34.89</td> <td>17.60</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>144</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2388.75	43.90	74.00	-30.10	42.39	30.43	4.79	33.71	144	136	PEAK	2	2388.75	19.11	54.00	-34.89	17.60	30.43	4.79	33.71	144	136	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>106.42</td> <td>-----</td> <td>-----</td> <td>104.85</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>144</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>81.63</td> <td>-----</td> <td>-----</td> <td>80.06</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>144</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	106.42	-----	-----	104.85	30.44	4.81	33.68	144	136	PEAK	2	2402.00	81.63	-----	-----	80.06	30.44	4.81	33.68	144	136
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
				cm	deg																																																																																																												
1	2388.75	43.90	74.00	-30.10	42.39	30.43	4.79	33.71	144	136	PEAK																																																																																																						
2	2388.75	19.11	54.00	-34.89	17.60	30.43	4.79	33.71	144	136	AVERAGE																																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
				cm	deg																																																																																																												
1	2402.00	106.42	-----	-----	104.85	30.44	4.81	33.68	144	136	PEAK																																																																																																						
2	2402.00	81.63	-----	-----	80.06	30.44	4.81	33.68	144	136	AVERAGE																																																																																																						



Mode	1																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																	
ANT	8																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2347.35</td> <td>42.64</td> <td>74.00</td> <td>-31.36</td> <td>41.26</td> <td>30.41</td> <td>4.75</td> <td>33.78</td> <td>284</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2347.35</td> <td>17.85</td> <td>54.00</td> <td>-36.15</td> <td>16.47</td> <td>30.41</td> <td>4.75</td> <td>33.78</td> <td>284</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2347.35	42.64	74.00	-31.36	41.26	30.41	4.75	33.78	284	170	PEAK	2	2347.35	17.85	54.00	-36.15	16.47	30.41	4.75	33.78	284	170	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.93</td> <td>-----</td> <td>-----</td> <td>94.36</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>284</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>71.14</td> <td>-----</td> <td>-----</td> <td>69.57</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>284</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	95.93	-----	-----	94.36	30.44	4.81	33.68	284	170	PEAK	2	2402.00	71.14	-----	-----	69.57	30.44	4.81	33.68	284	170	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	2347.35	42.64	74.00	-31.36	41.26	30.41	4.75	33.78	284	170	PEAK																																																																																							
2	2347.35	17.85	54.00	-36.15	16.47	30.41	4.75	33.78	284	170	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	2402.00	95.93	-----	-----	94.36	30.44	4.81	33.68	284	170	PEAK																																																																																							
2	2402.00	71.14	-----	-----	69.57	30.44	4.81	33.68	284	170	AVERAGE																																																																																							



Mode	1																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																	
ANT	8																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>43.25</td> <td>74.00</td> <td>-30.75</td> <td>59.16</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>18.46</td> <td>54.00</td> <td>-35.54</td> <td>34.37</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	43.25	74.00	-30.75	59.16	33.82	7.74	57.47	---	---	Peak	2	4804.00	18.46	54.00	-35.54	34.37	33.82	7.74	57.47	---	---	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>43.04</td> <td>74.00</td> <td>-30.96</td> <td>58.95</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>18.25</td> <td>54.00</td> <td>-35.75</td> <td>34.16</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	43.04	74.00	-30.96	58.95	33.82	7.74	57.47	---	---	Peak	2	4804.00	18.25	54.00	-35.75	34.16	33.82	7.74	57.47	---	---	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4804.00	43.25	74.00	-30.75	59.16	33.82	7.74	57.47	---	---	Peak																																																																																							
2	4804.00	18.46	54.00	-35.54	34.37	33.82	7.74	57.47	---	---	Average																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4804.00	43.04	74.00	-30.96	58.95	33.82	7.74	57.47	---	---	Peak																																																																																							
2	4804.00	18.25	54.00	-35.75	34.16	33.82	7.74	57.47	---	---	Average																																																																																							



Mode	2																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																								
ANT	8																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>43.87</td> <td>74.00</td> <td>-30.13</td> <td>59.77</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4882.00</td> <td>19.08</td> <td>54.00</td> <td>-34.92</td> <td>34.98</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7323.00</td> <td>45.19</td> <td>74.00</td> <td>-28.81</td> <td>58.85</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>20.40</td> <td>54.00</td> <td>-33.60</td> <td>34.06</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	43.87	74.00	-30.13	59.77	33.85	7.77	57.52	---	---	Peak	2	4882.00	19.08	54.00	-34.92	34.98	33.85	7.77	57.52	---	---	Average	3	7323.00	45.19	74.00	-28.81	58.85	36.30	8.97	58.93	---	---	Peak	4	7323.00	20.40	54.00	-33.60	34.06	36.30	8.97	58.93	---	---	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>42.73</td> <td>74.00</td> <td>-31.27</td> <td>58.63</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4882.00</td> <td>17.94</td> <td>54.00</td> <td>-36.06</td> <td>33.84</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7323.00</td> <td>44.50</td> <td>74.00</td> <td>-29.50</td> <td>58.16</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>19.71</td> <td>54.00</td> <td>-34.29</td> <td>33.37</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	42.73	74.00	-31.27	58.63	33.85	7.77	57.52	---	---	Peak	2	4882.00	17.94	54.00	-36.06	33.84	33.85	7.77	57.52	---	---	Average	3	7323.00	44.50	74.00	-29.50	58.16	36.30	8.97	58.93	---	---	Peak	4	7323.00	19.71	54.00	-34.29	33.37	36.30	8.97	58.93	---	---
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4882.00	43.87	74.00	-30.13	59.77	33.85	7.77	57.52	---	---	Peak																																																																																																																																														
2	4882.00	19.08	54.00	-34.92	34.98	33.85	7.77	57.52	---	---	Average																																																																																																																																														
3	7323.00	45.19	74.00	-28.81	58.85	36.30	8.97	58.93	---	---	Peak																																																																																																																																														
4	7323.00	20.40	54.00	-33.60	34.06	36.30	8.97	58.93	---	---	Average																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4882.00	42.73	74.00	-31.27	58.63	33.85	7.77	57.52	---	---	Peak																																																																																																																																														
2	4882.00	17.94	54.00	-36.06	33.84	33.85	7.77	57.52	---	---	Average																																																																																																																																														
3	7323.00	44.50	74.00	-29.50	58.16	36.30	8.97	58.93	---	---	Peak																																																																																																																																														
4	7323.00	19.71	54.00	-34.29	33.37	36.30	8.97	58.93	---	---	Average																																																																																																																																														



Mode	3																																																																																				
	Band Edge																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																				
ANT	8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.78</td> <td>45.12</td> <td>74.00</td> <td>-28.88</td> <td>43.24</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>156</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2484.78</td> <td>20.33</td> <td>54.00</td> <td>-33.67</td> <td>18.45</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>156</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	2484.78	45.12	74.00	-28.88	43.24	30.49	4.92	33.53	156	56	PEAK	2	2484.78	20.33	54.00	-33.67	18.45	30.49	4.92	33.53	156	56	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.84</td> <td>-----</td> <td>-----</td> <td>102.97</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>156</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>80.05</td> <td>-----</td> <td>-----</td> <td>78.18</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>156</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	2480.00	104.84	-----	-----	102.97	30.49	4.92	33.54	156	56	PEAK	2	2480.00	80.05	-----	-----	78.18	30.49	4.92	33.54	156	56
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																												
1	2484.78	45.12	74.00	-28.88	43.24	30.49	4.92	33.53	156	56	PEAK																																																																										
2	2484.78	20.33	54.00	-33.67	18.45	30.49	4.92	33.53	156	56	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																												
1	2480.00	104.84	-----	-----	102.97	30.49	4.92	33.54	156	56	PEAK																																																																										
2	2480.00	80.05	-----	-----	78.18	30.49	4.92	33.54	156	56	AVERAGE																																																																										



Mode	3																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																						
ANT	8																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	<p style="text-align: right;">Date: 2025-05-19</p>	<p style="text-align: right;">Date: 2025-05-19</p>																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>44.03</td> <td>74.00</td> <td>-29.97</td> <td>42.15</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>284</td> <td>169</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2483.66</td> <td>19.24</td> <td>54.00</td> <td>-34.76</td> <td>17.36</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>284</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	44.03	74.00	-29.97	42.15	30.49	4.92	33.53	284	169	PEAK	2	2483.66	19.24	54.00	-34.76	17.36	30.49	4.92	33.53	284	169	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.18</td> <td>-----</td> <td>-----</td> <td>97.31</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>284</td> <td>169</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>74.39</td> <td>-----</td> <td>-----</td> <td>72.52</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>284</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.18	-----	-----	97.31	30.49	4.92	33.54	284	169	PEAK	2	2480.00	74.39	-----	-----	72.52	30.49	4.92	33.54	284	169
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2483.66	44.03	74.00	-29.97	42.15	30.49	4.92	33.53	284	169	PEAK																																																																																												
2	2483.66	19.24	54.00	-34.76	17.36	30.49	4.92	33.53	284	169	AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2480.00	99.18	-----	-----	97.31	30.49	4.92	33.54	284	169	PEAK																																																																																												
2	2480.00	74.39	-----	-----	72.52	30.49	4.92	33.54	284	169	AVERAGE																																																																																												



Mode	3																																																																																																																																																			
	Harmonic																																																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																			
ANT	8																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>43.19</td> <td>74.00</td> <td>-30.81</td> <td>59.07</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>18.40</td> <td>54.00</td> <td>-35.60</td> <td>34.28</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>46.43</td> <td>74.00</td> <td>-27.57</td> <td>59.92</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>21.64</td> <td>54.00</td> <td>-32.36</td> <td>35.13</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	43.19	74.00	-30.81	59.07	33.89	7.81	57.58	---	---	Peak	2	4960.00	18.40	54.00	-35.60	34.28	33.89	7.81	57.58	---	---	Average	3	7440.00	46.43	74.00	-27.57	59.92	36.30	9.19	58.98	---	---	Peak	4	7440.00	21.64	54.00	-32.36	35.13	36.30	9.19	58.98	---	---	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>44.16</td> <td>74.00</td> <td>-29.84</td> <td>60.04</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>19.37</td> <td>54.00</td> <td>-34.63</td> <td>35.25</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>45.14</td> <td>74.00</td> <td>-28.86</td> <td>58.63</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>20.35</td> <td>54.00</td> <td>-33.65</td> <td>33.84</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	44.16	74.00	-29.84	60.04	33.89	7.81	57.58	---	---	Peak	2	4960.00	19.37	54.00	-34.63	35.25	33.89	7.81	57.58	---	---	Average	3	7440.00	45.14	74.00	-28.86	58.63	36.30	9.19	58.98	---	---	Peak	4	7440.00	20.35	54.00	-33.65	33.84	36.30	9.19	58.98	---	---	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																												
1	4960.00	43.19	74.00	-30.81	59.07	33.89	7.81	57.58	---	---	Peak																																																																																																																																									
2	4960.00	18.40	54.00	-35.60	34.28	33.89	7.81	57.58	---	---	Average																																																																																																																																									
3	7440.00	46.43	74.00	-27.57	59.92	36.30	9.19	58.98	---	---	Peak																																																																																																																																									
4	7440.00	21.64	54.00	-32.36	35.13	36.30	9.19	58.98	---	---	Average																																																																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																												
1	4960.00	44.16	74.00	-29.84	60.04	33.89	7.81	57.58	---	---	Peak																																																																																																																																									
2	4960.00	19.37	54.00	-34.63	35.25	33.89	7.81	57.58	---	---	Average																																																																																																																																									
3	7440.00	45.14	74.00	-28.86	58.63	36.30	9.19	58.98	---	---	Peak																																																																																																																																									
4	7440.00	20.35	54.00	-33.65	33.84	36.30	9.19	58.98	---	---	Average																																																																																																																																									



Mode	10																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																	
ANT	10																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.38</td> <td>43.07</td> <td>74.00</td> <td>-30.93</td> <td>41.56</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>349</td> <td>14 PEAK</td> </tr> <tr> <td>2</td> <td>2388.38</td> <td>18.28</td> <td>54.00</td> <td>-35.72</td> <td>16.77</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>349</td> <td>14 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.38	43.07	74.00	-30.93	41.56	30.43	4.79	33.71	349	14 PEAK	2	2388.38	18.28	54.00	-35.72	16.77	30.43	4.79	33.71	349	14 AVERAGE	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>106.05</td> <td>-----</td> <td>-----</td> <td>104.48</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>349</td> <td>14 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>81.26</td> <td>-----</td> <td>-----</td> <td>79.69</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>349</td> <td>14 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.05	-----	-----	104.48	30.44	4.81	33.68	349	14 PEAK	2	2402.00	81.26	-----	-----	79.69	30.44	4.81	33.68	349	14 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.38	43.07	74.00	-30.93	41.56	30.43	4.79	33.71	349	14 PEAK																																																																																								
2	2388.38	18.28	54.00	-35.72	16.77	30.43	4.79	33.71	349	14 AVERAGE																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	106.05	-----	-----	104.48	30.44	4.81	33.68	349	14 PEAK																																																																																								
2	2402.00	81.26	-----	-----	79.69	30.44	4.81	33.68	349	14 AVERAGE																																																																																								



Mode	10																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																															
ANT	10																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.91</td> <td>43.21</td> <td>74.00</td> <td>-30.79</td> <td>41.77</td> <td>30.42</td> <td>4.77</td> <td>33.75</td> <td>134</td> <td>40</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2363.91</td> <td>18.42</td> <td>54.00</td> <td>-35.58</td> <td>16.98</td> <td>30.42</td> <td>4.77</td> <td>33.75</td> <td>134</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2363.91	43.21	74.00	-30.79	41.77	30.42	4.77	33.75	134	40	PEAK	2	2363.91	18.42	54.00	-35.58	16.98	30.42	4.77	33.75	134	40	AVERAGE	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.74</td> <td>-----</td> <td>-----</td> <td>96.17</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>134</td> <td>40</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>72.95</td> <td>-----</td> <td>-----</td> <td>71.38</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>134</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	97.74	-----	-----	96.17	30.44	4.81	33.68	134	40	PEAK	2	2402.00	72.95	-----	-----	71.38	30.44	4.81	33.68	134	40	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2363.91	43.21	74.00	-30.79	41.77	30.42	4.77	33.75	134	40	PEAK																																																																																					
2	2363.91	18.42	54.00	-35.58	16.98	30.42	4.77	33.75	134	40	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2402.00	97.74	-----	-----	96.17	30.44	4.81	33.68	134	40	PEAK																																																																																					
2	2402.00	72.95	-----	-----	71.38	30.44	4.81	33.68	134	40	AVERAGE																																																																																					



Mode	10																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																											
ANT	10																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>43.58</td> <td>74.00</td> <td>-30.42</td> <td>59.49</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>18.79</td> <td>54.00</td> <td>-35.21</td> <td>34.70</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	43.58	74.00	-30.42	59.49	33.82	7.74	57.47	---	---	Peak	2	4804.00	18.79	54.00	-35.21	34.70	33.82	7.74	57.47	---	---	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>45.52</td> <td>74.00</td> <td>-28.48</td> <td>61.43</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>20.73</td> <td>54.00</td> <td>-33.27</td> <td>36.64</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	45.52	74.00	-28.48	61.43	33.82	7.74	57.47	---	---	Peak	2	4804.00	20.73	54.00	-33.27	36.64	33.82	7.74	57.47	---	---	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	4804.00	43.58	74.00	-30.42	59.49	33.82	7.74	57.47	---	---	Peak																																																																																																	
2	4804.00	18.79	54.00	-35.21	34.70	33.82	7.74	57.47	---	---	Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	4804.00	45.52	74.00	-28.48	61.43	33.82	7.74	57.47	---	---	Peak																																																																																																	
2	4804.00	20.73	54.00	-33.27	36.64	33.82	7.74	57.47	---	---	Average																																																																																																	



Mode	11																																																																																																																																																	
	Harmonic																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																	
ANT	10																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>44.06</td> <td>-29.94</td> <td>74.00</td> <td>63.61</td> <td>36.51</td> <td>8.76</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4880.00</td> <td>19.27</td> <td>-34.73</td> <td>54.00</td> <td>38.82</td> <td>36.51</td> <td>8.76</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3 *</td> <td>7320.00</td> <td>46.55</td> <td>-27.45</td> <td>74.00</td> <td>64.49</td> <td>36.88</td> <td>10.18</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>21.76</td> <td>-32.24</td> <td>54.00</td> <td>39.70</td> <td>36.88</td> <td>10.18</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	4880.00	44.06	-29.94	74.00	63.61	36.51	8.76	64.82	---	---	Peak	2	4880.00	19.27	-34.73	54.00	38.82	36.51	8.76	64.82	---	---	Average	3 *	7320.00	46.55	-27.45	74.00	64.49	36.88	10.18	65.00	---	---	Peak	4	7320.00	21.76	-32.24	54.00	39.70	36.88	10.18	65.00	---	---	Average	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.90</td> <td>-30.10</td> <td>74.00</td> <td>63.45</td> <td>36.51</td> <td>8.76</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4880.00</td> <td>19.11</td> <td>-34.89</td> <td>54.00</td> <td>38.66</td> <td>36.51</td> <td>8.76</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3 *</td> <td>7320.00</td> <td>45.43</td> <td>-28.57</td> <td>74.00</td> <td>63.37</td> <td>36.88</td> <td>10.18</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>20.64</td> <td>-33.36</td> <td>54.00</td> <td>38.58</td> <td>36.88</td> <td>10.18</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	4880.00	43.90	-30.10	74.00	63.45	36.51	8.76	64.82	---	---	Peak	2	4880.00	19.11	-34.89	54.00	38.66	36.51	8.76	64.82	---	---	Average	3 *	7320.00	45.43	-28.57	74.00	63.37	36.88	10.18	65.00	---	---	Peak	4	7320.00	20.64	-33.36	54.00	38.58	36.88	10.18	65.00	---	---	Average
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																																																																											
1	4880.00	44.06	-29.94	74.00	63.61	36.51	8.76	64.82	---	---	Peak																																																																																																																																							
2	4880.00	19.27	-34.73	54.00	38.82	36.51	8.76	64.82	---	---	Average																																																																																																																																							
3 *	7320.00	46.55	-27.45	74.00	64.49	36.88	10.18	65.00	---	---	Peak																																																																																																																																							
4	7320.00	21.76	-32.24	54.00	39.70	36.88	10.18	65.00	---	---	Average																																																																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																																																																											
1	4880.00	43.90	-30.10	74.00	63.45	36.51	8.76	64.82	---	---	Peak																																																																																																																																							
2	4880.00	19.11	-34.89	54.00	38.66	36.51	8.76	64.82	---	---	Average																																																																																																																																							
3 *	7320.00	45.43	-28.57	74.00	63.37	36.88	10.18	65.00	---	---	Peak																																																																																																																																							
4	7320.00	20.64	-33.36	54.00	38.58	36.88	10.18	65.00	---	---	Average																																																																																																																																							



Mode	12																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																														
ANT	10																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.95</td> <td>44.30</td> <td>74.00</td> <td>-29.70</td> <td>42.42</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>328</td> <td>11 PEAK</td> </tr> <tr> <td>2 2483.95</td> <td>19.51</td> <td>54.00</td> <td>-34.49</td> <td>17.63</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>328</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.95	44.30	74.00	-29.70	42.42	30.49	4.92	33.53	328	11 PEAK	2 2483.95	19.51	54.00	-34.49	17.63	30.49	4.92	33.53	328	11 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.51</td> <td>-----</td> <td>-----</td> <td>103.64</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>328</td> <td>11 PEAK</td> </tr> <tr> <td>2 2480.00</td> <td>80.72</td> <td>-----</td> <td>-----</td> <td>78.85</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>328</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.51	-----	-----	103.64	30.49	4.92	33.54	328	11 PEAK	2 2480.00	80.72	-----	-----	78.85	30.49	4.92	33.54	328
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2483.95	44.30	74.00	-29.70	42.42	30.49	4.92	33.53	328	11 PEAK																																																																																						
2 2483.95	19.51	54.00	-34.49	17.63	30.49	4.92	33.53	328	11 AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2480.00	105.51	-----	-----	103.64	30.49	4.92	33.54	328	11 PEAK																																																																																						
2 2480.00	80.72	-----	-----	78.85	30.49	4.92	33.54	328	11 AVERAGE																																																																																						



Mode	12																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																	
ANT	10																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.37</td> <td>43.76</td> <td>74.00</td> <td>-30.24</td> <td>41.88</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>379</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2484.37</td> <td>18.97</td> <td>54.00</td> <td>-35.03</td> <td>17.09</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>379</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.37	43.76	74.00	-30.24	41.88	30.49	4.92	33.53	379	246	PEAK	2	2484.37	18.97	54.00	-35.03	17.09	30.49	4.92	33.53	379	246	AVERAGE	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.04</td> <td>-----</td> <td>-----</td> <td>100.17</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>379</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>77.25</td> <td>-----</td> <td>-----</td> <td>75.38</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>379</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	102.04	-----	-----	100.17	30.49	4.92	33.54	379	246	PEAK	2	2480.00	77.25	-----	-----	75.38	30.49	4.92	33.54	379	246	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	2484.37	43.76	74.00	-30.24	41.88	30.49	4.92	33.53	379	246	PEAK																																																																																							
2	2484.37	18.97	54.00	-35.03	17.09	30.49	4.92	33.53	379	246	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	2480.00	102.04	-----	-----	100.17	30.49	4.92	33.54	379	246	PEAK																																																																																							
2	2480.00	77.25	-----	-----	75.38	30.49	4.92	33.54	379	246	AVERAGE																																																																																							



Mode	12																																																																																																																																																
	Harmonic																																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																
ANT	10																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																															
Peak Avg																																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>43.73</td> <td>74.00</td> <td>-30.27</td> <td>59.61</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>18.94</td> <td>54.00</td> <td>-35.06</td> <td>34.82</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>60.18</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>21.90</td> <td>54.00</td> <td>-32.10</td> <td>35.39</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.73	74.00	-30.27	59.61	33.89	7.81	57.58	---	Peak	2	4960.00	18.94	54.00	-35.06	34.82	33.89	7.81	57.58	---	Average	3	7440.00	46.69	74.00	-27.31	60.18	36.30	9.19	58.98	---	Peak	4	7440.00	21.90	54.00	-32.10	35.39	36.30	9.19	58.98	---	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>44.11</td> <td>74.00</td> <td>-29.89</td> <td>59.99</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>19.32</td> <td>54.00</td> <td>-34.68</td> <td>35.20</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>44.91</td> <td>74.00</td> <td>-29.09</td> <td>58.40</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>20.12</td> <td>54.00</td> <td>-33.88</td> <td>33.61</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	44.11	74.00	-29.89	59.99	33.89	7.81	57.58	---	Peak	2	4960.00	19.32	54.00	-34.68	35.20	33.89	7.81	57.58	---	Average	3	7440.00	44.91	74.00	-29.09	58.40	36.30	9.19	58.98	---	Peak	4	7440.00	20.12	54.00	-33.88	33.61	36.30	9.19	58.98	---
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4960.00	43.73	74.00	-30.27	59.61	33.89	7.81	57.58	---	Peak																																																																																																																																							
2	4960.00	18.94	54.00	-35.06	34.82	33.89	7.81	57.58	---	Average																																																																																																																																							
3	7440.00	46.69	74.00	-27.31	60.18	36.30	9.19	58.98	---	Peak																																																																																																																																							
4	7440.00	21.90	54.00	-32.10	35.39	36.30	9.19	58.98	---	Average																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4960.00	44.11	74.00	-29.89	59.99	33.89	7.81	57.58	---	Peak																																																																																																																																							
2	4960.00	19.32	54.00	-34.68	35.20	33.89	7.81	57.58	---	Average																																																																																																																																							
3	7440.00	44.91	74.00	-29.09	58.40	36.30	9.19	58.98	---	Peak																																																																																																																																							
4	7440.00	20.12	54.00	-33.88	33.61	36.30	9.19	58.98	---	Average																																																																																																																																							



Mode	38																																																																																																																																																																								
	LF																																																																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_LF_CH78_2480MHZ																																																																																																																																																																								
ANT	8																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																							
QP/ Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>24.26</td> <td>40.00</td> <td>-15.74</td> <td>29.94</td> <td>0.53</td> <td>31.50</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>113.42</td> <td>18.69</td> <td>43.50</td> <td>-24.81</td> <td>31.88</td> <td>17.39</td> <td>1.09</td> <td>31.67</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>198.78</td> <td>23.30</td> <td>43.50</td> <td>-20.20</td> <td>38.38</td> <td>14.99</td> <td>1.43</td> <td>31.50</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>437.40</td> <td>23.95</td> <td>46.00</td> <td>-22.05</td> <td>30.23</td> <td>22.85</td> <td>2.17</td> <td>31.30</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>674.08</td> <td>28.44</td> <td>46.00</td> <td>-17.56</td> <td>30.29</td> <td>26.60</td> <td>2.70</td> <td>31.15</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>859.35</td> <td>33.43</td> <td>46.00</td> <td>-12.57</td> <td>32.14</td> <td>29.26</td> <td>3.07</td> <td>31.04</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	30.00	24.26	40.00	-15.74	29.94	0.53	31.50	--- Peak	2	113.42	18.69	43.50	-24.81	31.88	17.39	1.09	31.67	--- Peak	3	198.78	23.30	43.50	-20.20	38.38	14.99	1.43	31.50	--- Peak	4	437.40	23.95	46.00	-22.05	30.23	22.85	2.17	31.30	--- Peak	5	674.08	28.44	46.00	-17.56	30.29	26.60	2.70	31.15	--- Peak	6	859.35	33.43	46.00	-12.57	32.14	29.26	3.07	31.04	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>36.79</td> <td>27.84</td> <td>40.00</td> <td>-12.16</td> <td>37.24</td> <td>21.71</td> <td>0.59</td> <td>31.70</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>130.88</td> <td>18.26</td> <td>43.50</td> <td>-25.24</td> <td>30.94</td> <td>17.79</td> <td>1.17</td> <td>31.64</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>252.13</td> <td>24.29</td> <td>46.00</td> <td>-21.71</td> <td>35.00</td> <td>19.13</td> <td>1.66</td> <td>31.50</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>632.37</td> <td>28.28</td> <td>46.00</td> <td>-17.72</td> <td>30.13</td> <td>26.69</td> <td>2.62</td> <td>31.16</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>799.21</td> <td>31.24</td> <td>46.00</td> <td>-14.76</td> <td>30.64</td> <td>28.76</td> <td>2.94</td> <td>31.10</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>963.14</td> <td>34.93</td> <td>54.00</td> <td>-19.07</td> <td>30.72</td> <td>31.77</td> <td>3.25</td> <td>30.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	36.79	27.84	40.00	-12.16	37.24	21.71	0.59	31.70	--- Peak	2	130.88	18.26	43.50	-25.24	30.94	17.79	1.17	31.64	--- Peak	3	252.13	24.29	46.00	-21.71	35.00	19.13	1.66	31.50	--- Peak	4	632.37	28.28	46.00	-17.72	30.13	26.69	2.62	31.16	--- Peak	5	799.21	31.24	46.00	-14.76	30.64	28.76	2.94	31.10	--- Peak	6	963.14	34.93	54.00	-19.07	30.72	31.77	3.25	30.81	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																		
1	30.00	24.26	40.00	-15.74	29.94	0.53	31.50	--- Peak																																																																																																																																																																	
2	113.42	18.69	43.50	-24.81	31.88	17.39	1.09	31.67	--- Peak																																																																																																																																																																
3	198.78	23.30	43.50	-20.20	38.38	14.99	1.43	31.50	--- Peak																																																																																																																																																																
4	437.40	23.95	46.00	-22.05	30.23	22.85	2.17	31.30	--- Peak																																																																																																																																																																
5	674.08	28.44	46.00	-17.56	30.29	26.60	2.70	31.15	--- Peak																																																																																																																																																																
6	859.35	33.43	46.00	-12.57	32.14	29.26	3.07	31.04	--- Peak																																																																																																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																		
1	36.79	27.84	40.00	-12.16	37.24	21.71	0.59	31.70	--- Peak																																																																																																																																																																
2	130.88	18.26	43.50	-25.24	30.94	17.79	1.17	31.64	--- Peak																																																																																																																																																																
3	252.13	24.29	46.00	-21.71	35.00	19.13	1.66	31.50	--- Peak																																																																																																																																																																
4	632.37	28.28	46.00	-17.72	30.13	26.69	2.62	31.16	--- Peak																																																																																																																																																																
5	799.21	31.24	46.00	-14.76	30.64	28.76	2.94	31.10	--- Peak																																																																																																																																																																
6	963.14	34.93	54.00	-19.07	30.72	31.77	3.25	30.81	--- Peak																																																																																																																																																																



Mode	41																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																					
ANT	BF 8+10																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.65</td> <td>48.44</td> <td>74.00</td> <td>-25.56</td> <td>46.93</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>142</td> <td>62 PEAK</td> </tr> <tr> <td>2</td> <td>2387.65</td> <td>23.65</td> <td>54.00</td> <td>-30.35</td> <td>22.14</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>142</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.65	48.44	74.00	-25.56	46.93	30.43	4.79	33.71	142	62 PEAK	2	2387.65	23.65	54.00	-30.35	22.14	30.43	4.79	33.71	142	62 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>110.86</td> <td>-----</td> <td>-----</td> <td>109.29</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>142</td> <td>62 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>86.07</td> <td>-----</td> <td>-----</td> <td>84.50</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>142</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	110.86	-----	-----	109.29	30.44	4.81	33.68	142	62 PEAK	2	2402.00	86.07	-----	-----	84.50	30.44	4.81	33.68	142	62 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2387.65	48.44	74.00	-25.56	46.93	30.43	4.79	33.71	142	62 PEAK																																																																																												
2	2387.65	23.65	54.00	-30.35	22.14	30.43	4.79	33.71	142	62 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2402.00	110.86	-----	-----	109.29	30.44	4.81	33.68	142	62 PEAK																																																																																												
2	2402.00	86.07	-----	-----	84.50	30.44	4.81	33.68	142	62 AVERAGE																																																																																												



Mode	41																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																					
ANT	BF 8+10																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<p>Date: 2025-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2380.84</td> <td>43.15</td> <td>74.00</td> <td>-30.85</td> <td>41.65</td> <td>30.43</td> <td>4.79</td> <td>33.72</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2380.84</td> <td>18.36</td> <td>54.00</td> <td>-35.64</td> <td>16.86</td> <td>30.43</td> <td>4.79</td> <td>33.72</td> <td>400</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.84	43.15	74.00	-30.85	41.65	30.43	4.79	33.72	400	268	PEAK	2	2380.84	18.36	54.00	-35.64	16.86	30.43	4.79	33.72	400	268	AVERAGE	<p>Date: 2025-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>104.93</td> <td>-----</td> <td>-----</td> <td>103.36</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>80.14</td> <td>-----</td> <td>-----</td> <td>78.57</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>400</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.93	-----	-----	103.36	30.44	4.81	33.68	400	268	PEAK	2	2402.00	80.14	-----	-----	78.57	30.44	4.81	33.68	400	268	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2380.84	43.15	74.00	-30.85	41.65	30.43	4.79	33.72	400	268	PEAK																																																																																											
2	2380.84	18.36	54.00	-35.64	16.86	30.43	4.79	33.72	400	268	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2402.00	104.93	-----	-----	103.36	30.44	4.81	33.68	400	268	PEAK																																																																																											
2	2402.00	80.14	-----	-----	78.57	30.44	4.81	33.68	400	268	AVERAGE																																																																																											



Mode	41																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																															
ANT	BF 8+10																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.91</td> <td>74.00</td> <td>-32.09</td> <td>57.82</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>17.12</td> <td>54.00</td> <td>-36.88</td> <td>33.03</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	41.91	74.00	-32.09	57.82	33.82	7.74	57.47	--	Peak	2	4804.00	17.12	54.00	-36.88	33.03	33.82	7.74	57.47	--	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.16</td> <td>74.00</td> <td>-31.84</td> <td>58.07</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>17.37</td> <td>54.00</td> <td>-36.63</td> <td>33.28</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	42.16	74.00	-31.84	58.07	33.82	7.74	57.47	--	Peak	2	4804.00	17.37	54.00	-36.63	33.28	33.82	7.74	57.47	--	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	4804.00	41.91	74.00	-32.09	57.82	33.82	7.74	57.47	--	Peak																																																																																						
2	4804.00	17.12	54.00	-36.88	33.03	33.82	7.74	57.47	--	Average																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	4804.00	42.16	74.00	-31.84	58.07	33.82	7.74	57.47	--	Peak																																																																																						
2	4804.00	17.37	54.00	-36.63	33.28	33.82	7.74	57.47	--	Average																																																																																						



Mode	42																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																									
ANT	BF 8+10																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>42.90</td> <td>74.00</td> <td>-31.10</td> <td>58.80</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>4882.00</td> <td>18.11</td> <td>54.00</td> <td>-35.89</td> <td>34.01</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>-- Average</td> </tr> <tr> <td>3</td> <td>7323.00</td> <td>45.32</td> <td>74.00</td> <td>-28.68</td> <td>58.98</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>-- Peak</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>20.53</td> <td>54.00</td> <td>-33.47</td> <td>34.19</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>-- Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4882.00	42.90	74.00	-31.10	58.80	33.85	7.77	57.52	-- Peak	2	4882.00	18.11	54.00	-35.89	34.01	33.85	7.77	57.52	-- Average	3	7323.00	45.32	74.00	-28.68	58.98	36.30	8.97	58.93	-- Peak	4	7323.00	20.53	54.00	-33.47	34.19	36.30	8.97	58.93	-- Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>60.07</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>4882.00</td> <td>19.38</td> <td>54.00</td> <td>-34.62</td> <td>35.28</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>-- Average</td> </tr> <tr> <td>3</td> <td>7323.00</td> <td>45.90</td> <td>74.00</td> <td>-28.10</td> <td>59.56</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>-- Peak</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>21.11</td> <td>54.00</td> <td>-32.89</td> <td>34.77</td> <td>36.30</td> <td>8.97</td> <td>58.93</td> <td>-- Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4882.00	44.17	74.00	-29.83	60.07	33.85	7.77	57.52	-- Peak	2	4882.00	19.38	54.00	-34.62	35.28	33.85	7.77	57.52	-- Average	3	7323.00	45.90	74.00	-28.10	59.56	36.30	8.97	58.93	-- Peak	4	7323.00	21.11	54.00	-32.89	34.77	36.30	8.97	58.93	-- Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	4882.00	42.90	74.00	-31.10	58.80	33.85	7.77	57.52	-- Peak																																																																																																																																	
2	4882.00	18.11	54.00	-35.89	34.01	33.85	7.77	57.52	-- Average																																																																																																																																	
3	7323.00	45.32	74.00	-28.68	58.98	36.30	8.97	58.93	-- Peak																																																																																																																																	
4	7323.00	20.53	54.00	-33.47	34.19	36.30	8.97	58.93	-- Average																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	4882.00	44.17	74.00	-29.83	60.07	33.85	7.77	57.52	-- Peak																																																																																																																																	
2	4882.00	19.38	54.00	-34.62	35.28	33.85	7.77	57.52	-- Average																																																																																																																																	
3	7323.00	45.90	74.00	-28.10	59.56	36.30	8.97	58.93	-- Peak																																																																																																																																	
4	7323.00	21.11	54.00	-32.89	34.77	36.30	8.97	58.93	-- Average																																																																																																																																	



Mode	43																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																	
ANT	BF 8+10																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<p>Date: 2025-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.95</td> <td>47.37</td> <td>74.00</td> <td>-26.63</td> <td>45.49</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>134</td> <td>65 PEAK</td> </tr> <tr> <td>2</td> <td>2483.95</td> <td>22.58</td> <td>54.00</td> <td>-31.42</td> <td>20.70</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>134</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.95	47.37	74.00	-26.63	45.49	30.49	4.92	33.53	134	65 PEAK	2	2483.95	22.58	54.00	-31.42	20.70	30.49	4.92	33.53	134	65 AVERAGE	<p>Date: 2025-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>109.29</td> <td>-----</td> <td>-----</td> <td>107.42</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>134</td> <td>65 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>84.50</td> <td>-----</td> <td>-----</td> <td>82.63</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>134</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.29	-----	-----	107.42	30.49	4.92	33.54	134	65 PEAK	2	2480.00	84.50	-----	-----	82.63	30.49	4.92	33.54	134	65 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.95	47.37	74.00	-26.63	45.49	30.49	4.92	33.53	134	65 PEAK																																																																																								
2	2483.95	22.58	54.00	-31.42	20.70	30.49	4.92	33.53	134	65 AVERAGE																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	109.29	-----	-----	107.42	30.49	4.92	33.54	134	65 PEAK																																																																																								
2	2480.00	84.50	-----	-----	82.63	30.49	4.92	33.54	134	65 AVERAGE																																																																																								



Mode	43																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																														
ANT	BF 8+10																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.83</td> <td>57.77</td> <td>74.00</td> <td>-16.23</td> <td>55.89</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>336</td> <td>273 PEAK</td> </tr> <tr> <td>2 2483.83</td> <td>32.98</td> <td>54.00</td> <td>-21.02</td> <td>31.10</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>336</td> <td>273 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.83	57.77	74.00	-16.23	55.89	30.49	4.92	33.53	336	273 PEAK	2 2483.83	32.98	54.00	-21.02	31.10	30.49	4.92	33.53	336	273 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>105.54</td> <td>-----</td> <td>-----</td> <td>103.67</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>336</td> <td>273 PEAK</td> </tr> <tr> <td>2 2480.00</td> <td>80.75</td> <td>-----</td> <td>-----</td> <td>78.88</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>336</td> <td>273 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.54	-----	-----	103.67	30.49	4.92	33.54	336	273 PEAK	2 2480.00	80.75	-----	-----	78.88	30.49	4.92	33.54	336
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2483.83	57.77	74.00	-16.23	55.89	30.49	4.92	33.53	336	273 PEAK																																																																																						
2 2483.83	32.98	54.00	-21.02	31.10	30.49	4.92	33.53	336	273 AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2480.00	105.54	-----	-----	103.67	30.49	4.92	33.54	336	273 PEAK																																																																																						
2 2480.00	80.75	-----	-----	78.88	30.49	4.92	33.54	336	273 AVERAGE																																																																																						




Mode	43																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																									
ANT	BF 8+10																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>43.48</td> <td>74.00</td> <td>-30.52</td> <td>59.36</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>18.69</td> <td>54.00</td> <td>-35.31</td> <td>34.57</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>44.37</td> <td>74.00</td> <td>-29.63</td> <td>57.86</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>19.58</td> <td>54.00</td> <td>-34.42</td> <td>33.07</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	4960.00	43.48	74.00	-30.52	59.36	33.89	7.81	57.58	--	Peak	2	4960.00	18.69	54.00	-35.31	34.57	33.89	7.81	57.58	--	Average	3	7440.00	44.37	74.00	-29.63	57.86	36.30	9.19	58.98	--	Peak	4	7440.00	19.58	54.00	-34.42	33.07	36.30	9.19	58.98	--	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>60.95</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4960.00</td> <td>20.28</td> <td>54.00</td> <td>-33.72</td> <td>36.16</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>45.29</td> <td>74.00</td> <td>-28.71</td> <td>58.78</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>20.50</td> <td>54.00</td> <td>-33.50</td> <td>33.99</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	4960.00	45.07	74.00	-28.93	60.95	33.89	7.81	57.58	--	Peak	2	4960.00	20.28	54.00	-33.72	36.16	33.89	7.81	57.58	--	Average	3	7440.00	45.29	74.00	-28.71	58.78	36.30	9.19	58.98	--	Peak	4	7440.00	20.50	54.00	-33.50	33.99	36.30	9.19	58.98	--	Average
		Limit	Read	Ant	Cable Preamp	Apos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																																			
1	4960.00	43.48	74.00	-30.52	59.36	33.89	7.81	57.58	--	Peak																																																																																																																																
2	4960.00	18.69	54.00	-35.31	34.57	33.89	7.81	57.58	--	Average																																																																																																																																
3	7440.00	44.37	74.00	-29.63	57.86	36.30	9.19	58.98	--	Peak																																																																																																																																
4	7440.00	19.58	54.00	-34.42	33.07	36.30	9.19	58.98	--	Average																																																																																																																																
	Limit	Read	Ant	Cable Preamp	Apos	TPos																																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																																			
1	4960.00	45.07	74.00	-28.93	60.95	33.89	7.81	57.58	--	Peak																																																																																																																																
2	4960.00	20.28	54.00	-33.72	36.16	33.89	7.81	57.58	--	Average																																																																																																																																
3	7440.00	45.29	74.00	-28.71	58.78	36.30	9.19	58.98	--	Peak																																																																																																																																
4	7440.00	20.50	54.00	-33.50	33.99	36.30	9.19	58.98	--	Average																																																																																																																																


## Appendix D. Duty Cycle Plots

Ant.10

### DH5 on time (One Pulse) Plot on Channel 39



### DH5 on time (Count Pulses) Plot on Channel 39




**Note:**

1. Worst case Duty cycle = on time/100 milliseconds =  $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor =  $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

Ant.8

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds =  $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor =  $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

Ant.10+8

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds =  $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor =  $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.