



Mode	14																																																																																				
	Harmonic																																																																																				
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																				
ANT	10																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Level</th> <th>Loss Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>44.02</td> <td>74.00</td> <td>-29.98</td> <td>59.92</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.36</td> <td>74.00</td> <td>-28.64</td> <td>59.03</td> <td>36.30</td> <td>8.96</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	Level	Factor	Level	Loss Factor	1	4880.00	44.02	74.00	-29.98	59.92	33.85	7.77	57.52	---	---	Peak	2	7320.00	45.36	74.00	-28.64	59.03	36.30	8.96	58.93	---	---	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Loss Factor</th> <th>Level</th> <th>Loss Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>44.03</td> <td>74.00</td> <td>-29.97</td> <td>59.93</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.74</td> <td>74.00</td> <td>-29.26</td> <td>58.41</td> <td>36.30</td> <td>8.96</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	Level	Loss Factor	Level	Loss Factor	1	4880.00	44.03	74.00	-29.97	59.93	33.85	7.77	57.52	---	---	Peak	2	7320.00	44.74	74.00	-29.26	58.41	36.30	8.96	58.93	---	---
Freq	Level			Limit		Read								Ant	Cable	Preamp	APos	TPos	Remark																																																																		
		Line	Margin	Level	Factor	Level	Loss Factor																																																																														
1	4880.00	44.02	74.00	-29.98	59.92	33.85	7.77	57.52	---	---	Peak																																																																										
2	7320.00	45.36	74.00	-28.64	59.03	36.30	8.96	58.93	---	---	Peak																																																																										
Freq	Level	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																										
		Line	Margin	Level	Loss Factor							Level	Loss Factor																																																																								
1	4880.00	44.03	74.00	-29.97	59.93	33.85	7.77	57.52	---	---	Peak																																																																										
2	7320.00	44.74	74.00	-29.26	58.41	36.30	8.96	58.93	---	---	Peak																																																																										



Mode	15																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.02</td> <td>49.54</td> <td>74.00</td> <td>-24.46</td> <td>47.63</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>328</td> <td>17 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2490.02	49.54	74.00	-24.46	47.63	30.50	4.93	33.52	328	17 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>106.75</td> <td>74.00</td> <td>32.75</td> <td>104.88</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>328</td> <td>17 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	106.75	74.00	32.75	104.88	30.49	4.92	33.54	328	17 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2490.02	49.54	74.00	-24.46	47.63	30.50	4.93	33.52	328	17 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	106.75	74.00	32.75	104.88	30.49	4.92	33.54	328	17 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>40.39</td> <td>54.00</td> <td>-13.61</td> <td>38.51</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>328</td> <td>17 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.54	40.39	54.00	-13.61	38.51	30.49	4.92	33.53	328	17 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.69</td> <td>54.00</td> <td>51.69</td> <td>103.82</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>328</td> <td>17 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	105.69	54.00	51.69	103.82	30.49	4.92	33.54	328	17 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.54	40.39	54.00	-13.61	38.51	30.49	4.92	33.53	328	17 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	105.69	54.00	51.69	103.82	30.49	4.92	33.54	328	17 AVERAGE																																																																								



Mode	15																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	10																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.84</td> <td>49.97</td> <td>74.00</td> <td>-24.03</td> <td>48.09</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>380</td> <td>258 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.84	49.97	74.00	-24.03	48.09	30.49	4.92	33.53	380	258 PEAK	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.08</td> <td>74.00</td> <td>29.08</td> <td>101.21</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>380</td> <td>258 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	103.08	74.00	29.08	101.21	30.49	4.92	33.54	380	258 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.84	49.97	74.00	-24.03	48.09	30.49	4.92	33.53	380	258 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	103.08	74.00	29.08	101.21	30.49	4.92	33.54	380	258 PEAK																																																																								
Avg	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.08</td> <td>39.82</td> <td>54.00</td> <td>-14.18</td> <td>37.91</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>380</td> <td>258 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2490.08	39.82	54.00	-14.18	37.91	30.50	4.93	33.52	380	258 AVERAGE	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.04</td> <td>54.00</td> <td>48.04</td> <td>100.17</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>380</td> <td>258 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	102.04	54.00	48.04	100.17	30.49	4.92	33.54	380	258 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2490.08	39.82	54.00	-14.18	37.91	30.50	4.93	33.52	380	258 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	102.04	54.00	48.04	100.17	30.49	4.92	33.54	380	258 AVERAGE																																																																								



Mode	15																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																											
ANT	10																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>44.38</td> <td>74.00</td> <td>-29.62</td> <td>60.26</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>59.17</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4960.00	44.38	74.00	-29.62	60.26	33.89	7.81	57.58	---	---	Peak						2	7440.00	45.68	74.00	-28.32	59.17	36.30	9.19	58.98	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>44.35</td> <td>74.00</td> <td>-29.65</td> <td>60.23</td> <td>33.89</td> <td>7.81</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.98</td> <td>74.00</td> <td>-29.02</td> <td>58.47</td> <td>36.30</td> <td>9.19</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4960.00	44.35	74.00	-29.65	60.23	33.89	7.81	57.58	---	---	Peak						2	7440.00	44.98	74.00	-29.02	58.47	36.30	9.19	58.98	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4960.00	44.38	74.00	-29.62	60.26	33.89	7.81	57.58	---	---	Peak																																																																																																																																	
2	7440.00	45.68	74.00	-28.32	59.17	36.30	9.19	58.98	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4960.00	44.35	74.00	-29.65	60.23	33.89	7.81	57.58	---	---	Peak																																																																																																																																	
2	7440.00	44.98	74.00	-29.02	58.47	36.30	9.19	58.98	---	---	Peak																																																																																																																																	



Mode	16																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																									
ANT	10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2321.56</td> <td>49.44</td> <td>74.00</td> <td>-24.56</td> <td>48.15</td> <td>30.39</td> <td>4.73</td> <td>33.83</td> <td>156</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2321.56	49.44	74.00	-24.56	48.15	30.39	4.73	33.83	156	331	PEAK	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>108.32</td> <td>-----</td> <td>-----</td> <td>106.75</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>156</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2404.00	108.32	-----	-----	106.75	30.44	4.81	33.68	156	331	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2321.56	49.44	74.00	-24.56	48.15	30.39	4.73	33.83	156	331	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2404.00	108.32	-----	-----	106.75	30.44	4.81	33.68	156	331	PEAK																																																															
Avg	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2333.97</td> <td>40.83</td> <td>54.00</td> <td>-13.17</td> <td>39.50</td> <td>30.40</td> <td>4.74</td> <td>33.81</td> <td>156</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2333.97	40.83	54.00	-13.17	39.50	30.40	4.74	33.81	156	331	AVERAGE	<p>Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>106.51</td> <td>-----</td> <td>-----</td> <td>104.94</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>156</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2404.00	106.51	-----	-----	104.94	30.44	4.81	33.68	156	331	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2333.97	40.83	54.00	-13.17	39.50	30.40	4.74	33.81	156	331	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2404.00	106.51	-----	-----	104.94	30.44	4.81	33.68	156	331	AVERAGE																																																															



Mode	16																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																									
ANT	10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.63</td> <td>49.33</td> <td>74.00</td> <td>-24.67</td> <td>47.83</td> <td>30.43</td> <td>4.79</td> <td>33.72</td> <td>106</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2381.63	49.33	74.00	-24.67	47.83	30.43	4.79	33.72	106	31	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>97.98</td> <td>74.00</td> <td>23.98</td> <td>96.41</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>106</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2404.00	97.98	74.00	23.98	96.41	30.44	4.81	33.68	106	31	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2381.63	49.33	74.00	-24.67	47.83	30.43	4.79	33.72	106	31	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2404.00	97.98	74.00	23.98	96.41	30.44	4.81	33.68	106	31	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2374.58</td> <td>40.64</td> <td>54.00</td> <td>-13.36</td> <td>39.16</td> <td>30.43</td> <td>4.78</td> <td>33.73</td> <td>106</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2374.58	40.64	54.00	-13.36	39.16	30.43	4.78	33.73	106	31	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>95.98</td> <td>54.00</td> <td>41.98</td> <td>94.41</td> <td>30.44</td> <td>4.81</td> <td>33.68</td> <td>106</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2404.00	95.98	54.00	41.98	94.41	30.44	4.81	33.68	106	31	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2374.58	40.64	54.00	-13.36	39.16	30.43	4.78	33.73	106	31	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2404.00	95.98	54.00	41.98	94.41	30.44	4.81	33.68	106	31	AVERAGE																																																															







Mode	16																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																									
ANT	10																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4808.00</td> <td>43.98</td> <td>74.00</td> <td>-30.02</td> <td>59.89</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4808.00	43.98	74.00	-30.02	59.89	33.82	7.74	57.47	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4808.00</td> <td>43.69</td> <td>74.00</td> <td>-30.31</td> <td>59.60</td> <td>33.82</td> <td>7.74</td> <td>57.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4808.00	43.69	74.00	-30.31	59.60	33.82	7.74	57.47	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4808.00	43.98	74.00	-30.02	59.89	33.82	7.74	57.47	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4808.00	43.69	74.00	-30.31	59.60	33.82	7.74	57.47	---	---	Peak																																																															







Mode	17																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																							
ANT	10																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>45.72</td> <td>74.00</td> <td>-28.28</td> <td>61.62</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>46.59</td> <td>74.00</td> <td>-27.41</td> <td>60.26</td> <td>36.30</td> <td>8.96</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	45.72	74.00	-28.28	61.62	33.85	7.77	57.52	---	---	Peak	2	7320.00	46.59	74.00	-27.41	60.26	36.30	8.96	58.93	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.88</td> <td>74.00</td> <td>-30.12</td> <td>59.78</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.47</td> <td>74.00</td> <td>-28.53</td> <td>59.14</td> <td>36.30</td> <td>8.96</td> <td>58.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	43.88	74.00	-30.12	59.78	33.85	7.77	57.52	---	---	Peak	2	7320.00	45.47	74.00	-28.53	59.14	36.30	8.96	58.93	---	---	Peak
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4880.00	45.72	74.00	-28.28	61.62	33.85	7.77	57.52	---	---	Peak																																																																																													
2	7320.00	46.59	74.00	-27.41	60.26	36.30	8.96	58.93	---	---	Peak																																																																																													
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4880.00	43.88	74.00	-30.12	59.78	33.85	7.77	57.52	---	---	Peak																																																																																													
2	7320.00	45.47	74.00	-28.53	59.14	36.30	8.96	58.93	---	---	Peak																																																																																													



Mode	18																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																	
ANT	10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2478 to 2500 MHz. A red horizontal line indicates a limit at 74 dBuV/m. A peak is observed at 2497.40 MHz with a level of 49.38 dBuV/m. A red label 'PEAK_BE_74' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2497.40</td> <td>49.38</td> <td>74.00</td> <td>-24.62</td> <td>47.45</td> <td>30.50</td> <td>4.94</td> <td>33.51</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>327</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2497.40	49.38	74.00	-24.62	47.45	30.50	4.94	33.51							327	19 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates a limit at 74 dBuV/m. A peak is observed at 2478.00 MHz with a level of 106.82 dBuV/m. A red label 'PEAK_74' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2478.00</td> <td>106.82</td> <td>-----</td> <td>-----</td> <td>104.96</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>327</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2478.00	106.82	-----	-----	104.96	30.49	4.91	33.54							327	19 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 2497.40	49.38	74.00	-24.62	47.45	30.50	4.94	33.51																																																																											
						327	19 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 2478.00	106.82	-----	-----	104.96	30.49	4.91	33.54																																																																											
						327	19 PEAK																																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2478 to 2500 MHz. A red horizontal line indicates a limit at 54 dBuV/m. The average level is 41.25 dBuV/m at 2483.85 MHz. A red label 'AVG_BE_54' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.85</td> <td>41.25</td> <td>54.00</td> <td>-12.75</td> <td>39.37</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>327</td> <td>19 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2483.85	41.25	54.00	-12.75	39.37	30.49	4.92	33.53							327	19 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates a limit at 54 dBuV/m. The average level is 105.06 dBuV/m at 2478.00 MHz. A red label 'AVG_54' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2478.00</td> <td>105.06</td> <td>-----</td> <td>-----</td> <td>103.20</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>327</td> <td>19 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2478.00	105.06	-----	-----	103.20	30.49	4.91	33.54							327	19 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 2483.85	41.25	54.00	-12.75	39.37	30.49	4.92	33.53																																																																											
						327	19 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 2478.00	105.06	-----	-----	103.20	30.49	4.91	33.54																																																																											
						327	19 AVERAGE																																																																											





Mode	18																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																									
ANT	10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.96</td> <td>49.77</td> <td>74.00</td> <td>-24.23</td> <td>47.84</td> <td>30.50</td> <td>4.94</td> <td>33.51</td> <td>381</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2496.96	49.77	74.00	-24.23	47.84	30.50	4.94	33.51	381	246	PEAK	 <p style="text-align: right;">Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>102.23</td> <td>-----</td> <td>-----</td> <td>100.37</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>381</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2478.00	102.23	-----	-----	100.37	30.49	4.91	33.54	381	246	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2496.96	49.77	74.00	-24.23	47.84	30.50	4.94	33.51	381	246	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2478.00	102.23	-----	-----	100.37	30.49	4.91	33.54	381	246	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.93</td> <td>40.99</td> <td>54.00</td> <td>-13.01</td> <td>39.06</td> <td>30.50</td> <td>4.94</td> <td>33.51</td> <td>381</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2495.93	40.99	54.00	-13.01	39.06	30.50	4.94	33.51	381	246	AVERAGE	 <p style="text-align: right;">Date: 2025-05-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>100.42</td> <td>-----</td> <td>-----</td> <td>98.56</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>381</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2478.00	100.42	-----	-----	98.56	30.49	4.91	33.54	381	246	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2495.93	40.99	54.00	-13.01	39.06	30.50	4.94	33.51	381	246	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2478.00	100.42	-----	-----	98.56	30.49	4.91	33.54	381	246	AVERAGE																																																															



Mode	18																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																
ANT	10																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>44.82</td> <td>74.00</td> <td>-29.18</td> <td>60.71</td> <td>33.88</td> <td>7.80</td> <td>57.57</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>59.47</td> <td>36.30</td> <td>9.19</td> <td>58.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	44.82	74.00	-29.18	60.71	33.88	7.80	57.57	---	---	Peak	2	7434.00	45.99	74.00	-28.01	59.47	36.30	9.19	58.97	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>44.04</td> <td>74.00</td> <td>-29.96</td> <td>59.93</td> <td>33.88</td> <td>7.80</td> <td>57.57</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>46.00</td> <td>74.00</td> <td>-28.00</td> <td>59.48</td> <td>36.30</td> <td>9.19</td> <td>58.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	44.04	74.00	-29.96	59.93	33.88	7.80	57.57	---	---	Peak	2	7434.00	46.00	74.00	-28.00	59.48	36.30	9.19	58.97	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	4956.00	44.82	74.00	-29.18	60.71	33.88	7.80	57.57	---	---	Peak																																																																																						
2	7434.00	45.99	74.00	-28.01	59.47	36.30	9.19	58.97	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	4956.00	44.04	74.00	-29.96	59.93	33.88	7.80	57.57	---	---	Peak																																																																																						
2	7434.00	46.00	74.00	-28.00	59.48	36.30	9.19	58.97	---	---	Peak																																																																																						




Mode	19																																																																																																																																																																									
	LF																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_LF_CH38_2478MHz																																																																																																																																																																									
ANT	8																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
QP/ Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with six peaks labeled 1 through 6. A red line indicates the FCC CLASS-B limit at 46.00 dBuV/m. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from 0 to 80 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>24.79</td><td>40.00</td><td>-15.21</td><td>30.47</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>99.84</td><td>17.48</td><td>43.50</td><td>-26.02</td><td>32.05</td><td>16.11</td><td>1.02</td><td>31.70</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>24.33</td><td>43.50</td><td>-19.17</td><td>39.43</td><td>14.98</td><td>1.42</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>562.53</td><td>27.97</td><td>46.00</td><td>-18.03</td><td>29.81</td><td>26.93</td><td>2.48</td><td>31.25</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>792.42</td><td>30.97</td><td>46.00</td><td>-15.03</td><td>30.30</td><td>28.82</td><td>2.93</td><td>31.08</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>946.65</td><td>34.02</td><td>46.00</td><td>-11.98</td><td>30.41</td><td>31.24</td><td>3.23</td><td>30.86</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	30.00	24.79	40.00	-15.21	30.47	25.29	0.53	31.50	---	---	Peak	2	99.84	17.48	43.50	-26.02	32.05	16.11	1.02	31.70	---	---	Peak	3	197.81	24.33	43.50	-19.17	39.43	14.98	1.42	31.50	---	---	Peak	4	562.53	27.97	46.00	-18.03	29.81	26.93	2.48	31.25	---	---	Peak	5	792.42	30.97	46.00	-15.03	30.30	28.82	2.93	31.08	---	---	Peak	6	946.65	34.02	46.00	-11.98	30.41	31.24	3.23	30.86	---	---	Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with six peaks labeled 1 through 6. A red line indicates the FCC CLASS-B limit at 46.00 dBuV/m. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from 0 to 80 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>27.35</td><td>40.00</td><td>-12.65</td><td>34.13</td><td>24.25</td><td>0.55</td><td>31.58</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>81.41</td><td>17.68</td><td>40.00</td><td>-22.32</td><td>34.74</td><td>13.74</td><td>0.90</td><td>31.70</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>252.13</td><td>24.61</td><td>46.00</td><td>-21.39</td><td>35.32</td><td>19.13</td><td>1.66</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>553.80</td><td>28.53</td><td>46.00</td><td>-17.47</td><td>30.55</td><td>26.79</td><td>2.47</td><td>31.28</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>736.16</td><td>30.29</td><td>46.00</td><td>-15.71</td><td>30.07</td><td>28.42</td><td>2.83</td><td>31.03</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>961.20</td><td>33.67</td><td>54.00</td><td>-20.33</td><td>29.48</td><td>31.76</td><td>3.25</td><td>30.82</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	31.94	27.35	40.00	-12.65	34.13	24.25	0.55	31.58	---	---	Peak	2	81.41	17.68	40.00	-22.32	34.74	13.74	0.90	31.70	---	---	Peak	3	252.13	24.61	46.00	-21.39	35.32	19.13	1.66	31.50	---	---	Peak	4	553.80	28.53	46.00	-17.47	30.55	26.79	2.47	31.28	---	---	Peak	5	736.16	30.29	46.00	-15.71	30.07	28.42	2.83	31.03	---	---	Peak	6	961.20	33.67	54.00	-20.33	29.48	31.76	3.25	30.82	---	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	30.00	24.79	40.00	-15.21	30.47	25.29	0.53	31.50	---	---	Peak																																																																																																																																																															
2	99.84	17.48	43.50	-26.02	32.05	16.11	1.02	31.70	---	---	Peak																																																																																																																																																															
3	197.81	24.33	43.50	-19.17	39.43	14.98	1.42	31.50	---	---	Peak																																																																																																																																																															
4	562.53	27.97	46.00	-18.03	29.81	26.93	2.48	31.25	---	---	Peak																																																																																																																																																															
5	792.42	30.97	46.00	-15.03	30.30	28.82	2.93	31.08	---	---	Peak																																																																																																																																																															
6	946.65	34.02	46.00	-11.98	30.41	31.24	3.23	30.86	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	31.94	27.35	40.00	-12.65	34.13	24.25	0.55	31.58	---	---	Peak																																																																																																																																																															
2	81.41	17.68	40.00	-22.32	34.74	13.74	0.90	31.70	---	---	Peak																																																																																																																																																															
3	252.13	24.61	46.00	-21.39	35.32	19.13	1.66	31.50	---	---	Peak																																																																																																																																																															
4	553.80	28.53	46.00	-17.47	30.55	26.79	2.47	31.28	---	---	Peak																																																																																																																																																															
5	736.16	30.29	46.00	-15.71	30.07	28.42	2.83	31.03	---	---	Peak																																																																																																																																																															
6	961.20	33.67	54.00	-20.33	29.48	31.76	3.25	30.82	---	---	Peak																																																																																																																																																															

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
8	Bluetooth –LE (1Mbps)	61.29	0.380	2.632	3KHz
8	Bluetooth –LE (2Mbps)	33.33	0.210	4.762	10KHz
10	Bluetooth –LE (1Mbps)	61.29	0.380	2.632	3KHz
10	Bluetooth –LE (2Mbps)	33.33	0.210	4.762	10KHz


<Ant. 8>

Bluetooth – LE (1Mbps)






Bluetooth – LE (2Mbps)



<Ant. 10>

Bluetooth – LE (1Mbps)





Bluetooth – LE (2Mbps)

