



<Single RU>



Maximum power spectral density



Test Result



TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11BE20MIMO	Ant10	2412	26Tone	RU0	-8.59	≤8.00	PASS
			52Tone	RU37	-7.14	≤8.00	PASS
			106Tone	RU53	-7.36	≤8.00	PASS
	Ant8	2412	26Tone	RU0	-7.94	≤8.00	PASS
			52Tone	RU37	-7.49	≤8.00	PASS
			106Tone	RU53	-7.31	≤8.00	PASS
	total	2412	26Tone	RU0	-5.24	≤8.00	PASS
			52Tone	RU37	-4.30	≤8.00	PASS
			106Tone	RU53	-4.32	≤8.00	PASS
	Ant10	2462	26Tone	RU8	-8.41	≤8.00	PASS
			52Tone	RU40	-7.89	≤8.00	PASS
			106Tone	RU54	-8.19	≤8.00	PASS
	Ant8	2462	26Tone	RU8	-8.14	≤8.00	PASS
			52Tone	RU40	-7.34	≤8.00	PASS
			106Tone	RU54	-7.60	≤8.00	PASS
total	2462	26Tone	RU8	-5.26	≤8.00	PASS	
		52Tone	RU40	-4.60	≤8.00	PASS	
		106Tone	RU54	-4.87	≤8.00	PASS	







Test Graphs

















<Small RU>



Maximum power spectral density



Test Result



TestMode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11BE20MIMO	Ant10	2412	52+26_OFDMA	1	-7.43	≤8.00	PASS
			106+26_OFDMA	1	-6.95	≤8.00	PASS
	Ant8	2412	52+26_OFDMA	1	-6.93	≤8.00	PASS
			106+26_OFDMA	1	-7.51	≤8.00	PASS
	total	2412	52+26_OFDMA	1	-4.16	≤8.00	PASS
			106+26_OFDMA	1	-4.21	≤8.00	PASS
	Ant10	2462	52+26_OFDMA	3	-7.78	≤8.00	PASS
			106+26_OFDMA	2	-7.89	≤8.00	PASS
	Ant8	2462	52+26_OFDMA	3	-7.28	≤8.00	PASS
			106+26_OFDMA	2	-7.76	≤8.00	PASS
	total	2462	52+26_OFDMA	3	-4.51	≤8.00	PASS
			106+26_OFDMA	2	-4.81	≤8.00	PASS





Test Graphs












Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15C_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	40.95	-14.70	55.65	21.09	9.67	10.19	Average
2 *	0.16	51.35	-14.30	65.65	31.49	9.67	10.19	QP
3	0.22	32.30	-20.66	52.96	12.40	9.71	10.19	Average
4	0.22	44.40	-18.56	62.96	24.50	9.71	10.19	QP
5	0.26	30.03	-21.39	51.42	10.10	9.73	10.20	Average
6	0.26	41.93	-19.49	61.42	22.00	9.73	10.20	QP
7	0.30	27.76	-22.39	50.15	7.79	9.76	10.21	Average
8	0.30	37.96	-22.19	60.15	17.99	9.76	10.21	QP
9	0.52	27.62	-18.38	46.00	7.70	9.68	10.24	Average
10	0.52	37.72	-18.28	56.00	17.80	9.68	10.24	QP
11	0.59	27.50	-18.50	46.00	7.60	9.66	10.24	Average
12	0.59	38.40	-17.60	56.00	18.50	9.66	10.24	QP



Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
 Condition : FCC 15C_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.19	-17.50	55.69	18.40	9.60	10.19	Average
2 *	0.16	49.89	-15.80	65.69	30.10	9.60	10.19	QP
3	0.21	33.88	-19.44	53.32	13.90	9.80	10.18	Average
4	0.21	44.68	-18.64	63.32	24.70	9.80	10.18	QP
5	0.22	32.28	-20.38	52.66	12.40	9.69	10.19	Average
6	0.22	43.08	-19.58	62.66	23.20	9.69	10.19	QP
7	0.33	26.50	-22.99	49.49	6.60	9.69	10.21	Average
8	0.33	36.20	-23.29	59.49	16.30	9.69	10.21	QP
9	0.49	30.31	-15.79	46.10	10.00	10.07	10.24	Average
10	0.49	38.31	-17.79	56.10	18.00	10.07	10.24	QP
11	0.59	29.07	-16.93	46.00	9.19	9.64	10.24	Average
12	0.59	38.17	-17.83	56.00	18.29	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 19	2400-2483.5	8	802.11b	01	2412	1Mbps	-	-
Mode 20	2400-2483.5	8	802.11b	06	2437	1Mbps	-	-
Mode 21	2400-2483.5	8	802.11b	11	2462	1Mbps	-	-
Mode 22	2400-2483.5	10	802.11b	01	2412	1Mbps	-	-
Mode 23	2400-2483.5	10	802.11b	06	2437	1Mbps	-	-
Mode 24	2400-2483.5	10	802.11b	11	2462	1Mbps	-	-
Mode 25	2400-2483.5	8	802.11g	01	2412	6Mbps	-	-
Mode 26	2400-2483.5	8	802.11g	06	2437	6Mbps	-	-
Mode 27	2400-2483.5	8	802.11g	11	2462	6Mbps	-	-
Mode 28	2400-2483.5	10	802.11g	01	2412	6Mbps	-	-
Mode 29	2400-2483.5	10	802.11g	06	2437	6Mbps	-	-
Mode 30	2400-2483.5	10	802.11g	11	2462	6Mbps	-	-
Mode 31	2400-2483.5	CDD 8+10	802.11be EHT20	01	2412	MCS0	Full	-
Mode 32	2400-2483.5	CDD 8+10	802.11be EHT20	06	2437	MCS0	Full	-
Mode 33	2400-2483.5	CDD 8+10	802.11be EHT20	11	2462	MCS0	Full	-
Mode 34	2400-2483.5	CDD 8+10	802.11be EHT20	01	2412	MCS0	Single RU 52/37	-
Mode 35	2400-2483.5	CDD 8+10	802.11be EHT20	11	2462	MCS0	Single RU 26/8	-
Mode 36	2400-2483.5	CDD 8+10	802.11be EHT20	01	2412	MCS0	Small RU 52+26/37+2	-
Mode 37	2400-2483.5	CDD 8+10	802.11be EHT20	11	2462	MCS0	Small RU 52+26	-
Mode 40	2400-2483.5	CDD 8+10	802.11be EHT20	11	2462	6Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11b	01	2386.70	38.81	54.00	-15.19	H	Average	Pass	Band Edge
19	802.11b	01	4824.00	43.94	74.00	-30.06	V	Peak	Pass	Harmonic
20	802.11b	06	-	-	-	-	-	-	-	Band Edge
20	802.11b	06	7311.00	46.31	74.00	-27.69	H	Peak	Pass	Harmonic
21	802.11b	11	2486.66	40.92	54.00	-13.08	H	Average	Pass	Band Edge
21	802.11b	11	7386.00	44.15	74.00	-29.85	V	Peak	Pass	Harmonic
22	802.11b	01	-	-	-	-	-	-	-	Band Edge
22	802.11b	01	4824.00	43.53	74.00	-30.47	V	Peak	Pass	Harmonic
23	802.11b	06	-	-	-	-	-	-	-	Band Edge
23	802.11b	06	7311.00	44.09	74.00	-29.91	V	Peak	Pass	Harmonic
24	802.11b	11	2484.19	39.25	54.00	-14.75	H	Average	Pass	Band Edge
24	802.11b	11	7386.00	45.80	74.00	-28.20	H	Peak	Pass	Harmonic
25	802.11g	01	2389.95	41.56	54.00	-12.44	H	Average	Pass	Band Edge
25	802.11g	01	4824.00	44.20	74.00	-29.80	V	Peak	Pass	Harmonic
26	802.11g	06	-	-	-	-	-	-	-	Band Edge
26	802.11g	06	7311.00	46.17	74.00	-27.83	V	Peak	Pass	Harmonic
27	802.11g	11	2483.55	42.84	54.00	-11.16	H	Average	Pass	Band Edge
27	802.11g	11	7386.00	45.35	74.00	-28.65	V	Peak	Pass	Harmonic
28	802.11g	01	2389.69	44.19	54.00	-9.81	H	Average	Pass	Band Edge
28	802.11g	01	4824.00	43.90	74.00	-30.10	V	Peak	Pass	Harmonic
29	802.11g	06	-	-	-	-	-	-	-	Band Edge
29	802.11g	06	7311.00	45.60	74.00	-28.40	H	Peak	Pass	Harmonic
30	802.11g	11	2483.66	45.67	54.00	-8.33	H	Average	Pass	Band Edge
30	802.11g	11	7386.00	46.71	74.00	-27.29	H	Peak	Pass	Harmonic
31	802.11be EHT20	01	2389.95	46.45	54.00	-7.55	H	Average	Pass	Band Edge
31	802.11be EHT20	01	4824.00	44.20	74.00	-29.80	V	Peak	Pass	Harmonic
32	802.11be EHT20	06	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT20	06	7311.00	44.92	74.00	-29.08	V	Peak	Pass	Harmonic
33	802.11be EHT20	11	2483.77	50.70	54.00	-3.30	H	Average	Pass	Band Edge
33	802.11be EHT20	11	7386.00	46.09	74.00	-27.91	V	Peak	Pass	Harmonic
34	802.11be EHT20	01	2389.30	41.18	54.00	-12.82	H	Average	Pass	Band Edge
34	802.11be EHT20	01	-	-	-	-	-	-	-	Harmonic
35	802.11be EHT20	11	2484.19	39.84	54.00	-14.16	H	Average	Pass	Band Edge
35	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT20	01	2389.17	40.33	54.00	-13.67	H	Average	Pass	Band Edge
36	802.11be EHT20	01	-	-	-	-	-	-	-	Harmonic
37	802.11be EHT20	11	2484.08	39.91	54.00	-14.09	H	Average	Pass	Band Edge
37	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic
40	802.11be EHT20	11	958.29	34.69	46.00	-11.31	H	PEAK	PASS	LF



Mode	19																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>48.80</td> <td>74.00</td> <td>-25.20</td> <td>47.29</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>114</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	48.80	74.00	-25.20	47.29	30.43	4.79	33.71	114	41	PEAK	 <p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.17</td> <td>-----</td> <td>-----</td> <td>103.56</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>114</td> <td>41</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.17	-----	-----	103.56	30.45	4.82	33.66	114	41	PEAK_74
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.78	48.80	74.00	-25.20	47.29	30.43	4.79	33.71	114	41	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	105.17	-----	-----	103.56	30.45	4.82	33.66	114	41	PEAK_74																																																																							
Avg	 <p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.70</td> <td>38.81</td> <td>54.00</td> <td>-15.19</td> <td>37.30</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>114</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	38.81	54.00	-15.19	37.30	30.43	4.79	33.71	114	41	AVERAGE	 <p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.72</td> <td>-----</td> <td>-----</td> <td>98.11</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>114</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.72	-----	-----	98.11	30.45	4.82	33.66	114	41	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2386.70	38.81	54.00	-15.19	37.30	30.43	4.79	33.71	114	41	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	99.72	-----	-----	98.11	30.45	4.82	33.66	114	41	AVERAGE																																																																							



Mode	19																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																											
ANT	8																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.22</td> <td>48.78</td> <td>74.00</td> <td>-25.22</td> <td>47.35</td> <td>30.42</td> <td>4.77</td> <td>33.76</td> <td>111</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2361.22	48.78	74.00	-25.22	47.35	30.42	4.77	33.76	111	17	PEAK	<p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>92.71</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>111</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	92.71	-----	-----	91.10	30.45	4.82	33.66	111	17	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2361.22	48.78	74.00	-25.22	47.35	30.42	4.77	33.76	111	17	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	92.71	-----	-----	91.10	30.45	4.82	33.66	111	17	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.87</td> <td>38.18</td> <td>54.00</td> <td>-15.82</td> <td>36.67</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>111</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.87	38.18	54.00	-15.82	36.67	30.43	4.79	33.71	111	17	AVERAGE	<p style="text-align: right;">Date: 2025-05-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>90.43</td> <td>-----</td> <td>-----</td> <td>88.82</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>111</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	90.43	-----	-----	88.82	30.45	4.82	33.66	111	17	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2387.87	38.18	54.00	-15.82	36.67	30.43	4.79	33.71	111	17	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	90.43	-----	-----	88.82	30.45	4.82	33.66	111	17	AVERAGE																																																																	







Mode	19																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.93</td> <td>74.00</td> <td>-30.07</td> <td>59.83</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.93	74.00	-30.07	59.83	33.83	7.75	57.48	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.94</td> <td>74.00</td> <td>-30.06</td> <td>59.84</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.94	74.00	-30.06	59.84	33.83	7.75	57.48	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.93	74.00	-30.07	59.83	33.83	7.75	57.48	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.94	74.00	-30.06	59.84	33.83	7.75	57.48	---	---	Peak																																																															



Mode	20																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																											
ANT	8																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.43</td> <td>74.00</td> <td>-31.57</td> <td>58.33</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.31</td> <td>74.00</td> <td>-27.69</td> <td>60.00</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4874.00	42.43	74.00	-31.57	58.33	33.85	7.77	57.52	---	---	Peak						2	7311.00	46.31	74.00	-27.69	60.00	36.30	8.93	58.92	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.96</td> <td>74.00</td> <td>-31.04</td> <td>58.86</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.29</td> <td>74.00</td> <td>-27.71</td> <td>59.98</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4874.00	42.96	74.00	-31.04	58.86	33.85	7.77	57.52	---	---	Peak						2	7311.00	46.29	74.00	-27.71	59.98	36.30	8.93	58.92	---	---	Peak					
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4874.00	42.43	74.00	-31.57	58.33	33.85	7.77	57.52	---	---	Peak																																																																																																																																	
2	7311.00	46.31	74.00	-27.69	60.00	36.30	8.93	58.92	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4874.00	42.96	74.00	-31.04	58.86	33.85	7.77	57.52	---	---	Peak																																																																																																																																	
2	7311.00	46.29	74.00	-27.71	59.98	36.30	8.93	58.92	---	---	Peak																																																																																																																																	



Mode	21																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. Date: 2025-05-05. A red line indicates a peak level of 74 dB at 2484.8 MHz, labeled PEAK_BE_74.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.83</td> <td>50.18</td> <td>74.00</td> <td>-23.82</td> <td>48.30</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>110</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2485.83	50.18	74.00	-23.82	48.30	30.49	4.92	33.53	110	53	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. Date: 2025-05-05. A red line indicates a peak level of 74 dB at 2462.00 MHz, labeled PEAK_74.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.63</td> <td>-----</td> <td>-----</td> <td>103.83</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>110</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	105.63	-----	-----	103.83	30.48	4.89	33.57	110	53	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2485.83	50.18	74.00	-23.82	48.30	30.49	4.92	33.53	110	53	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	105.63	-----	-----	103.83	30.48	4.89	33.57	110	53	PEAK																																																															
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. Date: 2025-05-05. A red line indicates an average level of 54 dB at 2484.8 MHz, labeled AVG_BE_54.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.66</td> <td>40.92</td> <td>54.00</td> <td>-13.08</td> <td>39.04</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>110</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2486.66	40.92	54.00	-13.08	39.04	30.49	4.92	33.53	110	53	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. Date: 2025-05-05. A red line indicates an average level of 54 dB at 2462.00 MHz, labeled AVG_54.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>101.04</td> <td>-----</td> <td>-----</td> <td>99.24</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>110</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	101.04	-----	-----	99.24	30.48	4.89	33.57	110	53	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2486.66	40.92	54.00	-13.08	39.04	30.49	4.92	33.53	110	53	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	101.04	-----	-----	99.24	30.48	4.89	33.57	110	53	AVERAGE																																																															



Mode	21																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																	
ANT	8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.21</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>47.10</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>331</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2492.21	49.01	74.00	-24.99	47.10	30.50	4.93	33.52	331	11 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>86.21</td> <td>74.00</td> <td>-12.21</td> <td>84.41</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>331</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2462.00	86.21	74.00	-12.21	84.41	30.48	4.89	33.57	331	11 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	2492.21	49.01	74.00	-24.99	47.10	30.50	4.93	33.52	331	11 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	2462.00	86.21	74.00	-12.21	84.41	30.48	4.89	33.57	331	11 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.08</td> <td>38.70</td> <td>54.00</td> <td>-15.30</td> <td>36.81</td> <td>30.49</td> <td>4.93</td> <td>33.53</td> <td>331</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2487.08	38.70	54.00	-15.30	36.81	30.49	4.93	33.53	331	11 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>87.48</td> <td>54.00</td> <td>-33.48</td> <td>85.68</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>331</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2462.00	87.48	54.00	-33.48	85.68	30.48	4.89	33.57	331	11 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	2487.08	38.70	54.00	-15.30	36.81	30.49	4.93	33.53	331	11 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	2462.00	87.48	54.00	-33.48	85.68	30.48	4.89	33.57	331	11 AVERAGE																																																																								



Mode	21																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	8																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.42</td> <td>74.00</td> <td>-30.58</td> <td>59.31</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>43.69</td> <td>74.00</td> <td>-30.31</td> <td>57.17</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.42	74.00	-30.58	59.31	33.87	7.79	57.55	--- Peak	2	7386.00	43.69	74.00	-30.31	57.17	36.30	9.17	58.95	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.08</td> <td>74.00</td> <td>-30.92</td> <td>58.97</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.15</td> <td>74.00</td> <td>-29.85</td> <td>57.63</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.08	74.00	-30.92	58.97	33.87	7.79	57.55	--- Peak	2	7386.00	44.15	74.00	-29.85	57.63	36.30	9.17	58.95	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4924.00	43.42	74.00	-30.58	59.31	33.87	7.79	57.55	--- Peak																																																																																									
2	7386.00	43.69	74.00	-30.31	57.17	36.30	9.17	58.95	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4924.00	43.08	74.00	-30.92	58.97	33.87	7.79	57.55	--- Peak																																																																																									
2	7386.00	44.15	74.00	-29.85	57.63	36.30	9.17	58.95	--- Peak																																																																																									



Mode	22																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																									
ANT	10																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak																																																																										
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.43</td> <td>74.00</td> <td>-30.57</td> <td>59.33</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.43	74.00	-30.57	59.33	33.83	7.75	57.48	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.53</td> <td>74.00</td> <td>-30.47</td> <td>59.43</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.53	74.00	-30.47	59.43	33.83	7.75	57.48	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.43	74.00	-30.57	59.33	33.83	7.75	57.48	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.53	74.00	-30.47	59.43	33.83	7.75	57.48	---	---	Peak																																																															



Mode	23																																																																																																										
	Harmonic																																																																																																										
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																										
ANT	10																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.61</td> <td>74.00</td> <td>-32.39</td> <td>57.51</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>43.70</td> <td>74.00</td> <td>-30.30</td> <td>57.39</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.61	74.00	-32.39	57.51	33.85	7.77	57.52	---	---	Peak	2	7311.00	43.70	74.00	-30.30	57.39	36.30	8.93	58.92	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.23</td> <td>74.00</td> <td>-31.77</td> <td>58.13</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.09</td> <td>74.00</td> <td>-29.91</td> <td>57.78</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.23	74.00	-31.77	58.13	33.85	7.77	57.52	---	---	Peak	2	7311.00	44.09	74.00	-29.91	57.78	36.30	8.93	58.92	---	---
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4874.00	41.61	74.00	-32.39	57.51	33.85	7.77	57.52	---	---	Peak																																																																																																
2	7311.00	43.70	74.00	-30.30	57.39	36.30	8.93	58.92	---	---	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4874.00	42.23	74.00	-31.77	58.13	33.85	7.77	57.52	---	---	Peak																																																																																																
2	7311.00	44.09	74.00	-29.91	57.78	36.30	8.93	58.92	---	---	Peak																																																																																																



Mode	24																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.67</td> <td>50.13</td> <td>74.00</td> <td>-23.87</td> <td>48.25</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>123</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2485.67	50.13	74.00	-23.87	48.25	30.49	4.92	33.53	123	328	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.15</td> <td>-----</td> <td>-----</td> <td>100.35</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>123</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	102.15	-----	-----	100.35	30.48	4.89	33.57	123	328	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2485.67	50.13	74.00	-23.87	48.25	30.49	4.92	33.53	123	328	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	102.15	-----	-----	100.35	30.48	4.89	33.57	123	328	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.19</td> <td>39.25</td> <td>54.00</td> <td>-14.75</td> <td>37.37</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>123</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.19	39.25	54.00	-14.75	37.37	30.49	4.92	33.53	123	328	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.18</td> <td>-----</td> <td>-----</td> <td>97.39</td> <td>30.48</td> <td>4.89</td> <td>33.58</td> <td>123</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	99.18	-----	-----	97.39	30.48	4.89	33.58	123	328	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2484.19	39.25	54.00	-14.75	37.37	30.49	4.92	33.53	123	328	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	99.18	-----	-----	97.39	30.48	4.89	33.58	123	328	AVERAGE																																																															







Mode	24																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.66</td> <td>49.90</td> <td>74.00</td> <td>-24.10</td> <td>47.99</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>133</td> <td>27</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2489.66	49.90	74.00	-24.10	47.99	30.50	4.93	33.52	133	27	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>93.69</td> <td>74.00</td> <td>19.69</td> <td>91.89</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>133</td> <td>27</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	93.69	74.00	19.69	91.89	30.48	4.89	33.57	133	27	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2489.66	49.90	74.00	-24.10	47.99	30.50	4.93	33.52	133	27	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	93.69	74.00	19.69	91.89	30.48	4.89	33.57	133	27	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.11</td> <td>38.89</td> <td>54.00</td> <td>-15.11</td> <td>36.98</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>133</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2491.11	38.89	54.00	-15.11	36.98	30.50	4.93	33.52	133	27	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>91.42</td> <td>54.00</td> <td>37.42</td> <td>89.63</td> <td>30.48</td> <td>4.89</td> <td>33.58</td> <td>133</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	91.42	54.00	37.42	89.63	30.48	4.89	33.58	133	27	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2491.11	38.89	54.00	-15.11	36.98	30.50	4.93	33.52	133	27	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	91.42	54.00	37.42	89.63	30.48	4.89	33.58	133	27	AVERAGE																																																															



Mode	24																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																											
ANT	10																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.45</td> <td>74.00</td> <td>-30.55</td> <td>59.34</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.80</td> <td>74.00</td> <td>-28.20</td> <td>59.28</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.45	74.00	-30.55	59.34	33.87	7.79	57.55	---	---	Peak	2	7386.00	45.80	74.00	-28.20	59.28	36.30	9.17	58.95	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.39</td> <td>74.00</td> <td>-30.61</td> <td>59.28</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>58.75</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.39	74.00	-30.61	59.28	33.87	7.79	57.55	---	---	Peak	2	7386.00	45.27	74.00	-28.73	58.75	36.30	9.17	58.95	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	4924.00	43.45	74.00	-30.55	59.34	33.87	7.79	57.55	---	---	Peak																																																																																																	
2	7386.00	45.80	74.00	-28.20	59.28	36.30	9.17	58.95	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	4924.00	43.39	74.00	-30.61	59.28	33.87	7.79	57.55	---	---	Peak																																																																																																	
2	7386.00	45.27	74.00	-28.73	58.75	36.30	9.17	58.95	---	---	Peak																																																																																																	



Mode	25																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 2025-05-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>54.48</td> <td>74.00</td> <td>-19.52</td> <td>52.94</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>112</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	54.48	74.00	-19.52	52.94	30.44	4.80	33.70	112	54 PEAK	 <p>Date: 2025-05-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.71</td> <td>-----</td> <td>-----</td> <td>104.10</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>112</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	105.71	-----	-----	104.10	30.45	4.82	33.66	112	54 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	2389.95	54.48	74.00	-19.52	52.94	30.44	4.80	33.70	112	54 PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	2412.00	105.71	-----	-----	104.10	30.45	4.82	33.66	112	54 PEAK																																																																
Avg	 <p>Date: 2025-05-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>41.56</td> <td>54.00</td> <td>-12.44</td> <td>40.02</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>112</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	41.56	54.00	-12.44	40.02	30.44	4.80	33.70	112	54 AVERAGE	 <p>Date: 2025-05-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.14</td> <td>-----</td> <td>-----</td> <td>96.53</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>112</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	98.14	-----	-----	96.53	30.45	4.82	33.66	112	54 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	2389.95	41.56	54.00	-12.44	40.02	30.44	4.80	33.70	112	54 AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	2412.00	98.14	-----	-----	96.53	30.45	4.82	33.66	112	54 AVERAGE																																																																



Mode	25																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																											
ANT	8																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.18</td> <td>48.70</td> <td>74.00</td> <td>-25.30</td> <td>47.19</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>111</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2386.18	48.70	74.00	-25.30	47.19	30.43	4.79	33.71	111	12	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>93.70</td> <td>-----</td> <td>-----</td> <td>92.09</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>111</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	93.70	-----	-----	92.09	30.45	4.82	33.66	111	12	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2386.18	48.70	74.00	-25.30	47.19	30.43	4.79	33.71	111	12	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	93.70	-----	-----	92.09	30.45	4.82	33.66	111	12	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2365.90</td> <td>38.28</td> <td>54.00</td> <td>-15.72</td> <td>36.84</td> <td>30.42</td> <td>4.77</td> <td>33.75</td> <td>111</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2365.90	38.28	54.00	-15.72	36.84	30.42	4.77	33.75	111	12	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>86.61</td> <td>-----</td> <td>-----</td> <td>85.00</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>111</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	86.61	-----	-----	85.00	30.45	4.82	33.66	111	12	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2365.90	38.28	54.00	-15.72	36.84	30.42	4.77	33.75	111	12	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	86.61	-----	-----	85.00	30.45	4.82	33.66	111	12	AVERAGE																																																																	



Mode	25																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.91</td> <td>74.00</td> <td>-30.09</td> <td>59.81</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.91	74.00	-30.09	59.81	33.83	7.75	57.48	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.20</td> <td>74.00</td> <td>-29.80</td> <td>60.10</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.20	74.00	-29.80	60.10	33.83	7.75	57.48	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.91	74.00	-30.09	59.81	33.83	7.75	57.48	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	44.20	74.00	-29.80	60.10	33.83	7.75	57.48	---	---	Peak																																																															



Mode	26																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																											
ANT	8																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>60.61</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>58.82</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4874.00	44.71	74.00	-29.29	60.61	33.85	7.77	57.52	---	---	Peak						2	7311.00	45.13	74.00	-28.87	58.82	36.30	8.93	58.92	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.60</td> <td>74.00</td> <td>-30.40</td> <td>59.50</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>59.86</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4874.00	43.60	74.00	-30.40	59.50	33.85	7.77	57.52	---	---	Peak						2	7311.00	46.17	74.00	-27.83	59.86	36.30	8.93	58.92	---	---	Peak					
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4874.00	44.71	74.00	-29.29	60.61	33.85	7.77	57.52	---	---	Peak																																																																																																																																	
2	7311.00	45.13	74.00	-28.87	58.82	36.30	8.93	58.92	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4874.00	43.60	74.00	-30.40	59.50	33.85	7.77	57.52	---	---	Peak																																																																																																																																	
2	7311.00	46.17	74.00	-27.83	59.86	36.30	8.93	58.92	---	---	Peak																																																																																																																																	



Mode	27																																																											
	Band Edge																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																											
ANT	8																																																											
Pol.	Horizontal	Fundamental																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.04</td> <td>57.35</td> <td>74.00</td> <td>-16.65</td> <td>55.47</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>106</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	2484.04	57.35	74.00	-16.65	55.47	30.49	4.92	33.53	106	51 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.33</td> <td>-----</td> <td>-----</td> <td>103.52</td> <td>30.48</td> <td>4.90</td> <td>33.57</td> <td>106</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	2462.00	105.33	-----	-----	103.52	30.48	4.90	33.57	106	51 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																		
1	2484.04	57.35	74.00	-16.65	55.47	30.49	4.92	33.53	106	51 PEAK																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																		
1	2462.00	105.33	-----	-----	103.52	30.48	4.90	33.57	106	51 PEAK																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>42.84</td> <td>54.00</td> <td>-11.16</td> <td>40.96</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>106</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	2483.55	42.84	54.00	-11.16	40.96	30.49	4.92	33.53	106	51 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>95.55</td> <td>-----</td> <td>-----</td> <td>93.75</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>106</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	2462.00	95.55	-----	-----	93.75	30.48	4.89	33.57	106	51 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																		
1	2483.55	42.84	54.00	-11.16	40.96	30.49	4.92	33.53	106	51 AVERAGE																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																		
1	2462.00	95.55	-----	-----	93.75	30.48	4.89	33.57	106	51 AVERAGE																																																		



Mode	27																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>49.55</td> <td>74.00</td> <td>-24.45</td> <td>47.67</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.62	49.55	74.00	-24.45	47.67	30.49	4.92	33.53	100	5 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>90.81</td> <td>-----</td> <td>-----</td> <td>89.03</td> <td>30.48</td> <td>4.88</td> <td>33.58</td> <td>100</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	90.81	-----	-----	89.03	30.48	4.88	33.58	100	5 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.62	49.55	74.00	-24.45	47.67	30.49	4.92	33.53	100	5 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	90.81	-----	-----	89.03	30.48	4.88	33.58	100	5 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.46</td> <td>38.67</td> <td>54.00</td> <td>-15.33</td> <td>36.79</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.46	38.67	54.00	-15.33	36.79	30.49	4.92	33.53	100	5 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>84.03</td> <td>-----</td> <td>-----</td> <td>82.25</td> <td>30.48</td> <td>4.88</td> <td>33.58</td> <td>100</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	84.03	-----	-----	82.25	30.48	4.88	33.58	100	5 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.46	38.67	54.00	-15.33	36.79	30.49	4.92	33.53	100	5 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	84.03	-----	-----	82.25	30.48	4.88	33.58	100	5 AVERAGE																																																																								







Mode	27																																																																																				
	Harmonic																																																																																				
	2400-2483.5_802.11g_CH11_2462MHz																																																																																				
ANT	8																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Level</th> <th>Loss Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.44</td> <td>74.00</td> <td>-29.56</td> <td>60.33</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.86</td> <td>74.00</td> <td>-29.14</td> <td>58.34</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	Level	Factor	Level	Loss Factor	1	4924.00	44.44	74.00	-29.56	60.33	33.87	7.79	57.55	---	---	Peak	2	7386.00	44.86	74.00	-29.14	58.34	36.30	9.17	58.95	---	---	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Loss Factor</th> <th>Level</th> <th>Loss Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>60.69</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.35</td> <td>74.00</td> <td>-28.65</td> <td>58.83</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	Level	Loss Factor	Level	Loss Factor	1	4924.00	44.80	74.00	-29.20	60.69	33.87	7.79	57.55	---	---	Peak	2	7386.00	45.35	74.00	-28.65	58.83	36.30	9.17	58.95	---	---
Freq	Level			Limit		Read								Ant	Cable	Preamp	APos	TPos	Remark																																																																		
		Line	Margin	Level	Factor	Level	Loss Factor																																																																														
1	4924.00	44.44	74.00	-29.56	60.33	33.87	7.79	57.55	---	---	Peak																																																																										
2	7386.00	44.86	74.00	-29.14	58.34	36.30	9.17	58.95	---	---	Peak																																																																										
Freq	Level	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																										
		Line	Margin	Level	Loss Factor							Level	Loss Factor																																																																								
1	4924.00	44.80	74.00	-29.20	60.69	33.87	7.79	57.55	---	---	Peak																																																																										
2	7386.00	45.35	74.00	-28.65	58.83	36.30	9.17	58.95	---	---	Peak																																																																										



Mode	28																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																									
ANT	10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>54.83</td> <td>74.00</td> <td>-19.17</td> <td>53.29</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>123</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.82	54.83	74.00	-19.17	53.29	30.44	4.80	33.70	123	327	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.97</td> <td>-----</td> <td>-----</td> <td>103.37</td> <td>30.45</td> <td>4.82</td> <td>33.67</td> <td>123</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	104.97	-----	-----	103.37	30.45	4.82	33.67	123	327	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2389.82	54.83	74.00	-19.17	53.29	30.44	4.80	33.70	123	327	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	104.97	-----	-----	103.37	30.45	4.82	33.67	123	327	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>44.19</td> <td>54.00</td> <td>-9.81</td> <td>42.65</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>123</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.69	44.19	54.00	-9.81	42.65	30.44	4.80	33.70	123	327	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.65</td> <td>-----</td> <td>-----</td> <td>97.04</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>123</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	98.65	-----	-----	97.04	30.45	4.82	33.66	123	327	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2389.69	44.19	54.00	-9.81	42.65	30.44	4.80	33.70	123	327	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	98.65	-----	-----	97.04	30.45	4.82	33.66	123	327	AVERAGE																																																															



Mode	28																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																											
ANT	10																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2367.98</td> <td>48.86</td> <td>74.00</td> <td>-25.14</td> <td>47.41</td> <td>30.42</td> <td>4.77</td> <td>33.74</td> <td>123</td> <td>349</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2367.98	48.86	74.00	-25.14	47.41	30.42	4.77	33.74	123	349	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>95.37</td> <td>-----</td> <td>-----</td> <td>93.77</td> <td>30.45</td> <td>4.82</td> <td>33.67</td> <td>123</td> <td>349</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	95.37	-----	-----	93.77	30.45	4.82	33.67	123	349	PEAK_74
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2367.98	48.86	74.00	-25.14	47.41	30.42	4.77	33.74	123	349	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	95.37	-----	-----	93.77	30.45	4.82	33.67	123	349	PEAK_74																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>39.34</td> <td>54.00</td> <td>-14.66</td> <td>37.80</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>123</td> <td>349</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	39.34	54.00	-14.66	37.80	30.44	4.80	33.70	123	349	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>88.53</td> <td>-----</td> <td>-----</td> <td>86.92</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>123</td> <td>349</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	88.53	-----	-----	86.92	30.45	4.82	33.66	123	349	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.95	39.34	54.00	-14.66	37.80	30.44	4.80	33.70	123	349	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	88.53	-----	-----	86.92	30.45	4.82	33.66	123	349	AVERAGE																																																																	






Mode	28																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																									
ANT	10																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.72</td> <td>74.00</td> <td>-30.28</td> <td>59.62</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.72	74.00	-30.28	59.62	33.83	7.75	57.48	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.90</td> <td>74.00</td> <td>-30.10</td> <td>59.80</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.90	74.00	-30.10	59.80	33.83	7.75	57.48	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.72	74.00	-30.28	59.62	33.83	7.75	57.48	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	43.90	74.00	-30.10	59.80	33.83	7.75	57.48	---	---	Peak																																																															



Mode	29																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																											
ANT	10																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.46</td> <td>74.00</td> <td>-30.54</td> <td>59.36</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.60</td> <td>74.00</td> <td>-28.40</td> <td>59.29</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4874.00	43.46	74.00	-30.54	59.36	33.85	7.77	57.52	---	---	Peak						2	7311.00	45.60	74.00	-28.40	59.29	36.30	8.93	58.92	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th colspan="3"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.57</td> <td>74.00</td> <td>-29.43</td> <td>60.47</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.05</td> <td>74.00</td> <td>-28.95</td> <td>58.74</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg				1	4874.00	44.57	74.00	-29.43	60.47	33.85	7.77	57.52	---	---	Peak						2	7311.00	45.05	74.00	-28.95	58.74	36.30	8.93	58.92	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4874.00	43.46	74.00	-30.54	59.36	33.85	7.77	57.52	---	---	Peak																																																																																																																																	
2	7311.00	45.60	74.00	-28.40	59.29	36.30	8.93	58.92	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor					cm	deg																																																																																																																															
1	4874.00	44.57	74.00	-29.43	60.47	33.85	7.77	57.52	---	---	Peak																																																																																																																																	
2	7311.00	45.05	74.00	-28.95	58.74	36.30	8.93	58.92	---	---	Peak																																																																																																																																	



Mode	30																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																			
ANT	10																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2483.77 MHz. A red horizontal line indicates the limit at 74.00 dBuV/m. The peak level is 60.75 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Freq</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.77</td> <td>60.75</td> <td>74.00</td> <td>-13.25</td> <td>58.87</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>141</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg		1	2483.77	60.75	74.00	-13.25	58.87	30.49	4.92	33.53	141	9 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462.00 MHz. A red horizontal line indicates the limit at 74.00 dBuV/m. The peak level is 103.92 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Freq</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.92</td> <td>74.00</td> <td>29.92</td> <td>102.12</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>141</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg		1	2462.00	103.92	74.00	29.92	102.12	30.48	4.89	33.57	141	9 PEAK
	Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																											
1	2483.77	60.75	74.00	-13.25	58.87	30.49	4.92	33.53	141	9 PEAK																																																										
Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																											
1	2462.00	103.92	74.00	29.92	102.12	30.48	4.89	33.57	141	9 PEAK																																																										
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2483.66 MHz. A red horizontal line indicates the limit at 54.00 dBuV/m. The average level is 45.67 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Freq</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>45.67</td> <td>54.00</td> <td>-8.33</td> <td>43.79</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>141</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg		1	2483.66	45.67	54.00	-8.33	43.79	30.49	4.92	33.53	141	9 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2462.00 MHz. A red horizontal line indicates the limit at 54.00 dBuV/m. The average level is 97.04 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Freq</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>97.04</td> <td>54.00</td> <td>43.04</td> <td>95.24</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>141</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg		1	2462.00	97.04	54.00	43.04	95.24	30.48	4.89	33.57	141	9 AVERAGE
Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																											
1	2483.66	45.67	54.00	-8.33	43.79	30.49	4.92	33.53	141	9 AVERAGE																																																										
Limit Freq	Limit Level	Read Freq	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																											
1	2462.00	97.04	54.00	43.04	95.24	30.48	4.89	33.57	141	9 AVERAGE																																																										







Mode	30																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																									
ANT	10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.25</td> <td>49.71</td> <td>74.00</td> <td>-24.29</td> <td>47.80</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>130</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2489.25	49.71	74.00	-24.29	47.80	30.50	4.93	33.52	130	352	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>95.51</td> <td>74.00</td> <td>21.51</td> <td>93.71</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>130</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	95.51	74.00	21.51	93.71	30.48	4.89	33.57	130	352	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2489.25	49.71	74.00	-24.29	47.80	30.50	4.93	33.52	130	352	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	95.51	74.00	21.51	93.71	30.48	4.89	33.57	130	352	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>38.77</td> <td>54.00</td> <td>-15.23</td> <td>36.89</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>130</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.62	38.77	54.00	-15.23	36.89	30.49	4.92	33.53	130	352	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>88.08</td> <td>54.00</td> <td>34.08</td> <td>86.28</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>130</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	88.08	54.00	34.08	86.28	30.48	4.89	33.57	130	352	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.62	38.77	54.00	-15.23	36.89	30.49	4.92	33.53	130	352	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	88.08	54.00	34.08	86.28	30.48	4.89	33.57	130	352	AVERAGE																																																															



Mode	30																																																																																																										
	Harmonic																																																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																										
ANT	10																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.83</td> <td>74.00</td> <td>-29.17</td> <td>60.72</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.71</td> <td>74.00</td> <td>-27.29</td> <td>60.19</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.83	74.00	-29.17	60.72	33.87	7.79	57.55	---	---	Peak	2	7386.00	46.71	74.00	-27.29	60.19	36.30	9.17	58.95	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.23</td> <td>74.00</td> <td>-29.77</td> <td>60.12</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.65</td> <td>74.00</td> <td>-28.35</td> <td>59.13</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.23	74.00	-29.77	60.12	33.87	7.79	57.55	---	---	Peak	2	7386.00	45.65	74.00	-28.35	59.13	36.30	9.17	58.95	---	---
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4924.00	44.83	74.00	-29.17	60.72	33.87	7.79	57.55	---	---	Peak																																																																																																
2	7386.00	46.71	74.00	-27.29	60.19	36.30	9.17	58.95	---	---	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4924.00	44.23	74.00	-29.77	60.12	33.87	7.79	57.55	---	---	Peak																																																																																																
2	7386.00	45.65	74.00	-28.35	59.13	36.30	9.17	58.95	---	---	Peak																																																																																																



	31																																																																									
Mode	Band Edge																																																																									
	2400-2483.5_802.11be EHT20_CH01_Full_2412MHz																																																																									
ANT	CDD 8+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <table border="1" data-bbox="255 1120 798 1254"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>61.16</td> <td>74.00</td> <td>-12.84</td> <td>59.62</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>100</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	61.16	74.00	-12.84	59.62	30.44	4.80	33.70	100	296	PEAK	 <table border="1" data-bbox="877 1120 1436 1254"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.82</td> <td>-----</td> <td>-----</td> <td>104.22</td> <td>30.45</td> <td>4.82</td> <td>33.67</td> <td>100</td> <td>296</td> <td>PEAK_74</td> </tr> </tbody> </table>		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	105.82	-----	-----	104.22	30.45	4.82	33.67	100	296	PEAK_74
		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2389.95	61.16	74.00	-12.84	59.62	30.44	4.80	33.70	100	296	PEAK																																																															
	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2412.00	105.82	-----	-----	104.22	30.45	4.82	33.67	100	296	PEAK_74																																																															
Avg	 <table border="1" data-bbox="255 1814 798 1948"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>46.45</td> <td>54.00</td> <td>-7.55</td> <td>44.91</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	46.45	54.00	-7.55	44.91	30.44	4.80	33.70	100	296	AVERAGE	 <table border="1" data-bbox="877 1814 1436 1948"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.83</td> <td>-----</td> <td>-----</td> <td>96.22</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>100</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	97.83	-----	-----	96.22	30.45	4.82	33.66	100	296	AVERAGE
		Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2389.95	46.45	54.00	-7.55	44.91	30.44	4.80	33.70	100	296	AVERAGE																																																															
	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2412.00	97.83	-----	-----	96.22	30.45	4.82	33.66	100	296	AVERAGE																																																															



Mode	31																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11be EHT20_CH01_Full_2412MHz																																																																											
ANT	CDD 8+10																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.44</td> <td>51.49</td> <td>74.00</td> <td>-22.51</td> <td>49.98</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>107</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2386.44	51.49	74.00	-22.51	49.98	30.43	4.79	33.71	107	39	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.99</td> <td>-----</td> <td>-----</td> <td>96.39</td> <td>30.45</td> <td>4.82</td> <td>33.67</td> <td>107</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	97.99	-----	-----	96.39	30.45	4.82	33.67	107	39	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2386.44	51.49	74.00	-22.51	49.98	30.43	4.79	33.71	107	39	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	97.99	-----	-----	96.39	30.45	4.82	33.67	107	39	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>39.77</td> <td>54.00</td> <td>-14.23</td> <td>38.26</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>107</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.78	39.77	54.00	-14.23	38.26	30.43	4.79	33.71	107	39	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>89.74</td> <td>-----</td> <td>-----</td> <td>88.14</td> <td>30.45</td> <td>4.82</td> <td>33.67</td> <td>107</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	89.74	-----	-----	88.14	30.45	4.82	33.67	107	39	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2388.78	39.77	54.00	-14.23	38.26	30.43	4.79	33.71	107	39	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2412.00	89.74	-----	-----	88.14	30.45	4.82	33.67	107	39	AVERAGE																																																																	



Mode	31																																																																					
	Harmonic																																																																					
	2400-2483.5_802.11be EHT20_CH01_Full_2412MHz																																																																					
ANT	CDD 8+10																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.14</td> <td>74.00</td> <td>-29.86</td> <td>60.04</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	44.14	74.00	-29.86	60.04	33.83	7.75	57.48	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.20</td> <td>74.00</td> <td>-29.80</td> <td>60.10</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	44.20	74.00	-29.80	60.10	33.83	7.75	57.48	--- --- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1	4824.00	44.14	74.00	-29.86	60.04	33.83	7.75	57.48	--- --- Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1	4824.00	44.20	74.00	-29.80	60.10	33.83	7.75	57.48	--- --- Peak																																																													



Mode	32																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_802.11be EHT20_CH06_Full_2437MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.30</td> <td>74.00</td> <td>-29.70</td> <td>60.20</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>58.53</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	4874.00	44.30	74.00	-29.70	60.20	33.85	7.77	57.52	---	---	---	Peak	2	7311.00	44.84	74.00	-29.16	58.53	36.30	8.93	58.92	---	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>60.26</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>58.61</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	4874.00	44.36	74.00	-29.64	60.26	33.85	7.77	57.52	---	---	---	Peak	2	7311.00	44.92	74.00	-29.08	58.61	36.30	8.93	58.92	---	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	4874.00	44.30	74.00	-29.70	60.20	33.85	7.77	57.52	---	---	---	Peak																																																																																																																								
2	7311.00	44.84	74.00	-29.16	58.53	36.30	8.93	58.92	---	---	---	Peak																																																																																																																								
		Limit		Read		Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	4874.00	44.36	74.00	-29.64	60.26	33.85	7.77	57.52	---	---	---	Peak																																																																																																																								
2	7311.00	44.92	74.00	-29.08	58.61	36.30	8.93	58.92	---	---	---	Peak																																																																																																																								