





11BE80MIMO\_total\_5210\_Large RU 484+2442\_4




11BE80MIMO\_total\_5210\_Puncturing 20M\_4





11BE80MIMO\_Ant6\_5290\_Large RU 484+2442\_1




11BE80MIMO\_Ant6\_5290\_Puncturing 20M\_1





11BE80MIMO\_Ant17\_5290\_Large RU 484+2442\_1



Date: 9.MAY.2025 22:35:51


11BE80MIMO\_Ant17\_5290\_Puncturing 20M\_1




Date: 10.MAY.2025 01:02:20



11BE80MIMO\_total\_5290\_Large RU 484+2442\_1



11BE80MIMO\_total\_5290\_Puncturing 20M\_1





11BE80MIMO\_Ant6\_5530\_Large RU 484+2442\_4




11BE80MIMO\_Ant6\_5530\_Puncturing 20M\_4





11BE80MIMO\_Ant17\_5530\_Large RU 484+2442\_4




11BE80MIMO\_Ant17\_5530\_Puncturing 20M\_4






11BE80MIMO\_total\_5530\_Large RU 484+2442\_4



11BE80MIMO\_total\_5530\_Puncturing 20M\_4





11BE80MIMO\_Ant6\_5610\_Large RU 484+2442\_1



Date: 10.MAY.2025 00:15:23


11BE80MIMO\_Ant6\_5610\_Puncturing 20M\_1



Date: 10.MAY.2025 01:08:39



11BE80MIMO\_Ant17\_5610\_Large RU 484+2442\_1



Date: 10.MAY.2025 00:15:30


11BE80MIMO\_Ant17\_5610\_Puncturing 20M\_1




Date: 10.MAY.2025 01:09:03



11BE80MIMO\_total\_5610\_Large RU 484+2442\_1



11BE80MIMO\_total\_5610\_Puncturing 20M\_1





11BE80MIMO\_Ant6\_5775\_Large RU 484+2442\_4



11BE80MIMO\_Ant6\_5775\_Puncturing 20M\_4





11BE80MIMO\_Ant17\_5775\_Large RU 484+2442\_4



11BE80MIMO\_Ant17\_5775\_Puncturing 20M\_4






11BE160MIMO\_Ant6\_5250\_Large RU 996+484\_2



Date: 10.MAY.2025 00:35:07

11BE160MIMO\_Ant6\_5250\_Large RU 996+484\_3



Date: 10.MAY.2025 00:44:09




11BE160MIMO\_Ant6\_5250\_Puncturing 40M\_2



Date: 10.MAY.2025 09:17:47


11BE160MIMO\_Ant6\_5250\_Puncturing 40M\_3




Date: 10.MAY.2025 09:23:42



11BE160MIMO\_Ant6\_5250\_Puncturing 20M\_2



11BE160MIMO\_Ant6\_5250\_Puncturing 20M\_3





11BE160MIMO\_Ant6\_5250\_Puncturing 20M\_4



11BE160MIMO\_Ant6\_5250\_Puncturing 20M\_5





11BE160MIMO\_Ant6\_5250\_Puncturing 20M\_6




11BE160MIMO\_Ant6\_5250\_Puncturing 20M\_7





11BE160MIMO\_Ant17\_5250\_Large RU 996+484\_2



11BE160MIMO\_Ant17\_5250\_Large RU 996+484\_3





11BE160MIMO\_Ant17\_5250\_Puncturing 40M\_2



Date: 10.MAY.2025 09:17:56


11BE160MIMO\_Ant17\_5250\_Puncturing 40M\_3




Date: 10.MAY.2025 09:24:13



11BE160MIMO\_Ant17\_5250\_Puncturing 20M\_2



11BE160MIMO\_Ant17\_5250\_Puncturing 20M\_3





11BE160MIMO\_Ant17\_5250\_Puncturing 20M\_4




11BE160MIMO\_Ant17\_5250\_Puncturing 20M\_5





11BE160MIMO\_Ant17\_5250\_Puncturing 20M\_6




11BE160MIMO\_Ant17\_5250\_Puncturing 20M\_7






11BE160MIMO\_total\_5250\_Large RU 996+484\_2




11BE160MIMO\_total\_5250\_Large RU 996+484\_3






11BE160MIMO\_total\_5250\_Puncturing 40M\_2




11BE160MIMO\_total\_5250\_Puncturing 40M\_3






11BE160MIMO\_total\_5250\_Puncturing 20M\_2




11BE160MIMO\_total\_5250\_Puncturing 20M\_3






11BE160MIMO\_total\_5250\_Puncturing 20M\_4




11BE160MIMO\_total\_5250\_Puncturing 20M\_5






11BE160MIMO\_total\_5250\_Puncturing 20M\_6



11BE160MIMO\_total\_5250\_Puncturing 20M\_7





11BE160MIMO\_Ant6\_5570\_Large RU 996+484\_4



11BE160MIMO\_Ant6\_5570\_Puncturing 40M\_4






11BE160MIMO\_Ant6\_5570\_Puncturing 20M\_8



Date: 10.MAY.2025 09:27:20


11BE160MIMO\_Ant17\_5570\_Large RU 996+484\_4




Date: 10.MAY.2025 00:52:27



11BE160MIMO\_Ant17\_5570\_Puncturing 40M\_4




11BE160MIMO\_Ant17\_5570\_Puncturing 20M\_8






11BE160MIMO\_total\_5570\_Large RU 996+484\_4




11BE160MIMO\_total\_5570\_Puncturing 40M\_4






11BE160MIMO\_total\_5570\_Puncturing 20M\_8





## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ  
 Condition : FCC 15E\_QP LISN\_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	35.35	-20.21	55.56	15.49	9.67	10.19	Average
2	0.16	46.55	-19.01	65.56	26.69	9.67	10.19	QP
3	0.21	34.70	-18.40	53.10	14.81	9.71	10.18	Average
4	0.21	45.90	-17.20	63.10	26.01	9.71	10.18	QP
5	0.22	30.90	-21.76	52.66	10.99	9.72	10.19	Average
6	0.22	42.30	-20.36	62.66	22.39	9.72	10.19	QP
7	0.33	28.16	-21.41	49.57	8.21	9.74	10.21	Average
8	0.33	38.26	-21.31	59.57	18.31	9.74	10.21	QP
9	0.38	28.84	-19.50	48.34	8.90	9.72	10.22	Average
10	0.38	37.34	-21.00	58.34	17.40	9.72	10.22	QP
11	0.55	32.11	-13.89	46.00	12.20	9.67	10.24	Average
12 *	0.55	39.21	-16.79	56.00	19.30	9.67	10.24	QP



Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ  
 Condition : FCC 15E\_QP LISN\_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	35.08	-20.17	55.25	15.19	9.70	10.19	Average
2	0.16	44.28	-20.97	65.25	24.39	9.70	10.19	QP
3	0.22	34.42	-18.54	52.96	14.49	9.74	10.19	Average
4	0.22	43.32	-19.64	62.96	23.39	9.74	10.19	QP
5	0.25	28.23	-23.46	51.69	8.49	9.54	10.20	Average
6	0.25	39.83	-21.86	61.69	20.09	9.54	10.20	QP
7	0.37	26.32	-22.15	48.47	6.40	9.70	10.22	Average
8	0.37	34.72	-23.75	58.47	14.80	9.70	10.22	QP
9	0.49	29.79	-16.44	46.23	9.50	10.05	10.24	Average
10 *	0.49	38.09	-18.14	56.23	17.80	10.05	10.24	QP
11	0.61	29.08	-16.92	46.00	9.19	9.65	10.24	Average
12	0.61	37.78	-18.22	56.00	17.89	9.65	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



### Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

#### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+17	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+17	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+17	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 29	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-1	5.15-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 6+17	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 6+17	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	157	5785	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT40	151	5755	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Full	-
Mode 41	U-NII-2C-3	5.47-5.85	CDD 6+17	802.11a	144	5720	6Mbps	-	-
Mode 42	U-NII-2C-3	5.47-5.85	CDD 6+17	802.11be EHT20	144	5720	MCS0	Full	-
Mode 43	U-NII-2C-3	5.47-5.85	CDD 6+17	802.11be EHT40	142	5710	MCS0	Full	-
Mode 44	U-NII-2C-3	5.47-5.85	CDD 6+17	802.11be EHT80	138	5690	MCS0	Full	-
Mode 45	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Single RU26/0	-
Mode 46	U-NII-2A	5.15-5.25	CDD 6+17	802.11be EHT20	64	5320	MCS0	Single RU106/54	-
Mode 47	U-NII-2C	5.25-5.35	CDD 6+17	802.11be EHT20	100	5500	MCS0	Single RU106/53	-
Mode 48	U-NII-2C	5.25-5.35	CDD 6+17	802.11be EHT20	140	5700	MCS0	Single RU 52/40	-
Mode 49	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Single RU26/0	-
Mode 50	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Single RU26/8	-
Mode 51	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Small RU 106+26/ 53+4	-
Mode 52	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	Small RU 106+26/54+4	-
Mode 53	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	Small RU 106+26/ 53+4	-
Mode 54	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	Small RU 106+26/54+4	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Small RU 52+26/37+2	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Small RU 52+26/40+6	-
Mode 57	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 58	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 59	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 60	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	122	5610	MCS0	Puncturing 20M ①	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-1	5.15-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M ②	-
Mode 62	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 63	U-NII-1	5.15-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑤	-
Mode 64	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 65	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Puncturing 20M ④	-
Mode 66	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 67	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ①	-
Mode 68	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 69	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	122	5610	MCS0	Large RU 484+242 ①	-
Mode 70	U-NII-1	5.15-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ②	-
Mode 71	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ④	-
Mode 72	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-
Mode 73 (Co-TX)	U-NII-1	5.15-5.35	CDD 6+17	802.11ax HE160	50	5250	MCS0	Puncturing 20M ⑤	-
	-	2400-2483.5	8	Bluetooth-LE	38	2478	2Mbps	-	-
	-	2400-2483.5	10	802.11ax HE20	11	2462	MCS0	-	-
LTE B48 20M									
Mode 74	U-NII-1	5.15-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑤	LF
Mode 75	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Full	LF



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	52.39	54.00	-1.61	H	Average	Pass	Band Edge
1	802.11a	36	10360.00	46.29	68.30	-22.01	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.37	68.30	-21.93	H	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	46.35	68.30	-21.95	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	46.36	68.30	-21.94	H	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	46.74	74.00	-27.26	V	Peak	Pass	Harmonic
6	802.11a	64	5350.52	48.95	54.00	-5.05	H	Average	Pass	Band Edge
6	802.11a	64	15960.00	48.87	74.00	-25.13	V	Peak	Pass	Harmonic
7	802.11a	100	5459.65	43.27	54.00	-10.73	V	Average	Pass	Band Edge
7	802.11a	100	16500.00	48.81	68.30	-19.49	V	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	48.50	68.30	-19.80	V	Peak	Pass	Harmonic
9	802.11a	140	5726.65	58.99	68.30	-9.31	V	Peak	Pass	Band Edge
9	802.11a	140	17100.00	48.02	68.30	-20.28	H	Peak	Pass	Harmonic
10	802.11be EHT20	36	5148.68	44.25	54.00	-9.75	H	Average	Pass	Band Edge
10	802.11be EHT20	36	10360.00	45.72	68.30	-22.58	V	Peak	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	45.46	68.30	-22.84	V	Peak	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	10480.00	46.18	68.30	-22.12	H	Peak	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10520.00	47.04	68.30	-21.26	H	Peak	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	15900.00	49.68	74.00	-24.32	H	Peak	Pass	Harmonic
15	802.11be EHT20	64	5351.36	45.37	54.00	-8.63	H	Average	Pass	Band Edge
15	802.11be EHT20	64	15960.00	47.77	74.00	-26.23	H	Peak	Pass	Harmonic
16	802.11be EHT20	100	5459.80	40.45	54.00	-13.55	H	Average	Pass	Band Edge
16	802.11be EHT20	100	16500.00	49.79	68.30	-18.51	H	Peak	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	16740.00	48.07	68.30	-20.23	H	Peak	Pass	Harmonic
18	802.11be	140	5727.11	55.30	68.30	-13.00	V	Peak	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	EHT20									
18	802.11be EHT20	140	17100.00	47.59	68.30	-20.71	H	Peak	Pass	Harmonic
19	802.11be EHT40	38	5148.20	46.09	54.00	-7.91	H	Average	Pass	Band Edge
19	802.11be EHT40	38	10380.00	46.09	68.30	-22.21	V	Peak	Pass	Harmonic
20	802.11be EHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	46	10460.00	46.65	68.30	-21.65	H	Peak	Pass	Harmonic
21	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	54	10540.00	46.48	68.30	-21.82	V	Peak	Pass	Harmonic
22	802.11be EHT40	62	5351.10	47.06	54.00	-6.94	H	Average	Pass	Band Edge
22	802.11be EHT40	62	15930.00	47.86	74.00	-26.14	H	Peak	Pass	Harmonic
23	802.11be EHT40	102	5454.80	44.38	54.00	-9.62	V	Average	Pass	Band Edge
23	802.11be EHT40	102	16530.00	47.89	68.30	-20.41	V	Peak	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	16650.00	46.79	68.30	-21.51	H	Peak	Pass	Harmonic
25	802.11be EHT40	134	5426.16	39.49	54.00	-14.51	H	Average	Pass	Band Edge
25	802.11be EHT40	134	17010.00	47.68	68.30	-20.62	V	Peak	Pass	Harmonic
26	802.11be EHT80	42	5117.39	50.20	54.00	-3.80	H	Average	Pass	Band Edge
26	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
27	802.11be EHT80	58	5353.92	49.71	54.00	-4.29	H	Average	Pass	Band Edge
27	802.11be EHT80	58	10580.00	46.79	68.30	-21.51	H	Peak	Pass	Harmonic
28	802.11be EHT80	106	5445.58	44.99	54.00	-9.01	H	Average	Pass	Band Edge
28	802.11be EHT80	106	16590.00	48.24	68.30	-20.06	H	Peak	Pass	Harmonic
29	802.11be EHT80	122	5437.62	41.29	54.00	-12.71	H	Average	Pass	Band Edge
29	802.11be EHT80	122	16830.00	47.26	68.30	-21.04	H	Peak	Pass	Harmonic
30	802.11be EHT160	50	5127.50	48.75	54.00	-5.25	H	Average	Pass	Band Edge
30	802.11be EHT160	50	10500.00	46.63	68.30	-21.67	H	Peak	Pass	Harmonic
31	802.11be EHT160	114	5433.38	43.38	54.00	-10.62	H	Average	Pass	Band Edge
31	802.11be EHT160	114	16710.00	47.74	68.30	-20.56	V	Peak	Pass	Harmonic
32	802.11a	149	5602.03	49.53	68.30	-18.77	H	Peak	Pass	Band Edge
32	802.11a	149	17235.00	49.22	68.30	-19.08	H	Peak	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	17355.00	47.64	68.30	-20.66	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11a	165	5947.63	50.53	68.30	-17.77	H	Peak	Pass	Band Edge
34	802.11a	165	17475.00	48.79	68.30	-19.51	H	Peak	Pass	Harmonic
35	802.11be EHT20	149	5613.49	50.81	68.30	-17.49	H	Peak	Pass	Band Edge
35	802.11be EHT20	149	17235.00	48.07	68.30	-20.23	H	Peak	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	17355.00	48.83	68.30	-19.47	H	Peak	Pass	Harmonic
37	802.11be EHT20	165	5938.25	51.32	68.30	-16.98	H	Peak	Pass	Band Edge
37	802.11be EHT20	165	17475.00	48.04	68.30	-20.26	V	Peak	Pass	Harmonic
38	802.11be EHT40	151	5621.08	49.64	68.30	-18.66	H	Peak	Pass	Band Edge
38	802.11be EHT40	151	17265.00	49.26	68.30	-19.04	H	Peak	Pass	Harmonic
39	802.11be EHT40	159	5934.35	49.93	68.30	-18.37	H	Peak	Pass	Band Edge
39	802.11be EHT40	159	17385.00	48.26	68.30	-20.04	H	Peak	Pass	Harmonic
40	802.11be EHT80	155	5927.43	50.02	68.30	-18.28	H	Peak	Pass	Band Edge
40	802.11be EHT80	155	17325.00	49.43	68.30	-18.87	H	Peak	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	17160.00	48.64	68.30	-19.66	H	Peak	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	17160.00	49.68	68.30	-18.62	V	Peak	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	17130.00	49.34	68.30	-18.96	H	Peak	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	17070.00	48.58	68.30	-19.72	V	Peak	Pass	Harmonic
45	802.11be EHT20	36	5020.52	39.44	54.00	-14.56	H	Average	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5350.10	39.99	54.00	-14.01	H	Average	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5427.40	39.26	54.00	-14.74	H	Average	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5751.68	49.64	68.30	-18.66	V	Peak	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	149	5602.61	48.87	68.30	-19.43	H	Peak	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
50	802.11be EHT20	165	5930.75	49.80	68.30	-18.50	H	Peak	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5146.52	40.47	54.00	-13.53	H	Average	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5353.88	40.54	54.00	-13.46	H	Average	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5459.05	38.99	54.00	-15.01	V	Average	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5725.09	52.00	68.30	-16.30	H	Peak	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5647.71	49.12	68.30	-19.18	V	Peak	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5929.75	50.05	68.30	-18.25	H	Peak	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5135.45	45.01	54.00	-8.99	H	Average	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5352.39	49.97	54.00	-4.03	H	Average	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5459.80	43.81	54.00	-10.19	V	Average	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT80	122	5459.20	41.88	54.00	-12.12	H	Average	Pass	Band Edge
60	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT160	50	5114.00	47.02	54.00	-6.98	H	Average	Pass	Band Edge
61	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT160	114	5443.28	41.02	54.00	-12.98	H	Average	Pass	Band Edge
62	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5097.50	50.81	54.00	-3.19	H	Average	Pass	Band Edge
63	802.11be EHT160	50	10500.00	46.70	68.30	-21.60	V	Peak	Pass	Harmonic
64	802.11be EHT160	114	5415.56	40.88	54.00	-13.12	H	Average	Pass	Band Edge
64	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT80	155	5940.03	49.95	68.30	-18.35	H	Peak	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT80	42	5132.51	44.39	54.00	-9.61	H	Average	Pass	Band Edge
66	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	58	5352.39	49.22	54.00	-4.78	H	Average	Pass	Band Edge
67	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	106	5452.42	43.70	54.00	-10.30	H	Average	Pass	Band Edge
68	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	122	5432.94	41.29	54.00	-12.71	V	Average	Pass	Band Edge
69	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	50	5112.50	47.87	54.00	-6.13	H	Average	Pass	Band Edge
70	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	114	5440.86	40.46	54.00	-13.54	H	Average	Pass	Band Edge
71	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT80	155	5930.23	49.67	68.30	-18.63	V	Peak	Pass	Band Edge
72	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
73	802.11ax HE160	50	5105.04	49.10	54.00	-4.90	H	Average	Pass	Band Edge
73	802.11ax HE160	50	10500.00	46.26	68.30	-22.04	V	Peak	Pass	Harmonic
74	802.11be EHT160	50	944.71	35.11	46.00	-10.89	V	Peak	PASS	LF
75	802.11be EHT20	165	945.68	33.20	46.00	-12.80	H	Peak	PASS	LF



Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.08</td> <td>68.30</td> <td>-22.22</td> <td>57.19</td> <td>37.16</td> <td>10.73</td> <td>59.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15540.00</td> <td>47.46</td> <td>74.00</td> <td>-26.54</td> <td>54.26</td> <td>39.42</td> <td>12.72</td> <td>58.94</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	46.08	68.30	-22.22	57.19	37.16	10.73	59.00	---	---	Peak	2 15540.00	47.46	74.00	-26.54	54.26	39.42	12.72	58.94	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.29</td> <td>68.30</td> <td>-22.01</td> <td>57.40</td> <td>37.16</td> <td>10.73</td> <td>59.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15540.00</td> <td>47.82</td> <td>74.00</td> <td>-26.18</td> <td>54.62</td> <td>39.42</td> <td>12.72</td> <td>58.94</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	46.29	68.30	-22.01	57.40	37.16	10.73	59.00	---	---	Peak	2 15540.00	47.82	74.00	-26.18	54.62	39.42	12.72	58.94	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10360.00	46.08	68.30	-22.22	57.19	37.16	10.73	59.00	---	---	Peak																																																																																												
2 15540.00	47.46	74.00	-26.54	54.26	39.42	12.72	58.94	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10360.00	46.29	68.30	-22.01	57.40	37.16	10.73	59.00	---	---	Peak																																																																																												
2 15540.00	47.82	74.00	-26.18	54.62	39.42	12.72	58.94	---	---	Peak																																																																																												



Mode	2																																																																																													
	Harmonic																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.37</td> <td>68.30</td> <td>-21.93</td> <td>57.14</td> <td>37.35</td> <td>10.79</td> <td>58.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.48</td> <td>74.00</td> <td>-26.52</td> <td>54.36</td> <td>39.46</td> <td>12.72</td> <td>59.06</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	10440.00	46.37	68.30	-21.93	57.14	37.35	10.79	58.91	---	---	Peak	2	15660.00	47.48	74.00	-26.52	54.36	39.46	12.72	59.06	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>45.61</td> <td>68.30</td> <td>-22.69</td> <td>56.38</td> <td>37.35</td> <td>10.79</td> <td>58.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.83</td> <td>74.00</td> <td>-25.17</td> <td>55.71</td> <td>39.46</td> <td>12.72</td> <td>59.06</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	10440.00	45.61	68.30	-22.69	56.38	37.35	10.79	58.91	---	---	Peak	2	15660.00	48.83	74.00	-25.17	55.71	39.46	12.72	59.06	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																					
1	10440.00	46.37	68.30	-21.93	57.14	37.35	10.79	58.91	---	---	Peak																																																																																			
2	15660.00	47.48	74.00	-26.52	54.36	39.46	12.72	59.06	---	---	Peak																																																																																			
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																					
1	10440.00	45.61	68.30	-22.69	56.38	37.35	10.79	58.91	---	---	Peak																																																																																			
2	15660.00	48.83	74.00	-25.17	55.71	39.46	12.72	59.06	---	---	Peak																																																																																			



Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																											
ANT	CDD 6+17																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.28</td> <td>68.30</td> <td>-22.02</td> <td>56.88</td> <td>37.45</td> <td>10.82</td> <td>58.87</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.14</td> <td>74.00</td> <td>-24.86</td> <td>56.06</td> <td>39.49</td> <td>12.71</td> <td>59.12</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg						1	10480.00	46.28	68.30	-22.02	56.88	37.45	10.82	58.87	---	---	Peak						2	15720.00	49.14	74.00	-24.86	56.06	39.49	12.71	59.12	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.35</td> <td>68.30</td> <td>-21.95</td> <td>56.95</td> <td>37.45</td> <td>10.82</td> <td>58.87</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.72</td> <td>74.00</td> <td>-25.28</td> <td>55.64</td> <td>39.49</td> <td>12.71</td> <td>59.12</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg						1	10480.00	46.35	68.30	-21.95	56.95	37.45	10.82	58.87	---	---	Peak						2	15720.00	48.72	74.00	-25.28	55.64	39.49	12.71	59.12	---	---	Peak					
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																	
1	10480.00	46.28	68.30	-22.02	56.88	37.45	10.82	58.87	---	---	Peak																																																																																																																																	
2	15720.00	49.14	74.00	-24.86	56.06	39.49	12.71	59.12	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																	
1	10480.00	46.35	68.30	-21.95	56.95	37.45	10.82	58.87	---	---	Peak																																																																																																																																	
2	15720.00	48.72	74.00	-25.28	55.64	39.49	12.71	59.12	---	---	Peak																																																																																																																																	



Mode	4																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.36</td> <td>68.30</td> <td>-21.94</td> <td>56.80</td> <td>37.53</td> <td>10.85</td> <td>58.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>47.89</td> <td>74.00</td> <td>-26.11</td> <td>54.85</td> <td>39.51</td> <td>12.71</td> <td>59.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	46.36	68.30	-21.94	56.80	37.53	10.85	58.82	---	---	Peak	2	15780.00	47.89	74.00	-26.11	54.85	39.51	12.71	59.18	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.01</td> <td>68.30</td> <td>-22.29</td> <td>56.45</td> <td>37.53</td> <td>10.85</td> <td>58.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.88</td> <td>74.00</td> <td>-24.12</td> <td>56.84</td> <td>39.51</td> <td>12.71</td> <td>59.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	46.01	68.30	-22.29	56.45	37.53	10.85	58.82	---	---	Peak	2	15780.00	49.88	74.00	-24.12	56.84	39.51	12.71	59.18	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	10520.00	46.36	68.30	-21.94	56.80	37.53	10.85	58.82	---	---	Peak																																																																																							
2	15780.00	47.89	74.00	-26.11	54.85	39.51	12.71	59.18	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	10520.00	46.01	68.30	-22.29	56.45	37.53	10.85	58.82	---	---	Peak																																																																																							
2	15780.00	49.88	74.00	-24.12	56.84	39.51	12.71	59.18	---	---	Peak																																																																																							



Mode	5																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																											
ANT	CDD 6+17																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>46.61</td> <td>74.00</td> <td>-27.39</td> <td>56.73</td> <td>37.70</td> <td>10.91</td> <td>58.73</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>46.61</td> <td>74.00</td> <td>-27.39</td> <td>53.64</td> <td>39.56</td> <td>12.71</td> <td>59.30</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg						1	10600.00	46.61	74.00	-27.39	56.73	37.70	10.91	58.73	---	---	Peak						2	15900.00	46.61	74.00	-27.39	53.64	39.56	12.71	59.30	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>46.10</td> <td>74.00</td> <td>-27.90</td> <td>56.22</td> <td>37.70</td> <td>10.91</td> <td>58.73</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>46.74</td> <td>74.00</td> <td>-27.26</td> <td>53.77</td> <td>39.56</td> <td>12.71</td> <td>59.30</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg						1	10600.00	46.10	74.00	-27.90	56.22	37.70	10.91	58.73	---	---	Peak						2	15900.00	46.74	74.00	-27.26	53.77	39.56	12.71	59.30	---	---	Peak					
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																	
1	10600.00	46.61	74.00	-27.39	56.73	37.70	10.91	58.73	---	---	Peak																																																																																																																																	
2	15900.00	46.61	74.00	-27.39	53.64	39.56	12.71	59.30	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																	
1	10600.00	46.10	74.00	-27.90	56.22	37.70	10.91	58.73	---	---	Peak																																																																																																																																	
2	15900.00	46.74	74.00	-27.26	53.77	39.56	12.71	59.30	---	---	Peak																																																																																																																																	



Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.66</td> <td>105.54</td> <td>74.00</td> <td>-12.73</td> <td>51.49</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>167</td> <td>142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.66	105.54	74.00	-12.73	51.49	34.11	8.33	32.66							167	142 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>105.54</td> <td>70.00</td> <td>0.00</td> <td>95.87</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>167</td> <td>142 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5320.00	105.54	70.00	0.00	95.87	34.09	8.25	32.67							167	142 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5350.66	105.54	74.00	-12.73	51.49	34.11	8.33	32.66																																																																											
						167	142 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5320.00	105.54	70.00	0.00	95.87	34.09	8.25	32.67																																																																											
						167	142 PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.52</td> <td>48.95</td> <td>54.00</td> <td>-5.05</td> <td>39.17</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>167</td> <td>142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.52	48.95	54.00	-5.05	39.17	34.11	8.33	32.66							167	142 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>99.19</td> <td>54.00</td> <td>45.19</td> <td>89.52</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>167</td> <td>142 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5320.00	99.19	54.00	45.19	89.52	34.09	8.25	32.67							167	142 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5350.52	48.95	54.00	-5.05	39.17	34.11	8.33	32.66																																																																											
						167	142 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5320.00	99.19	54.00	45.19	89.52	34.09	8.25	32.67																																																																											
						167	142 AVERAGE																																																																											







Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.38</td> <td>54.80</td> <td>74.00</td> <td>-19.20</td> <td>45.02</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>132</td> <td>229 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5350.38	54.80	74.00	-19.20	45.02	34.11	8.33	32.66	132	229 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>100.48</td> <td>-----</td> <td>-----</td> <td>90.81</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>132</td> <td>229 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5320.00	100.48	-----	-----	90.81	34.09	8.25	32.67	132	229 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5350.38	54.80	74.00	-19.20	45.02	34.11	8.33	32.66	132	229 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5320.00	100.48	-----	-----	90.81	34.09	8.25	32.67	132	229 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.38</td> <td>47.46</td> <td>54.00</td> <td>-6.54</td> <td>37.68</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>132</td> <td>229 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5350.38	47.46	54.00	-6.54	37.68	34.11	8.33	32.66	132	229 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.41</td> <td>-----</td> <td>-----</td> <td>84.74</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>132</td> <td>229 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5320.00	94.41	-----	-----	84.74	34.09	8.25	32.67	132	229 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5350.38	47.46	54.00	-6.54	37.68	34.11	8.33	32.66	132	229 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5320.00	94.41	-----	-----	84.74	34.09	8.25	32.67	132	229 AVERAGE																																																																								







Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.48</td> <td>74.00</td> <td>-27.52</td> <td>56.45</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>46.55</td> <td>74.00</td> <td>-27.45</td> <td>53.63</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	46.48	74.00	-27.52	56.45	37.78	10.94	58.69	---	---	Peak	2	15960.00	46.55	74.00	-27.45	53.63	39.59	12.70	59.37	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.37</td> <td>74.00</td> <td>-27.63</td> <td>56.34</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>48.87</td> <td>74.00</td> <td>-25.13</td> <td>55.95</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	46.37	74.00	-27.63	56.34	37.78	10.94	58.69	---	---	Peak	2	15960.00	48.87	74.00	-25.13	55.95	39.59	12.70	59.37	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	10640.00	46.48	74.00	-27.52	56.45	37.78	10.94	58.69	---	---	Peak																																																																																							
2	15960.00	46.55	74.00	-27.45	53.63	39.59	12.70	59.37	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	10640.00	46.37	74.00	-27.63	56.34	37.78	10.94	58.69	---	---	Peak																																																																																							
2	15960.00	48.87	74.00	-25.13	55.95	39.59	12.70	59.37	---	---	Peak																																																																																							



Mode	7																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																					
ANT	CDD 6+17																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.20</td> <td>52.87</td> <td>74.00</td> <td>-21.13</td> <td>42.90</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>108</td> <td>140</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.40</td> <td>56.76</td> <td>68.30</td> <td>-11.54</td> <td>46.79</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>108</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.20	52.87	74.00	-21.13	42.90	34.17	8.41	32.61	108	140	PEAK	2	5469.40	56.76	68.30	-11.54	46.79	34.18	8.40	32.61	108	140	PEAK	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.59</td> <td>-----</td> <td>-----</td> <td>96.64</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>108</td> <td>140</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	106.59	-----	-----	96.64	34.20	8.36	32.61	108	140	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.20	52.87	74.00	-21.13	42.90	34.17	8.41	32.61	108	140	PEAK																																																																											
2	5469.40	56.76	68.30	-11.54	46.79	34.18	8.40	32.61	108	140	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	106.59	-----	-----	96.64	34.20	8.36	32.61	108	140	PEAK																																																																											
Avg	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>42.97</td> <td>54.00</td> <td>-11.03</td> <td>33.00</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>108</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.35	42.97	54.00	-11.03	33.00	34.17	8.41	32.61	108	140	AVERAGE	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.57</td> <td>-----</td> <td>-----</td> <td>89.62</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>108</td> <td>140</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	99.57	-----	-----	89.62	34.20	8.36	32.61	108	140	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.35	42.97	54.00	-11.03	33.00	34.17	8.41	32.61	108	140	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	99.57	-----	-----	89.62	34.20	8.36	32.61	108	140	AVERAGE																																																																											



Mode	7																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																					
ANT	CDD 6+17																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.80</td> <td>52.09</td> <td>74.00</td> <td>-21.91</td> <td>42.12</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>273</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.45</td> <td>57.45</td> <td>68.30</td> <td>-10.85</td> <td>47.48</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>273</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5456.80	52.09	74.00	-21.91	42.12	34.17	8.41	32.61	273	63	PEAK	2	5467.45	57.45	68.30	-10.85	47.48	34.18	8.40	32.61	273	63	PEAK	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.37</td> <td>-----</td> <td>-----</td> <td>93.42</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>273</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	103.37	-----	-----	93.42	34.20	8.36	32.61	273	63	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5456.80	52.09	74.00	-21.91	42.12	34.17	8.41	32.61	273	63	PEAK																																																																											
2	5467.45	57.45	68.30	-10.85	47.48	34.18	8.40	32.61	273	63	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	103.37	-----	-----	93.42	34.20	8.36	32.61	273	63	PEAK																																																																											
Avg	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>43.27</td> <td>54.00</td> <td>-10.73</td> <td>33.30</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>273</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.65	43.27	54.00	-10.73	33.30	34.17	8.41	32.61	273	63	AVERAGE	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.50</td> <td>-----</td> <td>-----</td> <td>87.55</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>273</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	97.50	-----	-----	87.55	34.20	8.36	32.61	273	63	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.65	43.27	54.00	-10.73	33.30	34.17	8.41	32.61	273	63	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	97.50	-----	-----	87.55	34.20	8.36	32.61	273	63	AVERAGE																																																																											



Mode	7																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																									
ANT	CDD 6+17																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.57</td> <td>74.00</td> <td>-26.43</td> <td>56.17</td> <td>38.49</td> <td>11.21</td> <td>58.30</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>47.97</td> <td>68.30</td> <td>-20.33</td> <td>53.52</td> <td>40.39</td> <td>12.91</td> <td>58.85</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg	1	11000.00	47.57	74.00	-26.43	56.17	38.49	11.21	58.30	---	---	---	Peak	2	16500.00	47.97	68.30	-20.33	53.52	40.39	12.91	58.85	---	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.58</td> <td>74.00</td> <td>-26.42</td> <td>56.18</td> <td>38.49</td> <td>11.21</td> <td>58.30</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>48.81</td> <td>68.30</td> <td>-19.49</td> <td>54.36</td> <td>40.39</td> <td>12.91</td> <td>58.85</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg	1	11000.00	47.58	74.00	-26.42	56.18	38.49	11.21	58.30	---	---	---	Peak	2	16500.00	48.81	68.30	-19.49	54.36	40.39	12.91	58.85	---	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg																																																																																														
1	11000.00	47.57	74.00	-26.43	56.17	38.49	11.21	58.30	---	---	---	Peak																																																																																														
2	16500.00	47.97	68.30	-20.33	53.52	40.39	12.91	58.85	---	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				cm	deg																																																																																														
1	11000.00	47.58	74.00	-26.42	56.18	38.49	11.21	58.30	---	---	---	Peak																																																																																														
2	16500.00	48.81	68.30	-19.49	54.36	40.39	12.91	58.85	---	---	---	Peak																																																																																														






Mode	8																																																																																																										
	Harmonic																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																										
ANT	CDD 6+17																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>56.50</td> <td>38.05</td> <td>11.29</td> <td>58.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.57</td> <td>68.30</td> <td>-20.73</td> <td>52.55</td> <td>40.59</td> <td>13.01</td> <td>58.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.72	74.00	-26.28	56.50	38.05	11.29	58.12	---	---	Peak	2	16740.00	47.57	68.30	-20.73	52.55	40.59	13.01	58.58	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.67</td> <td>74.00</td> <td>-26.33</td> <td>56.45</td> <td>38.05</td> <td>11.29</td> <td>58.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>48.50</td> <td>68.30</td> <td>-19.80</td> <td>53.48</td> <td>40.59</td> <td>13.01</td> <td>58.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.67	74.00	-26.33	56.45	38.05	11.29	58.12	---	---	Peak	2	16740.00	48.50	68.30	-19.80	53.48	40.59	13.01	58.58	---	---
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11160.00	47.72	74.00	-26.28	56.50	38.05	11.29	58.12	---	---	Peak																																																																																																
2	16740.00	47.57	68.30	-20.73	52.55	40.59	13.01	58.58	---	---	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11160.00	47.67	74.00	-26.33	56.45	38.05	11.29	58.12	---	---	Peak																																																																																																
2	16740.00	48.50	68.30	-19.80	53.48	40.59	13.01	58.58	---	---	Peak																																																																																																



Mode	9																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.61</td> <td>56.44</td> <td>68.30</td> <td>-11.86</td> <td>45.94</td> <td>34.60</td> <td>8.68</td> <td>32.78</td> <td>103</td> <td>139</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.61	56.44	68.30	-11.86	45.94	34.60	8.68	32.78	103	139	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.37</td> <td>-----</td> <td>-----</td> <td>96.01</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>103</td> <td>139</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	106.37	-----	-----	96.01	34.55	8.57	32.76	103	139	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5725.61	56.44	68.30	-11.86	45.94	34.60	8.68	32.78	103	139	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	106.37	-----	-----	96.01	34.55	8.57	32.76	103	139	PEAK																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>89.67</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>103</td> <td>139</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	100.03	-----	-----	89.67	34.55	8.57	32.76	103	139	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	100.03	-----	-----	89.67	34.55	8.57	32.76	103	139	AVERAGE																																																															



Mode	9																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.65</td> <td>58.99</td> <td>68.30</td> <td>-9.31</td> <td>48.49</td> <td>34.60</td> <td>8.68</td> <td>32.78</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>266</td> <td>63 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.65	58.99	68.30	-9.31	48.49	34.60	8.68	32.78							266	63 PEAK	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.04</td> <td>-----</td> <td>-----</td> <td>93.68</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>266</td> <td>63 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	104.04	-----	-----	93.68	34.55	8.57	32.76							266	63 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5726.65	58.99	68.30	-9.31	48.49	34.60	8.68	32.78																																																																											
						266	63 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5700.00	104.04	-----	-----	93.68	34.55	8.57	32.76																																																																											
						266	63 PEAK																																																																											
Avg	Blank	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>97.90</td> <td>-----</td> <td>-----</td> <td>87.54</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>266</td> <td>63 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	97.90	-----	-----	87.54	34.55	8.57	32.76							266	63 AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 5700.00	97.90	-----	-----	87.54	34.55	8.57	32.76																																																																											
						266	63 AVERAGE																																																																											



Mode	9																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																											
ANT	CDD 6+17																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>55.66</td> <td>37.39</td> <td>11.41</td> <td>57.86</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>48.02</td> <td>68.30</td> <td>-20.28</td> <td>52.04</td> <td>41.00</td> <td>13.14</td> <td>58.16</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg						1	11400.00	46.60	74.00	-27.40	55.66	37.39	11.41	57.86	---	---	Peak						2	17100.00	48.02	68.30	-20.28	52.04	41.00	13.14	58.16	---	---	Peak						<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>56.80</td> <td>37.39</td> <td>11.41</td> <td>57.86</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>47.19</td> <td>68.30</td> <td>-21.11</td> <td>51.21</td> <td>41.00</td> <td>13.14</td> <td>58.16</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="5"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg						1	11400.00	47.74	74.00	-26.26	56.80	37.39	11.41	57.86	---	---	Peak						2	17100.00	47.19	68.30	-21.11	51.21	41.00	13.14	58.16	---	---	Peak					
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																	
1	11400.00	46.60	74.00	-27.40	55.66	37.39	11.41	57.86	---	---	Peak																																																																																																																																	
2	17100.00	48.02	68.30	-20.28	52.04	41.00	13.14	58.16	---	---	Peak																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																	
1	11400.00	47.74	74.00	-26.26	56.80	37.39	11.41	57.86	---	---	Peak																																																																																																																																	
2	17100.00	47.19	68.30	-21.11	51.21	41.00	13.14	58.16	---	---	Peak																																																																																																																																	



Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																									
ANT	CDD 6+17																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.16</td> <td>54.06</td> <td>74.00</td> <td>-19.94</td> <td>44.89</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>260</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5146.16	54.06	74.00	-19.94	44.89	33.99	7.92	32.74	260	129	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.66</td> <td>-----</td> <td>-----</td> <td>97.44</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>260</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5180.00	106.66	-----	-----	97.44	34.01	7.94	32.73	260	129	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5146.16	54.06	74.00	-19.94	44.89	33.99	7.92	32.74	260	129	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5180.00	106.66	-----	-----	97.44	34.01	7.94	32.73	260	129	PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.68</td> <td>44.25</td> <td>54.00</td> <td>-9.75</td> <td>35.08</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>260</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5148.68	44.25	54.00	-9.75	35.08	33.99	7.92	32.74	260	129	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.03</td> <td>-----</td> <td>-----</td> <td>88.81</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>260</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5180.00	98.03	-----	-----	88.81	34.01	7.94	32.73	260	129	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5148.68	44.25	54.00	-9.75	35.08	33.99	7.92	32.74	260	129	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5180.00	98.03	-----	-----	88.81	34.01	7.94	32.73	260	129	AVERAGE																																																																															



Mode	10																																																																							
	Band Edge																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																							
ANT	CDD 6+17																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.28</td> <td>50.13</td> <td>74.00</td> <td>-23.87</td> <td>40.97</td> <td>33.99</td> <td>7.91</td> <td>32.74</td> <td>175</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5143.28	50.13	74.00	-23.87	40.97	33.99	7.91	32.74	175	282	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.86</td> <td>-----</td> <td>-----</td> <td>90.64</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>175</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	99.86	-----	-----	90.64	34.01	7.94	32.73	175	282	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1	5143.28	50.13	74.00	-23.87	40.97	33.99	7.91	32.74	175	282	PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1	5180.00	99.86	-----	-----	90.64	34.01	7.94	32.73	175	282	PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>41.51</td> <td>54.00</td> <td>-12.49</td> <td>32.34</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>175</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.94	41.51	54.00	-12.49	32.34	33.99	7.92	32.74	175	282	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>92.34</td> <td>-----</td> <td>-----</td> <td>83.12</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>175</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	92.34	-----	-----	83.12	34.01	7.94	32.73	175	282	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1	5149.94	41.51	54.00	-12.49	32.34	33.99	7.92	32.74	175	282	AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1	5180.00	92.34	-----	-----	83.12	34.01	7.94	32.73	175	282	AVERAGE																																																													



Mode	10																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.56</td> <td>68.30</td> <td>-22.74</td> <td>56.67</td> <td>37.16</td> <td>10.73</td> <td>59.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15540.00</td> <td>49.38</td> <td>74.00</td> <td>-24.62</td> <td>56.18</td> <td>39.42</td> <td>12.72</td> <td>58.94</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	45.56	68.30	-22.74	56.67	37.16	10.73	59.00	---	---	Peak	2 15540.00	49.38	74.00	-24.62	56.18	39.42	12.72	58.94	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.72</td> <td>68.30</td> <td>-22.58</td> <td>56.83</td> <td>37.16</td> <td>10.73</td> <td>59.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15540.00</td> <td>48.33</td> <td>74.00</td> <td>-25.67</td> <td>55.13</td> <td>39.42</td> <td>12.72</td> <td>58.94</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	45.72	68.30	-22.58	56.83	37.16	10.73	59.00	---	---	Peak	2 15540.00	48.33	74.00	-25.67	55.13	39.42	12.72	58.94	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10360.00	45.56	68.30	-22.74	56.67	37.16	10.73	59.00	---	---	Peak																																																																																												
2 15540.00	49.38	74.00	-24.62	56.18	39.42	12.72	58.94	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10360.00	45.72	68.30	-22.58	56.83	37.16	10.73	59.00	---	---	Peak																																																																																												
2 15540.00	48.33	74.00	-25.67	55.13	39.42	12.72	58.94	---	---	Peak																																																																																												



Mode	11																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																																																																																	
ANT	CDD 6+17																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>44.73</td> <td>68.30</td> <td>-23.57</td> <td>55.50</td> <td>37.35</td> <td>10.79</td> <td>58.91</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="6"></td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.83</td> <td>74.00</td> <td>-25.17</td> <td>55.71</td> <td>39.46</td> <td>12.72</td> <td>59.06</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="6"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg							1	10440.00	44.73	68.30	-23.57	55.50	37.35	10.79	58.91	---	---	Peak							2	15660.00	48.83	74.00	-25.17	55.71	39.46	12.72	59.06	---	---	Peak							<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>45.46</td> <td>68.30</td> <td>-22.84</td> <td>56.23</td> <td>37.35</td> <td>10.79</td> <td>58.91</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="6"></td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.48</td> <td>74.00</td> <td>-24.52</td> <td>56.36</td> <td>39.46</td> <td>12.72</td> <td>59.06</td> <td>---</td> <td>---</td> <td>Peak</td> <td colspan="6"></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg							1	10440.00	45.46	68.30	-22.84	56.23	37.35	10.79	58.91	---	---	Peak							2	15660.00	49.48	74.00	-24.52	56.36	39.46	12.72	59.06	---	---	Peak						
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																							
1	10440.00	44.73	68.30	-23.57	55.50	37.35	10.79	58.91	---	---	Peak																																																																																																																																							
2	15660.00	48.83	74.00	-25.17	55.71	39.46	12.72	59.06	---	---	Peak																																																																																																																																							
		Limit		Read		Ant		Cable		Preamp		Apos		TPos		Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																																																																																							
1	10440.00	45.46	68.30	-22.84	56.23	37.35	10.79	58.91	---	---	Peak																																																																																																																																							
2	15660.00	49.48	74.00	-24.52	56.36	39.46	12.72	59.06	---	---	Peak																																																																																																																																							



Mode	12																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>46.18</td> <td>68.30</td> <td>-22.12</td> <td>56.78</td> <td>37.45</td> <td>10.82</td> <td>58.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15720.00</td> <td>49.03</td> <td>74.00</td> <td>-24.97</td> <td>55.95</td> <td>39.49</td> <td>12.71</td> <td>59.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	46.18	68.30	-22.12	56.78	37.45	10.82	58.87	---	---	Peak	2 15720.00	49.03	74.00	-24.97	55.95	39.49	12.71	59.12	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.50</td> <td>68.30</td> <td>-22.80</td> <td>56.10</td> <td>37.45</td> <td>10.82</td> <td>58.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15720.00</td> <td>50.31</td> <td>74.00</td> <td>-23.69</td> <td>57.23</td> <td>39.49</td> <td>12.71</td> <td>59.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.50	68.30	-22.80	56.10	37.45	10.82	58.87	---	---	Peak	2 15720.00	50.31	74.00	-23.69	57.23	39.49	12.71	59.12	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10480.00	46.18	68.30	-22.12	56.78	37.45	10.82	58.87	---	---	Peak																																																																																												
2 15720.00	49.03	74.00	-24.97	55.95	39.49	12.71	59.12	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10480.00	45.50	68.30	-22.80	56.10	37.45	10.82	58.87	---	---	Peak																																																																																												
2 15720.00	50.31	74.00	-23.69	57.23	39.49	12.71	59.12	---	---	Peak																																																																																												



Mode	13																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																																																																																																	
ANT	CDD 6+17																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.04</td> <td>68.30</td> <td>-21.26</td> <td>57.48</td> <td>37.53</td> <td>10.85</td> <td>58.82</td> <td>---</td> <td>---</td> <td colspan="5">Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.67</td> <td>74.00</td> <td>-24.33</td> <td>56.63</td> <td>39.51</td> <td>12.71</td> <td>59.18</td> <td>---</td> <td>---</td> <td colspan="5">Peak</td> </tr> </tbody> </table>			Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	10520.00	47.04	68.30	-21.26	57.48	37.53	10.85	58.82	---	---	Peak					2	15780.00	49.67	74.00	-24.33	56.63	39.51	12.71	59.18	---	---	Peak					<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.47</td> <td>68.30</td> <td>-21.83</td> <td>56.91</td> <td>37.53</td> <td>10.85</td> <td>58.82</td> <td>---</td> <td>---</td> <td colspan="5">Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>50.14</td> <td>74.00</td> <td>-23.86</td> <td>57.10</td> <td>39.51</td> <td>12.71</td> <td>59.18</td> <td>---</td> <td>---</td> <td colspan="5">Peak</td> </tr> </tbody> </table>			Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	10520.00	46.47	68.30	-21.83	56.91	37.53	10.85	58.82	---	---	Peak					2	15780.00	50.14	74.00	-23.86	57.10	39.51	12.71	59.18	---	---	Peak				
		Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	10520.00	47.04	68.30	-21.26	57.48	37.53	10.85	58.82	---	---	Peak																																																																																																																																																							
2	15780.00	49.67	74.00	-24.33	56.63	39.51	12.71	59.18	---	---	Peak																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	10520.00	46.47	68.30	-21.83	56.91	37.53	10.85	58.82	---	---	Peak																																																																																																																																																							
2	15780.00	50.14	74.00	-23.86	57.10	39.51	12.71	59.18	---	---	Peak																																																																																																																																																							



Mode	14																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																																									
ANT	CDD 6+17																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>46.05</td> <td>74.00</td> <td>-27.95</td> <td>56.17</td> <td>37.70</td> <td>10.91</td> <td>58.73</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.68</td> <td>74.00</td> <td>-24.32</td> <td>56.71</td> <td>39.56</td> <td>12.71</td> <td>59.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	46.05	74.00	-27.95	56.17	37.70	10.91	58.73	---	---	Peak	2	15900.00	49.68	74.00	-24.32	56.71	39.56	12.71	59.30	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>55.61</td> <td>37.70</td> <td>10.91</td> <td>58.73</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.30</td> <td>74.00</td> <td>-25.70</td> <td>55.33</td> <td>39.56</td> <td>12.71</td> <td>59.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	45.49	74.00	-28.51	55.61	37.70	10.91	58.73	---	---	Peak	2	15900.00	48.30	74.00	-25.70	55.33	39.56	12.71	59.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	10600.00	46.05	74.00	-27.95	56.17	37.70	10.91	58.73	---	---	Peak																																																																																																															
2	15900.00	49.68	74.00	-24.32	56.71	39.56	12.71	59.30	---	---	Peak																																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	10600.00	45.49	74.00	-28.51	55.61	37.70	10.91	58.73	---	---	Peak																																																																																																															
2	15900.00	48.30	74.00	-25.70	55.33	39.56	12.71	59.30	---	---	Peak																																																																																																															



Mode	15																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.66</td> <td>106.15</td> <td>74.00</td> <td>-17.64</td> <td>46.58</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>146</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.66	106.15	74.00	-17.64	46.58	34.11	8.33	32.66	146	336	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.15</td> <td>74.00</td> <td>-17.64</td> <td>46.58</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>146</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	106.15	74.00	-17.64	46.58	34.11	8.33	32.66	146	336	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5350.66	106.15	74.00	-17.64	46.58	34.11	8.33	32.66	146	336	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5320.00	106.15	74.00	-17.64	46.58	34.11	8.33	32.66	146	336	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.36</td> <td>45.37</td> <td>54.00</td> <td>-8.63</td> <td>35.59</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>146</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.36	45.37	54.00	-8.63	35.59	34.11	8.33	32.66	146	336	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.53</td> <td>54.00</td> <td>-8.63</td> <td>35.59</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>146</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	98.53	54.00	-8.63	35.59	34.11	8.33	32.66	146	336	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5351.36	45.37	54.00	-8.63	35.59	34.11	8.33	32.66	146	336	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5320.00	98.53	54.00	-8.63	35.59	34.11	8.33	32.66	146	336	AVERAGE																																																															



Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>99.55</td> <td>74.00</td> <td>-22.61</td> <td>41.61</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>139</td> <td>277 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.24	99.55	74.00	-22.61	41.61	34.11	8.33	32.66	139	277 PEAK	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.55</td> <td>-----</td> <td>-----</td> <td>89.87</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>139</td> <td>277 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	99.55	-----	-----	89.87	34.09	8.26	32.67	139	277 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5350.24	99.55	74.00	-22.61	41.61	34.11	8.33	32.66	139	277 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	99.55	-----	-----	89.87	34.09	8.26	32.67	139	277 PEAK																																																																								
Avg	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>41.57</td> <td>54.00</td> <td>-12.43</td> <td>31.79</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>139</td> <td>277 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.10	41.57	54.00	-12.43	31.79	34.11	8.33	32.66	139	277 AVERAGE	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>91.78</td> <td>-----</td> <td>-----</td> <td>82.11</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>139</td> <td>277 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	91.78	-----	-----	82.11	34.09	8.25	32.67	139	277 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5350.10	41.57	54.00	-12.43	31.79	34.11	8.33	32.66	139	277 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	91.78	-----	-----	82.11	34.09	8.25	32.67	139	277 AVERAGE																																																																								







Mode	15																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																																																																	
ANT	CDD 6+17																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.21</td> <td>74.00</td> <td>-27.79</td> <td>56.18</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.77</td> <td>74.00</td> <td>-26.23</td> <td>54.85</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			cm	deg					1	10640.00	46.21	74.00	-27.79	56.18	37.78	10.94	58.69	---	---	Peak					2	15960.00	47.77	74.00	-26.23	54.85	39.59	12.70	59.37	---	---	Peak					<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable Preamp</th> <th colspan="2">Apos</th> <th colspan="2">TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>45.85</td> <td>74.00</td> <td>-28.15</td> <td>55.82</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>54.67</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			cm	deg					1	10640.00	45.85	74.00	-28.15	55.82	37.78	10.94	58.69	---	---	Peak					2	15960.00	47.59	74.00	-26.41	54.67	39.59	12.70	59.37	---	---	Peak				
		Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			cm	deg																																																																																																																							
1	10640.00	46.21	74.00	-27.79	56.18	37.78	10.94	58.69	---	---	Peak																																																																																																																							
2	15960.00	47.77	74.00	-26.23	54.85	39.59	12.70	59.37	---	---	Peak																																																																																																																							
		Limit		Read		Ant		Cable Preamp		Apos		TPos		Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			cm	deg																																																																																																																							
1	10640.00	45.85	74.00	-28.15	55.82	37.78	10.94	58.69	---	---	Peak																																																																																																																							
2	15960.00	47.59	74.00	-26.41	54.67	39.59	12.70	59.37	---	---	Peak																																																																																																																							



Mode	16																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																					
ANT	CDD 6+17																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.70</td> <td>50.35</td> <td>74.00</td> <td>-23.65</td> <td>40.38</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>105</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.25</td> <td>50.75</td> <td>68.30</td> <td>-17.55</td> <td>40.78</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>105</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5457.70	50.35	74.00	-23.65	40.38	34.17	8.41	32.61	105	138	PEAK	2	5469.25	50.75	68.30	-17.55	40.78	34.18	8.40	32.61	105	138	PEAK	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.54</td> <td>-----</td> <td>-----</td> <td>95.59</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>105</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	105.54	-----	-----	95.59	34.20	8.36	32.61	105	138	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5457.70	50.35	74.00	-23.65	40.38	34.17	8.41	32.61	105	138	PEAK																																																																											
2	5469.25	50.75	68.30	-17.55	40.78	34.18	8.40	32.61	105	138	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	105.54	-----	-----	95.59	34.20	8.36	32.61	105	138	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>40.45</td> <td>54.00</td> <td>-13.55</td> <td>30.48</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>105</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.80	40.45	54.00	-13.55	30.48	34.17	8.41	32.61	105	138	AVERAGE	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.22</td> <td>-----</td> <td>-----</td> <td>87.27</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>105</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	97.22	-----	-----	87.27	34.20	8.36	32.61	105	138	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.80	40.45	54.00	-13.55	30.48	34.17	8.41	32.61	105	138	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	97.22	-----	-----	87.27	34.20	8.36	32.61	105	138	AVERAGE																																																																											



Mode	16																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.95</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>39.18</td> <td>34.17</td> <td>8.42</td> <td>32.62</td> <td>169</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>54.11</td> <td>68.30</td> <td>-14.19</td> <td>44.14</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>169</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.95	49.15	74.00	-24.85	39.18	34.17	8.42	32.62	169	244	PEAK	2	5470.00	54.11	68.30	-14.19	44.14	34.18	8.40	32.61	169	244	PEAK	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.42</td> <td>-----</td> <td>-----</td> <td>92.48</td> <td>34.20</td> <td>8.35</td> <td>32.61</td> <td>169</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.42	-----	-----	92.48	34.20	8.35	32.61	169	244	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5453.95	49.15	74.00	-24.85	39.18	34.17	8.42	32.62	169	244	PEAK																																																																													
2	5470.00	54.11	68.30	-14.19	44.14	34.18	8.40	32.61	169	244	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	102.42	-----	-----	92.48	34.20	8.35	32.61	169	244	PEAK																																																																													
Avg	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>39.88</td> <td>54.00</td> <td>-14.12</td> <td>29.91</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>169</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.95	39.88	54.00	-14.12	29.91	34.17	8.41	32.61	169	244	AVERAGE	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>93.26</td> <td>-----</td> <td>-----</td> <td>83.31</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>169</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	93.26	-----	-----	83.31	34.20	8.36	32.61	169	244	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5459.95	39.88	54.00	-14.12	29.91	34.17	8.41	32.61	169	244	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	93.26	-----	-----	83.31	34.20	8.36	32.61	169	244	AVERAGE																																																																													



Mode	16																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.36</td> <td>74.00</td> <td>-26.64</td> <td>55.96</td> <td>38.49</td> <td>11.21</td> <td>58.30</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.79</td> <td>68.30</td> <td>-18.51</td> <td>55.34</td> <td>40.39</td> <td>12.91</td> <td>58.85</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11000.00	47.36	74.00	-26.64	55.96	38.49	11.21	58.30	--- Peak	2	16500.00	49.79	68.30	-18.51	55.34	40.39	12.91	58.85	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.85</td> <td>74.00</td> <td>-26.15</td> <td>56.45</td> <td>38.49</td> <td>11.21</td> <td>58.30</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>48.46</td> <td>68.30</td> <td>-19.84</td> <td>54.01</td> <td>40.39</td> <td>12.91</td> <td>58.85</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11000.00	47.85	74.00	-26.15	56.45	38.49	11.21	58.30	--- Peak	2	16500.00	48.46	68.30	-19.84	54.01	40.39	12.91	58.85	--- Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
1	11000.00	47.36	74.00	-26.64	55.96	38.49	11.21	58.30	--- Peak																																																																					
2	16500.00	49.79	68.30	-18.51	55.34	40.39	12.91	58.85	--- Peak																																																																					
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
1	11000.00	47.85	74.00	-26.15	56.45	38.49	11.21	58.30	--- Peak																																																																					
2	16500.00	48.46	68.30	-19.84	54.01	40.39	12.91	58.85	--- Peak																																																																					






Mode	17																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																																								
ANT	CDD 6+17																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.03</td> <td>74.00</td> <td>-26.97</td> <td>55.81</td> <td>38.05</td> <td>11.29</td> <td>58.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>48.07</td> <td>68.30</td> <td>-20.23</td> <td>53.05</td> <td>40.59</td> <td>13.01</td> <td>58.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.03	74.00	-26.97	55.81	38.05	11.29	58.12	---	---	Peak	2	16740.00	48.07	68.30	-20.23	53.05	40.59	13.01	58.58	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>56.37</td> <td>38.05</td> <td>11.29</td> <td>58.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.90</td> <td>68.30</td> <td>-20.40</td> <td>52.88</td> <td>40.59</td> <td>13.01</td> <td>58.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.59	74.00	-26.41	56.37	38.05	11.29	58.12	---	---	Peak	2	16740.00	47.90	68.30	-20.40	52.88	40.59	13.01	58.58	---	---
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	11160.00	47.03	74.00	-26.97	55.81	38.05	11.29	58.12	---	---	Peak																																																																																														
2	16740.00	48.07	68.30	-20.23	53.05	40.59	13.01	58.58	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	11160.00	47.59	74.00	-26.41	56.37	38.05	11.29	58.12	---	---	Peak																																																																																														
2	16740.00	47.90	68.30	-20.40	52.88	40.59	13.01	58.58	---	---	Peak																																																																																														



Mode	18																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.89</td> <td>54.25</td> <td>68.30</td> <td>-14.05</td> <td>43.74</td> <td>34.61</td> <td>8.68</td> <td>32.78</td> <td>100</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.89	54.25	68.30	-14.05	43.74	34.61	8.68	32.78	100	137	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.73</td> <td>-----</td> <td>-----</td> <td>96.37</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>100</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	106.73	-----	-----	96.37	34.55	8.57	32.76	100	137	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5727.89	54.25	68.30	-14.05	43.74	34.61	8.68	32.78	100	137	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5700.00	106.73	-----	-----	96.37	34.55	8.57	32.76	100	137	PEAK																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>98.51</td> <td>-----</td> <td>-----</td> <td>88.15</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>100</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	98.51	-----	-----	88.15	34.55	8.57	32.76	100	137	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5700.00	98.51	-----	-----	88.15	34.55	8.57	32.76	100	137	AVERAGE																																																																	







Mode	18																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.11</td> <td>55.30</td> <td>68.30</td> <td>-13.00</td> <td>44.79</td> <td>34.61</td> <td>8.68</td> <td>32.78</td> <td>177</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.11	55.30	68.30	-13.00	44.79	34.61	8.68	32.78	177	60	PEAK	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.13</td> <td>-----</td> <td>-----</td> <td>93.73</td> <td>34.56</td> <td>8.60</td> <td>32.76</td> <td>177</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	104.13	-----	-----	93.73	34.56	8.60	32.76	177	60	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5727.11	55.30	68.30	-13.00	44.79	34.61	8.68	32.78	177	60	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	104.13	-----	-----	93.73	34.56	8.60	32.76	177	60	PEAK																																																															
Avg	Blank	 <p>Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>96.26</td> <td>-----</td> <td>-----</td> <td>85.90</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>177</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	96.26	-----	-----	85.90	34.55	8.57	32.76	177	60	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	96.26	-----	-----	85.90	34.55	8.57	32.76	177	60	AVERAGE																																																															



Mode	18																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																																											
ANT	CDD 6+17																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>55.36</td> <td>37.39</td> <td>11.41</td> <td>57.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>47.59</td> <td>68.30</td> <td>-20.71</td> <td>51.61</td> <td>41.00</td> <td>13.14</td> <td>58.16</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.30	74.00	-27.70	55.36	37.39	11.41	57.86	---	---	Peak	2	17100.00	47.59	68.30	-20.71	51.61	41.00	13.14	58.16	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.82</td> <td>74.00</td> <td>-26.18</td> <td>56.88</td> <td>37.39</td> <td>11.41</td> <td>57.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>46.80</td> <td>68.30</td> <td>-21.50</td> <td>50.82</td> <td>41.00</td> <td>13.14</td> <td>58.16</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.82	74.00	-26.18	56.88	37.39	11.41	57.86	---	---	Peak	2	17100.00	46.80	68.30	-21.50	50.82	41.00	13.14	58.16	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11400.00	46.30	74.00	-27.70	55.36	37.39	11.41	57.86	---	---	Peak																																																																																																	
2	17100.00	47.59	68.30	-20.71	51.61	41.00	13.14	58.16	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11400.00	47.82	74.00	-26.18	56.88	37.39	11.41	57.86	---	---	Peak																																																																																																	
2	17100.00	46.80	68.30	-21.50	50.82	41.00	13.14	58.16	---	---	Peak																																																																																																	



Mode	19																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.73</td> <td>55.16</td> <td>74.00</td> <td>-18.84</td> <td>45.99</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>188</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.73	55.16	74.00	-18.84	45.99	33.99	7.92	32.74	188	130	PEAK	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>104.93</td> <td>-----</td> <td>-----</td> <td>95.70</td> <td>34.01</td> <td>7.94</td> <td>32.72</td> <td>188</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	104.93	-----	-----	95.70	34.01	7.94	32.72	188	130	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5145.73	55.16	74.00	-18.84	45.99	33.99	7.92	32.74	188	130	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	104.93	-----	-----	95.70	34.01	7.94	32.72	188	130	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.20</td> <td>46.09</td> <td>54.00</td> <td>-7.91</td> <td>36.92</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>188</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.20	46.09	54.00	-7.91	36.92	33.99	7.92	32.74	188	130	AVERAGE	 <p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.05</td> <td>-----</td> <td>-----</td> <td>87.80</td> <td>34.02</td> <td>7.95</td> <td>32.72</td> <td>188</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	97.05	-----	-----	87.80	34.02	7.95	32.72	188	130	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5148.20	46.09	54.00	-7.91	36.92	33.99	7.92	32.74	188	130	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	97.05	-----	-----	87.80	34.02	7.95	32.72	188	130	AVERAGE																																																																	



	19																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																								
ANT	CDD 6+17																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5417.88</td> <td>48.75</td> <td>74.00</td> <td>-25.25</td> <td>38.76</td> <td>34.15</td> <td>8.47</td> <td>32.63</td> <td>188</td> <td>130 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.88	48.75	74.00	-25.25	38.76	34.15	8.47	32.63	188	130 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5417.88	48.75	74.00	-25.25	38.76	34.15	8.47	32.63	188	130 PEAK																															
Avg	<p style="text-align: right;">Date: 2025-05-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.92</td> <td>40.29</td> <td>54.00</td> <td>-13.71</td> <td>30.32</td> <td>34.14</td> <td>8.47</td> <td>32.64</td> <td>188</td> <td>130 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.92	40.29	54.00	-13.71	30.32	34.14	8.47	32.64	188	130 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5404.92	40.29	54.00	-13.71	30.32	34.14	8.47	32.64	188	130 AVERAGE																															



Mode	19																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.16</td> <td>52.36</td> <td>74.00</td> <td>-21.64</td> <td>43.19</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>145</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.16	52.36	74.00	-21.64	43.19	33.99	7.92	32.74	145	277	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>98.89</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>34.02</td> <td>7.95</td> <td>32.72</td> <td>145</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	98.89	-----	-----	89.64	34.02	7.95	32.72	145	277	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5145.16	52.36	74.00	-21.64	43.19	33.99	7.92	32.74	145	277	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	98.89	-----	-----	89.64	34.02	7.95	32.72	145	277	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.78</td> <td>43.28</td> <td>54.00</td> <td>-10.72</td> <td>34.11</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>145</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.78	43.28	54.00	-10.72	34.11	33.99	7.92	32.74	145	277	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>91.34</td> <td>-----</td> <td>-----</td> <td>82.09</td> <td>34.02</td> <td>7.95</td> <td>32.72</td> <td>145</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	91.34	-----	-----	82.09	34.02	7.95	32.72	145	277	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5144.78	43.28	54.00	-10.72	34.11	33.99	7.92	32.74	145	277	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	91.34	-----	-----	82.09	34.02	7.95	32.72	145	277	AVERAGE																																																																	



	19																																	
Mode	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																	
ANT	CDD 6+17																																	
Pol.	Vertical	Fundamental																																
Peak																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5405.19</td> <td>48.43</td> <td>74.00</td> <td>-25.57</td> <td>38.45</td> <td>34.14</td> <td>8.48</td> <td>32.64</td> <td>145</td> <td>277 PEAK</td> </tr> </tbody> </table>			Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5405.19	48.43	74.00	-25.57	38.45	34.14	8.48	32.64	145
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																									
1	5405.19	48.43	74.00	-25.57	38.45	34.14	8.48	32.64	145	277 PEAK																								
Avg																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.23</td> <td>39.70</td> <td>54.00</td> <td>-14.30</td> <td>29.72</td> <td>34.17</td> <td>8.43</td> <td>32.62</td> <td>145</td> <td>277 AVERAGE</td> </tr> </tbody> </table>			Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5446.23	39.70	54.00	-14.30	29.72	34.17	8.43	32.62	145
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																									
1	5446.23	39.70	54.00	-14.30	29.72	34.17	8.43	32.62	145	277 AVERAGE																								



Mode	19																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>45.59</td> <td>68.30</td> <td>-22.71</td> <td>56.62</td> <td>37.21</td> <td>10.74</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15570.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>55.30</td> <td>39.43</td> <td>12.72</td> <td>58.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	45.59	68.30	-22.71	56.62	37.21	10.74	58.98	---	---	Peak	2 15570.00	48.48	74.00	-25.52	55.30	39.43	12.72	58.97	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>46.09</td> <td>68.30</td> <td>-22.21</td> <td>57.12</td> <td>37.21</td> <td>10.74</td> <td>58.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15570.00</td> <td>48.72</td> <td>74.00</td> <td>-25.28</td> <td>55.54</td> <td>39.43</td> <td>12.72</td> <td>58.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	46.09	68.30	-22.21	57.12	37.21	10.74	58.98	---	---	Peak	2 15570.00	48.72	74.00	-25.28	55.54	39.43	12.72	58.97	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10380.00	45.59	68.30	-22.71	56.62	37.21	10.74	58.98	---	---	Peak																																																																																												
2 15570.00	48.48	74.00	-25.52	55.30	39.43	12.72	58.97	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10380.00	46.09	68.30	-22.21	57.12	37.21	10.74	58.98	---	---	Peak																																																																																												
2 15570.00	48.72	74.00	-25.28	55.54	39.43	12.72	58.97	---	---	Peak																																																																																												



Mode	20																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>46.65</td> <td>68.30</td> <td>-21.65</td> <td>57.34</td> <td>37.40</td> <td>10.80</td> <td>58.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15690.00</td> <td>50.38</td> <td>74.00</td> <td>-23.62</td> <td>57.27</td> <td>39.48</td> <td>12.72</td> <td>59.09</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	46.65	68.30	-21.65	57.34	37.40	10.80	58.89	---	---	Peak	2 15690.00	50.38	74.00	-23.62	57.27	39.48	12.72	59.09	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>46.59</td> <td>68.30</td> <td>-21.71</td> <td>57.28</td> <td>37.40</td> <td>10.80</td> <td>58.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15690.00</td> <td>49.55</td> <td>74.00</td> <td>-24.45</td> <td>56.44</td> <td>39.48</td> <td>12.72</td> <td>59.09</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	46.59	68.30	-21.71	57.28	37.40	10.80	58.89	---	---	Peak	2 15690.00	49.55	74.00	-24.45	56.44	39.48	12.72	59.09	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10460.00	46.65	68.30	-21.65	57.34	37.40	10.80	58.89	---	---	Peak																																																																																												
2 15690.00	50.38	74.00	-23.62	57.27	39.48	12.72	59.09	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10460.00	46.59	68.30	-21.71	57.28	37.40	10.80	58.89	---	---	Peak																																																																																												
2 15690.00	49.55	74.00	-24.45	56.44	39.48	12.72	59.09	---	---	Peak																																																																																												



Mode	21																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																																																					
ANT	CDD 6+17																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>46.16</td> <td>68.30</td> <td>-22.14</td> <td>56.52</td> <td>37.58</td> <td>10.86</td> <td>58.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>49.34</td> <td>74.00</td> <td>-24.66</td> <td>56.31</td> <td>39.53</td> <td>12.71</td> <td>59.21</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10540.00	46.16	68.30	-22.14	56.52	37.58	10.86	58.80	---	---	Peak	2	15810.00	49.34	74.00	-24.66	56.31	39.53	12.71	59.21	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>46.48</td> <td>68.30</td> <td>-21.82</td> <td>56.84</td> <td>37.58</td> <td>10.86</td> <td>58.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>48.99</td> <td>74.00</td> <td>-25.01</td> <td>55.96</td> <td>39.53</td> <td>12.71</td> <td>59.21</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10540.00	46.48	68.30	-21.82	56.84	37.58	10.86	58.80	---	---	Peak	2	15810.00	48.99	74.00	-25.01	55.96	39.53	12.71	59.21	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10540.00	46.16	68.30	-22.14	56.52	37.58	10.86	58.80	---	---	Peak																																																																																																											
2	15810.00	49.34	74.00	-24.66	56.31	39.53	12.71	59.21	---	---	Peak																																																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10540.00	46.48	68.30	-21.82	56.84	37.58	10.86	58.80	---	---	Peak																																																																																																											
2	15810.00	48.99	74.00	-25.01	55.96	39.53	12.71	59.21	---	---	Peak																																																																																																											