








Date: 10.MAY.2025 14:42:30







Date: 10.MAY.2025 10:53:21





































































In-Band Emissions

Test Result



TestMode	Antenna	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20MIMO	Ant6	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant17	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant6	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant17	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant6	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant17	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant6	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
Ant17	7095	52+26_OFDMA	3	See test graph	See test graph	PASS	
		106+26_OFDMA	2	See test graph	See test graph	PASS	
11BE80MIMO	Ant6	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant17	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant6	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
Ant17	7025	Large RU 484+242	1	See test graph	See test graph	PASS	
		Puncturing 20M	1	See test graph	See test graph	PASS	
11BE160MIMO	Ant6	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant17	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant6	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant17	6985	Large RU 996+484	1	See test graph	See test graph	PASS
Puncturing 40M			1	See test graph	See test graph	PASS	
Puncturing 20M			1	See test graph	See test graph	PASS	
11BE320MIMO	Ant6	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant17	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS







			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant6	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
	Ant17	6905	Puncturing 40M	1	See test graph	See test graph	PASS
			Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS




Test Graphs
















Date: 4.MAY.2025 10:32:45





Date: 4.MAY.2025 10:34:22

















11BE80MIMO_Ant6_5985_Large RU 484+242_4




11BE80MIMO_Ant6_5985_Puncturing 20M_4











Date: 10.MAY.2025 14:44:36



Date: 10.MAY.2025 10:57:07




11BE160MIMO_Ant6_6025_Large RU 996+484_4




Date: 10.MAY.2025 14:51:16


11BE160MIMO_Ant6_6025_Puncturing 40M_4





Date: 10.MAY.2025 13:52:53




Date: 10.MAY.2025 13:53:58




Date: 10.MAY.2025 14:52:13







Date: 10.MAY.2025 14:58:29





Date: 10.MAY.2025 13:56:59




Date: 10.MAY.2025 13:57:51




Date: 10.MAY.2025 14:59:23







Date: 10.MAY.2025 15:04:13




Date: 10.MAY.2025 15:13:39






11BE320MIMO_Ant6_6105_Puncturing 80M_4




11BE320MIMO_Ant6_6105_Puncturing 40M_8






11BE320MIMO_Ant17_6105_Large RU 996*2+484_6







Date: 10.MAY.2025 15:04:56



11BE320MIMO_Ant17_6105_Large RU 996*3_4




Date: 10.MAY.2025 15:14:22











Date: 10.MAY.2025 14:07:40




Date: 10.MAY.2025 14:08:56







11BE320MIMO_Ant17_6905_Large RU 996*2+484_7



11BE320MIMO_Ant17_6905_Large RU 996*3_1










Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon&Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	35.36	-19.94	55.30	15.50	9.67	10.19	Average
2	0.16	44.66	-20.64	65.30	24.80	9.67	10.19	QP
3	0.22	30.90	-22.02	52.92	11.00	9.71	10.19	Average
4	0.22	42.10	-20.82	62.92	22.20	9.71	10.19	QP
5	0.28	28.25	-22.51	50.76	8.30	9.75	10.20	Average
6	0.28	37.65	-23.11	60.76	17.70	9.75	10.20	QP
7	0.32	26.76	-22.86	49.62	6.81	9.74	10.21	Average
8	0.32	37.66	-21.96	59.62	17.71	9.74	10.21	QP
9	0.54	27.61	-18.39	46.00	7.70	9.67	10.24	Average
10	0.54	37.51	-18.49	56.00	17.60	9.67	10.24	QP
11	0.57	31.20	-14.80	46.00	11.29	9.67	10.24	Average
12 *	0.57	40.00	-16.00	56.00	20.09	9.67	10.24	QP



Test Engineer :	Nathon&Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
 Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.79	-17.95	55.74	18.00	9.60	10.19	Average
2	0.15	46.99	-18.75	65.74	27.20	9.60	10.19	QP
3	0.21	33.58	-19.69	53.27	13.60	9.80	10.18	Average
4	0.21	43.18	-20.09	63.27	23.20	9.80	10.18	QP
5	0.23	29.63	-22.76	52.39	9.80	9.64	10.19	Average
6	0.23	41.33	-21.06	62.39	21.50	9.64	10.19	QP
7	0.32	26.84	-22.78	49.62	6.90	9.73	10.21	Average
8	0.32	36.14	-23.48	59.62	16.20	9.73	10.21	QP
9	0.50	29.61	-16.44	46.05	9.30	10.07	10.24	Average
10	0.50	37.31	-18.74	56.05	17.00	10.07	10.24	QP
11	0.58	28.97	-17.03	46.00	9.10	9.63	10.24	Average
12 *	0.58	39.67	-16.33	56.00	19.80	9.63	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 2	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	45	6175	MCS0	Full RU	-
Mode 3	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 4	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 5	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 6	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 7	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 8	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 9	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 10	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 11	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 12	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 16	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 17	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 18	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 21	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 22	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 24	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 28	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 29	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 31	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 32	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 33	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 34	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 35	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 37	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Full RU	-



Mode 38	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 39	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	185	6875	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 45	U-NII-8	6.525-6.875	CDD 6+17	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 46	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 47	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 48	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 49	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 50	U-NII-6	6.425-6.525	CDD 6+17	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 51	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Single RU26/0	-
Mode 52	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	229	7095	MCS0	Single RU106/54	-
Mode 53	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Small RU 52+26/ 37+2	-
Mode 54	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT20	229	7095	MCS0	Small RU 106+26/54+4	-
Mode 55	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 56	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 57	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 58	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 59	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 60	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 61	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ⑥	-
Mode 62	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M ⑦	-
Mode 63	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 64	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 65	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 66	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 67	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 68	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 69	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 70	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 71	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 72	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 73	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 74	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 75	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 76	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 77	U-NII-8	6.525-6.875	CDD 6+17	802.11be EHT320	191	6905	MCS0	Full RU	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT20	1	5882.46	40.26	68.20	-27.94	H	AVERAGE	Pass	Band Edge
1	802.11be EHT20	1	17865.00	50.63	74.00	-23.37	V	Peak	Pass	Harmonic
2	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
2	802.11be EHT20	45	12350.00	46.46	74.00	-27.54	H	Peak	Pass	Harmonic
3	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
3	802.11be EHT20	93	12830.00	46.09	88.20	-42.11	V	Peak	Pass	Harmonic
4	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
4	802.11be EHT20	97	12870.00	46.35	88.20	-41.85	H	Peak	Pass	Harmonic
5	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
5	802.11be EHT20	105	12950.00	45.92	88.20	-42.28	H	Peak	Pass	Harmonic
6	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	113	13030.00	47.64	88.20	-40.56	H	Peak	Pass	Harmonic
7	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	117	13070.00	46.99	88.20	-41.21	H	Peak	Pass	Harmonic
8	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
8	802.11be EHT20	149	13390.00	47.27	74.00	-26.73	H	Peak	Pass	Harmonic
9	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
9	802.11be EHT20	181	13710.00	48.55	88.20	-39.65	V	Peak	Pass	Harmonic
10	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT20	189	13790.00	48.64	88.20	-39.56	H	Peak	Pass	Harmonic
11	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	209	13990.00	48.29	88.20	-39.91	V	Peak	Pass	Harmonic
12	802.11be EHT20	229	7261.01	40.76	54.00	-13.24	V	AVERAGE	Pass	Band Edge
12	802.11be EHT20	229	14190.00	46.45	88.20	-41.75	H	Peak	Pass	Harmonic
13	802.11be EHT40	3	5923.72	42.69	68.20	-25.51	V	AVERAGE	Pass	Band Edge
13	802.11be EHT40	3	17895.00	49.71	74.00	-24.29	H	Peak	Pass	Harmonic
14	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT40	43	12330.00	46.67	74.00	-27.33	V	Peak	Pass	Harmonic
15	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT40	91	12810.00	46.06	88.20	-42.14	H	Peak	Pass	Harmonic
16	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT40	99	12890.00	47.01	88.20	-41.19	V	Peak	Pass	Harmonic
17	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT40	107	12970.00	46.32	88.20	-41.88	V	Peak	Pass	Harmonic
18	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT40	123	13130.00	46.46	88.20	-41.74	H	Peak	Pass	Harmonic
19	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT40	147	13370.00	46.95	74.00	-27.05	V	Peak	Pass	Harmonic
20	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	179	13690.00	48.67	88.20	-39.53	H	Peak	Pass	Harmonic
21	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	195	13850.00	47.49	88.20	-40.71	V	Peak	Pass	Harmonic
22	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge



22	802.11be EHT40	203	13930.00	47.21	88.20	-40.99	V	Peak	Pass	Harmonic
23	802.11be EHT40	227	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT40	227	14170.00	47.65	88.20	-40.55	H	Peak	Pass	Harmonic
24	802.11be EHT80	7	5921.96	43.73	68.20	-24.47	V	AVERAGE	Pass	Band Edge
24	802.11be EHT80	7	17955.00	49.54	74.00	-24.46	H	Peak	Pass	Harmonic
25	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT80	39	12290.00	47.57	74.00	-26.43	V	Peak	Pass	Harmonic
26	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT80	87	12770.00	46.46	88.20	-41.74	H	Peak	Pass	Harmonic
27	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT80	103	12930.00	46.65	88.20	-41.55	H	Peak	Pass	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT80	135	13250.00	46.52	74.00	-27.48	V	Peak	Pass	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	151	13410.00	46.48	88.20	-41.72	H	Peak	Pass	Harmonic
30	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT80	167	13570.00	47.92	88.20	-40.28	V	Peak	Pass	Harmonic
31	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT80	199	13890.00	47.03	88.20	-41.17	H	Peak	Pass	Harmonic
32	802.11be EHT80	215	7310.03	43.05	54.00	-10.95	V	AVERAGE	Pass	Band Edge
32	802.11be EHT80	215	14050.00	47.12	88.20	-41.08	V	Peak	Pass	Harmonic
33	802.11be EHT160	15	5921.88	41.52	68.20	-26.68	H	AVERAGE	Pass	Band Edge
33	802.11be EHT160	15	12050.00	46.28	74.00	-27.72	H	Peak	Pass	Harmonic
34	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT160	47	12370.00	47.57	74.00	-26.43	H	Peak	Pass	Harmonic
35	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT160	79	12690.00	46.74	74.00	-27.26	H	Peak	Pass	Harmonic
36	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT160	143	13330.00	46.25	74.00	-27.75	H	Peak	Pass	Harmonic
37	802.11be EHT160	207	7330.63	42.21	54.00	-11.79	H	AVERAGE	Pass	Band Edge
37	802.11be EHT160	207	13970.00	48.58	88.20	-39.62	V	Peak	Pass	Harmonic
38	802.11be EHT320	31	5798.35	43.87	68.20	-24.33	H	AVERAGE	Pass	Band Edge
38	802.11be EHT320	31	12210.00	46.50	74.00	-27.50	H	Peak	Pass	Harmonic
39	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT320	63	12530.00	45.20	74.00	-28.80	H	Peak	Pass	Harmonic
40	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT20	185	13750.00	47.42	88.20	-40.78	H	Peak	Pass	Harmonic
41	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT40	187	13770.00	48.36	88.20	-39.84	H	Peak	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	48.01	88.20	-40.19	H	Peak	Pass	Harmonic
43	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	175	13650.00	48.68	88.20	-39.52	V	Peak	Pass	Harmonic
44	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT320	159	13490.00	47.10	88.20	-41.10	H	Peak	Pass	Harmonic
45	802.11be EHT320	191	7258.64	43.65	54.00	-10.35	V	AVERAGE	Pass	Band Edge







45	802.11be EHT320	191	13810.00	47.67	88.20	-40.53	V	Peak	SS	Harmonic
46	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT40	115	13050.00	47.27	88.20	-40.93	V	Peak	Pass	Harmonic
47	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT80	119	13090.00	47.68	88.20	-40.52	H	Peak	Pass	Harmonic
48	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	111	13010.00	46.72	88.20	-41.48	V	Peak	Pass	Harmonic
49	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT320	95	12850.00	47.24	88.20	-40.96	H	Peak	Pass	Harmonic
50	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
50	802.11be EHT320	127	13170.00	47.98	88.20	-40.22	H	Peak	Pass	Harmonic
51	802.11be EHT20	1	5843.20	40.48	68.20	-27.72	V	AVERAGE	Pass	Band Edge
51	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	229	7312.01	40.70	54.00	-13.30	H	AVERAGE	Pass	Band Edge
52	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	1	5916.52	40.24	68.20	-27.96	V	AVERAGE	Pass	Band Edge
53	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	229	7257.18	40.82	54.00	-13.18	V	AVERAGE	Pass	Band Edge
54	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT80	7	5905.96	45.33	68.20	-22.87	V	AVERAGE	Pass	Band Edge
55	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	215	7296.70	42.93	54.00	-11.07	H	AVERAGE	Pass	Band Edge
56	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT160	15	5921.32	41.59	68.20	-26.61	H	AVERAGE	Pass	Band Edge
57	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT160	207	7290.63	41.83	54.00	-12.17	H	AVERAGE	Pass	Band Edge
58	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	15	5924.68	41.81	68.20	-26.39	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	207	7293.75	41.96	54.00	-12.04	H	Average	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5923.05	44.59	68.20	-23.61	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT320	191	7295.55	43.02	54.00	-10.98	H	AVERAGE	Pass	Band Edge
62	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	31	5923.81	44.47	68.20	-23.73	V	AVERAGE	Pass	Band Edge
63	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT320	191	7324.59	43.12	54.00	-10.88	V	AVERAGE	Pass	Band Edge
64	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT320	31	5796.82	42.90	68.20	-25.30	V	AVERAGE	Pass	Band Edge
65	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT320	191	7331.85	43.29	54.00	-10.71	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	7	5923.08	43.51	68.20	-24.69	V	AVERAGE	Pass	Band Edge
67	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	215	7336.68	43.28	54.00	-10.72	V	AVERAGE	Pass	Band Edge
68	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic



69	802.11be EHT160	15	5866.16	42.75	68.20	-25.45	H	AVERAGE	Pass	Band Edge
69	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	207	7320.00	41.86	54.00	-12.14	H	AVERAGE	Pass	Band Edge
70	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT320	31	5924.58	43.05	68.20	-25.15	H	AVERAGE	Pass	Band Edge
71	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT320	191	7322.17	43.51	54.00	-10.49	V	AVERAGE	Pass	Band Edge
72	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT320	31	5921.52	45.48	68.20	-22.72	V	AVERAGE	Pass	Band Edge
73	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	191	7290.71	43.60	54.00	-10.40	V	AVERAGE	Pass	Band Edge
74	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	31	5866.44	42.83	68.20	-25.37	V	AVERAGE	Pass	Band Edge
75	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	191	7341.53	43.39	54.00	-10.61	V	AVERAGE	Pass	Band Edge
76	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT320	191	957.32	33.99	46.00	-12.01	V	PEAK	PASS	LF



1																																					
Mode	Band Edge																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																				
ANT	CDD 6+17																																				
Pol.	Horizontal																																				
Peak	 <p>Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5920.68</td> <td>50.13</td> <td>88.20</td> <td>-38.07</td> <td>39.31</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5920.68	50.13	88.20	-38.07	39.31	34.96	8.79	32.93	100	291	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5920.68	50.13	88.20	-38.07	39.31	34.96	8.79	32.93	100	291	PEAK																										
 <p>Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>91.41</td> <td>-----</td> <td>-----</td> <td>80.59</td> <td>35.02</td> <td>8.76</td> <td>32.96</td> <td>100</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	91.41	-----	-----	80.59	35.02	8.76	32.96	100	291	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5955.00	91.41	-----	-----	80.59	35.02	8.76	32.96	100	291	PEAK																										
Avg	 <p>Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.46</td> <td>40.26</td> <td>68.20</td> <td>-27.94</td> <td>29.43</td> <td>34.89</td> <td>8.84</td> <td>32.90</td> <td>100</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5882.46	40.26	68.20	-27.94	29.43	34.89	8.84	32.90	100	291	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5882.46	40.26	68.20	-27.94	29.43	34.89	8.84	32.90	100	291	AVERAGE																										
 <p>Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>82.20</td> <td>-----</td> <td>-----</td> <td>71.38</td> <td>35.03</td> <td>8.75</td> <td>32.96</td> <td>100</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	82.20	-----	-----	71.38	35.03	8.75	32.96	100	291	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5955.00	82.20	-----	-----	71.38	35.03	8.75	32.96	100	291	AVERAGE																										



		1																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.36</td> <td>51.37</td> <td>88.20</td> <td>-36.83</td> <td>40.55</td> <td>34.94</td> <td>8.80</td> <td>32.92</td> <td>241</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5912.36	51.37	88.20	-36.83	40.55	34.94	8.80	32.92	241	98	PEAK	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.96</td> <td>-----</td> <td>-----</td> <td>82.14</td> <td>35.02</td> <td>8.76</td> <td>32.96</td> <td>241</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	92.96	-----	-----	82.14	35.02	8.76	32.96	241	98	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5912.36	51.37	88.20	-36.83	40.55	34.94	8.80	32.92	241	98	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	92.96	-----	-----	82.14	35.02	8.76	32.96	241	98	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.99</td> <td>40.15</td> <td>68.20</td> <td>-28.05</td> <td>29.32</td> <td>34.96</td> <td>8.80</td> <td>32.93</td> <td>241</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5918.99	40.15	68.20	-28.05	29.32	34.96	8.80	32.93	241	98	AVERAGE	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>83.68</td> <td>-----</td> <td>-----</td> <td>72.86</td> <td>35.02</td> <td>8.76</td> <td>32.96</td> <td>241</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	83.68	-----	-----	72.86	35.02	8.76	32.96	241	98	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5918.99	40.15	68.20	-28.05	29.32	34.96	8.80	32.93	241	98	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	83.68	-----	-----	72.86	35.02	8.76	32.96	241	98	AVERAGE																																																															



Mode	1																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>58.21</td> <td>39.34</td> <td>13.66</td> <td>64.14</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>50.39</td> <td>74.00</td> <td>-23.61</td> <td>55.31</td> <td>44.46</td> <td>16.37</td> <td>65.75</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark	1	11910.00	47.07	74.00	-26.93	58.21	39.34	13.66	64.14	---	--- Peak	2	17865.00	50.39	74.00	-23.61	55.31	44.46	16.37	65.75	---	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>46.71</td> <td>74.00</td> <td>-27.29</td> <td>57.85</td> <td>39.34</td> <td>13.66</td> <td>64.14</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>50.63</td> <td>74.00</td> <td>-23.37</td> <td>55.55</td> <td>44.46</td> <td>16.37</td> <td>65.75</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark	1	11910.00	46.71	74.00	-27.29	57.85	39.34	13.66	64.14	---	--- Peak	2	17865.00	50.63	74.00	-23.37	55.55	44.46	16.37	65.75	---	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark																																																																								
1	11910.00	47.07	74.00	-26.93	58.21	39.34	13.66	64.14	---	--- Peak																																																																								
2	17865.00	50.39	74.00	-23.61	55.31	44.46	16.37	65.75	---	--- Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark																																																																								
1	11910.00	46.71	74.00	-27.29	57.85	39.34	13.66	64.14	---	--- Peak																																																																								
2	17865.00	50.63	74.00	-23.37	55.55	44.46	16.37	65.75	---	--- Peak																																																																								



Mode	2																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_Full RU_6175MHz																																																																							
ANT	CDD 6+17																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.46</td> <td>74.00</td> <td>-27.54</td> <td>56.16</td> <td>40.15</td> <td>14.35</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12350.00	46.46	74.00	-27.54	56.16	40.15	14.35	64.20	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>55.57</td> <td>40.15</td> <td>14.35</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12350.00	45.87	74.00	-28.13	55.57	40.15	14.35	64.20	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12350.00	46.46	74.00	-27.54	56.16	40.15	14.35	64.20	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12350.00	45.87	74.00	-28.13	55.57	40.15	14.35	64.20	---	---	Peak																																																														



Mode	3																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>44.76</td> <td>88.20</td> <td>-43.44</td> <td>53.28</td> <td>40.37</td> <td>15.31</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	44.76	88.20	-43.44	53.28	40.37	15.31	64.20	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.09</td> <td>88.20</td> <td>-42.11</td> <td>54.61</td> <td>40.37</td> <td>15.31</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	46.09	88.20	-42.11	54.61	40.37	15.31	64.20
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	44.76	88.20	-43.44	53.28	40.37	15.31	64.20	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	46.09	88.20	-42.11	54.61	40.37	15.31	64.20	--- --- Peak																																																											



Mode	4																																																																											
	Harmonic																																																																											
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.35</td> <td>88.20</td> <td>-41.85</td> <td>54.81</td> <td>40.35</td> <td>15.39</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.35	88.20	-41.85	54.81	40.35	15.39	64.20	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.17</td> <td>88.20</td> <td>-42.03</td> <td>54.63</td> <td>40.35</td> <td>15.39</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.17	88.20	-42.03	54.63	40.35	15.39	64.20	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12870.00	46.35	88.20	-41.85	54.81	40.35	15.39	64.20	---	---	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12870.00	46.17	88.20	-42.03	54.63	40.35	15.39	64.20	---	---	Peak																																																																		



Mode	5																																																																											
	Harmonic																																																																											
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>45.92</td> <td>88.20</td> <td>-42.28</td> <td>54.25</td> <td>40.32</td> <td>15.55</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	45.92	88.20	-42.28	54.25	40.32	15.55	64.20	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>44.68</td> <td>88.20</td> <td>-43.52</td> <td>53.01</td> <td>40.32</td> <td>15.55</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	44.68	88.20	-43.52	53.01	40.32	15.55	64.20	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12950.00	45.92	88.20	-42.28	54.25	40.32	15.55	64.20	---	---	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12950.00	44.68	88.20	-43.52	53.01	40.32	15.55	64.20	---	---	Peak																																																																		



Mode	6																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																																																							
ANT	CDD 6+17																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>47.64</td> <td>88.20</td> <td>-40.56</td> <td>55.85</td> <td>40.32</td> <td>15.66</td> <td>64.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13030.00	47.64	88.20	-40.56	55.85	40.32	15.66	64.19	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>45.83</td> <td>88.20</td> <td>-42.37</td> <td>54.04</td> <td>40.32</td> <td>15.66</td> <td>64.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13030.00	45.83	88.20	-42.37	54.04	40.32	15.66	64.19	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13030.00	47.64	88.20	-40.56	55.85	40.32	15.66	64.19	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13030.00	45.83	88.20	-42.37	54.04	40.32	15.66	64.19	---	---	Peak																																																														



Mode	7																																																																					
	Harmonic																																																																					
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																					
ANT	CDD 6+17																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.99</td> <td>88.20</td> <td>-41.21</td> <td>55.19</td> <td>40.36</td> <td>15.63</td> <td>64.19</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	46.99	88.20	-41.21	55.19	40.36	15.63	64.19	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.28</td> <td>88.20</td> <td>-41.92</td> <td>54.48</td> <td>40.36</td> <td>15.63</td> <td>64.19</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	46.28	88.20	-41.92	54.48	40.36	15.63	64.19	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13070.00	46.99	88.20	-41.21	55.19	40.36	15.63	64.19	---	Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13070.00	46.28	88.20	-41.92	54.48	40.36	15.63	64.19	---	Peak																																																													



Mode	8																																																																																			
	Harmonic																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																			
ANT	CDD 6+17																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13390.00</td> <td>47.27</td> <td>74.00</td> <td>-26.73</td> <td>55.35</td> <td>40.61</td> <td>15.43</td> <td>64.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.27	74.00	-26.73	55.35	40.61	15.43	64.12	---	---	Peak	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13390.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>55.31</td> <td>40.61</td> <td>15.43</td> <td>64.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.23	74.00	-26.77	55.31	40.61	15.43	64.12	---	---	Peak
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	13390.00	47.27	74.00	-26.73	55.35	40.61	15.43	64.12	---	---	Peak																																																																									
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	13390.00	47.23	74.00	-26.77	55.31	40.61	15.43	64.12	---	---	Peak																																																																									



Mode	9																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>47.94</td> <td>88.20</td> <td>-40.26</td> <td>56.15</td> <td>40.62</td> <td>15.23</td> <td>64.06</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	47.94	88.20	-40.26	56.15	40.62	15.23	64.06							---	---								Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>48.55</td> <td>88.20</td> <td>-39.65</td> <td>56.76</td> <td>40.62</td> <td>15.23</td> <td>64.06</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	48.55	88.20	-39.65	56.76	40.62	15.23	64.06							---	---								Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 13710.00	47.94	88.20	-40.26	56.15	40.62	15.23	64.06																																																																																											
						---	---																																																																																											
							Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 13710.00	48.55	88.20	-39.65	56.76	40.62	15.23	64.06																																																																																											
						---	---																																																																																											
							Peak																																																																																											







Mode	10																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.64</td> <td>88.20</td> <td>-39.56</td> <td>56.92</td> <td>40.58</td> <td>15.18</td> <td>64.04</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	48.64	88.20	-39.56	56.92	40.58	15.18	64.04	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.26</td> <td>88.20</td> <td>-39.94</td> <td>56.54</td> <td>40.58</td> <td>15.18</td> <td>64.04</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	48.26	88.20	-39.94	56.54	40.58	15.18	64.04
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	48.64	88.20	-39.56	56.92	40.58	15.18	64.04	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	48.26	88.20	-39.94	56.54	40.58	15.18	64.04	--- Peak																																																											



Mode	11																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>47.69</td> <td>88.20</td> <td>-40.51</td> <td>56.13</td> <td>40.51</td> <td>15.05</td> <td>64.00</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	47.69	88.20	-40.51	56.13	40.51	15.05	64.00	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.29</td> <td>88.20</td> <td>-39.91</td> <td>56.73</td> <td>40.51</td> <td>15.05</td> <td>64.00</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	48.29	88.20	-39.91	56.73	40.51	15.05	64.00	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13990.00	47.69	88.20	-40.51	56.13	40.51	15.05	64.00	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13990.00	48.29	88.20	-39.91	56.73	40.51	15.05	64.00	--- Peak																																																												



		12																																																																						
Mode	Band Edge																																																																							
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																							
ANT	CDD 6+17																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 <p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7228.88</td> <td>50.33</td> <td>88.20</td> <td>-37.87</td> <td>39.35</td> <td>36.30</td> <td>8.67</td> <td>33.99</td> <td>111</td> <td>40 PEAK</td> </tr> <tr> <td>2 7328.84</td> <td>50.90</td> <td>74.00</td> <td>-23.10</td> <td>39.68</td> <td>36.30</td> <td>8.99</td> <td>34.07</td> <td>111</td> <td>40 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7228.88	50.33	88.20	-37.87	39.35	36.30	8.67	33.99	111	40 PEAK	2 7328.84	50.90	74.00	-23.10	39.68	36.30	8.99	34.07	111	40 PEAK	 <p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>92.69</td> <td>-----</td> <td>-----</td> <td>81.55</td> <td>36.30</td> <td>8.72</td> <td>33.88</td> <td>111</td> <td>40 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	92.69	-----	-----	81.55	36.30	8.72	33.88	111	40 PEAK
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 7228.88	50.33	88.20	-37.87	39.35	36.30	8.67	33.99	111	40 PEAK																																																															
2 7328.84	50.90	74.00	-23.10	39.68	36.30	8.99	34.07	111	40 PEAK																																																															
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 7095.00	92.69	-----	-----	81.55	36.30	8.72	33.88	111	40 PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7227.60</td> <td>40.66</td> <td>68.20</td> <td>-27.54</td> <td>29.68</td> <td>36.30</td> <td>8.66</td> <td>33.98</td> <td>111</td> <td>40 AVERAGE</td> </tr> <tr> <td>2 7262.03</td> <td>40.69</td> <td>54.00</td> <td>-13.31</td> <td>29.63</td> <td>36.30</td> <td>8.77</td> <td>34.01</td> <td>111</td> <td>40 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7227.60	40.66	68.20	-27.54	29.68	36.30	8.66	33.98	111	40 AVERAGE	2 7262.03	40.69	54.00	-13.31	29.63	36.30	8.77	34.01	111	40 AVERAGE	 <p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>84.17</td> <td>-----</td> <td>-----</td> <td>73.03</td> <td>36.30</td> <td>8.72</td> <td>33.88</td> <td>111</td> <td>40 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	84.17	-----	-----	73.03	36.30	8.72	33.88	111	40 AVERAGE
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 7227.60	40.66	68.20	-27.54	29.68	36.30	8.66	33.98	111	40 AVERAGE																																																															
2 7262.03	40.69	54.00	-13.31	29.63	36.30	8.77	34.01	111	40 AVERAGE																																																															
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 7095.00	84.17	-----	-----	73.03	36.30	8.72	33.88	111	40 AVERAGE																																																															



	12																																																																																							
Mode	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.28</td> <td>50.31</td> <td>88.20</td> <td>-37.89</td> <td>39.39</td> <td>36.30</td> <td>8.58</td> <td>33.96</td> <td>241</td> <td>101</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7331.39</td> <td>50.17</td> <td>74.00</td> <td>-23.83</td> <td>38.95</td> <td>36.30</td> <td>8.99</td> <td>34.07</td> <td>241</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7198.28	50.31	88.20	-37.89	39.39	36.30	8.58	33.96	241	101	PEAK	2	7331.39	50.17	74.00	-23.83	38.95	36.30	8.99	34.07	241	101	PEAK	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.36</td> <td>-----</td> <td>-----</td> <td>78.22</td> <td>36.30</td> <td>8.72</td> <td>33.88</td> <td>241</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.36	-----	-----	78.22	36.30	8.72	33.88	241	101	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7198.28	50.31	88.20	-37.89	39.39	36.30	8.58	33.96	241	101	PEAK																																																																													
2	7331.39	50.17	74.00	-23.83	38.95	36.30	8.99	34.07	241	101	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	89.36	-----	-----	78.22	36.30	8.72	33.88	241	101	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.32</td> <td>40.76</td> <td>68.20</td> <td>-27.44</td> <td>29.84</td> <td>36.30</td> <td>8.58</td> <td>33.96</td> <td>241</td> <td>101</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7261.01</td> <td>40.76</td> <td>54.00</td> <td>-13.24</td> <td>29.70</td> <td>36.30</td> <td>8.77</td> <td>34.01</td> <td>241</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7200.32	40.76	68.20	-27.44	29.84	36.30	8.58	33.96	241	101	AVERAGE	2	7261.01	40.76	54.00	-13.24	29.70	36.30	8.77	34.01	241	101	AVERAGE	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>81.11</td> <td>-----</td> <td>-----</td> <td>69.97</td> <td>36.30</td> <td>8.72</td> <td>33.88</td> <td>241</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.11	-----	-----	69.97	36.30	8.72	33.88	241	101	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7200.32	40.76	68.20	-27.44	29.84	36.30	8.58	33.96	241	101	AVERAGE																																																																													
2	7261.01	40.76	54.00	-13.24	29.70	36.30	8.77	34.01	241	101	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	81.11	-----	-----	69.97	36.30	8.72	33.88	241	101	AVERAGE																																																																													



Mode	12																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																							
ANT	CDD 6+17																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>46.45</td> <td>88.20</td> <td>-41.75</td> <td>54.68</td> <td>40.65</td> <td>15.12</td> <td>64.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	46.45	88.20	-41.75	54.68	40.65	15.12	64.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>45.90</td> <td>88.20</td> <td>-42.30</td> <td>54.13</td> <td>40.65</td> <td>15.12</td> <td>64.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	45.90	88.20	-42.30	54.13	40.65	15.12	64.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	46.45	88.20	-41.75	54.68	40.65	15.12	64.00	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	45.90	88.20	-42.30	54.13	40.65	15.12	64.00	---	---	Peak																																																														



13																																					
Mode	Band Edge																																				
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																				
ANT	CDD 6+17																																				
Pol.	Horizontal																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.32</td> <td>52.39</td> <td>88.20</td> <td>-35.81</td> <td>41.57</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>104</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5921.32	52.39	88.20	-35.81	41.57	34.96	8.79	32.93	104	292	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5921.32	52.39	88.20	-35.81	41.57	34.96	8.79	32.93	104	292	PEAK																										
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>93.10</td> <td>-----</td> <td>-----</td> <td>82.28</td> <td>35.03</td> <td>8.75</td> <td>32.96</td> <td>104</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5965.00	93.10	-----	-----	82.28	35.03	8.75	32.96	104	292	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5965.00	93.10	-----	-----	82.28	35.03	8.75	32.96	104	292	PEAK																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>41.78</td> <td>68.20</td> <td>-26.42</td> <td>30.95</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>104</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5925.00	41.78	68.20	-26.42	30.95	34.97	8.79	32.93	104	292	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5925.00	41.78	68.20	-26.42	30.95	34.97	8.79	32.93	104	292	AVERAGE																										
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>82.70</td> <td>-----</td> <td>-----</td> <td>71.88</td> <td>35.03</td> <td>8.75</td> <td>32.96</td> <td>104</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5965.00	82.70	-----	-----	71.88	35.03	8.75	32.96	104	292	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5965.00	82.70	-----	-----	71.88	35.03	8.75	32.96	104	292	AVERAGE																										



Mode	13																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>57.40</td> <td>39.33</td> <td>13.66</td> <td>64.15</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>49.71</td> <td>74.00</td> <td>-24.29</td> <td>54.63</td> <td>44.49</td> <td>16.37</td> <td>65.78</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	11930.00	46.24	74.00	-27.76	57.40	39.33	13.66	64.15	---	---	Peak	2	17895.00	49.71	74.00	-24.29	54.63	44.49	16.37	65.78	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>44.88</td> <td>74.00</td> <td>-29.12</td> <td>56.04</td> <td>39.33</td> <td>13.66</td> <td>64.15</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>48.50</td> <td>74.00</td> <td>-25.50</td> <td>53.42</td> <td>44.49</td> <td>16.37</td> <td>65.78</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	11930.00	44.88	74.00	-29.12	56.04	39.33	13.66	64.15	---	---	Peak	2	17895.00	48.50	74.00	-25.50	53.42	44.49	16.37	65.78	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	11930.00	46.24	74.00	-27.76	57.40	39.33	13.66	64.15	---	---	Peak																																																																																	
2	17895.00	49.71	74.00	-24.29	54.63	44.49	16.37	65.78	---	---	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	11930.00	44.88	74.00	-29.12	56.04	39.33	13.66	64.15	---	---	Peak																																																																																	
2	17895.00	48.50	74.00	-25.50	53.42	44.49	16.37	65.78	---	---	Peak																																																																																	



Mode	14																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full RU_6165MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>45.62</td> <td>74.00</td> <td>-28.38</td> <td>55.40</td> <td>40.11</td> <td>14.31</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	45.62	74.00	-28.38	55.40	40.11	14.31	64.20	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>56.45</td> <td>40.11</td> <td>14.31</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	46.67	74.00	-27.33	56.45	40.11	14.31	64.20
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12330.00	45.62	74.00	-28.38	55.40	40.11	14.31	64.20	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12330.00	46.67	74.00	-27.33	56.45	40.11	14.31	64.20	--- --- Peak																																																											



Mode	15																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>46.06</td> <td>88.20</td> <td>-42.14</td> <td>54.61</td> <td>40.38</td> <td>15.27</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	46.06	88.20	-42.14	54.61	40.38	15.27	64.20	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>45.57</td> <td>88.20</td> <td>-42.63</td> <td>54.12</td> <td>40.38</td> <td>15.27</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	45.57	88.20	-42.63	54.12	40.38	15.27	64.20
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12810.00	46.06	88.20	-42.14	54.61	40.38	15.27	64.20	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12810.00	45.57	88.20	-42.63	54.12	40.38	15.27	64.20	--- --- Peak																																																											



Mode	16																																																																											
	Harmonic																																																																											
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>46.82</td> <td>88.20</td> <td>-41.38</td> <td>55.25</td> <td>40.34</td> <td>15.43</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12890.00	46.82	88.20	-41.38	55.25	40.34	15.43	64.20	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>47.01</td> <td>88.20</td> <td>-41.19</td> <td>55.44</td> <td>40.34</td> <td>15.43</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12890.00	47.01	88.20	-41.19	55.44	40.34	15.43	64.20	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12890.00	46.82	88.20	-41.38	55.25	40.34	15.43	64.20	---	---	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12890.00	47.01	88.20	-41.19	55.44	40.34	15.43	64.20	---	---	Peak																																																																		



Mode	17																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>46.03</td> <td>88.20</td> <td>-42.17</td> <td>54.33</td> <td>40.31</td> <td>15.59</td> <td>64.20</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12970.00	46.03	88.20	-42.17	54.33	40.31	15.59	64.20	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>46.32</td> <td>88.20</td> <td>-41.88</td> <td>54.62</td> <td>40.31</td> <td>15.59</td> <td>64.20</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12970.00	46.32	88.20	-41.88	54.62	40.31	15.59	64.20	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12970.00	46.03	88.20	-42.17	54.33	40.31	15.59	64.20	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12970.00	46.32	88.20	-41.88	54.62	40.31	15.59	64.20	--- Peak																																																												



Mode	18																																																																									
	Harmonic																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.46</td> <td>88.20</td> <td>-41.74</td> <td>54.64</td> <td>40.40</td> <td>15.59</td> <td>64.17</td> <td>---</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	46.46	88.20	-41.74	54.64	40.40	15.59	64.17	---	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>45.84</td> <td>88.20</td> <td>-42.36</td> <td>54.02</td> <td>40.40</td> <td>15.59</td> <td>64.17</td> <td>---</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	45.84	88.20	-42.36	54.02	40.40	15.59	64.17	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13130.00	46.46	88.20	-41.74	54.64	40.40	15.59	64.17	---	---																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13130.00	45.84	88.20	-42.36	54.02	40.40	15.59	64.17	---	---																																																																	







Mode	19																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>54.00</td> <td>40.60</td> <td>15.44</td> <td>64.13</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	45.91	74.00	-28.09	54.00	40.60	15.44	64.13	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>46.95</td> <td>74.00</td> <td>-27.05</td> <td>55.04</td> <td>40.60</td> <td>15.44</td> <td>64.13</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	46.95	74.00	-27.05	55.04	40.60	15.44	64.13	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13370.00	45.91	74.00	-28.09	54.00	40.60	15.44	64.13	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13370.00	46.95	74.00	-27.05	55.04	40.60	15.44	64.13	--- Peak																																																												







Mode	20																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>48.67</td> <td>88.20</td> <td>-39.53</td> <td>56.87</td> <td>40.62</td> <td>15.24</td> <td>64.06</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13690.00	48.67	88.20	-39.53	56.87	40.62	15.24	64.06	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>47.93</td> <td>88.20</td> <td>-40.27</td> <td>56.13</td> <td>40.62</td> <td>15.24</td> <td>64.06</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13690.00	47.93	88.20	-40.27	56.13	40.62	15.24	64.06
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13690.00	48.67	88.20	-39.53	56.87	40.62	15.24	64.06	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13690.00	47.93	88.20	-40.27	56.13	40.62	15.24	64.06	--- Peak																																																											



Mode	21	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	22																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT40_CH203_Full RU_6965MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>47.11</td> <td>88.20</td> <td>-41.09</td> <td>55.50</td> <td>40.53</td> <td>15.09</td> <td>64.01</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13930.00	47.11	88.20	-41.09	55.50	40.53	15.09	64.01	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>47.21</td> <td>88.20</td> <td>-40.99</td> <td>55.60</td> <td>40.53</td> <td>15.09</td> <td>64.01</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13930.00	47.21	88.20	-40.99	55.60	40.53	15.09	64.01	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13930.00	47.11	88.20	-41.09	55.50	40.53	15.09	64.01	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13930.00	47.21	88.20	-40.99	55.60	40.53	15.09	64.01	--- Peak																																																												



Mode	23																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>47.65</td> <td>88.20</td> <td>-40.55</td> <td>55.90</td> <td>40.63</td> <td>15.12</td> <td>64.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	47.65	88.20	-40.55	55.90	40.63	15.12	64.00	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>47.36</td> <td>88.20</td> <td>-40.84</td> <td>55.61</td> <td>40.63</td> <td>15.12</td> <td>64.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	47.36	88.20	-40.84	55.61	40.63	15.12	64.00	--- --- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14170.00	47.65	88.20	-40.55	55.90	40.63	15.12	64.00	--- --- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14170.00	47.36	88.20	-40.84	55.61	40.63	15.12	64.00	--- --- Peak																																																												



		24																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																											
ANT	CDD 6+17																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.80</td> <td>51.07</td> <td>88.20</td> <td>-37.13</td> <td>40.24</td> <td>34.95</td> <td>8.80</td> <td>32.92</td> <td>103</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.80	51.07	88.20	-37.13	40.24	34.95	8.80	32.92	103	293	PEAK	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>91.50</td> <td>-----</td> <td>-----</td> <td>80.68</td> <td>35.08</td> <td>8.72</td> <td>32.98</td> <td>103</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	91.50	-----	-----	80.68	35.08	8.72	32.98	103	293	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5913.80	51.07	88.20	-37.13	40.24	34.95	8.80	32.92	103	293	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	91.50	-----	-----	80.68	35.08	8.72	32.98	103	293	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.96</td> <td>42.71</td> <td>68.20</td> <td>-25.49</td> <td>31.88</td> <td>34.95</td> <td>8.80</td> <td>32.92</td> <td>103</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.96	42.71	68.20	-25.49	31.88	34.95	8.80	32.92	103	293	AVERAGE	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>83.42</td> <td>-----</td> <td>-----</td> <td>72.60</td> <td>35.08</td> <td>8.72</td> <td>32.98</td> <td>103</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	83.42	-----	-----	72.60	35.08	8.72	32.98	103	293	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5913.96	42.71	68.20	-25.49	31.88	34.95	8.80	32.92	103	293	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	83.42	-----	-----	72.60	35.08	8.72	32.98	103	293	AVERAGE																																																																	



		24																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.84</td> <td>52.70</td> <td>88.20</td> <td>-35.50</td> <td>41.88</td> <td>34.95</td> <td>8.80</td> <td>32.93</td> <td>242</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5916.84	52.70	88.20	-35.50	41.88	34.95	8.80	32.93	242	108	PEAK	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>92.70</td> <td>-----</td> <td>-----</td> <td>81.88</td> <td>35.06</td> <td>8.73</td> <td>32.97</td> <td>242</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	92.70	-----	-----	81.88	35.06	8.73	32.97	242	108	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5916.84	52.70	88.20	-35.50	41.88	34.95	8.80	32.93	242	108	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	92.70	-----	-----	81.88	35.06	8.73	32.97	242	108	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.96</td> <td>43.73</td> <td>68.20</td> <td>-24.47</td> <td>32.91</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>242</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5921.96	43.73	68.20	-24.47	32.91	34.96	8.79	32.93	242	108	AVERAGE	<p style="text-align: right;">Date: 2025-05-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>83.88</td> <td>-----</td> <td>-----</td> <td>73.06</td> <td>35.06</td> <td>8.73</td> <td>32.97</td> <td>242</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	83.88	-----	-----	73.06	35.06	8.73	32.97	242	108	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5921.96	43.73	68.20	-24.47	32.91	34.96	8.79	32.93	242	108	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	83.88	-----	-----	73.06	35.06	8.73	32.97	242	108	AVERAGE																																																															



Mode	24																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>58.30</td> <td>39.31</td> <td>13.65</td> <td>64.18</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>49.54</td> <td>74.00</td> <td>-24.46</td> <td>54.49</td> <td>44.55</td> <td>16.35</td> <td>65.85</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark	1	11970.00	47.08	74.00	-26.92	58.30	39.31	13.65	64.18	---	--- Peak	2	17955.00	49.54	74.00	-24.46	54.49	44.55	16.35	65.85	---	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>45.92</td> <td>74.00</td> <td>-28.08</td> <td>57.14</td> <td>39.31</td> <td>13.65</td> <td>64.18</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>47.70</td> <td>74.00</td> <td>-26.30</td> <td>52.65</td> <td>44.55</td> <td>16.35</td> <td>65.85</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark	1	11970.00	45.92	74.00	-28.08	57.14	39.31	13.65	64.18	---	--- Peak	2	17955.00	47.70	74.00	-26.30	52.65	44.55	16.35	65.85	---	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark																																																																								
1	11970.00	47.08	74.00	-26.92	58.30	39.31	13.65	64.18	---	--- Peak																																																																								
2	17955.00	49.54	74.00	-24.46	54.49	44.55	16.35	65.85	---	--- Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark																																																																								
1	11970.00	45.92	74.00	-28.08	57.14	39.31	13.65	64.18	---	--- Peak																																																																								
2	17955.00	47.70	74.00	-26.30	52.65	44.55	16.35	65.85	---	--- Peak																																																																								



Mode	25																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full RU_6145MHz																																																																		
ANT	CDD 6+17																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>56.84</td> <td>40.01</td> <td>14.23</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12290.00	46.88	74.00	-27.12	56.84	40.01	14.23	64.20	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>47.57</td> <td>74.00</td> <td>-26.43</td> <td>57.53</td> <td>40.01</td> <td>14.23</td> <td>64.20</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12290.00	47.57	74.00	-26.43	57.53	40.01	14.23	64.20
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12290.00	46.88	74.00	-27.12	56.84	40.01	14.23	64.20	--- --- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12290.00	47.57	74.00	-26.43	57.53	40.01	14.23	64.20	--- --- Peak																																																											



Mode	26																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																			
ANT	CDD 6+17																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>46.46</td> <td>88.20</td> <td>-41.74</td> <td>55.08</td> <td>40.39</td> <td>15.19</td> <td>64.20</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12770.00	46.46	88.20	-41.74	55.08	40.39	15.19	64.20	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 12772.80</td> <td>45.85</td> <td>88.20</td> <td>-42.35</td> <td>54.47</td> <td>40.39</td> <td>15.19</td> <td>64.20</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12772.80	45.85	88.20	-42.35	54.47	40.39	15.19	64.20	--- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 12770.00	46.46	88.20	-41.74	55.08	40.39	15.19	64.20	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 12772.80	45.85	88.20	-42.35	54.47	40.39	15.19	64.20	--- Peak																																																												



		27																																																																								
Mode	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Horizontal		Vertical																																																																							
Peak Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12930.00</td> <td>46.65</td> <td>88.20</td> <td>-41.55</td> <td>55.01</td> <td>40.33</td> <td>15.51</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12930.00	46.65	88.20	-41.55	55.01	40.33	15.51	64.20	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12930.00</td> <td>46.24</td> <td>88.20</td> <td>-41.96</td> <td>54.60</td> <td>40.33</td> <td>15.51</td> <td>64.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12930.00	46.24	88.20	-41.96	54.60	40.33	15.51	64.20	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	12930.00	46.65	88.20	-41.55	55.01	40.33	15.51	64.20	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	12930.00	46.24	88.20	-41.96	54.60	40.33	15.51	64.20	---	---	Peak																																																															