





Conducted Band Edge

WCDMA Band V (RMC 12.2Kbps)

Lowest Band Edge




Highest Band Edge



WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge





WCDMA Band IV (RMC 12.2Kbps)

Lowest Band Edge

Highest Band Edge




Date: 8.MAY.2025 09:43:59



Date: 8.MAY.2025 09:50:18




Conducted Spurious Emission






WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 8.MAY.2025 09:44:20

Middle Channel



Date: 8.MAY.2025 09:47:00

Highest Channel



Date: 8.MAY.2025 09:51:25



Frequency Stability

Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbps)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0016	
30	Normal Voltage	0.0014	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0006	
0	Normal Voltage	0.0002	
-10	Normal Voltage	0.0007	
-20	Normal Voltage	0.0002	
-30	Normal Voltage	0.0011	
20	Maximum Voltage	0.0001	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0016	

Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0068	
30	Normal Voltage	0.0020	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0105	
0	Normal Voltage	0.0010	
-10	Normal Voltage	0.0057	
-20	Normal Voltage	0.0041	
-30	Normal Voltage	0.0015	
20	Maximum Voltage	0.0087	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0002	

Note:

1. Normal Voltage = 3.93V. ; Battery End Point (BEP) = 3.7V. ; Maximum Voltage =4.3 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0062	PASS
40	Normal Voltage	0.0461	
30	Normal Voltage	0.0271	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0026	
0	Normal Voltage	0.0365	
-10	Normal Voltage	0.0240	
-20	Normal Voltage	0.0274	
-30	Normal Voltage	0.0487	
20	Maximum Voltage	0.0361	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0551	

Note:

1. Normal Voltage = 3.93V. ; Battery End Point (BEP) = 3.7 V. ; Maximum Voltage =4.3 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	LiangPing Zhou	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antennas, we choose the worst antenna mode to test.

GSM850 (GSM)_Ant0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672.8	-60.88	-13	-47.88	-70.48	-64.13	4.00	9.40	H
	2509.2	-46.69	-13	-33.69	-60.53	-50.26	4.88	10.60	H
	3345.6	-62.66	-13	-49.66	-77.98	-67.59	5.52	12.60	H
	1672.8	-61.53	-13	-48.53	-70.58	-64.78	4.00	9.40	V
	2509.2	-51.26	-13	-38.26	-65.06	-54.83	4.88	10.60	V
	3345.6	-62.71	-13	-49.71	-77.76	-67.64	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM850 (EDGE 1 Tx slots)_Ant0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672.8	-60.09	-13	-47.09	-69.69	-63.34	4.00	9.40	H
	2509.2	-47.85	-13	-34.85	-61.69	-51.42	4.88	10.60	H
	3345.6	-62.50	-13	-49.50	-77.82	-67.43	5.52	12.60	H
	1672.8	-62.07	-13	-49.07	-71.12	-65.32	4.00	9.40	V
	2509.2	-51.18	-13	-38.18	-64.98	-54.75	4.88	10.60	V
	3345.6	-62.69	-13	-49.69	-77.74	-67.62	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band V(RMC 12.2Kbps)_Ant0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672.8	-65.29	-13	-52.29	-74.89	-68.54	4.00	9.40	H
	2509.2	-63.36	-13	-50.36	-77.20	-66.93	4.88	10.60	H
	3345.6	-62.85	-13	-49.85	-78.17	-67.78	5.52	12.60	H
	1672.8	-66.02	-13	-53.02	-75.07	-69.27	4.00	9.40	V
	2509.2	-62.80	-13	-49.80	-76.60	-66.37	4.88	10.60	V
	3345.6	-62.94	-13	-49.94	-77.99	-67.87	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GSM) _Ant3									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3760	-58.13	-13	-45.13	-75.92	-64.88	5.85	12.60	H
	5640	-40.16	-13	-27.16	-62.73	-45.96	7.30	13.10	H
	7520	-54.44	-13	-41.44	-80.59	-57.59	8.35	11.50	H
	3760	-59.34	-13	-46.34	-77.06	-66.09	5.85	12.60	V
	5640	-42.67	-13	-29.67	-64.49	-48.47	7.30	13.10	V
	7520	-55.02	-13	-42.02	-81.15	-58.17	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (EDGE 1 Tx slots) _Ant3									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3760	-58.33	-13	-45.33	-76.12	-65.08	5.85	12.60	H
	5640	-40.44	-13	-27.44	-63.01	-46.24	7.30	13.10	H
	7520	-54.70	-13	-41.70	-80.85	-57.85	8.35	11.50	H
	3760	-58.58	-13	-45.58	-76.3	-65.33	5.85	12.60	V
	5640	-41.70	-13	-28.70	-63.52	-47.50	7.30	13.10	V
	7520	-54.62	-13	-41.62	-80.75	-57.77	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band II(RMC 12.2Kbps) _Ant3									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3760	-61.14	-13	-48.14	-78.93	-67.89	5.85	12.60	H
	5640	-56.49	-13	-43.49	-79.06	-62.29	7.30	13.10	H
	7520	-54.47	-13	-41.47	-80.62	-57.62	8.35	11.50	H
	3760	-61.21	-13	-48.21	-78.93	-67.96	5.85	12.60	V
	5640	-57.70	-13	-44.70	-79.52	-63.50	7.30	13.10	V
	7520	-54.75	-13	-41.75	-80.88	-57.90	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band IV(RMC 12.2Kbps) _Ant3									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465.2	-61.36	-13	-48.36	-77.64	-68.11	5.85	12.60	H
	5197.8	-58.88	-13	-45.88	-80.36	-64.68	7.30	13.10	H
	6930.4	-56.31	-13	-43.31	-81.63	-59.46	8.35	11.50	H
	3465.2	-61.84	-13	-48.84	-78.14	-68.59	5.85	12.60	V
	5197.8	-57.05	-13	-44.05	-78.84	-62.85	7.30	13.10	V
	6930.4	-55.52	-13	-42.52	-81.31	-58.67	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.