





2DH1\_Ant15\_High\_2480





Date: 15.SEP.2024 03:36:23


2DH1\_Ant8\_High\_2480





Date: 15.SEP.2024 04:00:14
















## Conducted Spurious Emission

### Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict	
DH5	Ant15	2402	Reference	11.49	11.49	---	PASS	
			30~1000	11.49	-45.41	≤-8.51	PASS	
			1000~26500	11.49	-40.17	≤-8.51	PASS	
	Ant8	2402	Reference	11.06	11.06	---	PASS	
			30~1000	11.06	-44.89	≤-8.94	PASS	
			1000~26500	11.06	-40.02	≤-8.94	PASS	
	Ant15	2441	Reference	11.59	11.59	---	PASS	
			30~1000	11.59	-46.26	≤-8.41	PASS	
			1000~26500	11.59	-38.85	≤-8.41	PASS	
	Ant8	2441	Reference	11.45	11.45	---	PASS	
			30~1000	11.45	-46.06	≤-8.55	PASS	
			1000~26500	11.45	-40.06	≤-8.55	PASS	
	Ant15	2480	Reference	11.04	11.04	---	PASS	
			30~1000	11.04	-45.31	≤-8.96	PASS	
			1000~26500	11.04	-39.71	≤-8.96	PASS	
	Ant8	2480	Reference	11.38	11.38	---	PASS	
			30~1000	11.38	-45.05	≤-8.62	PASS	
			1000~26500	11.38	-39.97	≤-8.62	PASS	
	2DH1	Ant15	2402	Reference	6.15	6.15	---	PASS
				30~1000	6.15	-45.19	≤-13.85	PASS
				1000~26500	6.15	-39.06	≤-13.85	PASS
		Ant8	2402	Reference	6.18	6.18	---	PASS
				30~1000	6.18	-45.57	≤-13.82	PASS
				1000~26500	6.18	-39.75	≤-13.82	PASS
Ant15		2441	Reference	6.48	6.48	---	PASS	
			30~1000	6.48	-45.8	≤-13.52	PASS	
			1000~26500	6.48	-39.5	≤-13.52	PASS	
Ant8		2441	Reference	6.77	6.77	---	PASS	
			30~1000	6.77	-45.8	≤-13.23	PASS	
			1000~26500	6.77	-39.29	≤-13.23	PASS	
Ant15		2480	Reference	6.23	6.23	---	PASS	
			30~1000	6.23	-45.4	≤-13.77	PASS	
			1000~26500	6.23	-38.92	≤-13.77	PASS	





	Ant8	2480	Reference	6.69	6.69	---	PASS
			30~1000	6.69	-45.9	≤-13.31	PASS
			1000~26500	6.69	-40.08	≤-13.31	PASS
3DH1	Ant15	2402	Reference	6.29	6.29	---	PASS
			30~1000	6.29	-45.82	≤-13.71	PASS
			1000~26500	6.29	-39.2	≤-13.71	PASS
	Ant8	2402	Reference	6.37	6.37	---	PASS
			30~1000	6.37	-45.59	≤-13.63	PASS
			1000~26500	6.37	-40.14	≤-13.63	PASS
	Ant15	2441	Reference	6.64	6.64	---	PASS
			30~1000	6.64	-45.44	≤-13.36	PASS
			1000~26500	6.64	-39.96	≤-13.36	PASS
	Ant8	2441	Reference	7.00	7.00	---	PASS
			30~1000	7.00	-46.31	≤-13	PASS
			1000~26500	7.00	-39.43	≤-13	PASS
	Ant15	2480	Reference	6.34	6.34	---	PASS
			30~1000	6.34	-44.82	≤-13.66	PASS
			1000~26500	6.34	-39.86	≤-13.66	PASS
	Ant8	2480	Reference	6.82	6.82	---	PASS
			30~1000	6.82	-46.09	≤-13.18	PASS
			1000~26500	6.82	-39.46	≤-13.18	PASS





### Test Graphs






























2DH1\_Ant15\_2402\_1000~26500





Date: 15\_SEP.2024 03:34:35


2DH1\_Ant8\_2402\_0~Reference





Date: 15\_SEP.2024 03:57:12
























3DH1\_Ant15\_2402\_1000~26500



Date: 15.SEP.2024 03:38:22


3DH1\_Ant8\_2402\_0~Reference



Date: 15.SEP.2024 04:01:45




3DH1\_Ant8\_2402\_30~1000





Date: 15\_SEP.2024 04:01:51


3DH1\_Ant8\_2402\_1000~26500





Date: 15\_SEP.2024 04:02:06

















## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.164	60.12	-5.13	65.25	49.59	0.11	10.42	QP
2	0.164	41.72	-13.53	55.25	31.19	0.11	10.42	Average
3 *	0.182	60.71	-3.71	64.42	50.21	0.09	10.41	QP
4	0.182	37.11	-17.31	54.42	26.61	0.09	10.41	Average
5	0.255	54.95	-6.65	61.60	44.50	0.09	10.36	QP
6	0.255	33.05	-18.55	51.60	22.60	0.09	10.36	Average
7	0.274	51.64	-9.34	60.98	41.20	0.09	10.35	QP
8	0.274	32.34	-18.64	50.98	21.90	0.09	10.35	Average
9	0.332	50.56	-8.84	59.40	40.20	0.05	10.31	QP
10	0.332	31.56	-17.84	49.40	21.20	0.05	10.31	Average
11	0.505	41.61	-14.39	56.00	31.50	-0.11	10.22	QP
12	0.505	25.61	-20.39	46.00	15.50	-0.11	10.22	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.152	53.04	-12.83	65.87	42.50	0.12	10.42	QP
2	0.152	35.04	-20.83	55.87	24.50	0.12	10.42	Average
3	0.193	49.84	-14.05	63.89	39.30	0.13	10.41	QP
4	0.193	34.14	-19.75	53.89	23.60	0.13	10.41	Average
5	0.213	42.69	-20.41	63.10	32.20	0.09	10.40	QP
6	0.213	29.29	-23.81	53.10	18.80	0.09	10.40	Average
7	0.266	42.51	-18.74	61.25	32.20	-0.05	10.36	QP
8	0.266	29.51	-21.74	51.25	19.20	-0.05	10.36	Average
9	0.363	38.97	-19.68	58.65	28.80	-0.13	10.30	QP
10	0.363	23.67	-24.98	48.65	13.50	-0.13	10.30	Average
11	0.694	32.58	-23.42	56.00	22.60	-0.16	10.14	QP
12	0.694	21.48	-24.52	46.00	11.50	-0.16	10.14	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission

Test Engineer :	Bernie Liu	Relative Humidity :	41~42%
		Temperature :	22~23°C

### Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	8	Bluetooth BR_GFSK	00	2402	3Mbps	-	-
Mode 2	2400-2483.5	8	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	8	Bluetooth BR_GFSK	78	2480	3Mbps	-	-
Mode 4	2400-2483.5	15	Bluetooth BR_GFSK	00	2402	3Mbps	-	-
Mode 5	2400-2483.5	15	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 6	2400-2483.5	15	Bluetooth BR_GFSK	78	2480	3Mbps	-	-
Mode 7	2400-2483.5	BF8+15	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 8	2400-2483.5	BF8+15	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 9	2400-2483.5	BF8+15	Bluetooth BR_GFSK	78	2480	1Mbps	-	-

### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth EDR_8-DPSK	00	2376.17	49.08	74.00	-24.92	H	PEAK	Pass	Band Edge
1	Bluetooth EDR_8-DPSK	00	4804.00	40.38	74.00	-33.62	H	PEAK	Pass	Harmonic
2	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth EDR_8-DPSK	39	7323.00	41.86	74.00	-32.14	V	PEAK	Pass	Harmonic
3	Bluetooth EDR_8-DPSK	78	2493.63	50.05	74.00	-23.95	H	PEAK	Pass	Band Edge
3	Bluetooth EDR_8-DPSK	78	7440.00	42.38	74.00	-31.62	V	PEAK	Pass	Harmonic
4	Bluetooth EDR_8-DPSK	00	2385.14	49.12	74.00	-24.88	H	PEAK	Pass	Band Edge
4	Bluetooth EDR_8-DPSK	00	4804.00	39.84	74.00	-34.16	H	PEAK	Pass	Harmonic
5	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth EDR_8-DPSK	39	7323.00	42.15	74.00	-31.85	H	PEAK	Pass	Harmonic
6	Bluetooth EDR_8-DPSK	78	2486.96	50.47	74.00	-23.53	V	PEAK	Pass	Band Edge
6	Bluetooth EDR_8-DPSK	78	7440.00	41.91	74.00	-32.09	V	PEAK	Pass	Harmonic
7	Bluetooth BR_GFSK	00	2381.76	50.16	74.00	-23.84	H	PEAK	Pass	Band Edge
7	Bluetooth BR_GFSK	00	4804.00	39.95	74.00	-34.05	H	PEAK	Pass	Harmonic
8	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
8	Bluetooth BR_GFSK	39	7323.00	42.39	74.00	-31.61	H	PEAK	Pass	Harmonic
9	Bluetooth BR_GFSK	78	2485.60	57.40	74.00	-16.60	V	Peak	Pass	Band Edge
9	Bluetooth BR_GFSK	78	7440.00	42.41	74.00	-31.59	V	PEAK	Pass	Harmonic



Mode	1																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																											
ANT	8																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2376.17</td> <td>49.08</td> <td>74.00</td> <td>-24.92</td> <td>40.94</td> <td>31.86</td> <td>7.14</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>297</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2376.17</td> <td>24.26</td> <td>54.00</td> <td>-29.74</td> <td>16.12</td> <td>31.86</td> <td>7.14</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2376.17	49.08	74.00	-24.92	40.94	31.86	7.14	36.86	6.00	124	297	PEAK	2	2376.17	24.26	54.00	-29.74	16.12	31.86	7.14	36.86	6.00	124	297	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.45</td> <td>-----</td> <td>-----</td> <td>92.11</td> <td>32.02</td> <td>7.18</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>297</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>75.63</td> <td>-----</td> <td>-----</td> <td>67.29</td> <td>32.02</td> <td>7.18</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	100.45	-----	-----	92.11	32.02	7.18	36.86	6.00	124	297	PEAK	2	2402.00	75.63	-----	-----	67.29	32.02	7.18	36.86	6.00	124	297	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2376.17	49.08	74.00	-24.92	40.94	31.86	7.14	36.86	6.00	124	297	PEAK																																																																																																
2	2376.17	24.26	54.00	-29.74	16.12	31.86	7.14	36.86	6.00	124	297	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2402.00	100.45	-----	-----	92.11	32.02	7.18	36.86	6.00	124	297	PEAK																																																																																																
2	2402.00	75.63	-----	-----	67.29	32.02	7.18	36.86	6.00	124	297	AVERAGE																																																																																																





Mode	1																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																									
ANT	8																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.38</td> <td>74.00</td> <td>-33.62</td> <td>61.10</td> <td>34.32</td> <td>10.27</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.38	74.00	-33.62	61.10	34.32	10.27	65.31	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.74</td> <td>74.00</td> <td>-34.26</td> <td>60.46</td> <td>34.32</td> <td>10.27</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.74	74.00	-34.26	60.46	34.32	10.27	65.31	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	40.38	74.00	-33.62	61.10	34.32	10.27	65.31	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	39.74	74.00	-34.26	60.46	34.32	10.27	65.31	0.00	---	---	PEAK																																																																														



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>41.07</td> <td>74.00</td> <td>-32.93</td> <td>61.34</td> <td>34.63</td> <td>10.35</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>41.84</td> <td>74.00</td> <td>-32.16</td> <td>60.79</td> <td>35.72</td> <td>12.79</td> <td>67.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.07	74.00	-32.93	61.34	34.63	10.35	65.25	0.00	---	---	PEAK	2	7323.00	41.84	74.00	-32.16	60.79	35.72	12.79	67.46	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>41.33</td> <td>74.00</td> <td>-32.67</td> <td>61.60</td> <td>34.63</td> <td>10.35</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>41.86</td> <td>74.00</td> <td>-32.14</td> <td>60.81</td> <td>35.72</td> <td>12.79</td> <td>67.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.33	74.00	-32.67	61.60	34.63	10.35	65.25	0.00	---	---	PEAK	2	7323.00	41.86	74.00	-32.14	60.81	35.72	12.79	67.46	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	41.07	74.00	-32.93	61.34	34.63	10.35	65.25	0.00	---	---	PEAK																																																																																																								
2	7323.00	41.84	74.00	-32.16	60.79	35.72	12.79	67.46	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	41.33	74.00	-32.67	61.60	34.63	10.35	65.25	0.00	---	---	PEAK																																																																																																								
2	7323.00	41.86	74.00	-32.14	60.81	35.72	12.79	67.46	0.00	---	---	PEAK																																																																																																								



Mode	3																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																											
ANT	8																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.63</td> <td>50.05</td> <td>74.00</td> <td>-23.95</td> <td>40.95</td> <td>32.60</td> <td>7.35</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2493.63</td> <td>25.23</td> <td>54.00</td> <td>-28.77</td> <td>16.13</td> <td>32.60</td> <td>7.35</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2493.63	50.05	74.00	-23.95	40.95	32.60	7.35	36.85	6.00	136	275	PEAK	2	2493.63	25.23	54.00	-28.77	16.13	32.60	7.35	36.85	6.00	136	275	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.72</td> <td>-----</td> <td>-----</td> <td>91.65</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>75.90</td> <td>-----</td> <td>-----</td> <td>66.83</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	100.72	-----	-----	91.65	32.60	7.32	36.85	6.00	136	275	PEAK	2	2480.00	75.90	-----	-----	66.83	32.60	7.32	36.85	6.00	136	275	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2493.63	50.05	74.00	-23.95	40.95	32.60	7.35	36.85	6.00	136	275	PEAK																																																																																																
2	2493.63	25.23	54.00	-28.77	16.13	32.60	7.35	36.85	6.00	136	275	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2480.00	100.72	-----	-----	91.65	32.60	7.32	36.85	6.00	136	275	PEAK																																																																																																
2	2480.00	75.90	-----	-----	66.83	32.60	7.32	36.85	6.00	136	275	AVERAGE																																																																																																



Mode	3																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																										
ANT	8																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.13</td> <td>50.05</td> <td>74.00</td> <td>-23.95</td> <td>40.97</td> <td>32.60</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2484.13</td> <td>25.23</td> <td>54.00</td> <td>-28.77</td> <td>16.15</td> <td>32.60</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.13	50.05	74.00	-23.95	40.97	32.60	7.33	36.85	6.00	370	0	PEAK	2	2484.13	25.23	54.00	-28.77	16.15	32.60	7.33	36.85	6.00	370	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.86</td> <td>-----</td> <td>-----</td> <td>88.79</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>73.04</td> <td>-----</td> <td>-----</td> <td>63.97</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	97.86	-----	-----	88.79	32.60	7.32	36.85	6.00	370	0	PEAK	2	2480.00	73.04	-----	-----	63.97	32.60	7.32	36.85	6.00	370	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2484.13	50.05	74.00	-23.95	40.97	32.60	7.33	36.85	6.00	370	0	PEAK																																																																																															
2	2484.13	25.23	54.00	-28.77	16.15	32.60	7.33	36.85	6.00	370	0	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2480.00	97.86	-----	-----	88.79	32.60	7.32	36.85	6.00	370	0	PEAK																																																																																															
2	2480.00	73.04	-----	-----	63.97	32.60	7.32	36.85	6.00	370	0	AVERAGE																																																																																															



Mode	3																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.23</td> <td>74.00</td> <td>-32.77</td> <td>61.90</td> <td>34.54</td> <td>10.44</td> <td>65.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>41.65</td> <td>74.00</td> <td>-32.35</td> <td>59.90</td> <td>35.66</td> <td>12.93</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.23	74.00	-32.77	61.90	34.54	10.44	65.65	0.00	---	---	PEAK	2	7440.00	41.65	74.00	-32.35	59.90	35.66	12.93	66.84	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.30</td> <td>74.00</td> <td>-32.70</td> <td>61.97</td> <td>34.54</td> <td>10.44</td> <td>65.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.38</td> <td>74.00</td> <td>-31.62</td> <td>60.63</td> <td>35.66</td> <td>12.93</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.30	74.00	-32.70	61.97	34.54	10.44	65.65	0.00	---	---	PEAK	2	7440.00	42.38	74.00	-31.62	60.63	35.66	12.93	66.84	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4960.00	41.23	74.00	-32.77	61.90	34.54	10.44	65.65	0.00	---	---	PEAK																																																																																																								
2	7440.00	41.65	74.00	-32.35	59.90	35.66	12.93	66.84	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4960.00	41.30	74.00	-32.70	61.97	34.54	10.44	65.65	0.00	---	---	PEAK																																																																																																								
2	7440.00	42.38	74.00	-31.62	60.63	35.66	12.93	66.84	0.00	---	---	PEAK																																																																																																								



Mode	4																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																													
ANT	15																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.14</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>40.91</td> <td>31.91</td> <td>7.16</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2385.14</td> <td>24.30</td> <td>54.00</td> <td>-29.70</td> <td>16.09</td> <td>31.91</td> <td>7.16</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.14	49.12	74.00	-24.88	40.91	31.91	7.16	36.86	6.00	124	296	PEAK	2	2385.14	24.30	54.00	-29.70	16.09	31.91	7.16	36.86	6.00	124	296	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.37</td> <td>-----</td> <td>-----</td> <td>92.03</td> <td>32.02</td> <td>7.18</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>75.55</td> <td>-----</td> <td>-----</td> <td>67.21</td> <td>32.02</td> <td>7.18</td> <td>36.86</td> <td>6.00</td> <td>124</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.37	-----	-----	92.03	32.02	7.18	36.86	6.00	124	296	PEAK	2	2402.00	75.55	-----	-----	67.21	32.02	7.18	36.86	6.00	124	296	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2385.14	49.12	74.00	-24.88	40.91	31.91	7.16	36.86	6.00	124	296	PEAK																																																																																																		
2	2385.14	24.30	54.00	-29.70	16.09	31.91	7.16	36.86	6.00	124	296	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	100.37	-----	-----	92.03	32.02	7.18	36.86	6.00	124	296	PEAK																																																																																																		
2	2402.00	75.55	-----	-----	67.21	32.02	7.18	36.86	6.00	124	296	AVERAGE																																																																																																		



Mode	4																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																																
ANT	15																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2317.15</td> <td>49.05</td> <td>74.00</td> <td>-24.95</td> <td>41.11</td> <td>31.77</td> <td>7.05</td> <td>36.88</td> <td>6.00</td> <td>313</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2317.15</td> <td>24.23</td> <td>54.00</td> <td>-29.77</td> <td>16.29</td> <td>31.77</td> <td>7.05</td> <td>36.88</td> <td>6.00</td> <td>313</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2317.15	49.05	74.00	-24.95	41.11	31.77	7.05	36.88	6.00	313	0 PEAK	2	2317.15	24.23	54.00	-29.77	16.29	31.77	7.05	36.88	6.00	313	0 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.25</td> <td>-----</td> <td>-----</td> <td>86.91</td> <td>32.02</td> <td>7.18</td> <td>36.86</td> <td>6.00</td> <td>313</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>70.43</td> <td>-----</td> <td>-----</td> <td>62.09</td> <td>32.02</td> <td>7.18</td> <td>36.86</td> <td>6.00</td> <td>313</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	95.25	-----	-----	86.91	32.02	7.18	36.86	6.00	313	0 PEAK	2	2402.00	70.43	-----	-----	62.09	32.02	7.18	36.86	6.00	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2317.15	49.05	74.00	-24.95	41.11	31.77	7.05	36.88	6.00	313	0 PEAK																																																																																																						
2	2317.15	24.23	54.00	-29.77	16.29	31.77	7.05	36.88	6.00	313	0 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2402.00	95.25	-----	-----	86.91	32.02	7.18	36.86	6.00	313	0 PEAK																																																																																																						
2	2402.00	70.43	-----	-----	62.09	32.02	7.18	36.86	6.00	313	0 AVERAGE																																																																																																						



Mode	4																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																	
ANT	15																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.84</td> <td>74.00</td> <td>-34.16</td> <td>60.56</td> <td>34.32</td> <td>10.27</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4804.00	39.84	74.00	-34.16	60.56	34.32	10.27	65.31	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.62</td> <td>74.00</td> <td>-34.38</td> <td>60.34</td> <td>34.32</td> <td>10.27</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4804.00	39.62	74.00	-34.38	60.34	34.32	10.27	65.31	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	4804.00	39.84	74.00	-34.16	60.56	34.32	10.27	65.31	0.00	---	---	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	4804.00	39.62	74.00	-34.38	60.34	34.32	10.27	65.31	0.00	---	---	PEAK																																																																						



Mode	5																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																			
ANT	15																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>41.32</td> <td>74.00</td> <td>-32.68</td> <td>61.59</td> <td>34.63</td> <td>10.35</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>42.15</td> <td>74.00</td> <td>-31.85</td> <td>61.10</td> <td>35.72</td> <td>12.79</td> <td>67.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.32	74.00	-32.68	61.59	34.63	10.35	65.25	0.00	---	---	PEAK	2	7323.00	42.15	74.00	-31.85	61.10	35.72	12.79	67.46	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.65</td> <td>74.00</td> <td>-33.35</td> <td>60.92</td> <td>34.63</td> <td>10.35</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>41.95</td> <td>74.00</td> <td>-32.05</td> <td>60.90</td> <td>35.72</td> <td>12.79</td> <td>67.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	40.65	74.00	-33.35	60.92	34.63	10.35	65.25	0.00	---	---	PEAK	2	7323.00	41.95	74.00	-32.05	60.90	35.72	12.79	67.46	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	41.32	74.00	-32.68	61.59	34.63	10.35	65.25	0.00	---	---	PEAK																																																																																																								
2	7323.00	42.15	74.00	-31.85	61.10	35.72	12.79	67.46	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	40.65	74.00	-33.35	60.92	34.63	10.35	65.25	0.00	---	---	PEAK																																																																																																								
2	7323.00	41.95	74.00	-32.05	60.90	35.72	12.79	67.46	0.00	---	---	PEAK																																																																																																								



Mode	6																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																										
ANT	15																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.78</td> <td>49.97</td> <td>74.00</td> <td>-24.03</td> <td>40.89</td> <td>32.60</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2485.78</td> <td>25.15</td> <td>54.00</td> <td>-28.85</td> <td>16.07</td> <td>32.60</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2485.78	49.97	74.00	-24.03	40.89	32.60	7.33	36.85	6.00	136	277	PEAK	2	2485.78	25.15	54.00	-28.85	16.07	32.60	7.33	36.85	6.00	136	277	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.05</td> <td>-----</td> <td>-----</td> <td>91.98</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>76.23</td> <td>-----</td> <td>-----</td> <td>67.16</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>136</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	101.05	-----	-----	91.98	32.60	7.32	36.85	6.00	136	277	PEAK	2	2480.00	76.23	-----	-----	67.16	32.60	7.32	36.85	6.00	136	277
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2485.78	49.97	74.00	-24.03	40.89	32.60	7.33	36.85	6.00	136	277	PEAK																																																																																															
2	2485.78	25.15	54.00	-28.85	16.07	32.60	7.33	36.85	6.00	136	277	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2480.00	101.05	-----	-----	91.98	32.60	7.32	36.85	6.00	136	277	PEAK																																																																																															
2	2480.00	76.23	-----	-----	67.16	32.60	7.32	36.85	6.00	136	277	AVERAGE																																																																																															



Mode	6																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																										
ANT	15																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.96</td> <td>50.47</td> <td>74.00</td> <td>-23.53</td> <td>41.38</td> <td>32.60</td> <td>7.34</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2486.96</td> <td>25.65</td> <td>54.00</td> <td>-28.35</td> <td>16.56</td> <td>32.60</td> <td>7.34</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2486.96	50.47	74.00	-23.53	41.38	32.60	7.34	36.85	6.00	370	0	PEAK	2	2486.96	25.65	54.00	-28.35	16.56	32.60	7.34	36.85	6.00	370	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.86</td> <td>-----</td> <td>-----</td> <td>88.79</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>73.04</td> <td>-----</td> <td>-----</td> <td>63.97</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>370</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	97.86	-----	-----	88.79	32.60	7.32	36.85	6.00	370	0	PEAK	2	2480.00	73.04	-----	-----	63.97	32.60	7.32	36.85	6.00	370	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2486.96	50.47	74.00	-23.53	41.38	32.60	7.34	36.85	6.00	370	0	PEAK																																																																																															
2	2486.96	25.65	54.00	-28.35	16.56	32.60	7.34	36.85	6.00	370	0	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2480.00	97.86	-----	-----	88.79	32.60	7.32	36.85	6.00	370	0	PEAK																																																																																															
2	2480.00	73.04	-----	-----	63.97	32.60	7.32	36.85	6.00	370	0	AVERAGE																																																																																															



Mode	6																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																			
ANT	15																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.25</td> <td>74.00</td> <td>-32.75</td> <td>61.92</td> <td>34.54</td> <td>10.44</td> <td>65.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>39.76</td> <td>74.00</td> <td>-34.24</td> <td>58.01</td> <td>35.66</td> <td>12.93</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.25	74.00	-32.75	61.92	34.54	10.44	65.65	0.00	---	---	PEAK	2	7440.00	39.76	74.00	-34.24	58.01	35.66	12.93	66.84	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.31</td> <td>74.00</td> <td>-32.69</td> <td>61.98</td> <td>34.54</td> <td>10.44</td> <td>65.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>41.91</td> <td>74.00</td> <td>-32.09</td> <td>60.16</td> <td>35.66</td> <td>12.93</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.31	74.00	-32.69	61.98	34.54	10.44	65.65	0.00	---	---	PEAK	2	7440.00	41.91	74.00	-32.09	60.16	35.66	12.93	66.84	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4960.00	41.25	74.00	-32.75	61.92	34.54	10.44	65.65	0.00	---	---	PEAK																																																																																																								
2	7440.00	39.76	74.00	-34.24	58.01	35.66	12.93	66.84	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4960.00	41.31	74.00	-32.69	61.98	34.54	10.44	65.65	0.00	---	---	PEAK																																																																																																								
2	7440.00	41.91	74.00	-32.09	60.16	35.66	12.93	66.84	0.00	---	---	PEAK																																																																																																								



Mode	7																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	BF8+15																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.76</td> <td>50.16</td> <td>74.00</td> <td>-23.84</td> <td>42.00</td> <td>32.12</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2381.76</td> <td>25.40</td> <td>54.00</td> <td>-28.60</td> <td>17.24</td> <td>32.12</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>269</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.76	50.16	74.00	-23.84	42.00	32.12	7.09	37.05	6.00	269	360	PEAK	2	2381.76	25.40	54.00	-28.60	17.24	32.12	7.09	37.05	6.00	269	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>103.51</td> <td>-----</td> <td>-----</td> <td>95.13</td> <td>32.30</td> <td>7.12</td> <td>37.04</td> <td>6.00</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>78.75</td> <td>-----</td> <td>-----</td> <td>70.37</td> <td>32.30</td> <td>7.12</td> <td>37.04</td> <td>6.00</td> <td>269</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.51	-----	-----	95.13	32.30	7.12	37.04	6.00	269	360	PEAK	2	2402.00	78.75	-----	-----	70.37	32.30	7.12	37.04	6.00	269	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2381.76	50.16	74.00	-23.84	42.00	32.12	7.09	37.05	6.00	269	360	PEAK																																																																																																		
2	2381.76	25.40	54.00	-28.60	17.24	32.12	7.09	37.05	6.00	269	360	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	103.51	-----	-----	95.13	32.30	7.12	37.04	6.00	269	360	PEAK																																																																																																		
2	2402.00	78.75	-----	-----	70.37	32.30	7.12	37.04	6.00	269	360	AVERAGE																																																																																																		



Mode	7																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																				
ANT	BF8+15																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.50</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>41.25</td> <td>31.99</td> <td>7.07</td> <td>37.06</td> <td>6.00</td> <td>100</td> <td>123</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2368.50</td> <td>24.49</td> <td>54.00</td> <td>-29.51</td> <td>16.49</td> <td>31.99</td> <td>7.07</td> <td>37.06</td> <td>6.00</td> <td>100</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2368.50	49.25	74.00	-24.75	41.25	31.99	7.07	37.06	6.00	100	123	PEAK	2	2368.50	24.49	54.00	-29.51	16.49	31.99	7.07	37.06	6.00	100	123	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>111.76</td> <td>-----</td> <td>-----</td> <td>103.38</td> <td>32.30</td> <td>7.12</td> <td>37.04</td> <td>6.00</td> <td>100</td> <td>123</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>87.00</td> <td>-----</td> <td>-----</td> <td>78.62</td> <td>32.30</td> <td>7.12</td> <td>37.04</td> <td>6.00</td> <td>100</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	111.76	-----	-----	103.38	32.30	7.12	37.04	6.00	100	123	PEAK	2	2402.00	87.00	-----	-----	78.62	32.30	7.12	37.04	6.00	100	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2368.50	49.25	74.00	-24.75	41.25	31.99	7.07	37.06	6.00	100	123	PEAK																																																																																																									
2	2368.50	24.49	54.00	-29.51	16.49	31.99	7.07	37.06	6.00	100	123	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2402.00	111.76	-----	-----	103.38	32.30	7.12	37.04	6.00	100	123	PEAK																																																																																																									
2	2402.00	87.00	-----	-----	78.62	32.30	7.12	37.04	6.00	100	123	AVERAGE																																																																																																									



Mode	7																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																											
ANT	BF8+15																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.95</td> <td>74.00</td> <td>-34.05</td> <td>61.15</td> <td>34.08</td> <td>10.20</td> <td>65.48</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	39.95	74.00	-34.05	61.15	34.08	10.20	65.48	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.14</td> <td>74.00</td> <td>-34.86</td> <td>60.34</td> <td>34.08</td> <td>10.20</td> <td>65.48</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	39.14	74.00	-34.86	60.34	34.08	10.20	65.48	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4804.00	39.95	74.00	-34.05	61.15	34.08	10.20	65.48	0.00	--	--	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	4804.00	39.14	74.00	-34.86	60.34	34.08	10.20	65.48	0.00	--	--	PEAK																																																																



Mode	8																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																											
ANT	BF8+15																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.42</td> <td>74.00</td> <td>-33.58</td> <td>61.50</td> <td>34.15</td> <td>10.30</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>42.39</td> <td>74.00</td> <td>-31.61</td> <td>60.25</td> <td>35.75</td> <td>12.72</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4882.00	40.42	74.00	-33.58	61.50	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.39	74.00	-31.61	60.25	35.75	12.72	66.33	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.48</td> <td>74.00</td> <td>-33.52</td> <td>61.56</td> <td>34.15</td> <td>10.30</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>41.56</td> <td>74.00</td> <td>-32.44</td> <td>59.42</td> <td>35.75</td> <td>12.72</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4882.00	40.48	74.00	-33.52	61.56	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	41.56	74.00	-32.44	59.42	35.75	12.72	66.33	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4882.00	40.42	74.00	-33.58	61.50	34.15	10.30	65.53	0.00	--	--	PEAK																																																																																																
2	7323.00	42.39	74.00	-31.61	60.25	35.75	12.72	66.33	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4882.00	40.48	74.00	-33.52	61.56	34.15	10.30	65.53	0.00	--	--	PEAK																																																																																																
2	7323.00	41.56	74.00	-32.44	59.42	35.75	12.72	66.33	0.00	--	--	PEAK																																																																																																



Mode	9																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																				
ANT	BF8+15																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.54</td> <td>50.25</td> <td>74.00</td> <td>-23.75</td> <td>41.37</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>304</td> <td>143 PEAK</td> </tr> <tr> <td>2 2483.54</td> <td>25.49</td> <td>54.00</td> <td>-28.51</td> <td>16.61</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>304</td> <td>143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.54	50.25	74.00	-23.75	41.37	32.47	7.26	36.85	6.00	304	143 PEAK	2 2483.54	25.49	54.00	-28.51	16.61	32.47	7.26	36.85	6.00	304	143 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>104.83</td> <td>-----</td> <td>-----</td> <td>95.98</td> <td>32.46</td> <td>7.25</td> <td>36.86</td> <td>6.00</td> <td>304</td> <td>143 PEAK</td> </tr> <tr> <td>2 2480.00</td> <td>80.07</td> <td>-----</td> <td>-----</td> <td>71.22</td> <td>32.46</td> <td>7.25</td> <td>36.86</td> <td>6.00</td> <td>304</td> <td>143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	104.83	-----	-----	95.98	32.46	7.25	36.86	6.00	304	143 PEAK	2 2480.00	80.07	-----	-----	71.22	32.46	7.25	36.86	6.00	304
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 2483.54	50.25	74.00	-23.75	41.37	32.47	7.26	36.85	6.00	304	143 PEAK																																																																																											
2 2483.54	25.49	54.00	-28.51	16.61	32.47	7.26	36.85	6.00	304	143 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 2480.00	104.83	-----	-----	95.98	32.46	7.25	36.86	6.00	304	143 PEAK																																																																																											
2 2480.00	80.07	-----	-----	71.22	32.46	7.25	36.86	6.00	304	143 AVERAGE																																																																																											



Mode	9																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	BF8+15																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.60</td> <td>57.40</td> <td>74.00</td> <td>-16.60</td> <td>48.51</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2485.60</td> <td>32.64</td> <td>54.00</td> <td>-21.36</td> <td>23.75</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>100</td> <td>59</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.60	57.40	74.00	-16.60	48.51	32.47	7.26	36.84	6.00	100	59	Peak	2	2485.60	32.64	54.00	-21.36	23.75	32.47	7.26	36.84	6.00	100	59	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>110.79</td> <td>74.00</td> <td>-36.81</td> <td>101.94</td> <td>32.46</td> <td>7.25</td> <td>36.86</td> <td>6.00</td> <td>100</td> <td>59</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>86.03</td> <td>74.00</td> <td>-12.03</td> <td>77.18</td> <td>32.46</td> <td>7.25</td> <td>36.86</td> <td>6.00</td> <td>100</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	110.79	74.00	-36.81	101.94	32.46	7.25	36.86	6.00	100	59	PEAK	2	2480.00	86.03	74.00	-12.03	77.18	32.46	7.25	36.86	6.00	100	59	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2485.60	57.40	74.00	-16.60	48.51	32.47	7.26	36.84	6.00	100	59	Peak																																																																																																		
2	2485.60	32.64	54.00	-21.36	23.75	32.47	7.26	36.84	6.00	100	59	Average																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	110.79	74.00	-36.81	101.94	32.46	7.25	36.86	6.00	100	59	PEAK																																																																																																		
2	2480.00	86.03	74.00	-12.03	77.18	32.46	7.25	36.86	6.00	100	59	AVERAGE																																																																																																		



Mode	9																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																											
ANT	BF8+15																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.25</td> <td>74.00</td> <td>-32.75</td> <td>62.22</td> <td>34.22</td> <td>10.40</td> <td>65.59</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.03</td> <td>74.00</td> <td>-31.97</td> <td>60.08</td> <td>35.00</td> <td>12.78</td> <td>66.63</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.25	74.00	-32.75	62.22	34.22	10.40	65.59	0.00	--	--	PEAK	2	7440.00	42.03	74.00	-31.97	60.08	35.00	12.78	66.63	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.50</td> <td>74.00</td> <td>-32.50</td> <td>62.47</td> <td>34.22</td> <td>10.40</td> <td>65.59</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.41</td> <td>74.00</td> <td>-31.59</td> <td>60.46</td> <td>35.00</td> <td>12.78</td> <td>66.63</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.50	74.00	-32.50	62.47	34.22	10.40	65.59	0.00	--	--	PEAK	2	7440.00	42.41	74.00	-31.59	60.46	35.00	12.78	66.63	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4960.00	41.25	74.00	-32.75	62.22	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																
2	7440.00	42.03	74.00	-31.97	60.08	35.00	12.78	66.63	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4960.00	41.50	74.00	-32.50	62.47	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																
2	7440.00	42.41	74.00	-31.59	60.46	35.00	12.78	66.63	0.00	--	--	PEAK																																																																																																



Mode	9	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	BF8+15	
Pol.	Horizontal	Vertical
Peak Avg	<p>The plot shows the average peak level in dBuV/m across the frequency range 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Three red horizontal lines indicate FCC Part 15C limits: -30dB at 81.3 dBuV/m, -30dB at 65.0 dBuV/m, and -30dB at 48.8 dBuV/m. The blue signal line fluctuates around 48.8 dBuV/m, staying below the 65.0 dBuV/m limit.</p>	<p>The plot shows the average peak level in dBuV/m across the frequency range 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Three red horizontal lines indicate FCC Part 15C limits: -30dB at 81.3 dBuV/m, -30dB at 65.0 dBuV/m, and -30dB at 48.8 dBuV/m. The blue signal line fluctuates around 48.8 dBuV/m, staying below the 65.0 dBuV/m limit.</p>




		<b>9</b>																																																																																																																																																																																							
<b>Mode</b>	<b>30M-1G</b>																																																																																																																																																																																								
	<b>2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz</b>																																																																																																																																																																																								
<b>ANT</b>	<b>BF8+15</b>																																																																																																																																																																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																																																																																																							
<b>Peak</b>	<p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red limit line (FCC PART 15C) and a blue signal line. Peaks are labeled 1 through 6.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>31.94</td><td>20.96</td><td>40.00</td><td>-19.04</td><td>28.77</td><td>24.39</td><td>0.76</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>195.87</td><td>18.32</td><td>43.50</td><td>-25.18</td><td>34.10</td><td>15.02</td><td>2.06</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>231.76</td><td>19.11</td><td>46.00</td><td>-26.89</td><td>33.48</td><td>16.55</td><td>2.09</td><td>33.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>296.75</td><td>22.95</td><td>46.00</td><td>-23.05</td><td>33.99</td><td>19.27</td><td>2.52</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>311.30</td><td>20.80</td><td>46.00</td><td>-25.20</td><td>31.43</td><td>19.63</td><td>2.60</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>849.65</td><td>28.35</td><td>46.00</td><td>-17.65</td><td>28.23</td><td>28.64</td><td>4.26</td><td>32.78</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	31.94	20.96	40.00	-19.04	28.77	24.39	0.76	32.96	0.00	---	---	Peak	2	195.87	18.32	43.50	-25.18	34.10	15.02	2.06	32.86	0.00	---	---	Peak	3	231.76	19.11	46.00	-26.89	33.48	16.55	2.09	33.01	0.00	---	---	Peak	4	296.75	22.95	46.00	-23.05	33.99	19.27	2.52	32.83	0.00	---	---	Peak	5	311.30	20.80	46.00	-25.20	31.43	19.63	2.60	32.86	0.00	---	---	Peak	6	849.65	28.35	46.00	-17.65	28.23	28.64	4.26	32.78	0.00	---	---	Peak	<p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red limit line (FCC PART 15C) and a blue signal line. Peaks are labeled 1 through 6.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.85</td><td>22.63</td><td>40.00</td><td>-17.37</td><td>32.25</td><td>22.59</td><td>0.77</td><td>32.98</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>128.94</td><td>17.35</td><td>43.50</td><td>-26.15</td><td>30.84</td><td>17.55</td><td>1.68</td><td>32.72</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>296.75</td><td>19.15</td><td>46.00</td><td>-26.85</td><td>30.19</td><td>19.27</td><td>2.52</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>412.18</td><td>22.14</td><td>46.00</td><td>-23.86</td><td>30.23</td><td>22.14</td><td>3.03</td><td>33.26</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>426.73</td><td>23.16</td><td>46.00</td><td>-22.84</td><td>30.85</td><td>22.45</td><td>3.07</td><td>33.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>589.69</td><td>24.49</td><td>46.00</td><td>-21.51</td><td>28.51</td><td>25.96</td><td>3.55</td><td>33.53</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	34.85	22.63	40.00	-17.37	32.25	22.59	0.77	32.98	0.00	---	---	Peak	2	128.94	17.35	43.50	-26.15	30.84	17.55	1.68	32.72	0.00	---	---	Peak	3	296.75	19.15	46.00	-26.85	30.19	19.27	2.52	32.83	0.00	---	---	Peak	4	412.18	22.14	46.00	-23.86	30.23	22.14	3.03	33.26	0.00	---	---	Peak	5	426.73	23.16	46.00	-22.84	30.85	22.45	3.07	33.21	0.00	---	---	Peak	6	589.69	24.49	46.00	-21.51	28.51	25.96	3.55	33.53	0.00	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																												
1	31.94	20.96	40.00	-19.04	28.77	24.39	0.76	32.96	0.00	---	---	Peak																																																																																																																																																																													
2	195.87	18.32	43.50	-25.18	34.10	15.02	2.06	32.86	0.00	---	---	Peak																																																																																																																																																																													
3	231.76	19.11	46.00	-26.89	33.48	16.55	2.09	33.01	0.00	---	---	Peak																																																																																																																																																																													
4	296.75	22.95	46.00	-23.05	33.99	19.27	2.52	32.83	0.00	---	---	Peak																																																																																																																																																																													
5	311.30	20.80	46.00	-25.20	31.43	19.63	2.60	32.86	0.00	---	---	Peak																																																																																																																																																																													
6	849.65	28.35	46.00	-17.65	28.23	28.64	4.26	32.78	0.00	---	---	Peak																																																																																																																																																																													
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																													
1	34.85	22.63	40.00	-17.37	32.25	22.59	0.77	32.98	0.00	---	---	Peak																																																																																																																																																																													
2	128.94	17.35	43.50	-26.15	30.84	17.55	1.68	32.72	0.00	---	---	Peak																																																																																																																																																																													
3	296.75	19.15	46.00	-26.85	30.19	19.27	2.52	32.83	0.00	---	---	Peak																																																																																																																																																																													
4	412.18	22.14	46.00	-23.86	30.23	22.14	3.03	33.26	0.00	---	---	Peak																																																																																																																																																																													
5	426.73	23.16	46.00	-22.84	30.85	22.45	3.07	33.21	0.00	---	---	Peak																																																																																																																																																																													
6	589.69	24.49	46.00	-21.51	28.51	25.96	3.55	33.53	0.00	---	---	Peak																																																																																																																																																																													


# Appendix D. Duty Cycle Plots

<SISO Ant 8>

## 3DH1 on time (One Pulse) Plot on Channel 39



## 3DH1 on time (Count Pulses) Plot on Channel 39




**Note:**


1. Worst case Duty cycle = on time/100 milliseconds =  $2 * 2.87 / 100 = 5.74 \%$
2. Worst case Duty cycle correction factor =  $20 * \log(\text{Duty cycle}) = -24.82 \text{ dB}$
3. 3DH1 has the highest duty cycle worst case and is reported.

<SISO Ant15>

3DH1 on time (One Pulse) Plot on Channel 39



3DH1 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = 2 \* 2.87 / 100 = 5.74 %
2. Worst case Duty cycle correction factor = 20\*log(Duty cycle) = -24.82 dB
3. 3DH1 has the highest duty cycle worst case and is reported.




### <Beamforming Mode>

#### DH5 on time (One Pulse) Plot on Channel 39



#### DH5 on time (Count Pulses) Plot on Channel 39



**Note:**

1. Worst case Duty cycle = on time/100 milliseconds =  $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor =  $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. 3DH1 has the highest duty cycle worst case and is reported.