Mode	3
	Harmonic
	2400-2483.5_802.11b_CH11_2462MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4924.00	41.89	74.00	-32.11	62.29	34.65	10.40	65.45	0.00	---	---	PEAK
2	7386.00	42.37	74.00	-31.63	60.95	35.79	12.88	67.25	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4924.00	41.56	74.00	-32.44	61.96	34.65	10.40	65.45	0.00	---	---	PEAK
2	7386.00	43.46	74.00	-30.54	62.04	35.79	12.88	67.25	0.00	---	---	PEAK

Mode	4	
	Band Edge	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2388.91	64.75	74.00	-9.25	56.52	31.93	7.16	36.86	6.00	300	135	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	111.74	------	------	103.22	32.17	7.21	36.86	6.00	300	135	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.30	49.19	54.00	-4.81	40.95	31.94	7.16	36.86	6.00	300	135	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	101.92	------	------	93.44	32.14	7.20	36.86	6.00	300	135	AVERAGE

Mode	4	
	Band Edge	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.56 65.38 74.00 -8.62 57.14 31.94 7.16 36.86 6.00 141 104 PEAK	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 112.22 ------ ------ 103.79 32.10 7.19 36.86 6.00 141 104 PEAK
Avg		
	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 50.27 54.00 -3.73 42.03 31.94 7.16 36.86 6.00 141 104 AVERAGE	Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 103.39 ------ ------ 94.87 32.17 7.21 36.86 6.00 141 104 AVERAGE

Mode	4
	Harmonic
	2400-2483.5_802.11g_CH01_2412MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4824.00	41.61	74.00	-32.39	62.16	34.40	10.29	65.24	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4824.00	41.14	74.00	-32.86	61.69	34.40	10.29	65.24	0.00	---	---	PEAK

Mode	5
	Harmonic
	2400-2483.5_802.11g_CH06_2437MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4874.00	42.40	74.00	-31.60	62.69	34.60	10.34	65.23	0.00	---	---	PEAK
2	7311.00	41.96	74.00	-32.04	60.80	35.81	12.78	67.43	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4874.00	41.54	74.00	-32.46	61.83	34.60	10.34	65.23	0.00	---	---	PEAK
2	7311.00	42.37	74.00	-31.63	61.21	35.81	12.78	67.43	0.00	---	---	PEAK

Mode	6	
	Band Edge	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2483.98	63.20	74.00	-10.80	54.12	32.60	7.33	36.85	6.00	100	308	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	111.48	------	------	102.43	32.60	7.30	36.85	6.00	100	308	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2483.50	48.56	54.00	-5.44	39.48	32.60	7.33	36.85	6.00	100	308	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	101.96	------	------	92.91	32.60	7.30	36.85	6.00	100	308	AVERAGE

Mode	6
	Band Edge
	2400-2483.5_802.11g_CH11_2462MHz
ANT	CDD 8+15

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.92 58.81 74.00 -15.19 49.73 32.60 7.33 36.85 6.00 100 254 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 113.36 ------ ------ 104.33 32.60 7.28 36.85 6.00 100 254 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.68 46.83 54.00 -7.17 37.75 32.60 7.33 36.85 6.00 100 254 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 104.21 ------ ------ 95.18 32.60 7.28 36.85 6.00 100 254 AVERAGE

Mode	6
	Harmonic
	2400-2483.5_802.11g_CH11_2462MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4924.00	40.80	74.00	-33.20	61.20	34.65	10.40	65.45	0.00	---	---	PEAK
2	7386.00	42.46	74.00	-31.54	61.04	35.79	12.88	67.25	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4924.00	40.73	74.00	-33.27	61.13	34.65	10.40	65.45	0.00	---	---	PEAK
2	7386.00	43.05	74.00	-30.95	61.63	35.79	12.88	67.25	0.00	---	---	PEAK

Mode	7	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH01_Full _2412MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2388.26	60.80	74.00	-13.20	52.57	31.93	7.16	36.86	6.00	300	136	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	111.88	------	------	103.31	32.22	7.21	36.86	6.00	300	136	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	48.47	54.00	-5.53	40.23	31.94	7.16	36.86	6.00	300	136	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	100.83	------	------	92.29	32.19	7.21	36.86	6.00	300	136	AVERAGE

Mode	7	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH01_Full _2412MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2388.26	63.26	74.00	-10.74	55.03	31.93	7.16	36.86	6.00	100	111	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	112.74	------	------	104.14	32.24	7.22	36.86	6.00	100	111	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	50.11	54.00	-3.89	41.87	31.94	7.16	36.86	6.00	100	111	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	101.96	------	------	93.39	32.22	7.21	36.86	6.00	100	111	AVERAGE

Mode	7	
	Harmonic	
	2400-2483.5_802.11BE EHT20_CH01_Full _2412MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4824.00 40.75 74.00 -33.25 61.30 34.40 10.29 65.24 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4824.00 41.13 74.00 -32.87 61.68 34.40 10.29 65.24 0.00 --- --- PEAK

Mode	8
	Harmonic
	2400-2483.5_802.11BE EHT20_CH06_Full _2437MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4874.00	41.47	74.00	-32.53	61.76	34.60	10.34	65.23	0.00	---	---	PEAK
2	7311.00	41.84	74.00	-32.16	60.68	35.81	12.78	67.43	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4874.00	41.29	74.00	-32.71	61.58	34.60	10.34	65.23	0.00	---	---	PEAK
2	7311.00	41.76	74.00	-32.24	60.60	35.81	12.78	67.43	0.00	---	---	PEAK

Mode	9
	Band Edge
	2400-2483.5_802.11BE EHT20_CH11_Full _2462MHz
ANT	CDD 8+15

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.34 61.82 74.00 -12.18 52.74 32.60 7.33 36.85 6.00 138 12 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 113.86 ------ ------ 104.83 32.60 7.28 36.85 6.00 138 12 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 49.75 54.00 -4.25 40.67 32.60 7.33 36.85 6.00 138 12 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 102.86 ------ ------ 93.83 32.60 7.28 36.85 6.00 138 12 AVERAGE

Mode	9	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH11_Full _2462MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.70 58.98 74.00 -15.02 49.90 32.60 7.33 36.85 6.00 100 255 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 113.69 ------ ------ 104.65 32.60 7.29 36.85 6.00 100 255 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.68 46.70 54.00 -7.30 37.62 32.60 7.33 36.85 6.00 100 255 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 103.14 ------ ------ 94.09 32.60 7.30 36.85 6.00 100 255 AVERAGE

Mode	9
	Harmonic
	2400-2483.5_802.11BE EHT20_CH11_Full _2462MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4924.00	41.10	74.00	-32.90	61.50	34.65	10.40	65.45	0.00	---	---	PEAK
2	7386.00	43.54	74.00	-30.46	62.12	35.79	12.88	67.25	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4924.00	42.64	74.00	-31.36	63.04	34.65	10.40	65.45	0.00	---	---	PEAK
2	7386.00	43.19	74.00	-30.81	61.77	35.79	12.88	67.25	0.00	---	---	PEAK

Mode	10	
	Band Edge - L	
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2388.65	62.25	74.00	-11.75	54.02	31.93	7.16	36.86	6.00	308	228	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2422.00	109.73	------	------	101.02	32.34	7.23	36.86	6.00	308	228	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.82	49.42	54.00	-4.58	41.18	31.94	7.16	36.86	6.00	308	228	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2422.00	98.68	------	------	90.03	32.29	7.22	36.86	6.00	308	228	AVERAGE

Mode	10	
	Band Edge - R	
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2487.52 51.76 74.00 -22.24 42.67 32.60 7.34 36.85 6.00 308 228 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 39.59 54.00 -14.41 30.51 32.60 7.33 36.85 6.00 308 228 AVERAGE	Blank

Mode	10	
	Band Edge - L	
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.43	63.28	74.00	-10.72	55.04	31.94	7.16	36.86	6.00	100	279	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2422.00	110.13	------	------	101.48	32.29	7.22	36.86	6.00	100	279	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.82	50.65	54.00	-3.35	42.41	31.94	7.16	36.86	6.00	100	279	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2422.00	100.21	------	------	91.53	32.31	7.23	36.86	6.00	100	279	AVERAGE

Mode	10	
	Band Edge - R	
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.62 53.03 74.00 -20.97 43.94 32.60 7.34 36.85 6.00 100 279 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 40.78 54.00 -13.22 31.70 32.60 7.33 36.85 6.00 100 279 AVERAGE	Blank

Mode	10
	Harmonic
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4844.00	40.45	74.00	-33.55	60.83	34.48	10.31	65.17	0.00	---	---	PEAK
2	7266.00	42.17	74.00	-31.83	60.96	35.83	12.71	67.33	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4844.00	41.24	74.00	-32.76	61.62	34.48	10.31	65.17	0.00	---	---	PEAK
2	7266.00	42.33	74.00	-31.67	61.12	35.83	12.71	67.33	0.00	---	---	PEAK

Mode	10	
	18G-25G	
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	10
	30M-1G
	2400-2483.5_802.11BE EHT40_CH03_Full _2422MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	117.30	16.41	43.50	-27.09	30.24	17.33	1.61	32.77	0.00	---	---	Peak
2	190.05	21.68	43.50	-21.82	37.44	15.05	2.02	32.83	0.00	---	---	Peak
3	296.75	19.73	46.00	-26.27	30.77	19.27	2.52	32.83	0.00	---	---	Peak
4	339.43	21.36	46.00	-24.64	31.28	20.34	2.71	32.97	0.00	---	---	Peak
5	586.78	24.24	46.00	-21.76	28.35	25.90	3.52	33.53	0.00	---	---	Peak
6	802.12	26.85	46.00	-19.15	27.68	28.22	4.22	33.27	0.00	---	---	Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	35.82	26.33	40.00	-13.67	36.55	21.99	0.78	32.99	0.00	---	---	Peak
2	128.94	18.12	43.50	-25.38	31.61	17.55	1.68	32.72	0.00	---	---	Peak
3	189.08	18.88	43.50	-24.62	34.64	15.05	2.02	32.83	0.00	---	---	Peak
4	311.30	21.20	46.00	-24.80	31.83	19.63	2.60	32.86	0.00	---	---	Peak
5	553.80	24.46	46.00	-21.54	29.60	25.19	3.23	33.56	0.00	---	---	Peak
6	985.45	30.81	54.00	-23.19	27.25	30.37	4.66	31.47	0.00	---	---	Peak

Mode	11	
	Band Edge - L	
	2400-2483.5_802.11BE EHT40_CH06_Full _2437MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2387.87	56.67	74.00	-17.33	48.44	31.93	7.16	36.86	6.00	378	239	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2437.00	109.49	------	------	100.62	32.48	7.25	36.86	6.00	378	239	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.43	43.58	54.00	-10.42	35.34	31.94	7.16	36.86	6.00	378	239	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2437.00	98.93	------	------	90.06	32.48	7.25	36.86	6.00	378	239	AVERAGE

Mode	11	
	Band Edge - R	
	2400-2483.5_802.11BE EHT40_CH06_Full _2437MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.24 54.28 74.00 -19.72 45.20 32.60 7.33 36.85 6.00 378 239 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 41.10 54.00 -12.90 32.02 32.60 7.33 36.85 6.00 378 239 AVERAGE	Blank

Mode	11	
	Band Edge - L	
	2400-2483.5_802.11BE EHT40_CH06_Full _2437MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.17	59.35	74.00	-14.65	51.11	31.94	7.16	36.86	6.00	112	283	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2437.00	114.31	------	------	105.44	32.48	7.25	36.86	6.00	112	283	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.82	46.44	54.00	-7.56	38.20	31.94	7.16	36.86	6.00	112	283	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2437.00	100.74	------	------	91.87	32.48	7.25	36.86	6.00	112	283	AVERAGE

Mode	11	
	Band Edge - R	
	2400-2483.5_802.11BE EHT40_CH06_Full _2437MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.12 58.99 74.00 -15.01 49.91 32.60 7.33 36.85 6.00 112 283 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 45.11 54.00 -8.89 36.03 32.60 7.33 36.85 6.00 112 283 AVERAGE	Blank

Mode	11
	Harmonic
	2400-2483.5_802.11BE EHT40_CH06_Full _2437MHz
ANT	CDD 8+15

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4874.00	41.68	74.00	-32.32	61.97	34.60	10.34	65.23	0.00	---	---	PEAK
2	7311.00	42.09	74.00	-31.91	60.93	35.81	12.78	67.43	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4874.00	40.96	74.00	-33.04	61.25	34.60	10.34	65.23	0.00	---	---	PEAK
2	7311.00	41.73	74.00	-32.27	60.57	35.81	12.78	67.43	0.00	---	---	PEAK

Mode	12	
	Band Edge - L	
	2400-2483.5_802.11BE EHT40_CH09_Full _2452MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	51.93	74.00	-22.07	43.69	31.94	7.16	36.86	6.00	337	233	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2452.00	109.49	------	------	100.47	32.60	7.28	36.86	6.00	337	233	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	41.22	54.00	-12.78	32.98	31.94	7.16	36.86	6.00	337	233	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2452.00	98.95	------	------	89.94	32.60	7.27	36.86	6.00	337	233	AVERAGE

Mode	12	
	Band Edge - R	
	2400-2483.5_802.11BE EHT40_CH09_Full _2452MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.70 60.33 74.00 -13.67 51.25 32.60 7.33 36.85 6.00 337 233 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.84 48.05 54.00 -5.95 38.97 32.60 7.33 36.85 6.00 337 233 AVERAGE	Blank

Mode	12	
	Band Edge - L	
	2400-2483.5_802.11BE EHT40_CH09_Full _2452MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.56	52.67	74.00	-21.33	44.43	31.94	7.16	36.86	6.00	134	269	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2452.00	111.19	------	------	102.17	32.60	7.28	36.86	6.00	134	269	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.69	41.15	54.00	-12.85	32.91	31.94	7.16	36.86	6.00	134	269	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2452.00	100.93	------	------	91.91	32.60	7.28	36.86	6.00	134	269	AVERAGE

Mode	12	
	Band Edge - R	
	2400-2483.5_802.11BE EHT40_CH09_Full _2452MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.98 62.80 74.00 -11.20 53.71 32.60 7.34 36.85 6.00 134 269 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.14 50.47 54.00 -3.53 41.38 32.60 7.34 36.85 6.00 134 269 AVERAGE	Blank

Mode	12	
	Harmonic	
	2400-2483.5_802.11BE EHT40_CH09_Full _2452MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4904.00	41.19	74.00	-32.81	61.46	34.69	10.37	65.33	0.00	---	---	PEAK
2	7356.00	42.75	74.00	-31.25	61.83	35.55	12.84	67.47	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4904.00	41.42	74.00	-32.58	61.69	34.69	10.37	65.33	0.00	---	---	PEAK
2	7356.00	42.94	74.00	-31.06	62.02	35.55	12.84	67.47	0.00	---	---	PEAK

Mode	13	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH01_Single RU_2412MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	62.61	74.00	-11.39	54.37	31.94	7.16	36.86	6.00	122	125	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	111.84	------	------	103.41	32.10	7.19	36.86	6.00	122	125	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	45.91	54.00	-8.09	37.67	31.94	7.16	36.86	6.00	122	125	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	101.57	------	------	93.11	32.12	7.20	36.86	6.00	122	125	AVERAGE

Mode	13	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH01_Single RU_2412MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.69	59.68	74.00	-14.32	51.44	31.94	7.16	36.86	6.00	127	275	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	114.43	------	------	105.97	32.12	7.20	36.86	6.00	127	275	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.69	42.54	54.00	-11.46	34.30	31.94	7.16	36.86	6.00	127	275	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	102.73	------	------	94.27	32.12	7.20	36.86	6.00	127	275	AVERAGE

Mode	14	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH11_Single RU_2462MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2484.10	62.61	74.00	-11.39	53.53	32.60	7.33	36.85	6.00	333	138	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	113.71	------	------	104.66	32.60	7.30	36.85	6.00	333	138	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2483.50	45.00	54.00	-9.00	35.92	32.60	7.33	36.85	6.00	333	138	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	103.77	------	------	94.72	32.60	7.30	36.85	6.00	333	138	AVERAGE

Mode	14	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH11_Single RU_2462MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2484.10	61.21	74.00	-12.79	52.13	32.60	7.33	36.85	6.00	101	70	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	115.29	------	------	106.24	32.60	7.30	36.85	6.00	101	70	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2483.50	43.87	54.00	-10.13	34.79	32.60	7.33	36.85	6.00	101	70	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	105.92	------	------	96.87	32.60	7.30	36.85	6.00	101	70	AVERAGE

Mode	15	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH01_Small RU_2412MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.69	58.99	74.00	-15.01	50.75	31.94	7.16	36.86	6.00	126	144	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	112.61	------	------	104.18	32.10	7.19	36.86	6.00	126	144	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	43.44	54.00	-10.56	35.20	31.94	7.16	36.86	6.00	126	144	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	102.44	------	------	93.96	32.14	7.20	36.86	6.00	126	144	AVERAGE

Mode	15	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH01_Small RU_2412MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.30	56.71	74.00	-17.29	48.47	31.94	7.16	36.86	6.00	100	275	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	112.86	------	------	104.43	32.10	7.19	36.86	6.00	100	275	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	44.20	54.00	-9.80	35.96	31.94	7.16	36.86	6.00	100	275	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	104.12	------	------	95.66	32.12	7.20	36.86	6.00	100	275	AVERAGE

Mode	16	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH11_Small RU_2462MHz	
ANT	CDD 8+15	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2484.52	67.47	74.00	-6.53	58.39	32.60	7.33	36.85	6.00	295	141	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	115.04	------	------	105.99	32.60	7.30	36.85	6.00	295	141	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2483.50	47.09	54.00	-6.91	38.01	32.60	7.33	36.85	6.00	295	141	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2462.00	104.48	------	------	95.43	32.60	7.30	36.85	6.00	295	141	AVERAGE

Mode	16	
	Band Edge	
	2400-2483.5_802.11BE EHT20_CH11_Small RU_2462MHz	
ANT	CDD 8+15	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.86 65.81 74.00 -8.19 56.73 32.60 7.33 36.85 6.00 102 70 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 114.86 ------ ------ 105.81 32.60 7.30 36.85 6.00 102 70 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 45.03 54.00 -8.97 35.95 32.60 7.33 36.85 6.00 102 70 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 104.24 ------ ------ 95.19 32.60 7.30 36.85 6.00 102 70 AVERAGE

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
15+8	802.11b	97.03	0.664	1.507	1.6kHz
15+8	802.11g	98.70	-	-	10Hz
15+8	802.11be EHT20	100	-	-	10Hz
15+8	802.11be EHT40	100	-	-	10Hz

802.11b



802.11g



802.11be EHT20



802.11be EHT40