



Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
26	15	20	167300	836.5	DFT-s-OFDM PI/2 BPSK	100@0	3.95	13	PASS
26	15	20	167300	836.5	DFT-s-OFDM QPSK	100@0	5.05	13	PASS

N26(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N26(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
26	15	5	167300	836.5	CP-OFDM QPSK	25@0	4.4622	4.814
26	15	5	167300	836.5	CP-OFDM 16 QAM	25@0	4.4715	4.784
26	15	5	167300	836.5	CP-OFDM 64 QAM	25@0	4.4692	4.823
26	15	5	167300	836.5	CP-OFDM 256 QAM	25@0	4.4709	4.775
26	15	10	167300	836.5	CP-OFDM QPSK	52@0	9.2491	9.705
26	15	10	167300	836.5	CP-OFDM 16 QAM	52@0	9.2446	9.679
26	15	10	167300	836.5	CP-OFDM 64 QAM	52@0	9.2721	9.749
26	15	10	167300	836.5	CP-OFDM 256 QAM	52@0	9.2777	9.68
26	15	15	167300	836.5	CP-OFDM QPSK	79@0	14.09	14.71
26	15	15	167300	836.5	CP-OFDM 16 QAM	79@0	14.073	14.66
26	15	15	167300	836.5	CP-OFDM 64 QAM	79@0	14.082	14.63
26	15	15	167300	836.5	CP-OFDM 256 QAM	79@0	14.037	14.64
26	15	20	167300	836.5	CP-OFDM QPSK	106@0	18.916	19.62
26	15	20	167300	836.5	CP-OFDM 16 QAM	106@0	18.91	19.7
26	15	20	167300	836.5	CP-OFDM 64 QAM	106@0	18.892	19.63
26	15	20	167300	836.5	CP-OFDM 256 QAM	106@0	18.9	19.71


N26(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N26(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N26(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N26(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N26(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N26(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N26(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N26(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N26(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N26(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N26(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N26(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N26(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N26(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N26(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N26(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	167300	836.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	167300	836.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@0	see graph	---
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@0	see graph	---
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N26(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Mid_CH




N26(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Mid_CH




N26(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_High_CH




N26(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_High_CH




N26(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N26(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH




N26(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N26(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH



N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH



Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
26	15	10	165800	829.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
26	15	10	168800	844.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	100@0	see graph	PASS

Keysight Spectrum Analyzer 1
Spurious Emissions

KEYSIGHT Input Ref: **DC** Input 2: 50.0 V
 R T **DC** Corr Corr Align: Auto Attm: 40 dB Trg Freq Run Center Freq 22 000000000 GHz
PASS Freq Ref Int (S) Gate Off Gain Low Amplitude: 100.00 dB
 Ratio Set None

3 All Range Graph Ref Lvl Offset 7.50 dB
 Scale/Div 10.0 dB Ref Value 30.00 dBm

Log
 10.0
 0.0
 -10.0
 -20.0
 -30.0
 -40.0
 -50.0
 -60.0
 -70.0
 -80.0
 -90.0
 -100.0

Start 815.000 MHz Stop 829.000 MHz

4 All Range Table

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	AJunc
1	1	815.00 MHz	823.00 MHz	100.0 kHz	822.00000000 MHz	-42.77 dBm	-29.77 dB
2	2	823.00 MHz	824.00 MHz	51.00 kHz	823.99666667 MHz	-17.77 dBm	-4.774 dB
3	3	824.00 MHz	829.00 MHz	100.0 kHz	824.29166667 MHz	22.36 dBm	-7.637 dB

Measure Trace Trace Type Trace Average (Active)

Spectrum Analyzer 1
Spurious Emissions

KEYSIGHT Input Ref: 0V
R 1 → → → Spanning 100
Align: Auto

Input Z: 50 Ω
Corr: Corr
Freq Ref: Int (S)

Attn: 40 dB

Trig: Free Run
Gate: Off
IF Gain: Low

Center Freq: 22.00000000 GHz
Amplitude: 100.00
Radio Std: None

Low PASS

3 All Range Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset: 7.50 dB
Ref Value: 30.00 dBm

Start 815.00 MHz Stop 829.00 MHz

4 All Range Table

Measure Trace
Trace Type Trace Average (Active)

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	dBm
1	1	815.00 MHz	824.00 MHz	100.0 Hz	822.04200000 MHz	-43.27 dBm	-30.27 dB
2	2	823.00 MHz	824.00 MHz	51.00 kHz	824.00000000 MHz	-17.70 dBm	-6.69 dB
3	3	824.00 MHz	829.00 MHz	100.0 kHz	824.30633333 MHz	-22.00 dBm	-7.90 dB

Spectrum Analyzer 1
Spurious Emissions

KEYSIGHT Input RF
Routing DC
R T $\leftrightarrow$ Align Auto

Input 2, 50 Ω
Cort Corr
Freq Ref Int (S)

Att: 40 dB

Trig: Free Run
Gate: Off
IF: Gain Low

Center Freq: 22.00500000 GHz
Amp: 40.0
Res: 100.0
Video Std: None

3 All Range Graph

Scale/Div 10.0 dB

Ref Lvl Offset 7.50 dB
Ref Value 30.00 dBm

Start 815.00 MHz Stop 829.00 MHz

4 All Range Table

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit
1	1	815.00 MHz	824.00 MHz	100.0 Hz	821.906667 MHz	-31.47 dBm	-16.47 dB
2	2	823.00 MHz	824.00 MHz	51.00 Hz	823.981667 MHz	-29.32 dBm	-16.32 dB
3	3	824.00 MHz	829.00 MHz	100.0 Hz	824.866667 MHz	9.00 dBm	-20.91 dB

Measure Trace
Trace Type
Trace Average (Active)

May 15, 2024
7:24:36 PM

Spectrum Analyzer 1
Spectrum Emulations

KEYSIGHT Input RF
R T **Channel DC**
Align Auto

Input Z: 50 Ω
Corr: Off
Freq Ref: Int (S)

Att: 0 dB
Trig: Free Run
Gate: Off
IF: Can Low

Center Freq: 22.05000000 GHz
Averaging: 100100
Radio Std: None

Low PASS

3 All Range Graph
Scale/Div 10.0 dB
Log
Ref Lvl Offset: 7.50 dB
Ref Value 30.00 dBm

Start 815.00 MHz
Stop 829.00 MHz

4 All Range Table

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	dBm
1	1	815.00 MHz	824.00 MHz	100.0 Hz	822.988667 MHz	-27.34 dBm	-14.34 dB
2	2	823.00 MHz	824.00 MHz	51.00 MHz	824.000000 MHz	-28.01 dBm	-15.01 dB
3	3	824.00 MHz	829.00 MHz	100.0 Hz	824.7900000 MHz	-13.12 dBm	-20.87 dB

Measure Trace
Trace Type
Trace Average (Active)

Trace 1

May 15, 2024
7:24:54 PM

Spectrum Analyzer 1
Spurious Emissions

KEYSIGHT Input RF
R T **Creating DC**
Align: Auto

Input Z: 50 Ω
Corr CCOR
Freq Ref: 1Hz (S)

Att: 40 dB

Trig: Free Run
Gate: Off
IF Gain: Low

Center Freq: 22.00000000 GHz
AverHdd: 100/100
Radio Std: None

dB PASS

3 dB Range Graph

Scale/Div: 10.0 dB

Ref Lvl Offset: 7.50 dBm
Ref Value: 30.00 dBm

Start 844.00 MHz Stop 860.00 MHz

4 All Range Table

		Measure Trace		Trace Type		Trace Average (Active)	
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Units
2	1	844.000 MHz	845.000 MHz	100.0 kHz	844.633333 MHz	-1.01 dBm	-2.112 dB
2	2	848.000 MHz	850.000 MHz	51.00 kHz	849.0000000 MHz	-21.04 dBm	-8.045 dB
3	3	850.000 MHz	860.000 MHz	100.0 kHz	850.9000000 MHz	-44.89 dBm	-31.89 dB

May 15, 2024
7:26:34 PM

KEYSIGHT Spectrum Analyzer 1
Spurious Emissions

Input RF **Resolving BW** **Attain** **Trig** **Free Run** **Center Freq** **Amplitude**
 R 1 **Coupling DC** **Input Z** 50 Ω **Con CCR** **Gate Off** **Arghold** 100/100
Align Auto **Freq Ref** Int (S) **IF Gain** Low **Radio Std** None

Low PASS

3 dB Range Graph
Scale/Div 10.0 dB
Ref Lvl Offset 7.50 dB
Ref Value 30.00 dBm

Start 844.000 MHz **Stop** 860.000 MHz

4 All Range Table


Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Unit
1	842.00 MHz	842.00 MHz	100.0 MHz	848.0000000 MHz	-1.82 dBm	-1.82 dBm	
2	849.00 MHz	850.00 MHz	51.00 MHz	849.0066667 MHz	-20.04 dBm	-7.038 dB	
3	850.00 MHz	860.00 MHz	100.0 MHz	850.8833333 MHz	-45.00 dBm	-32.00 dB	

Measure Trace **Trace 1**
 Trace Type Trace Average (Active)


N26(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N26(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N26(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N26(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N26(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N26(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N26(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N26(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Qingsheng He	Temperature :	22~25°C
		Relative Humidity :	48~52%

RSE Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n5 SA / NR 20MHz / QPSK / (ANT0)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1654.5	-68.47	-13	-55.47	-74.75	-71.72	4.00	9.40	H
	2481.75	-65.40	-13	-52.40	-75.72	-68.97	4.88	10.60	H
	3309	-64.31	-13	-51.31	-76.64	-69.24	5.52	12.60	H
	1654.5	-68.39	-13	-55.39	-74.52	-71.64	4.00	9.40	V
	2481.75	-65.13	-13	-52.13	-75.81	-68.70	4.88	10.60	V
	3309	-64.08	-13	-51.08	-76.85	-69.01	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n5A / LTE 10MHz + NR 20MHz / QPSK (ANT5+0)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
LTE Band7 Middle	5052.18	-61.20	-25	-36.20	-78.62	-66.76	7.14	12.70	H
	7578.27	-56.73	-25	-31.73	-78.92	-60.03	8.30	11.60	H
	10104.36	-52.17	-25	-27.17	-79.26	-53.69	10.48	12.00	H
	5052.18	-61.71	-25	-36.71	-79.06	-67.27	7.14	12.70	V
	7578.27	-56.74	-25	-31.74	-78.73	-60.04	8.30	11.60	V
	10104.36	-52.76	-25	-27.76	-79.36	-54.28	10.48	12.00	V
NR n5 Middle	1654.5	-67.68	-13	-54.68	-73.96	-70.93	4.00	9.40	H
	2481.75	-64.66	-13	-51.66	-74.98	-68.23	4.88	10.60	H
	3309	-64.49	-13	-51.49	-76.82	-69.42	5.52	12.60	H
	1654.5	-67.92	-13	-54.92	-74.05	-71.17	4.00	9.40	V
	2481.75	-65.26	-13	-52.26	-75.94	-68.83	4.88	10.60	V
	3309	-63.74	-13	-50.74	-76.51	-68.67	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



N12 SA / NR 15MHz / QPSK / (ANT0)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1401.08	-65.57	-13	-52.57	-73.71	-68.82	4.00	9.40	H
	2101.6	-65.66	-13	-52.66	-75.30	-69.23	4.88	10.60	H
	2802.16	-63.83	-13	-50.83	-75.83	-68.76	5.52	12.60	H
	1401.08	-65.53	-13	-52.53	-73.74	-68.78	4.00	9.40	V
	2101.6	-65.24	-13	-52.24	-75.25	-68.81	4.88	10.60	V
	2802.16	-63.76	-13	-50.76	-75.99	-68.69	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n25 SA / NR 40MHz / QPSK / (ANT2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3726.6	-62.86	-13	-49.86	-77.45	-69.61	5.85	12.60	H
	5589.9	-62.36	-13	-49.36	-80.02	-68.16	7.30	13.10	H
	7453.2	-55.81	-13	-42.81	-78.33	-58.96	8.35	11.50	H
	3726.6	-62.65	-13	-49.65	-77.49	-69.40	5.85	12.60	V
	5589.9	-62.39	-13	-49.39	-80.01	-68.19	7.30	13.10	V
	7453.2	-56.14	-13	-43.14	-78.63	-59.29	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n26 SA / NR 20MHz / QPSK / (ANT0)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1654.2	-67.75	-13	-54.75	-74.03	-71.00	4.00	9.40	H
	2481.3	-64.73	-13	-51.73	-75.05	-68.30	4.88	10.60	H
	3308.4	-63.58	-13	-50.58	-75.92	-68.51	5.52	12.60	H
	1654.2	-68.31	-13	-55.31	-74.44	-71.56	4.00	9.40	V
	2481.3	-64.88	-13	-51.88	-75.56	-68.45	4.88	10.60	V
	3308.4	-64.05	-13	-51.05	-76.83	-68.98	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.