

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 PCS1900\_EIRP

Band: PCS1900									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	GSM	GSM	1850.2	30.83	-0.86	29.97	<=33.01	Pass	
			1880	30.82	-0.86	29.96	<=33.01	Pass	
			1909.8	30.81	-0.86	29.95	<=33.01	Pass	
	GPRS	1 TX Slot	1850.2	30.87	-0.86	30.01	<=33.01	Pass	
		2 TX Slots	1850.2	27.99	-0.86	27.13	<=33.01	Pass	
		3 TX Slots	1850.2	26.27	-0.86	25.41	<=33.01	Pass	
		4 TX Slots	1850.2	24.83	-0.86	23.97	<=33.01	Pass	
		1 TX Slot	1880	30.51	-0.86	29.65	<=33.01	Pass	
		2 TX Slots	1880	27.64	-0.86	26.78	<=33.01	Pass	
		3 TX Slots	1880	25.92	-0.86	25.06	<=33.01	Pass	
		4 TX Slots	1880	24.51	-0.86	23.65	<=33.01	Pass	
		1 TX Slot	1909.8	30.39	-0.86	29.53	<=33.01	Pass	
		2 TX Slots	1909.8	27.52	-0.86	26.66	<=33.01	Pass	
		3 TX Slots	1909.8	25.80	-0.86	24.94	<=33.01	Pass	
		4 TX Slots	1909.8	24.41	-0.86	23.55	<=33.01	Pass	
		EGPRS	1 TX Slot	1850.2	27.40	-0.86	26.54	<=33.01	Pass
			2 TX Slots	1850.2	24.39	-0.86	23.53	<=33.01	Pass
			3 TX Slots	1850.2	22.93	-0.86	22.07	<=33.01	Pass
			4 TX Slots	1850.2	21.64	-0.86	20.78	<=33.01	Pass
	1 TX Slot		1880	27.87	-0.86	27.01	<=33.01	Pass	
	2 TX Slots		1880	24.22	-0.86	23.36	<=33.01	Pass	
	3 TX Slots		1880	22.33	-0.86	21.47	<=33.01	Pass	
	4 TX Slots		1880	21.12	-0.86	20.26	<=33.01	Pass	
	1 TX Slot		1909.8	26.94	-0.86	26.08	<=33.01	Pass	
	2 TX Slots		1909.8	24.07	-0.86	23.21	<=33.01	Pass	
	3 TX Slots		1909.8	22.40	-0.86	21.54	<=33.01	Pass	
	4 TX Slots		1909.8	21.19	-0.86	20.33	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 PCS1900

Band: PCS1900							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
GSM	1850.2	20	LV	-7.942	-0.0043	-2.5 to 2.5	Pass
			NV	-5.230	-0.0028	-2.5 to 2.5	Pass
			HV	-3.164	-0.0017	-2.5 to 2.5	Pass
		-30	NV	1.905	0.0010	-2.5 to 2.5	Pass
		-20	NV	-1.969	-0.0011	-2.5 to 2.5	Pass
		-10	NV	2.647	0.0014	-2.5 to 2.5	Pass
		0	NV	2.034	0.0011	-2.5 to 2.5	Pass
		10	NV	10.654	0.0058	-2.5 to 2.5	Pass
		30	NV	19.565	0.0106	-2.5 to 2.5	Pass
		40	NV	16.337	0.0088	-2.5 to 2.5	Pass
	50	NV	10.202	0.0055	-2.5 to 2.5	Pass	
	1880	20	LV	-0.807	-0.0004	-2.5 to 2.5	Pass
			NV	0.904	0.0005	-2.5 to 2.5	Pass
			HV	1.162	0.0006	-2.5 to 2.5	Pass
		-30	NV	2.777	0.0015	-2.5 to 2.5	Pass
		-20	NV	-0.807	-0.0004	-2.5 to 2.5	Pass
		-10	NV	-0.969	-0.0005	-2.5 to 2.5	Pass
		0	NV	0.613	0.0003	-2.5 to 2.5	Pass
		10	NV	-10.138	-0.0054	-2.5 to 2.5	Pass
		30	NV	-1.582	-0.0008	-2.5 to 2.5	Pass
		40	NV	-3.713	-0.0020	-2.5 to 2.5	Pass
	50	NV	1.162	0.0006	-2.5 to 2.5	Pass	
	1909.8	20	LV	-0.226	-0.0001	-2.5 to 2.5	Pass
			NV	-6.909	-0.0036	-2.5 to 2.5	Pass
			HV	-6.393	-0.0033	-2.5 to 2.5	Pass
		-30	NV	-1.421	-0.0007	-2.5 to 2.5	Pass
		-20	NV	-0.775	-0.0004	-2.5 to 2.5	Pass
		-10	NV	0.646	0.0003	-2.5 to 2.5	Pass
		0	NV	-0.710	-0.0004	-2.5 to 2.5	Pass
		10	NV	19.985	0.0105	-2.5 to 2.5	Pass
30		NV	12.365	0.0065	-2.5 to 2.5	Pass	
40		NV	40.583	0.0212	-2.5 to 2.5	Pass	
50	NV	32.383	0.0170	-2.5 to 2.5	Pass		
GPRS	1850.2	20	LV	-4.585	-0.0025	-2.5 to 2.5	Pass
			NV	-3.584	-0.0019	-2.5 to 2.5	Pass
			HV	0.097	0.0001	-2.5 to 2.5	Pass
		-30	NV	-0.613	-0.0003	-2.5 to 2.5	Pass
		-20	NV	-1.001	-0.0005	-2.5 to 2.5	Pass
		-10	NV	-2.163	-0.0012	-2.5 to 2.5	Pass
		0	NV	-4.455	-0.0024	-2.5 to 2.5	Pass
		10	NV	9.363	0.0051	-2.5 to 2.5	Pass
		30	NV	20.243	0.0109	-2.5 to 2.5	Pass
		40	NV	12.753	0.0069	-2.5 to 2.5	Pass
	50	NV	18.403	0.0099	-2.5 to 2.5	Pass	
	1880	20	LV	-1.033	-0.0005	-2.5 to 2.5	Pass
			NV	-5.263	-0.0028	-2.5 to 2.5	Pass
			HV	-3.229	-0.0017	-2.5 to 2.5	Pass

		-30	NV	-3.713	-0.0020	-2.5 to 2.5	Pass
		-20	NV	-3.325	-0.0018	-2.5 to 2.5	Pass
		-10	NV	-2.034	-0.0011	-2.5 to 2.5	Pass
		0	NV	-6.134	-0.0033	-2.5 to 2.5	Pass
		10	NV	2.357	0.0013	-2.5 to 2.5	Pass
		30	NV	0.581	0.0003	-2.5 to 2.5	Pass
		40	NV	-6.102	-0.0032	-2.5 to 2.5	Pass
	50	NV	-1.776	-0.0009	-2.5 to 2.5	Pass	
	1909.8	20	LV	-0.872	-0.0005	-2.5 to 2.5	Pass
			NV	-7.910	-0.0041	-2.5 to 2.5	Pass
			HV	-7.555	-0.0040	-2.5 to 2.5	Pass
		-30	NV	-8.265	-0.0043	-2.5 to 2.5	Pass
		-20	NV	-9.589	-0.0050	-2.5 to 2.5	Pass
		-10	NV	-6.425	-0.0034	-2.5 to 2.5	Pass
		0	NV	-5.230	-0.0027	-2.5 to 2.5	Pass
		10	NV	1.001	0.0005	-2.5 to 2.5	Pass
		30	NV	2.970	0.0016	-2.5 to 2.5	Pass
		40	NV	-5.489	-0.0029	-2.5 to 2.5	Pass
		50	NV	4.843	0.0025	-2.5 to 2.5	Pass
EGPRS		1850.2	20	LV	-14.238	-0.0077	-2.5 to 2.5
	NV			-6.457	-0.0035	-2.5 to 2.5	Pass
	HV			-9.201	-0.0050	-2.5 to 2.5	Pass
	-30		NV	-4.972	-0.0027	-2.5 to 2.5	Pass
	-20		NV	-7.264	-0.0039	-2.5 to 2.5	Pass
	-10		NV	-6.780	-0.0037	-2.5 to 2.5	Pass
	0		NV	-11.817	-0.0064	-2.5 to 2.5	Pass
	10		NV	-3.971	-0.0021	-2.5 to 2.5	Pass
	30		NV	-0.420	-0.0002	-2.5 to 2.5	Pass
	40		NV	-5.166	-0.0028	-2.5 to 2.5	Pass
	50		NV	-7.781	-0.0042	-2.5 to 2.5	Pass
	1880	20	LV	-6.554	-0.0035	-2.5 to 2.5	Pass
			NV	-7.361	-0.0039	-2.5 to 2.5	Pass
			HV	-5.359	-0.0029	-2.5 to 2.5	Pass
		-30	NV	-11.397	-0.0061	-2.5 to 2.5	Pass
		-20	NV	-2.970	-0.0016	-2.5 to 2.5	Pass
		-10	NV	-6.425	-0.0034	-2.5 to 2.5	Pass
		0	NV	-4.714	-0.0025	-2.5 to 2.5	Pass
		10	NV	-3.907	-0.0021	-2.5 to 2.5	Pass
		30	NV	-3.422	-0.0018	-2.5 to 2.5	Pass
		40	NV	4.585	0.0024	-2.5 to 2.5	Pass
		50	NV	-2.002	-0.0011	-2.5 to 2.5	Pass
	1909.8	20	LV	-12.785	-0.0067	-2.5 to 2.5	Pass
			NV	-8.620	-0.0045	-2.5 to 2.5	Pass
			HV	-13.108	-0.0069	-2.5 to 2.5	Pass
		-30	NV	-7.264	-0.0038	-2.5 to 2.5	Pass
		-20	NV	-6.167	-0.0032	-2.5 to 2.5	Pass
-10		NV	-9.040	-0.0047	-2.5 to 2.5	Pass	
0		NV	-9.298	-0.0049	-2.5 to 2.5	Pass	
10		NV	-5.585	-0.0029	-2.5 to 2.5	Pass	
30		NV	-2.680	-0.0014	-2.5 to 2.5	Pass	
40		NV	-3.939	-0.0021	-2.5 to 2.5	Pass	
50		NV	-12.333	-0.0065	-2.5 to 2.5	Pass	

### 3. 99% & 26dB Bandwidth

#### 3.1 Test Result

##### 3.1.1 PCS1900\_OBW


Band: PCS1900						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.253	/	Pass
			1880	0.245	/	Pass
			1909.8	0.245	/	Pass
	GPRS	1 TX Slot	1850.2	0.245	/	Pass
			1880	0.250	/	Pass
			1909.8	0.249	/	Pass
	EGPRS	1 TX Slot	1850.2	0.244	/	Pass
			1880	0.242	/	Pass
			1909.8	0.246	/	Pass

##### 3.1.2 PCS1900\_XDB


Band: PCS1900						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.321	/	Pass
			1880	0.316	/	Pass
			1909.8	0.318	/	Pass
	GPRS	1 TX Slot	1850.2	0.313	/	Pass
			1880	0.315	/	Pass
			1909.8	0.313	/	Pass
	EGPRS	1 TX Slot	1850.2	0.301	/	Pass
			1880	0.314	/	Pass
			1909.8	0.304	/	Pass

### 3.2 Test Graph


#### 3.2.1 PCS1900\_OBW




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




### 3.2.2 PCS1900\_XDB




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



## 4. Peak-Average Ratio


### 4.1 Test Result

#### 4.1.1 PCS1900


Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.90	<=13	Pass
			1880	9.84	<=13	Pass
			1909.8	9.43	<=13	Pass
	GPRS	4 TX Slots	1850.2	3.48	<=13	Pass
			1880	3.63	<=13	Pass
			1909.8	3.44	<=13	Pass
	EGPRS	4 TX Slots	1850.2	7.16	<=13	Pass
			1880	7.37	<=13	Pass
			1909.8	7.34	<=13	Pass

## 4.2 Test Graph


### 4.2.1 PCS1900




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_4 TX Slots\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_4 TX Slots\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_4 TX Slots\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_4 TX Slots\_NTNV



PCS1900\_EGPRS\_MCH\_1880MHz\_4 TX Slots\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_4 TX Slots\_NTNV



## 5. Spurious Emission



### 5.1 Test Result

#### 5.1.1 PCS1900


Band: PCS1900						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	
	GPRS	1 TX Slot	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	
	EGPRS	1 TX Slot	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	

## 5.2 Test Graph


### 5.2.1 PCS1900




PCS1900\_GSM\_LCH\_1850.2MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



## 6. Field Strength of Spurious Radiation

GSM1900 ANT2-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3700.4	-61.46	-13	-48.46	-66.32	3.58	8.44	Horizontal	Pass
5550.6	-62.85	-13	-49.85	-68.56	4.74	10.45	Horizontal	Pass
7400.8	-61.45	-13	-48.45	-68.13	4.94	11.62	Horizontal	Pass
3700.4	-65.17	-13	-52.17	-70.03	3.58	8.44	Vertical	Pass
5550.6	-62.43	-13	-49.43	-68.14	4.74	10.45	Vertical	Pass
7400.8	-61.39	-13	-48.39	-68.07	4.94	11.62	Vertical	Pass

GSM1900 ANT2-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3760.0	-65.54	-13	-52.54	-70.43	3.63	8.52	Horizontal	Pass
5640.0	-62.67	-13	-49.67	-68.37	4.75	10.45	Horizontal	Pass
7520.0	-60.57	-13	-47.57	-67.39	4.94	11.76	Horizontal	Pass
3760.0	-63.05	-13	-50.05	-67.94	3.63	8.52	Vertical	Pass
5640.0	-62.66	-13	-49.66	-68.36	4.75	10.45	Vertical	Pass
7520.0	-60.41	-13	-47.41	-67.23	4.94	11.76	Vertical	Pass

GSM1900 ANT2-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3819.6	-66.2	-13	-53.2	-71.12	3.68	8.6	Horizontal	Pass
5729.4	-62.93	-13	-49.93	-68.62	4.76	10.45	Horizontal	Pass
7639.2	-60.15	-13	-47.15	-67.1	4.95	11.9	Horizontal	Pass
3819.6	-66.12	-13	-53.12	-71.04	3.68	8.6	Vertical	Pass
5729.4	-62.89	-13	-49.89	-68.58	4.76	10.45	Vertical	Pass
7639.2	-60.18	-13	-47.18	-67.13	4.95	11.9	Vertical	Pass