n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3570MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3570MHz_Outer_Full

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 1401
Sweep: Single

DCCF: 6.99dB

Final Data
Limit

| Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.050	-44.18	-40	Pass
3530	3540	1	CHP	2	3530.200	-45.35	-25	Pass
3540	3549	1	CHP	3	3548.500	-43.27	-13	Pass
3549	3550	0.38426	CHP	4	3549.850	-41.22	-13	Pass
3550	3590	0.38426	CHP	/	/	/	/	/
3590	3591	0.38426	CHP	5	3590.050	-46.04	-13	Pass
3591	3630	1	CHP	6	3591.550	-42.38	-13	Pass
3630	3720	1	CHP	7	3630.100	-50.71	-25	Pass
3720	3730	1	CHP	8	3725.500	-58.19	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left

Start: 30 MHz
Stop: 1000 MHz
Detector: RMS
TraceType: Average
SweepPoint: 19401
Sweep: Single

DCCF: 6.99dB

Final Data
Limit

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	891.500	-61.93	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left

Start: 1000 MHz
Stop: 37 GHz
Detector: RMS
TraceType: Average
SweepPoint: 72001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2416.000	-45.52	-40	Pass
3530	3564.99	1	/	2	3557.500	-60.55	-25	Pass
3564.99	3603.99	1	/	3	3598.500	-46.89	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3652.000	-43.18	-13	Pass
3684.99	3720	1	/	5	3704.500	-57.97	-25	Pass
3720	37000	1	/	6	35575.500	-51.72	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Left

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 14001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.160	-56.01	-40	Pass
3530	3619.98	1	CHP	2	3605.620	-55.64	-25	Pass
3619.98	3658.98	1	CHP	3	3658.480	-42.65	-13	Pass
3658.98	3659.98	0.03	/	4	3659.965	-36.09	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-60.24	-13	Pass
3700.98	3710	1	CHP	6	3707.455	-42.35	-13	Pass
3710	3720	1	CHP	7	3719.500	-43.32	-25	Pass
3720	3730	1	CHP	8	3720.010	-44.70	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Right

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 14001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.145	-56.01	-40	Pass
3530	3619.98	1	CHP	2	3615.775	-55.61	-25	Pass
3619.98	3658.98	1	CHP	3	3652.450	-41.83	-13	Pass
3658.98	3659.98	0.03	/	4	3659.950	-60.07	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-37.15	-13	Pass
3700.98	3710	1	CHP	6	3701.485	-43.30	-13	Pass
3710	3720	1	CHP	7	3717.595	-48.66	-25	Pass
3720	3730	1	CHP	8	3727.675	-54.40	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Right

Start: 30 MHz
Stop: 1000 MHz
Detector: RMS
TraceType: Average
SweepPoint: 19401
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	876.150	-61.91	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Edge_1RB_Right

Start: 1000 MHz
Stop: 37 GHz
Detector: RMS
TraceType: Average
SweepPoint: 72001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2411.000	-46.48	-40	Pass
3530	3619.98	1	/	2	3618.000	-57.98	-25	Pass
3619.98	3658.98	1	/	3	3652.500	-42.55	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3706.500	-47.53	-13	Pass
3710	3720	1	/	5	3717.500	-48.99	-25	Pass
3720	37000	1	/	6	35568.000	-51.81	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Outer_Full

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 1401
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.000	-58.50	-40	Pass
3530	3619.98	1	CHP	2	3600.850	-52.04	-25	Pass
3619.98	3658.98	1	CHP	3	3658.450	-41.90	-13	Pass
3658.98	3659.98	0.40676	CHP	4	3659.950	-35.48	-13	Pass
3659.98	3699.98	0.40676	CHP	/	/	/	/	/
3699.98	3700.98	0.40676	CHP	5	3700.000	-46.92	-13	Pass
3700.98	3710	1	CHP	6	3701.500	-43.67	-13	Pass
3710	3720	1	CHP	7	3719.800	-44.36	-25	Pass
3720	3730	1	CHP	8	3723.250	-43.19	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Left

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 14001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.460	-53.19	-40	Pass
3530	3540	1	CHP	2	3532.120	-50.42	-25	Pass
3540	3549	1	CHP	3	3548.500	-46.35	-13	Pass
3549	3550	0.03	/	4	3549.985	-40.17	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.050	-63.43	-13	Pass
3591	3630	1	CHP	6	3609.580	-45.53	-13	Pass
3630	3720	1	CHP	7	3710.635	-55.19	-25	Pass
3720	3730	1	CHP	8	3723.010	-55.20	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Left

Start: 30 MHz
Stop: 1000 MHz
Detector: RMS
TraceType: Average
SweepPoint: 19401
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	906.000	-61.80	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Left

Start: 1000 MHz
Stop: 37 GHz
Detector: RMS
TraceType: Average
SweepPoint: 72001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2410.000	-49.49	-40	Pass
3530	3540	1	/	2	3532.000	-50.86	-25	Pass
3540	3549	1	/	3	3544.500	-50.29	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3609.500	-46.10	-13	Pass
3630	3720	1	/	5	3684.000	-57.95	-25	Pass
3720	37000	1	/	6	35584.000	-51.81	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Edge_1RB_Right

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 14001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-45.65	-40	Pass
3530	3540	1	CHP	2	3530.155	-45.19	-25	Pass
3540	3549	1	CHP	3	3542.440	-47.47	-13	Pass
3549	3550	0.03	/	4	3549.760	-62.97	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.005	-38.72	-13	Pass
3591	3630	1	CHP	6	3591.505	-45.88	-13	Pass
3630	3720	1	CHP	7	3719.905	-55.25	-25	Pass
3720	3730	1	CHP	8	3729.340	-55.15	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Outer_Full

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 1401
Sweep: Single

DCCF: 6.99dB

Final Data
Limit

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.150	-41.39	-40	Pass
3530	3540	1	CHP	2	3538.750	-41.57	-25	Pass
3540	3549	1	CHP	3	3547.450	-38.88	-13	Pass
3549	3550	0.38426	CHP	4	3549.850	-41.64	-13	Pass
3550	3590	0.38426	CHP	/	/	/	/	/
3590	3591	0.38426	CHP	5	3590.050	-42.30	-13	Pass
3591	3630	1	CHP	6	3591.550	-38.87	-13	Pass
3630	3720	1	CHP	7	3630.100	-49.83	-25	Pass
3720	3730	1	CHP	8	3722.350	-58.10	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left

Start: 30 MHz
Stop: 1000 MHz
Detector: RMS
TraceType: Average
SweepPoint: 19401
Sweep: Single

DCCF: 6.99dB

Final Data
Limit

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	886.200	-61.97	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left

Start: 1000 MHz
Stop: 37 GHz
Detector: RMS
TraceType: Average
SweepPoint: 72001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2409.500	-51.48	-40	Pass
3530	3564.99	1	/	2	3549.500	-60.77	-25	Pass
3564.99	3603.99	1	/	3	3587.000	-49.72	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3664.500	-45.99	-13	Pass
3684.99	3720	1	/	5	3702.000	-58.13	-25	Pass
3720	37000	1	/	6	35599.500	-51.89	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Left

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 14001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.185	-56.03	-40	Pass
3530	3619.98	1	CHP	2	3618.805	-55.58	-25	Pass
3619.98	3658.98	1	CHP	3	3658.480	-44.70	-13	Pass
3658.98	3659.98	0.03	/	4	3659.965	-38.69	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.165	-61.78	-13	Pass
3700.98	3710	1	CHP	6	3707.485	-47.16	-13	Pass
3710	3720	1	CHP	7	3719.335	-45.14	-25	Pass
3720	3730	1	CHP	8	3720.010	-46.35	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Right

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 14001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.610	-56.04	-40	Pass
3530	3619.98	1	CHP	2	3618.265	-55.49	-25	Pass
3619.98	3658.98	1	CHP	3	3640.060	-45.04	-13	Pass
3658.98	3659.98	0.03	/	4	3659.890	-62.44	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-39.57	-13	Pass
3700.98	3710	1	CHP	6	3701.485	-45.35	-13	Pass
3710	3720	1	CHP	7	3717.550	-50.63	-25	Pass
3720	3730	1	CHP	8	3727.825	-52.50	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Right

Start: 30 MHz
Stop: 1000 MHz
Detector: RMS
TraceType: Average
SweepPoint: 19401
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.350	-62.02	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Edge_1RB_Right

Start: 1000 MHz
Stop: 37 GHz
Detector: RMS
TraceType: Average
SweepPoint: 72001
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2408.500	-47.67	-40	Pass
3530	3619.98	1	/	2	3618.000	-57.99	-25	Pass
3619.98	3658.98	1	/	3	3640.500	-45.41	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3705.000	-49.60	-13	Pass
3710	3720	1	/	5	3718.000	-51.03	-25	Pass
3720	37000	1	/	6	35581.500	-51.97	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Outer_Full

Start: 3520 MHz
Stop: 3730 MHz
Detector: RMS
TraceType: Average
SweepPoint: 1401
Sweep: Single

DCCF: 6.99dB

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.900	-58.37	-40	Pass
3530	3619.98	1	CHP	2	3619.750	-51.00	-25	Pass
3619.98	3658.98	1	CHP	3	3658.450	-38.58	-13	Pass
3658.98	3659.98	0.40676	CHP	4	3659.950	-37.42	-13	Pass
3659.98	3699.98	0.40676	CHP	/	/	/	/	/
3699.98	3700.98	0.40676	CHP	5	3700.000	-41.43	-13	Pass
3700.98	3710	1	CHP	6	3701.800	-39.00	-13	Pass
3710	3720	1	CHP	7	3710.650	-41.71	-25	Pass
3720	3730	1	CHP	8	3720.100	-42.73	-40	Pass

6. Adjacent Channel Leakage Ratio

6.1 Test Result

6.1.1 30k_SISO_10MHz_NTNV

5G NR n48 SCS=30kHz SISO 10MHz NTNV					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM QPSK	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass

Modulation	Frequency	RB Allocation	Result	Limit	Verdict
		Edge_1RB_Right	Refer To Test Graph		Pass
		Outer_Full	Refer To Test Graph		Pass
	3694.98	Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM 16 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM 64 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM 256 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

6.1.2 30k_SISO_15MHz_NTNV

5G NR n48 SCS=30kHz SISO 15MHz NTNV					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3557.52	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3692.49	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3557.52	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3692.49	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3557.52	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3692.49	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
DFT-s-OFDM 64 QAM		Outer_Full	Refer To Test Graph	Pass
	3557.52	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3692.49	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
DFT-s-OFDM 256 QAM		Outer_Full	Refer To Test Graph	Pass
	3557.52	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3692.49	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM QPSK		Outer_Full	Refer To Test Graph	Pass
	3557.52	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3692.49	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM		Outer_Full	Refer To Test Graph	Pass
	3557.52	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3692.49	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM		Outer_Full	Refer To Test Graph	Pass
	3557.52	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3692.49	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM		Outer_Full	Refer To Test Graph	Pass
	3557.52	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3692.49	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass

		Edge_1RB_Right	Refer To Test Graph		Pass

6.1.3 30k_SISO_20MHz_NTNV

Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
5G NR n48 SCS=30kHz SISO 20MHz NTNV					
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

Modulation	Frequency	RB Allocation	Adjacent Channel Leakage Ratio	Verdict
		Outer_Full	Refer To Test Graph	Pass
	3690	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3560.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3690	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3560.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3690	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3560.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3690	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

6.1.4 30k_SISO_40MHz_NTNV

5G NR n48 SCS=30kHz SISO 40MHz NTNV					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass

		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3679.98	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
DFT-s-OFDM 64 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
DFT-s-OFDM 256 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM QPSK	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

6.2 Test Graph

6.2.1 30k_SISO_10MHz_NTNV

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.54	/	/	/	/
Adjacent	-10	10.00	-38.81	-51.35	-30	21.35	Pass
Adjacent	10	10.00	-38.18	-50.72	-30	20.72	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.39	/	/	/	/
Adjacent	-10	10.00	-37.21	-50.60	-30	20.60	Pass
Adjacent	10	10.00	-46.66	-60.05	-30	30.05	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.53	/	/	/	/
Adjacent	-10	10.00	-45.34	-59.87	-30	29.87	Pass
Adjacent	10	10.00	-37.42	-51.95	-30	21.95	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.29	/	/	/	/
Adjacent	-10	10.00	-35.79	-50.08	-30	20.08	Pass
Adjacent	10	10.00	-37.01	-51.30	-30	21.30	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.14	/	/	/	/
Adjacent	-10	10.00	-37.04	-51.18	-30	21.18	Pass
Adjacent	10	10.00	-43.09	-57.23	-30	27.23	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.32	/	/	/	/
Adjacent	-10	10.00	-43.21	-57.53	-30	27.53	Pass
Adjacent	10	10.00	-36.50	-50.82	-30	20.82	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.63	/	/	/	/
Adjacent	-10	10.00	-36.94	-50.57	-30	20.57	Pass
Adjacent	10	10.00	-37.45	-51.08	-30	21.08	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.15	/	/	/	/
Adjacent	-10	10.00	-35.20	-49.35	-30	19.35	Pass
Adjacent	10	10.00	-42.18	-56.33	-30	26.33	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.08	/	/	/	/
Adjacent	-10	10.00	-41.83	-55.91	-30	25.91	Pass
Adjacent	10	10.00	-37.06	-51.14	-30	21.14	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.63	/	/	/	/
Adjacent	-10	10.00	-36.80	-49.43	-30	19.43	Pass
Adjacent	10	10.00	-36.41	-49.04	-30	19.04	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.23	/	/	/	/
Adjacent	-10	10.00	-39.22	-50.45	-30	20.45	Pass
Adjacent	10	10.00	-45.61	-56.84	-30	26.84	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.56	/	/	/	/
Adjacent	-10	10.00	-45.56	-58.12	-30	28.12	Pass
Adjacent	10	10.00	-38.97	-51.53	-30	21.53	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.39	/	/	/	/
Adjacent	-10	10.00	-36.56	-49.95	-30	19.95	Pass
Adjacent	10	10.00	-37.38	-50.77	-30	20.77	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.76	/	/	/	/
Adjacent	-10	10.00	-37.72	-50.48	-30	20.48	Pass
Adjacent	10	10.00	-42.55	-55.31	-30	25.31	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.57	/	/	/	/
Adjacent	-10	10.00	-43.50	-56.07	-30	26.07	Pass
Adjacent	10	10.00	-38.20	-50.77	-30	20.77	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.10	/	/	/	/
Adjacent	-10	10.00	-36.23	-49.33	-30	19.33	Pass
Adjacent	10	10.00	-35.29	-48.39	-30	18.39	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.99	/	/	/	/
Adjacent	-10	10.00	-36.55	-50.54	-30	20.54	Pass
Adjacent	10	10.00	-42.32	-56.31	-30	26.31	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.20	/	/	/	/
Adjacent	-10	10.00	-41.92	-56.12	-30	26.12	Pass
Adjacent	10	10.00	-37.14	-51.34	-30	21.34	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.30	/	/	/	/
Adjacent	-10	10.00	-36.80	-49.10	-30	19.10	Pass
Adjacent	10	10.00	-36.56	-48.86	-30	18.86	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.43	/	/	/	/
Adjacent	-10	10.00	-38.83	-50.26	-30	20.26	Pass
Adjacent	10	10.00	-46.79	-58.22	-30	28.22	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.40	/	/	/	/
Adjacent	-10	10.00	-46.82	-58.22	-30	28.22	Pass
Adjacent	10	10.00	-39.40	-50.80	-30	20.80	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.28	/	/	/	/
Adjacent	-10	10.00	-36.30	-48.58	-30	18.58	Pass
Adjacent	10	10.00	-35.34	-47.62	-30	17.62	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	13.00	/	/	/	/
Adjacent	-10	10.00	-36.01	-49.01	-30	19.01	Pass
Adjacent	10	10.00	-43.06	-56.06	-30	26.06	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.52	/	/	/	/
Adjacent	-10	10.00	-43.40	-55.92	-30	25.92	Pass
Adjacent	10	10.00	-38.24	-50.76	-30	20.76	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.07	/	/	/	/
Adjacent	-10	10.00	-35.61	-47.68	-30	17.68	Pass
Adjacent	10	10.00	-36.04	-48.11	-30	18.11	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.96	/	/	/	/
Adjacent	-10	10.00	-35.09	-48.05	-30	18.05	Pass
Adjacent	10	10.00	-42.51	-55.47	-30	25.47	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.61	/	/	/	/
Adjacent	-10	10.00	-42.19	-54.80	-30	24.80	Pass
Adjacent	10	10.00	-37.86	-50.47	-30	20.47	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.61	/	/	/	/
Adjacent	-10	10.00	-35.85	-47.46	-30	17.46	Pass
Adjacent	10	10.00	-38.35	-49.96	-30	19.96	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.24	/	/	/	/
Adjacent	-10	10.00	-41.20	-50.44	-30	20.44	Pass
Adjacent	10	10.00	-46.80	-56.04	-30	26.04	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.47	/	/	/	/
Adjacent	-10	10.00	-45.52	-56.99	-30	26.99	Pass
Adjacent	10	10.00	-40.46	-51.93	-30	21.93	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.55	/	/	/	/
Adjacent	-10	10.00	-35.21	-46.76	-30	16.76	Pass
Adjacent	10	10.00	-35.61	-47.16	-30	17.16	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.98	/	/	/	/
Adjacent	-10	10.00	-38.33	-51.31	-30	21.31	Pass
Adjacent	10	10.00	-43.17	-56.15	-30	26.15	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.39	/	/	/	/
Adjacent	-10	10.00	-43.44	-54.83	-30	24.83	Pass
Adjacent	10	10.00	-38.49	-49.88	-30	19.88	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.12	/	/	/	/
Adjacent	-10	10.00	-35.12	-47.24	-30	17.24	Pass
Adjacent	10	10.00	-35.62	-47.74	-30	17.74	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Trace

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.95	/	/	/	/
Adjacent	-10	10.00	-36.92	-48.87	-30	18.87	Pass
Adjacent	10	10.00	-42.44	-54.39	-30	24.39	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Trace

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.54	/	/	/	/
Adjacent	-10	10.00	-41.61	-54.15	-30	24.15	Pass
Adjacent	10	10.00	-38.28	-50.82	-30	20.82	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.06	/	/	/	/
Adjacent	-10	10.00	-40.21	-49.27	-30	19.27	Pass
Adjacent	10	10.00	-41.04	-50.10	-30	20.10	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	6.85	/	/	/	/
Adjacent	-10	10.00	-43.83	-50.68	-30	20.68	Pass
Adjacent	10	10.00	-48.14	-54.99	-30	24.99	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.72	/	/	/	/
Adjacent	-10	10.00	-47.85	-56.57	-30	26.57	Pass
Adjacent	10	10.00	-44.26	-52.98	-30	22.98	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.88	/	/	/	/
Adjacent	-10	10.00	-39.19	-48.07	-30	18.07	Pass
Adjacent	10	10.00	-39.13	-48.01	-30	18.01	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.41	/	/	/	/
Adjacent	-10	10.00	-38.45	-47.86	-30	17.86	Pass
Adjacent	10	10.00	-43.67	-53.08	-30	23.08	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.97	/	/	/	/
Adjacent	-10	10.00	-44.34	-53.31	-30	23.31	Pass
Adjacent	10	10.00	-40.81	-49.78	-30	19.78	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.17	/	/	/	/
Adjacent	-10	10.00	-38.89	-49.06	-30	19.06	Pass
Adjacent	10	10.00	-38.70	-48.87	-30	18.87	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.00	/	/	/	/
Adjacent	-10	10.00	-37.46	-47.46	-30	17.46	Pass
Adjacent	10	10.00	-42.83	-52.83	-30	22.83	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.23	/	/	/	/
Adjacent	-10	10.00	-42.34	-52.57	-30	22.57	Pass
Adjacent	10	10.00	-41.16	-51.39	-30	21.39	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.85	/	/	/	/
Adjacent	-10	10.00	-35.79	-45.64	-30	15.64	Pass
Adjacent	10	10.00	-36.36	-46.21	-30	16.21	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.70	/	/	/	/
Adjacent	-10	10.00	-40.44	-51.14	-30	21.14	Pass
Adjacent	10	10.00	-45.76	-56.46	-30	26.46	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.58	/	/	/	/
Adjacent	-10	10.00	-46.72	-58.30	-30	28.30	Pass
Adjacent	10	10.00	-39.30	-50.88	-30	20.88	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.49	/	/	/	/
Adjacent	-10	10.00	-35.68	-46.17	-30	16.17	Pass
Adjacent	10	10.00	-34.86	-45.35	-30	15.35	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.11	/	/	/	/
Adjacent	-10	10.00	-39.89	-50.00	-30	20.00	Pass
Adjacent	10	10.00	-43.12	-53.23	-30	23.23	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.19	/	/	/	/
Adjacent	-10	10.00	-43.40	-55.59	-30	25.59	Pass
Adjacent	10	10.00	-39.11	-51.30	-30	21.30	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.29	/	/	/	/
Adjacent	-10	10.00	-33.70	-44.99	-30	14.99	Pass
Adjacent	10	10.00	-34.55	-45.84	-30	15.84	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	12.24	/	/	/	/
Adjacent	-10	10.00	-37.31	-49.55	-30	19.55	Pass
Adjacent	10	10.00	-41.87	-54.11	-30	24.11	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.61	/	/	/	/
Adjacent	-10	10.00	-42.18	-52.79	-30	22.79	Pass
Adjacent	10	10.00	-39.31	-49.92	-30	19.92	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.03	/	/	/	/
Adjacent	-10	10.00	-32.65	-42.68	-30	12.68	Pass
Adjacent	10	10.00	-34.63	-44.66	-30	14.66	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.96	/	/	/	/
Adjacent	-10	10.00	-40.20	-50.16	-30	20.16	Pass
Adjacent	10	10.00	-45.72	-55.68	-30	25.68	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.01	/	/	/	/
Adjacent	-10	10.00	-45.92	-54.93	-30	24.93	Pass
Adjacent	10	10.00	-43.29	-52.30	-30	22.30	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.51	/	/	/	/
Adjacent	-10	10.00	-33.90	-45.41	-30	15.41	Pass
Adjacent	10	10.00	-32.83	-44.34	-30	14.34	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.68	/	/	/	/
Adjacent	-10	10.00	-38.62	-50.30	-30	20.30	Pass
Adjacent	10	10.00	-42.68	-54.36	-30	24.36	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.93	/	/	/	/
Adjacent	-10	10.00	-43.52	-54.45	-30	24.45	Pass
Adjacent	10	10.00	-39.16	-50.09	-30	20.09	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.58	/	/	/	/
Adjacent	-10	10.00	-32.03	-43.61	-30	13.61	Pass
Adjacent	10	10.00	-32.18	-43.76	-30	13.76	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.85	/	/	/	/
Adjacent	-10	10.00	-37.83	-49.68	-30	19.68	Pass
Adjacent	10	10.00	-42.03	-53.88	-30	23.88	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.93	/	/	/	/
Adjacent	-10	10.00	-41.62	-53.55	-30	23.55	Pass
Adjacent	10	10.00	-38.26	-50.19	-30	20.19	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	9.94	/	/	/	/
Adjacent	-10	10.00	-35.29	-45.23	-30	15.23	Pass
Adjacent	10	10.00	-35.82	-45.76	-30	15.76	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.78	/	/	/	/
Adjacent	-10	10.00	-38.94	-47.72	-30	17.72	Pass
Adjacent	10	10.00	-47.72	-56.50	-30	26.50	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.14	/	/	/	/
Adjacent	-10	10.00	-47.42	-57.56	-30	27.56	Pass
Adjacent	10	10.00	-40.17	-50.31	-30	20.31	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.05	/	/	/	/
Adjacent	-10	10.00	-32.36	-43.41	-30	13.41	Pass
Adjacent	10	10.00	-32.52	-43.57	-30	13.57	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.40	/	/	/	/
Adjacent	-10	10.00	-37.45	-47.85	-30	17.85	Pass
Adjacent	10	10.00	-43.65	-54.05	-30	24.05	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.95	/	/	/	/
Adjacent	-10	10.00	-43.25	-55.20	-30	25.20	Pass
Adjacent	10	10.00	-38.67	-50.62	-30	20.62	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	10.07	/	/	/	/
Adjacent	-10	10.00	-28.57	-38.64	-30	8.64	Pass
Adjacent	10	10.00	-27.90	-37.97	-30	7.97	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.82	/	/	/	/
Adjacent	-10	10.00	-38.52	-50.34	-30	20.34	Pass
Adjacent	10	10.00	-42.02	-53.84	-30	23.84	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	11.75	/	/	/	/
Adjacent	-10	10.00	-42.21	-53.96	-30	23.96	Pass
Adjacent	10	10.00	-38.02	-49.77	-30	19.77	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3555MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3555MHz_Outer_Full

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	6.70	/	/	/	/
Adjacent	-10	10.00	-41.42	-48.12	-30	18.12	Pass
Adjacent	10	10.00	-42.42	-49.12	-30	19.12	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3555MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3555MHz_Edge_1RB_Left

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	6.12	/	/	/	/
Adjacent	-10	10.00	-43.11	-49.23	-30	19.23	Pass
Adjacent	10	10.00	-49.23	-55.35	-30	25.35	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3555MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3555MHz_Edge_1RB_Right

CENT: 3555 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	7.32	/	/	/	/
Adjacent	-10	10.00	-48.81	-56.13	-30	26.13	Pass
Adjacent	10	10.00	-44.48	-51.80	-30	21.80	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	7.51	/	/	/	/
Adjacent	-10	10.00	-40.08	-47.59	-30	17.59	Pass
Adjacent	10	10.00	-40.32	-47.83	-30	17.83	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	7.84	/	/	/	/
Adjacent	-10	10.00	-40.96	-48.80	-30	18.80	Pass
Adjacent	10	10.00	-44.37	-52.21	-30	22.21	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	6.73	/	/	/	/
Adjacent	-10	10.00	-44.73	-51.46	-30	21.46	Pass
Adjacent	10	10.00	-41.93	-48.66	-30	18.66	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3694.98MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3694.98MHz_Outer_Full

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	8.52	/	/	/	/
Adjacent	-10	10.00	-38.34	-46.86	-30	16.86	Pass
Adjacent	10	10.00	-38.91	-47.43	-30	17.43	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3694.98MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3694.98MHz_Edge_1RB_Left

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	7.99	/	/	/	/
Adjacent	-10	10.00	-39.88	-47.87	-30	17.87	Pass
Adjacent	10	10.00	-42.79	-50.78	-30	20.78	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3694.98MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3694.98MHz_Edge_1RB_Right

CENT: 3694.98 MHz
Span: 50 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1001
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	7.47	/	/	/	/
Adjacent	-10	10.00	-42.66	-50.13	-30	20.13	Pass
Adjacent	10	10.00	-40.83	-48.30	-30	18.30	Pass

6.2.2 30k_SISO_15MHz_NTNV

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3557.52MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3557.52MHz_Outer_Full

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.51	/	/	/	/
Adjacent	-15	15.00	-38.10	-50.61	-30	20.61	Pass
Adjacent	15	15.00	-40.00	-52.51	-30	22.51	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3557.52MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3557.52MHz_Edge_1RB_Left

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.79	/	/	/	/
Adjacent	-15	15.00	-36.72	-49.51	-30	19.51	Pass
Adjacent	15	15.00	-44.63	-57.42	-30	27.42	Pass

## n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3557.52MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3557.52MHz_Edge_1RB_Right

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.89	/	/	/	/
Adjacent	-15	15.00	-43.88	-55.77	-30	25.77	Pass
Adjacent	15	15.00	-38.81	-50.70	-30	20.70	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.48	/	/	/	/
Adjacent	-15	15.00	-36.04	-49.52	-30	19.52	Pass
Adjacent	15	15.00	-36.59	-50.07	-30	20.07	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	14.68	/	/	/	/
Adjacent	-15	15.00	-34.59	-49.27	-30	19.27	Pass
Adjacent	15	15.00	-40.90	-55.58	-30	25.58	Pass

## n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.55	/	/	/	/
Adjacent	-15	15.00	-41.52	-55.07	-30	25.07	Pass
Adjacent	15	15.00	-36.99	-50.54	-30	20.54	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3692.49MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3692.49MHz_Outer_Full

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	14.24	/	/	/	/
Adjacent	-15	15.00	-35.95	-50.19	-30	20.19	Pass
Adjacent	15	15.00	-37.75	-51.99	-30	21.99	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3692.49MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3692.49MHz_Edge_1RB_Left

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.80	/	/	/	/
Adjacent	-15	15.00	-34.89	-47.69	-30	17.69	Pass
Adjacent	15	15.00	-40.37	-53.17	-30	23.17	Pass

## n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3692.49MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3692.49MHz_Edge_1RB_Right

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.37	/	/	/	/
Adjacent	-15	15.00	-39.97	-53.34	-30	23.34	Pass
Adjacent	15	15.00	-36.31	-49.68	-30	19.68	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3557.52MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3557.52MHz_Outer_Full

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.14	/	/	/	/
Adjacent	-15	15.00	-36.07	-48.21	-30	18.21	Pass
Adjacent	15	15.00	-35.90	-48.04	-30	18.04	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3557.52MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3557.52MHz_Edge_1RB_Left

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.78	/	/	/	/
Adjacent	-15	15.00	-38.52	-51.30	-30	21.30	Pass
Adjacent	15	15.00	-44.85	-57.63	-30	27.63	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3557.52MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3557.52MHz_Edge_1RB_Right

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.60	/	/	/	/
Adjacent	-15	15.00	-44.21	-55.81	-30	25.81	Pass
Adjacent	15	15.00	-38.98	-50.58	-30	20.58	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.99	/	/	/	/
Adjacent	-15	15.00	-35.13	-48.12	-30	18.12	Pass
Adjacent	15	15.00	-35.34	-48.33	-30	18.33	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.49	/	/	/	/
Adjacent	-15	15.00	-34.30	-47.79	-30	17.79	Pass
Adjacent	15	15.00	-40.62	-54.11	-30	24.11	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.12	/	/	/	/
Adjacent	-15	15.00	-41.05	-54.17	-30	24.17	Pass
Adjacent	15	15.00	-35.42	-48.54	-30	18.54	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3692.49MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3692.49MHz_Outer_Full

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.60	/	/	/	/
Adjacent	-15	15.00	-34.84	-48.44	-30	18.44	Pass
Adjacent	15	15.00	-34.57	-48.17	-30	18.17	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3692.49MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3692.49MHz_Edge_1RB_Left

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.69	/	/	/	/
Adjacent	-15	15.00	-34.97	-48.66	-30	18.66	Pass
Adjacent	15	15.00	-40.30	-53.99	-30	23.99	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3692.49MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3692.49MHz_Edge_1RB_Right

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	13.08	/	/	/	/
Adjacent	-15	15.00	-39.93	-53.01	-30	23.01	Pass
Adjacent	15	15.00	-36.43	-49.51	-30	19.51	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3557.52MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3557.52MHz_Outer_Full

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.90	/	/	/	/
Adjacent	-15	15.00	-36.69	-48.59	-30	18.59	Pass
Adjacent	15	15.00	-37.61	-49.51	-30	19.51	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3557.52MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3557.52MHz_Edge_1RB_Left

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.02	/	/	/	/
Adjacent	-15	15.00	-37.80	-48.82	-30	18.82	Pass
Adjacent	15	15.00	-44.66	-55.68	-30	25.68	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3557.52MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3557.52MHz_Edge_1RB_Right

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.36	/	/	/	/
Adjacent	-15	15.00	-45.77	-58.13	-30	28.13	Pass
Adjacent	15	15.00	-38.86	-51.22	-30	21.22	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.92	/	/	/	/
Adjacent	-15	15.00	-35.33	-47.25	-30	17.25	Pass
Adjacent	15	15.00	-36.19	-48.11	-30	18.11	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.54	/	/	/	/
Adjacent	-15	15.00	-36.61	-49.15	-30	19.15	Pass
Adjacent	15	15.00	-41.28	-53.82	-30	23.82	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.12	/	/	/	/
Adjacent	-15	15.00	-41.90	-54.02	-30	24.02	Pass
Adjacent	15	15.00	-36.84	-48.96	-30	18.96	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3692.49MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3692.49MHz_Outer_Full

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.41	/	/	/	/
Adjacent	-15	15.00	-34.43	-46.84	-30	16.84	Pass
Adjacent	15	15.00	-35.89	-48.30	-30	18.30	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3692.49MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3692.49MHz_Edge_1RB_Left

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.74	/	/	/	/
Adjacent	-15	15.00	-36.12	-47.86	-30	17.86	Pass
Adjacent	15	15.00	-40.76	-52.50	-30	22.50	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3692.49MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3692.49MHz_Edge_1RB_Right

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.02	/	/	/	/
Adjacent	-15	15.00	-40.06	-51.08	-30	21.08	Pass
Adjacent	15	15.00	-37.35	-48.37	-30	18.37	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3557.52MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3557.52MHz_Outer_Full

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	10.64	/	/	/	/
Adjacent	-15	15.00	-36.66	-47.30	-30	17.30	Pass
Adjacent	15	15.00	-36.42	-47.06	-30	17.06	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3557.52MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3557.52MHz_Edge_1RB_Left

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	10.90	/	/	/	/
Adjacent	-15	15.00	-38.52	-49.42	-30	19.42	Pass
Adjacent	15	15.00	-45.63	-56.53	-30	26.53	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3557.52MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3557.52MHz_Edge_1RB_Right

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.11	/	/	/	/
Adjacent	-15	15.00	-45.41	-56.52	-30	26.52	Pass
Adjacent	15	15.00	-39.88	-50.99	-30	20.99	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.68	/	/	/	/
Adjacent	-15	15.00	-35.30	-46.98	-30	16.98	Pass
Adjacent	15	15.00	-35.71	-47.39	-30	17.39	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.77	/	/	/	/
Adjacent	-15	15.00	-35.89	-47.66	-30	17.66	Pass
Adjacent	15	15.00	-42.28	-54.05	-30	24.05	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.37	/	/	/	/
Adjacent	-15	15.00	-41.62	-53.99	-30	23.99	Pass
Adjacent	15	15.00	-37.23	-49.60	-30	19.60	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3692.49MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3692.49MHz_Outer_Full

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.25	/	/	/	/
Adjacent	-15	15.00	-35.07	-46.32	-30	16.32	Pass
Adjacent	15	15.00	-35.59	-46.84	-30	16.84	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3692.49MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3692.49MHz_Edge_1RB_Left

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	12.33	/	/	/	/
Adjacent	-15	15.00	-36.23	-48.56	-30	18.56	Pass
Adjacent	15	15.00	-40.59	-52.92	-30	22.92	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3692.49MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3692.49MHz_Edge_1RB_Right

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.96	/	/	/	/
Adjacent	-15	15.00	-40.54	-52.50	-30	22.50	Pass
Adjacent	15	15.00	-37.42	-49.38	-30	19.38	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3557.52MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3557.52MHz_Outer_Full

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.60	/	/	/	/
Adjacent	-15	15.00	-41.19	-50.79	-30	20.79	Pass
Adjacent	15	15.00	-42.22	-51.82	-30	21.82	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3557.52MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3557.52MHz_Edge_1RB_Left

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.08	/	/	/	/
Adjacent	-15	15.00	-39.92	-49.00	-30	19.00	Pass
Adjacent	15	15.00	-46.30	-55.38	-30	25.38	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3557.52MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3557.52MHz_Edge_1RB_Right

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	7.43	/	/	/	/
Adjacent	-15	15.00	-46.63	-54.06	-30	24.06	Pass
Adjacent	15	15.00	-42.65	-50.08	-30	20.08	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.70	/	/	/	/
Adjacent	-15	15.00	-39.63	-49.33	-30	19.33	Pass
Adjacent	15	15.00	-39.47	-49.17	-30	19.17	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	10.01	/	/	/	/
Adjacent	-15	15.00	-37.77	-47.78	-30	17.78	Pass
Adjacent	15	15.00	-42.18	-52.19	-30	22.19	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Edge_1RB_Right

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.84	/	/	/	/
Adjacent	-15	15.00	-42.01	-51.85	-30	21.85	Pass
Adjacent	15	15.00	-39.96	-49.80	-30	19.80	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3692.49MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3692.49MHz_Outer_Full

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	10.22	/	/	/	/
Adjacent	-15	15.00	-37.05	-47.27	-30	17.27	Pass
Adjacent	15	15.00	-39.72	-49.94	-30	19.94	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3692.49MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3692.49MHz_Edge_1RB_Left

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.19	/	/	/	/
Adjacent	-15	15.00	-37.36	-48.55	-30	18.55	Pass
Adjacent	15	15.00	-41.14	-52.33	-30	22.33	Pass

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3692.49MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3692.49MHz_Edge_1RB_Right

CENT: 3692.49 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	10.68	/	/	/	/
Adjacent	-15	15.00	-41.12	-51.80	-30	21.80	Pass
Adjacent	15	15.00	-39.05	-49.73	-30	19.73	Pass

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3557.52MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3557.52MHz_Outer_Full

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.64	/	/	/	/
Adjacent	-15	15.00	-33.19	-42.83	-30	12.83	Pass
Adjacent	15	15.00	-33.37	-43.01	-30	13.01	Pass

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3557.52MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3557.52MHz_Edge_1RB_Left

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	9.42	/	/	/	/
Adjacent	-15	15.00	-39.17	-48.59	-30	18.59	Pass
Adjacent	15	15.00	-46.36	-55.78	-30	25.78	Pass

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3557.52MHz_Edge_1RB_Right_Ant6

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3557.52MHz_Edge_1RB_Right

CENT: 3557.52 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.28	/	/	/	/
Adjacent	-15	15.00	-46.38	-57.66	-30	27.66	Pass
Adjacent	15	15.00	-40.25	-51.53	-30	21.53	Pass

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full_Ant6

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.10	/	/	/	/
Adjacent	-15	15.00	-33.27	-44.37	-30	14.37	Pass
Adjacent	15	15.00	-33.55	-44.65	-30	14.65	Pass

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left_Ant6

n48_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Left

CENT: 3624.99 MHz
Span: 75 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
SweepPoint: 1501
Sweep: Single

Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	11.36	/	/	/	/
Adjacent	-15	15.00	-37.32	-48.68	-30	18.68	Pass
Adjacent	15	15.00	-41.87	-53.23	-30	23.23	Pass