

				40	3.93	5180.000	5150 to 5250	Pass
				50	3.93	5179.940	5150 to 5250	Pass
		5200	/	/	3.6	5199.960	5150 to 5250	Pass
				20	3.93	5200.040	5150 to 5250	Pass
					4.4	5200.000	5150 to 5250	Pass
				-30	3.93	5199.980	5150 to 5250	Pass
				-20	3.93	5200.000	5150 to 5250	Pass
				-10	3.93	5200.000	5150 to 5250	Pass
				0	3.93	5200.000	5150 to 5250	Pass
				10	3.93	5199.960	5150 to 5250	Pass
				30	3.93	5199.940	5150 to 5250	Pass
				40	3.93	5200.020	5150 to 5250	Pass
				50	3.93	5200.000	5150 to 5250	Pass
		5240	/	/	3.6	5240.040	5150 to 5250	Pass
				20	3.93	5240.020	5150 to 5250	Pass
					4.4	5240.000	5150 to 5250	Pass
				-30	3.93	5240.000	5150 to 5250	Pass
				-20	3.93	5240.020	5150 to 5250	Pass
				-10	3.93	5240.000	5150 to 5250	Pass
				0	3.93	5239.980	5150 to 5250	Pass
				10	3.93	5240.000	5150 to 5250	Pass
				30	3.93	5240.000	5150 to 5250	Pass
				40	3.93	5240.000	5150 to 5250	Pass
				50	3.93	5240.020	5150 to 5250	Pass
		5260	/	/	3.6	5260.060	5250 to 5350	Pass
				20	3.93	5260.020	5250 to 5350	Pass
					4.4	5260.000	5250 to 5350	Pass
				-30	3.93	5260.000	5250 to 5350	Pass
				-20	3.93	5259.980	5250 to 5350	Pass
				-10	3.93	5259.980	5250 to 5350	Pass
				0	3.93	5260.040	5250 to 5350	Pass
				10	3.93	5260.040	5250 to 5350	Pass
				30	3.93	5260.080	5250 to 5350	Pass
				40	3.93	5260.000	5250 to 5350	Pass
				50	3.93	5260.020	5250 to 5350	Pass
		5300	/	/	3.6	5300.020	5250 to 5350	Pass
				20	3.93	5300.020	5250 to 5350	Pass
					4.4	5300.000	5250 to 5350	Pass
				-30	3.93	5300.000	5250 to 5350	Pass
				-20	3.93	5300.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

					-10	3.93	5300.020	5250 to 5350	Pass
					0	3.93	5300.040	5250 to 5350	Pass
					10	3.93	5300.000	5250 to 5350	Pass
					30	3.93	5300.040	5250 to 5350	Pass
					40	3.93	5300.020	5250 to 5350	Pass
					50	3.93	5300.020	5250 to 5350	Pass
		5320	/	/	20	3.6	5320.000	5250 to 5350	Pass
						3.93	5320.020	5250 to 5350	Pass
						4.4	5319.980	5250 to 5350	Pass
					-30	3.93	5320.080	5250 to 5350	Pass
					-20	3.93	5319.960	5250 to 5350	Pass
					-10	3.93	5319.980	5250 to 5350	Pass
					0	3.93	5320.020	5250 to 5350	Pass
					10	3.93	5320.000	5250 to 5350	Pass
					30	3.93	5319.920	5250 to 5350	Pass
					40	3.93	5320.000	5250 to 5350	Pass
					50	3.93	5320.060	5250 to 5350	Pass
		5500	/	/	20	3.6	5500.020	5470 to 5725	Pass
						3.93	5500.040	5470 to 5725	Pass
						4.4	5500.000	5470 to 5725	Pass
					-30	3.93	5500.000	5470 to 5725	Pass
					-20	3.93	5500.020	5470 to 5725	Pass
					-10	3.93	5500.040	5470 to 5725	Pass
					0	3.93	5500.020	5470 to 5725	Pass
					10	3.93	5500.060	5470 to 5725	Pass
					30	3.93	5499.940	5470 to 5725	Pass
					40	3.93	5500.000	5470 to 5725	Pass
					50	3.93	5500.020	5470 to 5725	Pass
		5580	/	/	20	3.6	5580.000	5470 to 5725	Pass
						3.93	5579.980	5470 to 5725	Pass
						4.4	5580.020	5470 to 5725	Pass
					-30	3.93	5580.000	5470 to 5725	Pass
					-20	3.93	5580.000	5470 to 5725	Pass
					-10	3.93	5580.020	5470 to 5725	Pass
					0	3.93	5580.020	5470 to 5725	Pass
					10	3.93	5579.960	5470 to 5725	Pass
					30	3.93	5580.000	5470 to 5725	Pass
					40	3.93	5580.040	5470 to 5725	Pass
					50	3.93	5580.020	5470 to 5725	Pass
		5700	/	/	20	3.6	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1162 of 1188

					3.93	5699.960	5470 to 5725	Pass
					4.4	5700.020	5470 to 5725	Pass
				-30	3.93	5700.020	5470 to 5725	Pass
				-20	3.93	5700.000	5470 to 5725	Pass
				-10	3.93	5700.000	5470 to 5725	Pass
				0	3.93	5700.080	5470 to 5725	Pass
				10	3.93	5700.060	5470 to 5725	Pass
				30	3.93	5700.000	5470 to 5725	Pass
				40	3.93	5700.060	5470 to 5725	Pass
				50	3.93	5699.960	5470 to 5725	Pass
		5745	/	/	3.6	5744.940	5725 to 5850	Pass
				20	3.93	5744.940	5725 to 5850	Pass
					4.4	5745.080	5725 to 5850	Pass
				-30	3.93	5744.980	5725 to 5850	Pass
				-20	3.93	5744.960	5725 to 5850	Pass
				-10	3.93	5744.980	5725 to 5850	Pass
				0	3.93	5745.040	5725 to 5850	Pass
				10	3.93	5745.000	5725 to 5850	Pass
				30	3.93	5745.020	5725 to 5850	Pass
				40	3.93	5745.000	5725 to 5850	Pass
				50	3.93	5744.960	5725 to 5850	Pass
		5785	/	/	3.6	5784.960	5725 to 5850	Pass
				20	3.93	5785.080	5725 to 5850	Pass
					4.4	5785.020	5725 to 5850	Pass
				-30	3.93	5785.020	5725 to 5850	Pass
				-20	3.93	5785.060	5725 to 5850	Pass
				-10	3.93	5784.960	5725 to 5850	Pass
				0	3.93	5785.060	5725 to 5850	Pass
				10	3.93	5784.980	5725 to 5850	Pass
				30	3.93	5785.000	5725 to 5850	Pass
				40	3.93	5785.000	5725 to 5850	Pass
				50	3.93	5785.080	5725 to 5850	Pass
		5825	/	/	3.6	5825.080	5725 to 5850	Pass
				20	3.93	5825.000	5725 to 5850	Pass
					4.4	5825.000	5725 to 5850	Pass
				-30	3.93	5824.980	5725 to 5850	Pass
				-20	3.93	5825.020	5725 to 5850	Pass
				-10	3.93	5825.020	5725 to 5850	Pass
				0	3.93	5825.020	5725 to 5850	Pass
				10	3.93	5825.020	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1163 of 1188

		5720	/	/	30	3.93	5825.060	5725 to 5850	Pass
					40	3.93	5825.020	5725 to 5850	Pass
					50	3.93	5825.000	5725 to 5850	Pass
					20	3.6	5720.020	5470 to 5850	Pass
						3.93	5720.000	5470 to 5850	Pass
						4.4	5720.020	5470 to 5850	Pass
					-30	3.93	5720.000	5470 to 5850	Pass
					-20	3.93	5720.020	5470 to 5850	Pass
					-10	3.93	5720.020	5470 to 5850	Pass
					0	3.93	5720.020	5470 to 5850	Pass
					10	3.93	5720.000	5470 to 5850	Pass
					30	3.93	5720.000	5470 to 5850	Pass
					40	3.93	5720.000	5470 to 5850	Pass
					50	3.93	5720.020	5470 to 5850	Pass
					802.11n (HT40)	MIMO	5190	/	/
3.93	5190.000	5150 to 5250	Pass						
4.4	5190.040	5150 to 5250	Pass						
-30	3.93	5190.080	5150 to 5250	Pass					
-20	3.93	5190.040	5150 to 5250	Pass					
-10	3.93	5190.000	5150 to 5250	Pass					
0	3.93	5190.040	5150 to 5250	Pass					
10	3.93	5189.960	5150 to 5250	Pass					
30	3.93	5190.000	5150 to 5250	Pass					
40	3.93	5190.000	5150 to 5250	Pass					
50	3.93	5190.000	5150 to 5250	Pass					
5230	/	/	20	3.6			5230.000	5150 to 5250	Pass
				3.93			5229.960	5150 to 5250	Pass
				4.4			5230.000	5150 to 5250	Pass
			-30	3.93			5230.040	5150 to 5250	Pass
			-20	3.93	5230.040	5150 to 5250	Pass		
			-10	3.93	5230.080	5150 to 5250	Pass		
			0	3.93	5230.040	5150 to 5250	Pass		
			10	3.93	5230.040	5150 to 5250	Pass		
			30	3.93	5230.000	5150 to 5250	Pass		
40	3.93	5230.000	5150 to 5250	Pass					
50	3.93	5230.000	5150 to 5250	Pass					
5270	/	/	20	3.6	5270.000	5250 to 5350	Pass		
				3.93	5270.040	5250 to 5350	Pass		
				4.4	5270.040	5250 to 5350	Pass		
			-30	3.93	5270.000	5250 to 5350	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1164 of 1188

					-20	3.93	5270.080	5250 to 5350	Pass
					-10	3.93	5270.000	5250 to 5350	Pass
					0	3.93	5270.040	5250 to 5350	Pass
					10	3.93	5270.080	5250 to 5350	Pass
					30	3.93	5270.000	5250 to 5350	Pass
					40	3.93	5270.000	5250 to 5350	Pass
					50	3.93	5270.040	5250 to 5350	Pass
		5310	/	/	20	3.6	5310.040	5250 to 5350	Pass
						3.93	5310.000	5250 to 5350	Pass
						4.4	5310.040	5250 to 5350	Pass
					-30	3.93	5310.040	5250 to 5350	Pass
					-20	3.93	5310.040	5250 to 5350	Pass
					-10	3.93	5309.960	5250 to 5350	Pass
					0	3.93	5310.040	5250 to 5350	Pass
					10	3.93	5310.000	5250 to 5350	Pass
					30	3.93	5310.040	5250 to 5350	Pass
					40	3.93	5309.960	5250 to 5350	Pass
					50	3.93	5310.000	5250 to 5350	Pass
		5510	/	/	20	3.6	5510.080	5470 to 5725	Pass
						3.93	5510.000	5470 to 5725	Pass
						4.4	5510.000	5470 to 5725	Pass
					-30	3.93	5509.960	5470 to 5725	Pass
					-20	3.93	5510.040	5470 to 5725	Pass
					-10	3.93	5509.920	5470 to 5725	Pass
					0	3.93	5510.000	5470 to 5725	Pass
					10	3.93	5510.000	5470 to 5725	Pass
					30	3.93	5510.040	5470 to 5725	Pass
					40	3.93	5510.000	5470 to 5725	Pass
					50	3.93	5510.000	5470 to 5725	Pass
		5550	/	/	20	3.6	5550.080	5470 to 5725	Pass
						3.93	5550.080	5470 to 5725	Pass
						4.4	5550.120	5470 to 5725	Pass
					-30	3.93	5550.040	5470 to 5725	Pass
					-20	3.93	5550.040	5470 to 5725	Pass
					-10	3.93	5550.040	5470 to 5725	Pass
					0	3.93	5550.040	5470 to 5725	Pass
					10	3.93	5550.040	5470 to 5725	Pass
					30	3.93	5550.040	5470 to 5725	Pass
					40	3.93	5550.040	5470 to 5725	Pass
					50	3.93	5550.120	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1165 of 1188

5670	/	/	20	3.6	5670.040	5470 to 5725	Pass
				3.93	5670.000	5470 to 5725	Pass
				4.4	5670.040	5470 to 5725	Pass
			-30	3.93	5670.000	5470 to 5725	Pass
			-20	3.93	5670.040	5470 to 5725	Pass
			-10	3.93	5669.960	5470 to 5725	Pass
			0	3.93	5670.000	5470 to 5725	Pass
			10	3.93	5670.040	5470 to 5725	Pass
			30	3.93	5670.080	5470 to 5725	Pass
			40	3.93	5670.040	5470 to 5725	Pass
50	3.93	5670.040	5470 to 5725	Pass			
5755	/	/	20	3.6	5755.000	5725 to 5850	Pass
				3.93	5755.040	5725 to 5850	Pass
				4.4	5755.000	5725 to 5850	Pass
			-30	3.93	5755.080	5725 to 5850	Pass
			-20	3.93	5755.000	5725 to 5850	Pass
			-10	3.93	5755.080	5725 to 5850	Pass
			0	3.93	5755.040	5725 to 5850	Pass
			10	3.93	5755.000	5725 to 5850	Pass
			30	3.93	5754.920	5725 to 5850	Pass
			40	3.93	5755.040	5725 to 5850	Pass
50	3.93	5755.000	5725 to 5850	Pass			
5795	/	/	20	3.6	5795.080	5725 to 5850	Pass
				3.93	5795.080	5725 to 5850	Pass
				4.4	5795.040	5725 to 5850	Pass
			-30	3.93	5795.040	5725 to 5850	Pass
			-20	3.93	5795.000	5725 to 5850	Pass
			-10	3.93	5795.080	5725 to 5850	Pass
			0	3.93	5795.040	5725 to 5850	Pass
			10	3.93	5795.040	5725 to 5850	Pass
			30	3.93	5795.040	5725 to 5850	Pass
			40	3.93	5795.040	5725 to 5850	Pass
50	3.93	5795.080	5725 to 5850	Pass			
5710	/	/	20	3.6	5710.000	5470 to 5850	Pass
				3.93	5710.040	5470 to 5850	Pass
				4.4	5709.960	5470 to 5850	Pass
			-30	3.93	5710.040	5470 to 5850	Pass
			-20	3.93	5710.000	5470 to 5850	Pass
			-10	3.93	5710.040	5470 to 5850	Pass
			0	3.93	5710.040	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1166 of 1188

					10	3.93	5710.040	5470 to 5850	Pass
					30	3.93	5710.040	5470 to 5850	Pass
					40	3.93	5710.000	5470 to 5850	Pass
					50	3.93	5710.040	5470 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	3.6	5180.000	5150 to 5250	Pass
						3.93	5179.940	5150 to 5250	Pass
						4.4	5180.040	5150 to 5250	Pass
					-30	3.93	5180.020	5150 to 5250	Pass
					-20	3.93	5180.000	5150 to 5250	Pass
					-10	3.93	5180.000	5150 to 5250	Pass
					0	3.93	5179.980	5150 to 5250	Pass
					10	3.93	5180.000	5150 to 5250	Pass
					30	3.93	5180.040	5150 to 5250	Pass
					40	3.93	5180.020	5150 to 5250	Pass
					50	3.93	5179.980	5150 to 5250	Pass
					5200	/	/	20	3.6
		3.93	5199.940	5150 to 5250					Pass
		4.4	5199.980	5150 to 5250					Pass
		-30	3.93	5200.020				5150 to 5250	Pass
		-20	3.93	5200.000				5150 to 5250	Pass
		-10	3.93	5199.980				5150 to 5250	Pass
		0	3.93	5200.000				5150 to 5250	Pass
		10	3.93	5199.980				5150 to 5250	Pass
		30	3.93	5200.000				5150 to 5250	Pass
		40	3.93	5200.020				5150 to 5250	Pass
		50	3.93	5199.960				5150 to 5250	Pass
		5240	/	/				20	3.6
					3.93	5239.960	5150 to 5250		Pass
					4.4	5240.020	5150 to 5250		Pass
					-30	3.93	5239.960	5150 to 5250	Pass
					-20	3.93	5240.020	5150 to 5250	Pass
					-10	3.93	5240.000	5150 to 5250	Pass
					0	3.93	5240.020	5150 to 5250	Pass
					10	3.93	5240.000	5150 to 5250	Pass
					30	3.93	5240.000	5150 to 5250	Pass
					40	3.93	5240.000	5150 to 5250	Pass
					50	3.93	5240.060	5150 to 5250	Pass
					5260	/	/	20	3.6
		3.93	5260.020	5250 to 5350					Pass
		4.4	5260.000	5250 to 5350					Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1167 of 1188

					-30	3.93	5260.020	5250 to 5350	Pass
					-20	3.93	5260.020	5250 to 5350	Pass
					-10	3.93	5260.000	5250 to 5350	Pass
					0	3.93	5260.000	5250 to 5350	Pass
					10	3.93	5260.020	5250 to 5350	Pass
					30	3.93	5260.000	5250 to 5350	Pass
					40	3.93	5260.040	5250 to 5350	Pass
					50	3.93	5260.020	5250 to 5350	Pass
		5300	/	/	20	3.6	5300.020	5250 to 5350	Pass
						3.93	5300.040	5250 to 5350	Pass
						4.4	5300.060	5250 to 5350	Pass
					-30	3.93	5299.980	5250 to 5350	Pass
					-20	3.93	5300.060	5250 to 5350	Pass
					-10	3.93	5300.020	5250 to 5350	Pass
					0	3.93	5300.080	5250 to 5350	Pass
					10	3.93	5299.980	5250 to 5350	Pass
					30	3.93	5299.960	5250 to 5350	Pass
					40	3.93	5300.000	5250 to 5350	Pass
					50	3.93	5300.040	5250 to 5350	Pass
		5320	/	/	20	3.6	5320.000	5250 to 5350	Pass
						3.93	5320.000	5250 to 5350	Pass
						4.4	5320.000	5250 to 5350	Pass
					-30	3.93	5319.940	5250 to 5350	Pass
					-20	3.93	5320.020	5250 to 5350	Pass
					-10	3.93	5319.960	5250 to 5350	Pass
					0	3.93	5320.020	5250 to 5350	Pass
					10	3.93	5320.000	5250 to 5350	Pass
					30	3.93	5320.000	5250 to 5350	Pass
					40	3.93	5320.000	5250 to 5350	Pass
					50	3.93	5320.000	5250 to 5350	Pass
		5500	/	/	20	3.6	5500.040	5470 to 5725	Pass
						3.93	5500.060	5470 to 5725	Pass
						4.4	5500.000	5470 to 5725	Pass
					-30	3.93	5500.020	5470 to 5725	Pass
					-20	3.93	5499.960	5470 to 5725	Pass
					-10	3.93	5499.980	5470 to 5725	Pass
					0	3.93	5500.000	5470 to 5725	Pass
					10	3.93	5499.980	5470 to 5725	Pass
					30	3.93	5500.000	5470 to 5725	Pass
					40	3.93	5499.940	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

				50	3.93	5500.020	5470 to 5725	Pass
				20	3.6	5580.000	5470 to 5725	Pass
					3.93	5580.040	5470 to 5725	Pass
					4.4	5580.020	5470 to 5725	Pass
				-30	3.93	5580.040	5470 to 5725	Pass
				-20	3.93	5579.980	5470 to 5725	Pass
		5580	/	-10	3.93	5580.040	5470 to 5725	Pass
				0	3.93	5580.020	5470 to 5725	Pass
				10	3.93	5580.020	5470 to 5725	Pass
				30	3.93	5580.000	5470 to 5725	Pass
				40	3.93	5580.020	5470 to 5725	Pass
				50	3.93	5580.000	5470 to 5725	Pass
				20	3.6	5700.040	5470 to 5725	Pass
					3.93	5699.940	5470 to 5725	Pass
					4.4	5700.020	5470 to 5725	Pass
				-30	3.93	5700.020	5470 to 5725	Pass
				-20	3.93	5699.980	5470 to 5725	Pass
		5700	/	-10	3.93	5700.040	5470 to 5725	Pass
				0	3.93	5700.040	5470 to 5725	Pass
				10	3.93	5700.080	5470 to 5725	Pass
				30	3.93	5700.000	5470 to 5725	Pass
				40	3.93	5700.020	5470 to 5725	Pass
				50	3.93	5700.020	5470 to 5725	Pass
				20	3.6	5745.020	5725 to 5850	Pass
					3.93	5744.940	5725 to 5850	Pass
					4.4	5744.920	5725 to 5850	Pass
				-30	3.93	5744.980	5725 to 5850	Pass
				-20	3.93	5744.980	5725 to 5850	Pass
		5745	/	-10	3.93	5745.020	5725 to 5850	Pass
				0	3.93	5744.940	5725 to 5850	Pass
				10	3.93	5745.040	5725 to 5850	Pass
				30	3.93	5745.000	5725 to 5850	Pass
				40	3.93	5745.020	5725 to 5850	Pass
				50	3.93	5744.920	5725 to 5850	Pass
				20	3.6	5785.020	5725 to 5850	Pass
					3.93	5784.960	5725 to 5850	Pass
					4.4	5784.980	5725 to 5850	Pass
				-30	3.93	5785.000	5725 to 5850	Pass
				-20	3.93	5784.980	5725 to 5850	Pass
		5785	/	-10	3.93	5785.020	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1169 of 1188

					0	3.93	5785.000	5725 to 5850	Pass						
					10	3.93	5785.020	5725 to 5850	Pass						
					30	3.93	5785.080	5725 to 5850	Pass						
					40	3.93	5785.060	5725 to 5850	Pass						
					50	3.93	5785.000	5725 to 5850	Pass						
		5825	/	/	20	3.6	5825.040	5725 to 5850	Pass						
									3.93	5825.060	5725 to 5850	Pass			
									4.4	5825.000	5725 to 5850	Pass			
								-30	3.93	5825.060	5725 to 5850	Pass			
								-20	3.93	5825.060	5725 to 5850	Pass			
								-10	3.93	5825.020	5725 to 5850	Pass			
								0	3.93	5825.000	5725 to 5850	Pass			
								10	3.93	5825.080	5725 to 5850	Pass			
								30	3.93	5825.020	5725 to 5850	Pass			
								40	3.93	5825.020	5725 to 5850	Pass			
								50	3.93	5825.020	5725 to 5850	Pass			
					5720	/	/	20	3.6	5719.980	5470 to 5850	Pass			
												3.93	5720.000	5470 to 5850	Pass
												4.4	5720.000	5470 to 5850	Pass
								-30	3.93	5720.040	5470 to 5850	Pass			
								-20	3.93	5719.920	5470 to 5850	Pass			
								-10	3.93	5719.960	5470 to 5850	Pass			
								0	3.93	5720.000	5470 to 5850	Pass			
								10	3.93	5719.960	5470 to 5850	Pass			
								30	3.93	5720.000	5470 to 5850	Pass			
								40	3.93	5720.020	5470 to 5850	Pass			
					50	3.93	5720.020	5470 to 5850	Pass						
802.11ac (VHT40)	MIMO	5190	/	/	20	3.6	5190.040	5150 to 5250	Pass						
							3.93	5190.000	5150 to 5250	Pass					
							4.4	5190.000	5150 to 5250	Pass					
										-30	3.93	5189.960	5150 to 5250	Pass	
										-20	3.93	5190.000	5150 to 5250	Pass	
										-10	3.93	5190.040	5150 to 5250	Pass	
										0	3.93	5190.040	5150 to 5250	Pass	
										10	3.93	5190.000	5150 to 5250	Pass	
										30	3.93	5190.000	5150 to 5250	Pass	
										40	3.93	5189.960	5150 to 5250	Pass	
							50	3.93	5190.000	5150 to 5250	Pass				
				5230	/	/	20	3.6	5230.040	5150 to 5250	Pass				
											3.93	5230.080	5150 to 5250	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1170 of 1188

					4.4	5230.040	5150 to 5250	Pass
				-30	3.93	5230.080	5150 to 5250	Pass
				-20	3.93	5230.040	5150 to 5250	Pass
				-10	3.93	5230.080	5150 to 5250	Pass
				0	3.93	5230.000	5150 to 5250	Pass
				10	3.93	5230.080	5150 to 5250	Pass
				30	3.93	5230.000	5150 to 5250	Pass
				40	3.93	5230.000	5150 to 5250	Pass
				50	3.93	5230.040	5150 to 5250	Pass
		5270	/	/	3.6	5270.040	5250 to 5350	Pass
				20	3.93	5270.080	5250 to 5350	Pass
					4.4	5270.080	5250 to 5350	Pass
				-30	3.93	5270.040	5250 to 5350	Pass
				-20	3.93	5270.080	5250 to 5350	Pass
				-10	3.93	5269.960	5250 to 5350	Pass
				0	3.93	5270.040	5250 to 5350	Pass
				10	3.93	5270.040	5250 to 5350	Pass
				30	3.93	5270.040	5250 to 5350	Pass
				40	3.93	5270.000	5250 to 5350	Pass
				50	3.93	5270.080	5250 to 5350	Pass
		5310	/	/	3.6	5310.000	5250 to 5350	Pass
				20	3.93	5310.000	5250 to 5350	Pass
					4.4	5310.000	5250 to 5350	Pass
				-30	3.93	5310.000	5250 to 5350	Pass
				-20	3.93	5310.000	5250 to 5350	Pass
				-10	3.93	5310.000	5250 to 5350	Pass
				0	3.93	5310.040	5250 to 5350	Pass
				10	3.93	5310.040	5250 to 5350	Pass
				30	3.93	5310.000	5250 to 5350	Pass
				40	3.93	5310.040	5250 to 5350	Pass
				50	3.93	5310.000	5250 to 5350	Pass
		5510	/	/	3.6	5509.960	5470 to 5725	Pass
				20	3.93	5510.040	5470 to 5725	Pass
					4.4	5510.000	5470 to 5725	Pass
				-30	3.93	5510.040	5470 to 5725	Pass
				-20	3.93	5510.000	5470 to 5725	Pass
				-10	3.93	5509.960	5470 to 5725	Pass
				0	3.93	5510.000	5470 to 5725	Pass
				10	3.93	5510.000	5470 to 5725	Pass
				30	3.93	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

				40	3.93	5510.120	5470 to 5725	Pass
				50	3.93	5510.000	5470 to 5725	Pass
		5550	/	/	3.6	5550.040	5470 to 5725	Pass
				20	3.93	5550.000	5470 to 5725	Pass
					4.4	5550.000	5470 to 5725	Pass
				-30	3.93	5550.040	5470 to 5725	Pass
				-20	3.93	5550.080	5470 to 5725	Pass
				-10	3.93	5550.000	5470 to 5725	Pass
				0	3.93	5550.000	5470 to 5725	Pass
				10	3.93	5550.040	5470 to 5725	Pass
				30	3.93	5550.080	5470 to 5725	Pass
				40	3.93	5550.040	5470 to 5725	Pass
				50	3.93	5550.000	5470 to 5725	Pass
		5670	/	/	3.6	5670.080	5470 to 5725	Pass
				20	3.93	5670.080	5470 to 5725	Pass
					4.4	5670.040	5470 to 5725	Pass
				-30	3.93	5670.000	5470 to 5725	Pass
				-20	3.93	5670.000	5470 to 5725	Pass
				-10	3.93	5669.960	5470 to 5725	Pass
				0	3.93	5670.000	5470 to 5725	Pass
				10	3.93	5670.080	5470 to 5725	Pass
				30	3.93	5670.000	5470 to 5725	Pass
				40	3.93	5670.000	5470 to 5725	Pass
				50	3.93	5670.000	5470 to 5725	Pass
		5755	/	/	3.6	5755.000	5725 to 5850	Pass
				20	3.93	5754.960	5725 to 5850	Pass
					4.4	5755.040	5725 to 5850	Pass
				-30	3.93	5755.000	5725 to 5850	Pass
				-20	3.93	5754.960	5725 to 5850	Pass
				-10	3.93	5755.000	5725 to 5850	Pass
				0	3.93	5755.000	5725 to 5850	Pass
				10	3.93	5755.040	5725 to 5850	Pass
				30	3.93	5754.960	5725 to 5850	Pass
				40	3.93	5755.000	5725 to 5850	Pass
				50	3.93	5754.920	5725 to 5850	Pass
		5795	/	/	3.6	5795.000	5725 to 5850	Pass
				20	3.93	5795.040	5725 to 5850	Pass
					4.4	5795.000	5725 to 5850	Pass
				-30	3.93	5795.040	5725 to 5850	Pass
				-20	3.93	5794.920	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

					-10	3.93	5795.040	5725 to 5850	Pass						
					0	3.93	5795.000	5725 to 5850	Pass						
					10	3.93	5795.000	5725 to 5850	Pass						
					30	3.93	5795.000	5725 to 5850	Pass						
					40	3.93	5795.040	5725 to 5850	Pass						
					50	3.93	5795.040	5725 to 5850	Pass						
					5710	/	/	20	3.6	5710.000	5470 to 5850	Pass			
									3.93	5710.040	5470 to 5850	Pass			
									4.4	5710.040	5470 to 5850	Pass			
								-30	3.93	5710.000	5470 to 5850	Pass			
								-20	3.93	5710.080	5470 to 5850	Pass			
								-10	3.93	5709.960	5470 to 5850	Pass			
								0	3.93	5710.040	5470 to 5850	Pass			
								10	3.93	5710.000	5470 to 5850	Pass			
								30	3.93	5710.040	5470 to 5850	Pass			
								40	3.93	5710.040	5470 to 5850	Pass			
								50	3.93	5710.040	5470 to 5850	Pass			
								5210	/	/	20	3.6	5210.000	5150 to 5250	Pass
												3.93	5210.000	5150 to 5250	Pass
					4.4	5210.075	5150 to 5250					Pass			
-30	3.93	5209.925	5150 to 5250	Pass											
-20	3.93	5210.000	5150 to 5250	Pass											
-10	3.93	5210.000	5150 to 5250	Pass											
0	3.93	5210.000	5150 to 5250	Pass											
10	3.93	5210.000	5150 to 5250	Pass											
30	3.93	5210.075	5150 to 5250	Pass											
40	3.93	5210.000	5150 to 5250	Pass											
50	3.93	5210.000	5150 to 5250	Pass											
5290	/	/	20	3.6	5290.000	5250 to 5350	Pass								
				3.93	5290.000	5250 to 5350	Pass								
				4.4	5290.000	5250 to 5350	Pass								
			-30	3.93	5290.000	5250 to 5350	Pass								
			-20	3.93	5290.000	5250 to 5350	Pass								
			-10	3.93	5290.000	5250 to 5350	Pass								
			0	3.93	5290.150	5250 to 5350	Pass								
			10	3.93	5290.000	5250 to 5350	Pass								
			30	3.93	5290.075	5250 to 5350	Pass								
			40	3.93	5290.075	5250 to 5350	Pass								
			50	3.93	5290.000	5250 to 5350	Pass								
5530	/	/	20	3.6	5530.150	5470 to 5725	Pass								

802.11ac
(VHT80)

MIMO



					3.93	5530.150	5470 to 5725	Pass
					4.4	5530.000	5470 to 5725	Pass
				-30	3.93	5530.000	5470 to 5725	Pass
				-20	3.93	5530.150	5470 to 5725	Pass
				-10	3.93	5530.000	5470 to 5725	Pass
				0	3.93	5530.075	5470 to 5725	Pass
				10	3.93	5530.000	5470 to 5725	Pass
				30	3.93	5530.075	5470 to 5725	Pass
				40	3.93	5530.075	5470 to 5725	Pass
				50	3.93	5530.075	5470 to 5725	Pass
		5610	/	/				
				20	3.6	5610.000	5470 to 5725	Pass
					3.93	5610.000	5470 to 5725	Pass
					4.4	5610.000	5470 to 5725	Pass
				-30	3.93	5610.075	5470 to 5725	Pass
				-20	3.93	5610.000	5470 to 5725	Pass
				-10	3.93	5610.000	5470 to 5725	Pass
				0	3.93	5610.075	5470 to 5725	Pass
				10	3.93	5610.000	5470 to 5725	Pass
				30	3.93	5610.000	5470 to 5725	Pass
				40	3.93	5610.075	5470 to 5725	Pass
				50	3.93	5610.000	5470 to 5725	Pass
		5775	/	/				
				20	3.6	5775.075	5725 to 5850	Pass
					3.93	5775.000	5725 to 5850	Pass
					4.4	5775.075	5725 to 5850	Pass
				-30	3.93	5775.000	5725 to 5850	Pass
				-20	3.93	5775.075	5725 to 5850	Pass
				-10	3.93	5775.000	5725 to 5850	Pass
				0	3.93	5775.000	5725 to 5850	Pass
				10	3.93	5775.000	5725 to 5850	Pass
				30	3.93	5775.000	5725 to 5850	Pass
				40	3.93	5775.000	5725 to 5850	Pass
				50	3.93	5775.000	5725 to 5850	Pass
		5690	/	/				
				20	3.6	5690.000	5470 to 5850	Pass
					3.93	5690.000	5470 to 5850	Pass
					4.4	5690.000	5470 to 5850	Pass
				-30	3.93	5690.000	5470 to 5850	Pass
				-20	3.93	5690.000	5470 to 5850	Pass
				-10	3.93	5690.000	5470 to 5850	Pass
				0	3.93	5690.000	5470 to 5850	Pass
				10	3.93	5690.075	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

					30	3.93	5690.075	5470 to 5850	Pass					
					40	3.93	5690.000	5470 to 5850	Pass					
					50	3.93	5690.000	5470 to 5850	Pass					
802.11ac (VHT160)	MIMO	5570	/	/	20	3.6	5570.000	5470 to 5725	Pass					
						3.93	5570.075	5470 to 5725	Pass					
						4.4	5570.000	5470 to 5725	Pass					
										-30	3.93	5570.075	5470 to 5725	Pass
										-20	3.93	5570.000	5470 to 5725	Pass
										-10	3.93	5570.075	5470 to 5725	Pass
										0	3.93	5570.000	5470 to 5725	Pass
										10	3.93	5570.075	5470 to 5725	Pass
										30	3.93	5570.000	5470 to 5725	Pass
										40	3.93	5569.925	5470 to 5725	Pass
						50	3.93	5570.075	5470 to 5725	Pass				
		5250	/	/	20	3.6	5250.000	5150 to 5350	Pass					
	3.93					5250.000	5150 to 5350	Pass						
	4.4					5250.000	5150 to 5350	Pass						
									-30	3.93	5250.000	5150 to 5350	Pass	
									-20	3.93	5250.000	5150 to 5350	Pass	
									-10	3.93	5250.000	5150 to 5350	Pass	
									0	3.93	5250.000	5150 to 5350	Pass	
									10	3.93	5250.000	5150 to 5350	Pass	
									30	3.93	5250.075	5150 to 5350	Pass	
								40	3.93	5250.000	5150 to 5350	Pass		
					50	3.93	5250.000	5150 to 5350	Pass					
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	3.6	5179.980	5150 to 5250	Pass					
						3.93	5180.020	5150 to 5250	Pass					
						4.4	5180.040	5150 to 5250	Pass					
										-30	3.93	5180.000	5150 to 5250	Pass
										-20	3.93	5180.020	5150 to 5250	Pass
										-10	3.93	5180.000	5150 to 5250	Pass
										0	3.93	5180.000	5150 to 5250	Pass
										10	3.93	5179.980	5150 to 5250	Pass
										30	3.93	5179.980	5150 to 5250	Pass
										40	3.93	5179.920	5150 to 5250	Pass
							50	3.93	5180.040	5150 to 5250	Pass			
			5200	RU242	Left	20	3.6	5200.000	5150 to 5250	Pass				
		3.93					5199.940	5150 to 5250	Pass					
		4.4					5200.000	5150 to 5250	Pass					
							-30	3.93	5200.000	5150 to 5250	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

					-20	3.93	5200.000	5150 to 5250	Pass			
					-10	3.93	5200.000	5150 to 5250	Pass			
					0	3.93	5200.000	5150 to 5250	Pass			
					10	3.93	5199.960	5150 to 5250	Pass			
					30	3.93	5199.980	5150 to 5250	Pass			
					40	3.93	5200.040	5150 to 5250	Pass			
					50	3.93	5199.980	5150 to 5250	Pass			
		5240	RU242	Left	20	3.6	5239.980	5150 to 5250	Pass			
									3.93	5240.000	5150 to 5250	Pass
									4.4	5239.980	5150 to 5250	Pass
								-30	3.93	5239.940	5150 to 5250	Pass
								-20	3.93	5239.980	5150 to 5250	Pass
								-10	3.93	5239.960	5150 to 5250	Pass
								0	3.93	5240.020	5150 to 5250	Pass
								10	3.93	5240.000	5150 to 5250	Pass
								30	3.93	5239.980	5150 to 5250	Pass
								40	3.93	5239.960	5150 to 5250	Pass
					50	3.93	5239.980	5150 to 5250	Pass			
		5260	RU242	Left	20	3.6	5260.060	5250 to 5350	Pass			
									3.93	5260.020	5250 to 5350	Pass
									4.4	5260.040	5250 to 5350	Pass
								-30	3.93	5260.020	5250 to 5350	Pass
								-20	3.93	5260.020	5250 to 5350	Pass
								-10	3.93	5259.940	5250 to 5350	Pass
								0	3.93	5259.960	5250 to 5350	Pass
								10	3.93	5260.060	5250 to 5350	Pass
								30	3.93	5260.000	5250 to 5350	Pass
								40	3.93	5260.020	5250 to 5350	Pass
					50	3.93	5259.960	5250 to 5350	Pass			
		5300	RU242	Left	20	3.6	5300.000	5250 to 5350	Pass			
									3.93	5300.020	5250 to 5350	Pass
									4.4	5300.020	5250 to 5350	Pass
								-30	3.93	5300.000	5250 to 5350	Pass
								-20	3.93	5300.020	5250 to 5350	Pass
								-10	3.93	5300.000	5250 to 5350	Pass
								0	3.93	5300.000	5250 to 5350	Pass
								10	3.93	5300.000	5250 to 5350	Pass
								30	3.93	5300.000	5250 to 5350	Pass
								40	3.93	5300.000	5250 to 5350	Pass
					50	3.93	5300.040	5250 to 5350	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

		5320	RU242	Left	20	3.6	5320.000	5250 to 5350	Pass	
						3.93	5320.000	5250 to 5350	Pass	
						4.4	5320.020	5250 to 5350	Pass	
					-30	3.93	5320.000	5250 to 5350	Pass	
						-20	3.93	5320.020	5250 to 5350	Pass
							3.93	5320.040	5250 to 5350	Pass
					0	3.93	5320.000	5250 to 5350	Pass	
						3.93	5320.040	5250 to 5350	Pass	
					30	3.93	5320.040	5250 to 5350	Pass	
						3.93	5320.040	5250 to 5350	Pass	
		40	3.93	5320.040	5250 to 5350	Pass				
			3.93	5320.040	5250 to 5350	Pass				
		5500	RU242	Left	20	3.6	5500.020	5470 to 5725	Pass	
						3.93	5500.000	5470 to 5725	Pass	
						4.4	5499.960	5470 to 5725	Pass	
					-30	3.93	5500.020	5470 to 5725	Pass	
						-20	3.93	5499.980	5470 to 5725	Pass
							3.93	5500.040	5470 to 5725	Pass
					0	3.93	5499.980	5470 to 5725	Pass	
						3.93	5499.980	5470 to 5725	Pass	
					30	3.93	5499.960	5470 to 5725	Pass	
						3.93	5500.020	5470 to 5725	Pass	
		40	3.93	5500.020	5470 to 5725	Pass				
			3.93	5500.020	5470 to 5725	Pass				
		5580	RU242	Left	20	3.6	5579.980	5470 to 5725	Pass	
						3.93	5579.940	5470 to 5725	Pass	
						4.4	5579.980	5470 to 5725	Pass	
					-30	3.93	5580.040	5470 to 5725	Pass	
						-20	3.93	5580.000	5470 to 5725	Pass
							3.93	5579.980	5470 to 5725	Pass
					0	3.93	5580.020	5470 to 5725	Pass	
						3.93	5580.000	5470 to 5725	Pass	
					30	3.93	5580.000	5470 to 5725	Pass	
						3.93	5579.960	5470 to 5725	Pass	
		40	3.93	5580.000	5470 to 5725	Pass				
			3.93	5580.000	5470 to 5725	Pass				
5700	RU242	Left	20	3.6	5700.020	5470 to 5725	Pass			
				3.93	5700.020	5470 to 5725	Pass			
				4.4	5700.000	5470 to 5725	Pass			
			-30	3.93	5700.060	5470 to 5725	Pass			
				3.93	5700.020	5470 to 5725	Pass			
			0	3.93	5700.000	5470 to 5725	Pass			
0	3.93	5700.080	5470 to 5725	Pass						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1177 of 1188

					10	3.93	5700.000	5470 to 5725	Pass			
					30	3.93	5700.060	5470 to 5725	Pass			
					40	3.93	5700.000	5470 to 5725	Pass			
					50	3.93	5700.020	5470 to 5725	Pass			
		5745	RU242	Left	20	3.6	5744.980	5725 to 5850	Pass			
									3.93	5744.940	5725 to 5850	Pass
									4.4	5745.000	5725 to 5850	Pass
								-30	3.93	5745.000	5725 to 5850	Pass
								-20	3.93	5745.020	5725 to 5850	Pass
								-10	3.93	5744.980	5725 to 5850	Pass
								0	3.93	5745.020	5725 to 5850	Pass
								10	3.93	5744.980	5725 to 5850	Pass
								30	3.93	5745.020	5725 to 5850	Pass
								40	3.93	5744.980	5725 to 5850	Pass
								50	3.93	5744.980	5725 to 5850	Pass
					5785	RU242	Left	20	3.6	5785.040	5725 to 5850	Pass
												3.93
									4.4	5785.020	5725 to 5850	Pass
								-30	3.93	5784.960	5725 to 5850	Pass
								-20	3.93	5784.960	5725 to 5850	Pass
								-10	3.93	5785.000	5725 to 5850	Pass
								0	3.93	5785.020	5725 to 5850	Pass
								10	3.93	5785.000	5725 to 5850	Pass
								30	3.93	5785.000	5725 to 5850	Pass
								40	3.93	5785.020	5725 to 5850	Pass
								50	3.93	5785.000	5725 to 5850	Pass
		5825	RU242	Left				20	3.6	5825.000	5725 to 5850	Pass
												3.93
									4.4	5825.040	5725 to 5850	Pass
								-30	3.93	5825.020	5725 to 5850	Pass
								-20	3.93	5825.040	5725 to 5850	Pass
								-10	3.93	5824.980	5725 to 5850	Pass
								0	3.93	5825.020	5725 to 5850	Pass
								10	3.93	5825.040	5725 to 5850	Pass
								30	3.93	5825.000	5725 to 5850	Pass
								40	3.93	5825.000	5725 to 5850	Pass
								50	3.93	5824.980	5725 to 5850	Pass
					5720	RU242	Left	20	3.6	5720.020	5470 to 5850	Pass
												3.93
									4.4	5720.000	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1178 of 1188

					-30	3.93	5720.020	5470 to 5850	Pass
					-20	3.93	5720.000	5470 to 5850	Pass
					-10	3.93	5720.000	5470 to 5850	Pass
					0	3.93	5719.980	5470 to 5850	Pass
					10	3.93	5720.040	5470 to 5850	Pass
					30	3.93	5720.000	5470 to 5850	Pass
					40	3.93	5720.000	5470 to 5850	Pass
					50	3.93	5720.020	5470 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	3.6	5190.000	5150 to 5250	Pass
						3.93	5190.080	5150 to 5250	Pass
						4.4	5190.080	5150 to 5250	Pass
					-30	3.93	5189.960	5150 to 5250	Pass
					-20	3.93	5190.000	5150 to 5250	Pass
					-10	3.93	5189.960	5150 to 5250	Pass
					0	3.93	5190.040	5150 to 5250	Pass
					10	3.93	5190.000	5150 to 5250	Pass
					30	3.93	5190.080	5150 to 5250	Pass
					40	3.93	5190.000	5150 to 5250	Pass
		50	3.93	5190.040	5150 to 5250	Pass			
		5230	RU484	Left	20	3.6	5230.000	5150 to 5250	Pass
						3.93	5229.920	5150 to 5250	Pass
						4.4	5229.960	5150 to 5250	Pass
					-30	3.93	5230.000	5150 to 5250	Pass
					-20	3.93	5230.000	5150 to 5250	Pass
					-10	3.93	5230.000	5150 to 5250	Pass
					0	3.93	5230.000	5150 to 5250	Pass
					10	3.93	5230.040	5150 to 5250	Pass
					30	3.93	5230.040	5150 to 5250	Pass
					40	3.93	5229.960	5150 to 5250	Pass
		50	3.93	5230.000	5150 to 5250	Pass			
		5270	RU484	Left	20	3.6	5270.040	5250 to 5350	Pass
						3.93	5270.000	5250 to 5350	Pass
						4.4	5270.040	5250 to 5350	Pass
					-30	3.93	5270.040	5250 to 5350	Pass
					-20	3.93	5270.040	5250 to 5350	Pass
					-10	3.93	5270.000	5250 to 5350	Pass
					0	3.93	5270.040	5250 to 5350	Pass
					10	3.93	5270.040	5250 to 5350	Pass
30	3.93				5270.040	5250 to 5350	Pass		
40	3.93				5270.000	5250 to 5350	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1179 of 1188

				50	3.93	5270.040	5250 to 5350	Pass	
				20	3.6	5310.000	5250 to 5350	Pass	
					3.93	5310.040	5250 to 5350	Pass	
					4.4	5310.080	5250 to 5350	Pass	
				-30	3.93	5310.040	5250 to 5350	Pass	
				-20	3.93	5310.000	5250 to 5350	Pass	
		5310	RU484	Left	-10	3.93	5310.000	5250 to 5350	Pass
					0	3.93	5309.960	5250 to 5350	Pass
					10	3.93	5310.040	5250 to 5350	Pass
					30	3.93	5310.040	5250 to 5350	Pass
					40	3.93	5310.040	5250 to 5350	Pass
					50	3.93	5309.960	5250 to 5350	Pass
				20	3.6	5510.000	5470 to 5725	Pass	
					3.93	5510.040	5470 to 5725	Pass	
					4.4	5509.960	5470 to 5725	Pass	
				-30	3.93	5510.080	5470 to 5725	Pass	
				-20	3.93	5510.040	5470 to 5725	Pass	
		5510	RU484	Left	-10	3.93	5510.000	5470 to 5725	Pass
					0	3.93	5510.040	5470 to 5725	Pass
					10	3.93	5510.040	5470 to 5725	Pass
					30	3.93	5510.040	5470 to 5725	Pass
					40	3.93	5510.080	5470 to 5725	Pass
					50	3.93	5510.000	5470 to 5725	Pass
				20	3.6	5550.040	5470 to 5725	Pass	
					3.93	5550.000	5470 to 5725	Pass	
					4.4	5550.040	5470 to 5725	Pass	
				-30	3.93	5550.040	5470 to 5725	Pass	
				-20	3.93	5550.080	5470 to 5725	Pass	
		5550	RU484	Left	-10	3.93	5550.040	5470 to 5725	Pass
					0	3.93	5550.040	5470 to 5725	Pass
					10	3.93	5550.080	5470 to 5725	Pass
					30	3.93	5550.040	5470 to 5725	Pass
					40	3.93	5550.040	5470 to 5725	Pass
					50	3.93	5550.040	5470 to 5725	Pass
				20	3.6	5669.960	5470 to 5725	Pass	
					3.93	5670.000	5470 to 5725	Pass	
					4.4	5670.040	5470 to 5725	Pass	
				-30	3.93	5670.040	5470 to 5725	Pass	
				-20	3.93	5670.000	5470 to 5725	Pass	
		5670	RU484	Left	-10	3.93	5670.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1180 of 1188

					0	3.93	5670.040	5470 to 5725	Pass
					10	3.93	5670.040	5470 to 5725	Pass
					30	3.93	5670.000	5470 to 5725	Pass
					40	3.93	5669.960	5470 to 5725	Pass
					50	3.93	5670.000	5470 to 5725	Pass
		5755	RU484	Left	20	3.6	5755.000	5725 to 5850	Pass
						3.93	5755.040	5725 to 5850	Pass
						4.4	5755.000	5725 to 5850	Pass
					-30	3.93	5755.040	5725 to 5850	Pass
					-20	3.93	5754.960	5725 to 5850	Pass
					-10	3.93	5755.040	5725 to 5850	Pass
					0	3.93	5755.040	5725 to 5850	Pass
					10	3.93	5755.000	5725 to 5850	Pass
					30	3.93	5755.040	5725 to 5850	Pass
					40	3.93	5754.960	5725 to 5850	Pass
	50	3.93	5755.040	5725 to 5850	Pass				
	5795	RU484	Left	20	3.6	5795.040	5725 to 5850	Pass	
					3.93	5795.040	5725 to 5850	Pass	
					4.4	5795.080	5725 to 5850	Pass	
				-30	3.93	5795.040	5725 to 5850	Pass	
				-20	3.93	5795.000	5725 to 5850	Pass	
				-10	3.93	5795.080	5725 to 5850	Pass	
				0	3.93	5795.000	5725 to 5850	Pass	
				10	3.93	5795.040	5725 to 5850	Pass	
				30	3.93	5795.040	5725 to 5850	Pass	
				40	3.93	5795.000	5725 to 5850	Pass	
	50	3.93	5795.040	5725 to 5850	Pass				
	5710	RU484	Left	20	3.6	5709.960	5470 to 5850	Pass	
					3.93	5710.040	5470 to 5850	Pass	
					4.4	5710.000	5470 to 5850	Pass	
				-30	3.93	5710.080	5470 to 5850	Pass	
				-20	3.93	5710.000	5470 to 5850	Pass	
				-10	3.93	5709.960	5470 to 5850	Pass	
				0	3.93	5710.000	5470 to 5850	Pass	
				10	3.93	5710.040	5470 to 5850	Pass	
				30	3.93	5709.960	5470 to 5850	Pass	
40				3.93	5709.960	5470 to 5850	Pass		
50	3.93	5709.960	5470 to 5850	Pass					
802.11ax (HEW80)	MIMO	5210	RU996	Left	20	3.6	5210.000	5150 to 5250	Pass
						3.93	5210.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1181 of 1188

						4.4	5210.000	5150 to 5250	Pass				
						-30	3.93	5210.000	5150 to 5250	Pass			
						-20	3.93	5210.000	5150 to 5250	Pass			
						-10	3.93	5210.075	5150 to 5250	Pass			
						0	3.93	5210.000	5150 to 5250	Pass			
						10	3.93	5210.000	5150 to 5250	Pass			
						30	3.93	5210.000	5150 to 5250	Pass			
						40	3.93	5210.000	5150 to 5250	Pass			
						50	3.93	5210.000	5150 to 5250	Pass			
		5290	RU996	Left	20	3.6	5290.000	5250 to 5350	Pass				
									3.93	5290.000	5250 to 5350	Pass	
									4.4	5290.000	5250 to 5350	Pass	
									-30	3.93	5290.000	5250 to 5350	Pass
									-20	3.93	5290.000	5250 to 5350	Pass
									-10	3.93	5290.000	5250 to 5350	Pass
									0	3.93	5290.000	5250 to 5350	Pass
									10	3.93	5290.000	5250 to 5350	Pass
									30	3.93	5290.000	5250 to 5350	Pass
									40	3.93	5290.075	5250 to 5350	Pass
									50	3.93	5290.000	5250 to 5350	Pass
					5530	RU996	Left	20	3.6	5530.075	5470 to 5725	Pass	
												3.93	5530.000
									4.4	5530.000	5470 to 5725	Pass	
									-30	3.93	5530.000	5470 to 5725	Pass
									-20	3.93	5530.000	5470 to 5725	Pass
									-10	3.93	5530.000	5470 to 5725	Pass
									0	3.93	5530.075	5470 to 5725	Pass
									10	3.93	5530.075	5470 to 5725	Pass
									30	3.93	5530.000	5470 to 5725	Pass
									40	3.93	5530.000	5470 to 5725	Pass
						50	3.93	5530.000	5470 to 5725	Pass			
		5610	RU996	Left	20	3.6	5610.000	5470 to 5725	Pass				
									3.93	5610.000	5470 to 5725	Pass	
									4.4	5610.075	5470 to 5725	Pass	
									-30	3.93	5610.000	5470 to 5725	Pass
									-20	3.93	5610.000	5470 to 5725	Pass
									-10	3.93	5610.000	5470 to 5725	Pass
									0	3.93	5610.000	5470 to 5725	Pass
									10	3.93	5610.075	5470 to 5725	Pass
						30	3.93	5610.075	5470 to 5725	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax (HEW160)	MIMO	5775	RU996	Left	40	3.93	5610.075	5470 to 5725	Pass
					50	3.93	5609.925	5470 to 5725	Pass
					20	3.6	5775.000	5725 to 5850	Pass
						3.93	5775.000	5725 to 5850	Pass
						4.4	5775.000	5725 to 5850	Pass
					-30	3.93	5775.000	5725 to 5850	Pass
					-20	3.93	5775.000	5725 to 5850	Pass
					-10	3.93	5775.000	5725 to 5850	Pass
					0	3.93	5775.000	5725 to 5850	Pass
					10	3.93	5775.000	5725 to 5850	Pass
					30	3.93	5775.000	5725 to 5850	Pass
					40	3.93	5775.000	5725 to 5850	Pass
		50	3.93	5775.000	5725 to 5850	Pass			
		5690	RU996	Left	20	3.6	5690.000	5470 to 5850	Pass
						3.93	5690.000	5470 to 5850	Pass
						4.4	5690.000	5470 to 5850	Pass
					-30	3.93	5690.000	5470 to 5850	Pass
					-20	3.93	5690.000	5470 to 5850	Pass
					-10	3.93	5690.075	5470 to 5850	Pass
					0	3.93	5690.000	5470 to 5850	Pass
					10	3.93	5690.075	5470 to 5850	Pass
					30	3.93	5690.000	5470 to 5850	Pass
					40	3.93	5690.000	5470 to 5850	Pass
					50	3.93	5690.075	5470 to 5850	Pass
					5570	2xRU996	Left	20	3.6
		3.93	5570.000	5470 to 5725					Pass
		4.4	5570.000	5470 to 5725					Pass
		-30	3.93	5570.075				5470 to 5725	Pass
-20	3.93	5570.075	5470 to 5725	Pass					
-10	3.93	5570.000	5470 to 5725	Pass					
0	3.93	5570.075	5470 to 5725	Pass					
10	3.93	5569.925	5470 to 5725	Pass					
30	3.93	5570.000	5470 to 5725	Pass					
40	3.93	5570.075	5470 to 5725	Pass					
50	3.93	5570.000	5470 to 5725	Pass					
5250	2xRU996	Left	20	3.6				5249.925	5150 to 5350
				3.93	5250.075	5150 to 5350	Pass		
				4.4	5250.000	5150 to 5350	Pass		
			-30	3.93	5250.000	5150 to 5350	Pass		
			-20	3.93	5249.925	5150 to 5350	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400155406

Page: 1183 of 1188

					-10	3.93	5250.075	5150 to 5350	Pass
					0	3.93	5250.000	5150 to 5350	Pass
					10	3.93	5249.925	5150 to 5350	Pass
					30	3.93	5250.000	5150 to 5350	Pass
					40	3.93	5250.000	5150 to 5350	Pass
					50	3.93	5250.075	5150 to 5350	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


6. DFS

6.1 Test Result

6.1.1 Rader





6.1.2 Duty cycle (the Payload is 35.95%)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.1.3 5250MHz:



Time Index Info



T0 : -0.0240 S (Radar Injection Start)
 T1 : 0.0000 S (Radar Injection Stop)
 T2 : 0.2000 S (200msec Interval)
 T3 : 0.4905 S (Channel Move Time)

Time Per Bin: 0.4999833
 T2-T3 Bins Over Threshold:
 = 13 Bins

Channel Move Time: 0.4904837 S
 Channel Close Time: 0.0064998 S



6.1.4 5530MHz:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.1.5 5570MHz:



Time Index Info			
T0 : -0.0245 S	(Radar Injection Start)	Time Per Bin: 0.4999833	Channel Move Time: 0.5304823 S
T1 : 0.0000 S	(Radar Injection Stop)	T2~T3 Bins Over Threshold: = 14 Bins	Channel Close Time: 0.0069998 S
T2 : 0.2000 S	(200msec Interval)		
T3 : 0.5305 S	(Channel Move Time)		

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com