


### N77(100M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Mid\_CH



### N77(100M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Mid\_CH




### N77(100M)\_CP-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH



### N77(100M)\_CP-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### N77(100M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_High\_CH



### N77(100M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_High\_CH



### N77(10M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### N77(10M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Low\_CH




### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Low\_CH




### N77(10M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



### N77(10M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Mid\_CH




### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Mid\_CH




### N77(10M)\_CP-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### N77(10M)\_CP-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH



### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_High\_CH



### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_High\_CH



## Conducted Band Edge

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation     | RB    | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|----------------|-------|-----------|---------|
| 77      | 30        | 60              | 648668 | 3730.02    | CP-OFDM QPSK   | 1@0   | see graph | PASS    |
| 77      | 30        | 60              | 648668 | 3730.02    | CP-OFDM 16 QAM | 1@0   | see graph | PASS    |
| 77      | 30        | 60              | 648668 | 3730.02    | CP-OFDM QPSK   | 162@0 | see graph | PASS    |
| 77      | 30        | 60              | 648668 | 3730.02    | CP-OFDM 16 QAM | 162@0 | see graph | PASS    |
| 77      | 30        | 60              | 663332 | 3949.98    | CP-OFDM QPSK   | 1@0   | see graph | PASS    |
| 77      | 30        | 60              | 663332 | 3949.98    | CP-OFDM QPSK   | 1@161 | see graph | PASS    |
| 77      | 30        | 60              | 663332 | 3949.98    | CP-OFDM 16 QAM | 1@161 | see graph | PASS    |
| 77      | 30        | 60              | 663332 | 3949.98    | CP-OFDM QPSK   | 162@0 | see graph | PASS    |
| 77      | 30        | 60              | 663332 | 3949.98    | CP-OFDM 16 QAM | 162@0 | see graph | PASS    |
| 77      | 30        | 100             | 650000 | 3750.0     | CP-OFDM QPSK   | 1@0   | see graph | PASS    |
| 77      | 30        | 100             | 650000 | 3750.0     | CP-OFDM 16 QAM | 1@0   | see graph | PASS    |
| 77      | 30        | 100             | 650000 | 3750.0     | CP-OFDM QPSK   | 273@0 | see graph | PASS    |
| 77      | 30        | 100             | 650000 | 3750.0     | CP-OFDM 16 QAM | 273@0 | see graph | PASS    |
| 77      | 30        | 100             | 662000 | 3930.0     | CP-OFDM QPSK   | 1@272 | see graph | PASS    |
| 77      | 30        | 100             | 662000 | 3930.0     | CP-OFDM 16 QAM | 1@272 | see graph | PASS    |
| 77      | 30        | 100             | 662000 | 3930.0     | CP-OFDM QPSK   | 273@0 | see graph | PASS    |
| 77      | 30        | 100             | 662000 | 3930.0     | CP-OFDM 16 QAM | 273@0 | see graph | PASS    |
| 77      | 30        | 10              | 647000 | 3705.0     | CP-OFDM QPSK   | 1@0   | see graph | PASS    |
| 77      | 30        | 10              | 647000 | 3705.0     | CP-OFDM 16 QAM | 1@0   | see graph | PASS    |
| 77      | 30        | 10              | 647000 | 3705.0     | CP-OFDM QPSK   | 24@0  | see graph | PASS    |
| 77      | 30        | 10              | 647000 | 3705.0     | CP-OFDM 16 QAM | 24@0  | see graph | PASS    |
| 77      | 30        | 10              | 665000 | 3975.0     | CP-OFDM QPSK   | 1@23  | see graph | PASS    |
| 77      | 30        | 10              | 665000 | 3975.0     | CP-OFDM 16 QAM | 1@23  | see graph | PASS    |
| 77      | 30        | 10              | 665000 | 3975.0     | CP-OFDM QPSK   | 24@0  | see graph | PASS    |
| 77      | 30        | 10              | 665000 | 3975.0     | CP-OFDM 16 QAM | 24@0  | see graph | PASS    |


### N77(60M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N77(60M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Low\_CH




### N77(60M)\_CP- OFDM\_QPSK\_Outer\_Full\_Low\_CH




### N77(60M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Low\_CH



### N77(60M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



### N77(60M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Right\_High\_CH



### N77(60M)\_CP- OFDM\_QPSK\_Outer\_Full\_High\_CH




### N77(60M)\_CP-OFDM\_16 QAM\_Outer\_Full\_High\_CH




### N77(100M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N77(100M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Low\_CH



### N77(100M)\_CP- OFDM\_QPSK\_Outer\_Full\_Low\_CH



### N77(100M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Low\_CH



### N77(100M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



### N77(100M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Right\_High\_CH



### N77(100M)\_CP- OFDM\_QPSK\_Outer\_Full\_High\_CH




### N77(100M)\_CP-OFDM\_16 QAM\_Outer\_Full\_High\_CH



### N77(10M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N77(10M)\_CP-OFDM\_16 QAM\_Edge\_1RB\_Left\_Low\_CH



### N77(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Low\_CH




### N77(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Low\_CH



### N77(10M)\_CP-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




### N77(10M)\_CP-OFDM\_16QAM\_Edge\_1RB\_Right\_High\_CH



### N77(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_High\_CH



### N77(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_High\_CH



# FR1 N78 MIMO(ANT7+1)

## Transmitter Conducted Output Power and EIRP, (G<sub>T</sub> - L<sub>C</sub>)=-0.15dB

| NR Band | SCS | Band Width | Arfcn  | Freq(MHz) | Modulation      | RB     | ANT7 Power(dBm) | ANT1 Power(dBm) | Conducted Power(dBm) | EIRP(dBm) | EIRP(W) |
|---------|-----|------------|--------|-----------|-----------------|--------|-----------------|-----------------|----------------------|-----------|---------|
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM QPSK    | 137@68 | 21.84           | 22.05           | 24.96                | 24.81     | 0.3025  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM QPSK    | 1@1    | 22.56           | 22.62           | 25.60                | 25.45     | 0.3508  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM QPSK    | 1@271  | 22.83           | 21.99           | 25.44                | 25.29     | 0.3381  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 16 QAM  | 137@68 | 22.05           | 21.69           | 24.88                | 24.73     | 0.2974  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 16 QAM  | 1@1    | 22.18           | 22.37           | 25.29                | 25.14     | 0.3263  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 16 QAM  | 1@271  | 22.03           | 21.56           | 24.81                | 24.66     | 0.2925  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 64 QAM  | 137@68 | 20.55           | 20.31           | 23.44                | 23.29     | 0.2134  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 64 QAM  | 1@1    | 20.82           | 20.68           | 23.76                | 23.61     | 0.2297  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 64 QAM  | 1@271  | 20.77           | 19.92           | 23.38                | 23.23     | 0.2102  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 256 QAM | 137@68 | 17.38           | 17.09           | 20.25                | 20.10     | 0.1023  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 256 QAM | 1@1    | 17.09           | 17.47           | 20.29                | 20.14     | 0.1034  |
| 78      | 30  | 100        | 650000 | 3750      | CP-OFDM 256 QAM | 1@271  | 16.16           | 16.63           | 19.41                | 19.26     | 0.0844  |
| 78      | 30  | 10         | 647000 | 3705      | CP-OFDM QPSK    | 1@1    | 21.4            | 22.64           | 25.07                | 24.92     | 0.3108  |
| 78      | 30  | 10         | 647000 | 3705      | CP-OFDM 16 QAM  | 1@1    | 20.75           | 22.19           | 24.54                | 24.39     | 0.2748  |
| 78      | 30  | 10         | 647000 | 3705      | CP-OFDM 64 QAM  | 1@1    | 19.33           | 20.6            | 23.02                | 22.87     | 0.1937  |
| 78      | 30  | 10         | 650000 | 3750      | CP-OFDM QPSK    | 1@1    | 21.97           | 21.99           | 24.99                | 24.84     | 0.3048  |
| 78      | 30  | 10         | 650000 | 3750      | CP-OFDM 16 QAM  | 1@1    | 21.56           | 21.56           | 24.57                | 24.42     | 0.2767  |
| 78      | 30  | 10         | 650000 | 3750      | CP-OFDM 64 QAM  | 1@1    | 19.99           | 19.97           | 22.99                | 22.84     | 0.1923  |
| 78      | 30  | 10         | 653000 | 3795      | CP-OFDM QPSK    | 1@1    | 22.01           | 22.01           | 25.02                | 24.87     | 0.3069  |
| 78      | 30  | 10         | 653000 | 3795      | CP-OFDM 16 QAM  | 1@1    | 21.43           | 22.09           | 24.78                | 24.63     | 0.2906  |
| 78      | 30  | 10         | 653000 | 3795      | CP-OFDM 64 QAM  | 1@1    | 19.43           | 20              | 22.73                | 22.58     | 0.1813  |
| 78      | 30  | 15         | 647168 | 3707.52   | CP-OFDM QPSK    | 1@1    | 21.43           | 22.62           | 25.08                | 24.93     | 0.3109  |
| 78      | 30  | 15         | 647168 | 3707.52   | CP-OFDM 16 QAM  | 1@1    | 21.35           | 22.69           | 25.08                | 24.93     | 0.3113  |
| 78      | 30  | 15         | 647168 | 3707.52   | CP-OFDM 64 QAM  | 1@1    | 19.36           | 20.63           | 23.05                | 22.90     | 0.1951  |
| 78      | 30  | 15         | 650000 | 3750      | CP-OFDM QPSK    | 1@1    | 22.31           | 22.3            | 25.32                | 25.17     | 0.3285  |
| 78      | 30  | 15         | 650000 | 3750      | CP-OFDM 16 QAM  | 1@1    | 21.85           | 21.5            | 24.69                | 24.54     | 0.2844  |
| 78      | 30  | 15         | 650000 | 3750      | CP-OFDM 64 QAM  | 1@1    | 20.11           | 19.83           | 22.98                | 22.83     | 0.1920  |
| 78      | 30  | 15         | 652832 | 3792.48   | CP-OFDM QPSK    | 1@1    | 21.32           | 21.94           | 24.65                | 24.50     | 0.2819  |
| 78      | 30  | 15         | 652832 | 3792.48   | CP-OFDM 16 QAM  | 1@1    | 20.64           | 21.59           | 24.15                | 24.00     | 0.2513  |
| 78      | 30  | 15         | 652832 | 3792.48   | CP-OFDM 64 QAM  | 1@1    | 19.37           | 19.92           | 22.66                | 22.51     | 0.1784  |
| 78      | 30  | 20         | 647334 | 3710.01   | CP-OFDM QPSK    | 1@1    | 21.28           | 22.53           | 24.96                | 24.81     | 0.3027  |
| 78      | 30  | 20         | 647334 | 3710.01   | CP-OFDM 16 QAM  | 1@1    | 20.58           | 22.13           | 24.43                | 24.28     | 0.2682  |
| 78      | 30  | 20         | 647334 | 3710.01   | CP-OFDM 64 QAM  | 1@1    | 19.24           | 20.45           | 22.90                | 22.75     | 0.1882  |
| 78      | 30  | 20         | 650000 | 3750      | CP-OFDM QPSK    | 1@1    | 22.5            | 22.06           | 25.30                | 25.15     | 0.3270  |
| 78      | 30  | 20         | 650000 | 3750      | CP-OFDM 16 QAM  | 1@1    | 21.94           | 21.71           | 24.84                | 24.69     | 0.2942  |
| 78      | 30  | 20         | 650000 | 3750      | CP-OFDM 64 QAM  | 1@1    | 19.89           | 19.72           | 22.82                | 22.67     | 0.1848  |
| 78      | 30  | 20         | 652666 | 3789.99   | CP-OFDM QPSK    | 1@1    | 21.14           | 22.06           | 24.63                | 24.48     | 0.2808  |
| 78      | 30  | 20         | 652666 | 3789.99   | CP-OFDM 16 QAM  | 1@1    | 20.51           | 21.66           | 24.13                | 23.98     | 0.2502  |

|    |    |    |        |         |                |     |       |       |       |       |        |
|----|----|----|--------|---------|----------------|-----|-------|-------|-------|-------|--------|
| 78 | 30 | 20 | 652666 | 3789.99 | CP-OFDM 64 QAM | 1@1 | 19.22 | 19.93 | 22.60 | 22.45 | 0.1758 |
| 78 | 30 | 25 | 647500 | 3712.5  | CP-OFDM QPSK   | 1@1 | 21.51 | 22.71 | 25.16 | 25.01 | 0.3171 |
| 78 | 30 | 25 | 647500 | 3712.5  | CP-OFDM 16 QAM | 1@1 | 21.41 | 22.74 | 25.14 | 24.99 | 0.3152 |
| 78 | 30 | 25 | 647500 | 3712.5  | CP-OFDM 64 QAM | 1@1 | 19.46 | 20.6  | 23.08 | 22.93 | 0.1962 |
| 78 | 30 | 25 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 21.96 | 22.22 | 25.10 | 24.95 | 0.3128 |
| 78 | 30 | 25 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 21.88 | 21.87 | 24.89 | 24.74 | 0.2975 |
| 78 | 30 | 25 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.63 | 20.17 | 23.42 | 23.27 | 0.2121 |
| 78 | 30 | 25 | 652500 | 3787.5  | CP-OFDM QPSK   | 1@1 | 21.44 | 22.27 | 24.89 | 24.74 | 0.2975 |
| 78 | 30 | 25 | 652500 | 3787.5  | CP-OFDM 16 QAM | 1@1 | 20.65 | 21.89 | 24.32 | 24.17 | 0.2615 |
| 78 | 30 | 25 | 652500 | 3787.5  | CP-OFDM 64 QAM | 1@1 | 19.47 | 20.29 | 22.91 | 22.76 | 0.1888 |
| 78 | 30 | 30 | 647668 | 3715.02 | CP-OFDM QPSK   | 1@1 | 21.56 | 22.82 | 25.25 | 25.10 | 0.3233 |
| 78 | 30 | 30 | 647668 | 3715.02 | CP-OFDM 16 QAM | 1@1 | 20.89 | 22.39 | 24.71 | 24.56 | 0.2861 |
| 78 | 30 | 30 | 647668 | 3715.02 | CP-OFDM 64 QAM | 1@1 | 19.57 | 20.79 | 23.23 | 23.08 | 0.2034 |
| 78 | 30 | 30 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 22.35 | 22.01 | 25.19 | 25.04 | 0.3194 |
| 78 | 30 | 30 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 21.23 | 21.85 | 24.56 | 24.41 | 0.2761 |
| 78 | 30 | 30 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.95 | 20.18 | 23.59 | 23.44 | 0.2209 |
| 78 | 30 | 30 | 652332 | 3784.98 | CP-OFDM QPSK   | 1@1 | 21.24 | 22.27 | 24.80 | 24.65 | 0.2915 |
| 78 | 30 | 30 | 652332 | 3784.98 | CP-OFDM 16 QAM | 1@1 | 20.56 | 21.82 | 24.25 | 24.10 | 0.2568 |
| 78 | 30 | 30 | 652332 | 3784.98 | CP-OFDM 64 QAM | 1@1 | 19.31 | 20.23 | 22.80 | 22.65 | 0.1843 |
| 78 | 30 | 40 | 648000 | 3720    | CP-OFDM QPSK   | 1@1 | 21.5  | 22.74 | 25.17 | 25.02 | 0.3180 |
| 78 | 30 | 40 | 648000 | 3720    | CP-OFDM 16 QAM | 1@1 | 20.91 | 22.08 | 24.54 | 24.39 | 0.2751 |
| 78 | 30 | 40 | 648000 | 3720    | CP-OFDM 64 QAM | 1@1 | 19.69 | 20.45 | 23.10 | 22.95 | 0.1971 |
| 78 | 30 | 40 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 22.21 | 22.35 | 25.29 | 25.14 | 0.3267 |
| 78 | 30 | 40 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 21.25 | 21.94 | 24.62 | 24.47 | 0.2798 |
| 78 | 30 | 40 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.32 | 20.34 | 23.34 | 23.19 | 0.2085 |
| 78 | 30 | 40 | 652000 | 3780    | CP-OFDM QPSK   | 1@1 | 20.37 | 22.34 | 24.48 | 24.33 | 0.2708 |
| 78 | 30 | 40 | 652000 | 3780    | CP-OFDM 16 QAM | 1@1 | 19.79 | 21.92 | 23.99 | 23.84 | 0.2424 |
| 78 | 30 | 40 | 652000 | 3780    | CP-OFDM 64 QAM | 1@1 | 18.4  | 20.27 | 22.45 | 22.30 | 0.1696 |
| 78 | 30 | 50 | 648334 | 3725.01 | CP-OFDM QPSK   | 1@1 | 21.57 | 22.97 | 25.34 | 25.19 | 0.3301 |
| 78 | 30 | 50 | 648334 | 3725.01 | CP-OFDM 16 QAM | 1@1 | 20.93 | 22.38 | 24.73 | 24.58 | 0.2868 |
| 78 | 30 | 50 | 648334 | 3725.01 | CP-OFDM 64 QAM | 1@1 | 19.52 | 20.8  | 23.22 | 23.07 | 0.2026 |
| 78 | 30 | 50 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 22.63 | 22.41 | 25.53 | 25.38 | 0.3453 |
| 78 | 30 | 50 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 22.29 | 22.15 | 25.23 | 25.08 | 0.3222 |
| 78 | 30 | 50 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.54 | 20.53 | 23.55 | 23.40 | 0.2185 |
| 78 | 30 | 50 | 651666 | 3774.99 | CP-OFDM QPSK   | 1@1 | 22.21 | 22.26 | 25.25 | 25.10 | 0.3232 |
| 78 | 30 | 50 | 651666 | 3774.99 | CP-OFDM 16 QAM | 1@1 | 20.60 | 21.83 | 24.27 | 24.12 | 0.2581 |
| 78 | 30 | 50 | 651666 | 3774.99 | CP-OFDM 64 QAM | 1@1 | 19.41 | 20.13 | 22.80 | 22.65 | 0.1839 |
| 78 | 30 | 60 | 648668 | 3730.02 | CP-OFDM QPSK   | 1@1 | 21.36 | 22.7  | 25.09 | 24.94 | 0.3120 |
| 78 | 30 | 60 | 648668 | 3730.02 | CP-OFDM 16 QAM | 1@1 | 20.79 | 22.29 | 24.61 | 24.46 | 0.2796 |
| 78 | 30 | 60 | 648668 | 3730.02 | CP-OFDM 64 QAM | 1@1 | 19.37 | 20.64 | 23.06 | 22.91 | 0.1955 |
| 78 | 30 | 60 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 22.26 | 22.35 | 25.32 | 25.17 | 0.3285 |
| 78 | 30 | 60 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 22.35 | 22.24 | 25.31 | 25.16 | 0.3278 |
| 78 | 30 | 60 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.81 | 20.51 | 23.67 | 23.52 | 0.2251 |
| 78 | 30 | 60 | 651332 | 3769.98 | CP-OFDM QPSK   | 1@1 | 21.15 | 22.17 | 24.70 | 24.55 | 0.2851 |
| 78 | 30 | 60 | 651332 | 3769.98 | CP-OFDM 16 QAM | 1@1 | 20.63 | 21.75 | 24.24 | 24.09 | 0.2562 |
| 78 | 30 | 60 | 651332 | 3769.98 | CP-OFDM 64 QAM | 1@1 | 19.26 | 20.14 | 22.73 | 22.58 | 0.1812 |
| 78 | 30 | 70 | 649000 | 3735    | CP-OFDM QPSK   | 1@1 | 21.58 | 22.87 | 25.28 | 25.13 | 0.3261 |
| 78 | 30 | 70 | 649000 | 3735    | CP-OFDM 16 QAM | 1@1 | 20.85 | 22.38 | 24.69 | 24.54 | 0.2846 |

|    |    |    |        |         |                |     |       |       |       |       |        |
|----|----|----|--------|---------|----------------|-----|-------|-------|-------|-------|--------|
| 78 | 30 | 70 | 649000 | 3735    | CP-OFDM 64 QAM | 1@1 | 19.55 | 20.83 | 23.25 | 23.10 | 0.2040 |
| 78 | 30 | 70 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 22.61 | 22.63 | 25.63 | 25.48 | 0.3532 |
| 78 | 30 | 70 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 22.16 | 22.37 | 25.28 | 25.13 | 0.3256 |
| 78 | 30 | 70 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.19 | 20.65 | 23.44 | 23.29 | 0.2131 |
| 78 | 30 | 70 | 651000 | 3765    | CP-OFDM QPSK   | 1@1 | 22.79 | 22.46 | 25.64 | 25.49 | 0.3539 |
| 78 | 30 | 70 | 651000 | 3765    | CP-OFDM 16 QAM | 1@1 | 22.05 | 22    | 25.04 | 24.89 | 0.3080 |
| 78 | 30 | 70 | 651000 | 3765    | CP-OFDM 64 QAM | 1@1 | 20.77 | 20.51 | 23.65 | 23.50 | 0.2240 |
| 78 | 30 | 80 | 649334 | 3740.01 | CP-OFDM QPSK   | 1@1 | 21.59 | 22.81 | 25.25 | 25.10 | 0.3238 |
| 78 | 30 | 80 | 649334 | 3740.01 | CP-OFDM 16 QAM | 1@1 | 20.89 | 22.32 | 24.67 | 24.52 | 0.2834 |
| 78 | 30 | 80 | 649334 | 3740.01 | CP-OFDM 64 QAM | 1@1 | 19.54 | 20.79 | 23.22 | 23.07 | 0.2028 |
| 78 | 30 | 80 | 650000 | 3750    | CP-OFDM QPSK   | 1@1 | 22.50 | 22.63 | 25.58 | 25.43 | 0.3488 |
| 78 | 30 | 80 | 650000 | 3750    | CP-OFDM 16 QAM | 1@1 | 22.22 | 22.38 | 25.31 | 25.16 | 0.3282 |
| 78 | 30 | 80 | 650000 | 3750    | CP-OFDM 64 QAM | 1@1 | 20.98 | 20.79 | 23.90 | 23.75 | 0.2369 |
| 78 | 30 | 80 | 650666 | 3759.99 | CP-OFDM QPSK   | 1@1 | 22.15 | 22.22 | 25.20 | 25.05 | 0.3196 |
| 78 | 30 | 80 | 650666 | 3759.99 | CP-OFDM 16 QAM | 1@1 | 22.21 | 22.19 | 25.21 | 25.06 | 0.3206 |
| 78 | 30 | 80 | 650666 | 3759.99 | CP-OFDM 64 QAM | 1@1 | 20.86 | 20.66 | 23.77 | 23.62 | 0.2302 |
| 78 | 30 | 90 | 650332 | 3754.98 | CP-OFDM QPSK   | 1@1 | 22.01 | 22.83 | 25.45 | 25.30 | 0.3388 |
| 78 | 30 | 90 | 650332 | 3754.98 | CP-OFDM 16 QAM | 1@1 | 22.46 | 22.29 | 25.39 | 25.24 | 0.3339 |
| 78 | 30 | 90 | 650332 | 3754.98 | CP-OFDM 64 QAM | 1@1 | 22.25 | 20.48 | 24.46 | 24.31 | 0.2701 |

# FR1 N78 (ANT7) for other PA

LTE Band: 5, LTE BW: 10M, LTE ARFCN: Mid

## Frequency Stability

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Deviation (ppm) | Verdict | Environment |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------------|---------|-------------|
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00214         | PASS    | NV          |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | -0.00101        | PASS    | LV          |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00303         | PASS    | HV          |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00405         | PASS    | -30°C       |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00335         | PASS    | -20°C       |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00247         | PASS    | -10°C       |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00562         | PASS    | 0°C         |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00234         | PASS    | 10°C        |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | -0.00288        | PASS    | 20°C        |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00297         | PASS    | 30°C        |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00432         | PASS    | 40°C        |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 270@0 | 0.00356         | PASS    | 50°C        |

## Peak to Average Ratio

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation           | RB   | Result (dB) | Limit (dB) | Verdict |
|---------|-----------|-----------------|--------|------------|----------------------|------|-------------|------------|---------|
| 78      | 30        | 20              | 650000 | 3750.0     | DFT-s-OFDM PI/2 BPSK | 50@0 | 3.65        | 13         | PASS    |
| 78      | 30        | 20              | 650000 | 3750.0     | DFT-s-OFDM PI/2 BPSK | 1@0  | 3.97        | 13         | PASS    |
| 78      | 30        | 20              | 650000 | 3750.0     | DFT-s-OFDM QPSK      | 50@0 | 4.43        | 13         | PASS    |
| 78      | 30        | 20              | 650000 | 3750.0     | DFT-s-OFDM QPSK      | 1@0  | 4.57        | 13         | PASS    |

B5\_N78(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH



B5\_N78(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Mid\_CH



B5\_N78(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



B5\_N78(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



## Occupied Bandwidth

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | OBW (MHz) | 26dB BW (MHz) |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------------|
| 78      | 30        | 20              | 650000 | 3750.0     | CP-OFDM QPSK    | 51@0  | 18.207    | 19.52         |
| 78      | 30        | 20              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 51@0  | 18.176    | 19.17         |
| 78      | 30        | 20              | 650000 | 3750.0     | CP-OFDM 64 QAM  | 51@0  | 18.202    | 18.98         |
| 78      | 30        | 20              | 650000 | 3750.0     | CP-OFDM 256 QAM | 51@0  | 18.196    | 19.53         |
| 78      | 30        | 30              | 650000 | 3750.0     | CP-OFDM QPSK    | 78@0  | 27.789    | 29.42         |
| 78      | 30        | 30              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 78@0  | 27.84     | 29.54         |
| 78      | 30        | 30              | 650000 | 3750.0     | CP-OFDM 64 QAM  | 78@0  | 27.844    | 29.11         |
| 78      | 30        | 30              | 650000 | 3750.0     | CP-OFDM 256 QAM | 78@0  | 27.807    | 29.44         |
| 78      | 30        | 40              | 650000 | 3750.0     | CP-OFDM QPSK    | 106@0 | 37.848    | 39.47         |
| 78      | 30        | 40              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 106@0 | 37.835    | 39.61         |
| 78      | 30        | 40              | 650000 | 3750.0     | CP-OFDM 64 QAM  | 106@0 | 37.905    | 39.2          |
| 78      | 30        | 40              | 650000 | 3750.0     | CP-OFDM 256 QAM | 106@0 | 38.008    | 39.69         |
| 78      | 30        | 50              | 650000 | 3750.0     | CP-OFDM QPSK    | 133@0 | 47.571    | 49.07         |
| 78      | 30        | 50              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 133@0 | 47.561    | 48.97         |
| 78      | 30        | 50              | 650000 | 3750.0     | CP-OFDM 64 QAM  | 133@0 | 47.391    | 49.36         |
| 78      | 30        | 50              | 650000 | 3750.0     | CP-OFDM 256 QAM | 133@0 | 47.465    | 49.02         |
| 78      | 30        | 60              | 650000 | 3750.0     | CP-OFDM QPSK    | 162@0 | 57.801    | 59.84         |
| 78      | 30        | 60              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 162@0 | 57.969    | 59.83         |
| 78      | 30        | 60              | 650000 | 3750.0     | CP-OFDM 64 QAM  | 162@0 | 57.796    | 59.68         |
| 78      | 30        | 60              | 650000 | 3750.0     | CP-OFDM 256 QAM | 162@0 | 57.935    | 59.83         |
| 78      | 30        | 70              | 650000 | 3750.0     | CP-OFDM QPSK    | 189@0 | 67.6      | 69.7          |
| 78      | 30        | 70              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 189@0 | 67.488    | 69.79         |
| 78      | 30        | 70              | 650000 | 3750.0     | CP-OFDM 64 QAM  | 189@0 | 67.539    | 69.73         |
| 78      | 30        | 70              | 650000 | 3750.0     | CP-OFDM 256 QAM | 189@0 | 67.492    | 69.86         |
| 78      | 30        | 80              | 650000 | 3750.0     | CP-OFDM QPSK    | 217@0 | 77.472    | 80.12         |
| 78      | 30        | 80              | 650000 | 3750.0     | CP-OFDM 16 QAM  | 217@0 | 77.535    | 80.0          |

|    |    |     |        |        |                    |       |        |       |
|----|----|-----|--------|--------|--------------------|-------|--------|-------|
| 78 | 30 | 80  | 650000 | 3750.0 | CP-OFDM<br>64 QAM  | 217@0 | 77.475 | 79.98 |
| 78 | 30 | 80  | 650000 | 3750.0 | CP-OFDM<br>256 QAM | 217@0 | 77.478 | 79.99 |
| 78 | 30 | 90  | 650000 | 3750.0 | CP-OFDM<br>QPSK    | 245@0 | 87.51  | 90.31 |
| 78 | 30 | 90  | 650000 | 3750.0 | CP-OFDM<br>16 QAM  | 245@0 | 87.601 | 90.29 |
| 78 | 30 | 90  | 650000 | 3750.0 | CP-OFDM<br>64 QAM  | 245@0 | 87.479 | 90.31 |
| 78 | 30 | 90  | 650000 | 3750.0 | CP-OFDM<br>256 QAM | 245@0 | 87.598 | 90.15 |
| 78 | 30 | 100 | 650000 | 3750.0 | CP-OFDM<br>QPSK    | 273@0 | 97.336 | 100.7 |
| 78 | 30 | 100 | 650000 | 3750.0 | CP-OFDM<br>16 QAM  | 273@0 | 97.467 | 100.5 |
| 78 | 30 | 100 | 650000 | 3750.0 | CP-OFDM<br>64 QAM  | 273@0 | 97.537 | 100.6 |
| 78 | 30 | 100 | 650000 | 3750.0 | CP-OFDM<br>256 QAM | 273@0 | 97.355 | 100.3 |
| 78 | 30 | 10  | 650000 | 3750.0 | CP-OFDM<br>QPSK    | 24@0  | 8.5615 | 9.413 |
| 78 | 30 | 10  | 650000 | 3750.0 | CP-OFDM<br>16 QAM  | 24@0  | 8.5796 | 9.535 |
| 78 | 30 | 10  | 650000 | 3750.0 | CP-OFDM<br>64 QAM  | 24@0  | 8.5726 | 9.202 |
| 78 | 30 | 10  | 650000 | 3750.0 | CP-OFDM<br>256 QAM | 24@0  | 8.5861 | 9.628 |
| 78 | 30 | 15  | 650000 | 3750.0 | CP-OFDM<br>QPSK    | 38@0  | 13.599 | 14.84 |
| 78 | 30 | 15  | 650000 | 3750.0 | CP-OFDM<br>16 QAM  | 38@0  | 13.543 | 14.77 |
| 78 | 30 | 15  | 650000 | 3750.0 | CP-OFDM<br>64 QAM  | 38@0  | 13.571 | 14.44 |
| 78 | 30 | 15  | 650000 | 3750.0 | CP-OFDM<br>256 QAM | 38@0  | 13.564 | 14.73 |
| 78 | 30 | 25  | 650000 | 3750.0 | CP-OFDM<br>QPSK    | 65@0  | 23.202 | 24.37 |
| 78 | 30 | 25  | 650000 | 3750.0 | CP-OFDM<br>16 QAM  | 65@0  | 23.241 | 24.33 |
| 78 | 30 | 25  | 650000 | 3750.0 | CP-OFDM<br>64 QAM  | 65@0  | 23.206 | 24.43 |
| 78 | 30 | 25  | 650000 | 3750.0 | CP-OFDM<br>256 QAM | 65@0  | 23.263 | 24.24 |

### B5\_N78(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### B5\_N78(20M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(20M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### B5\_N78(20M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(30M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### B5\_N78(30M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




B5\_N78(30M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(30M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(40M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




B5\_N78(40M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(40M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(40M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(50M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### B5\_N78(50M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(50M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### B5\_N78(50M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### B5\_N78(60M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B5\_N78(60M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



B5\_N78(60M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(60M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(70M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




B5\_N78(70M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(70M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(70M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(80M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### B5\_N78(80M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(80M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### B5\_N78(80M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### B5\_N78(90M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B5\_N78(90M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




B5\_N78(90M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(90M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(100M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




B5\_N78(100M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(100M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(100M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### B5\_N78(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(10M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(10M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH



### B5\_N78(15M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### B5\_N78(15M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




B5\_N78(15M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(15M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




B5\_N78(25M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




B5\_N78(25M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(25M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



B5\_N78(25M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH



## Conducted Spurious Emissions

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB  | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-----|-----------|---------|
| 78      | 30        | 60              | 648668 | 3730.02    | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 78      | 30        | 60              | 648668 | 3730.02    | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 648668 | 3730.02    | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 648668 | 3730.02    | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 78      | 30        | 60              | 648668 | 3730.02    | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 648668 | 3730.02    | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 78      | 30        | 60              | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 78      | 30        | 60              | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 651332 | 3769.98    | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 78      | 30        | 60              | 651332 | 3769.98    | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 651332 | 3769.98    | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 651332 | 3769.98    | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 78      | 30        | 60              | 651332 | 3769.98    | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 60              | 651332 | 3769.98    | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 100             | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 647000 | 3705.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 78      | 30        | 10              | 647000 | 3705.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 647000 | 3705.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 647000 | 3705.0     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 78      | 30        | 10              | 647000 | 3705.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 647000 | 3705.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 78      | 30        | 10              | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 650000 | 3750.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 78      | 30        | 10              | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 78      | 30        | 10              | 650000 | 3750.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |

|    |    |    |        |        |                    |     |           |      |
|----|----|----|--------|--------|--------------------|-----|-----------|------|
| 78 | 30 | 10 | 650000 | 3750.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 78 | 30 | 10 | 653000 | 3795.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 78 | 30 | 10 | 653000 | 3795.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 78 | 30 | 10 | 653000 | 3795.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 78 | 30 | 10 | 653000 | 3795.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 78 | 30 | 10 | 653000 | 3795.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 78 | 30 | 10 | 653000 | 3795.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |

B5\_N78(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B5\_N78(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B5\_N78(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



B5\_N78(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B5\_N78(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




B5\_N78(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



### B5\_N78(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B5\_N78(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B5\_N78(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



### B5\_N78(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



### B5\_N78(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH



### B5\_N78(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH

