

B7_N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



B7_N66(35M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B7_N66(35M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N66(35M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B7_N66(35M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---

66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS

B7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH



B7_N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



B7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS



B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	23~25°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n2 SA / NR 40MHz / QPSK(ANT5)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3720	-57.15	-13	-44.15	-69.41	2.64	14.90	H
	5580	-54.35	-13	-41.35	-66.21	2.94	14.80	H
	7455	-53.90	-13	-40.90	-63.67	3.39	13.16	H
	3720	-56.96	-13	-43.96	-69.22	2.64	14.90	V
	5580	-55.80	-13	-42.80	-67.66	2.94	14.80	V
	7455	-53.84	-13	-40.84	-63.61	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n5 SA / NR 20MHz / QPSK(ANT0)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1656	-66.03	-13	-53.03	-73.00	1.58	10.70	H
	2480	-62.02	-13	-49.02	-70.27	2.102	12.50	H
	3312	-61.35	-13	-48.35	-70.24	2.856	13.90	H
	1656	-64.80	-13	-51.80	-71.77	1.58	10.70	V
	2480	-59.59	-13	-46.59	-67.84	2.10	12.50	V
	3312	-61.45	-13	-48.45	-70.34	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n5A / LTE 10MHz + NR 20MHz / QPSK (ANT2+0)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1656	-63.14	-13	-50.14	-70.11	1.58	10.70	H
	2480	-59.79	-13	-46.79	-68.04	2.102	12.50	H
	3312	-58.89	-13	-45.89	-67.78	2.856	13.90	H
	1656	-62.57	-13	-49.57	-69.54	1.58	10.70	V
	2480	-57.07	-13	-44.07	-65.32	2.10	12.50	V
	3312	-59.10	-13	-46.10	-67.99	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n12 SA / NR 15MHz / QPSK(ANT0)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1400	-66.74	-13	-53.74	-73.71	1.58	10.70	H
	2104	-61.81	-13	-48.81	-70.06	2.102	12.50	H
	2800	-60.01	-13	-47.01	-68.90	2.856	13.90	H
	1400	-65.82	-13	-52.82	-72.79	1.58	10.70	V
	2104	-55.96	-13	-42.96	-64.21	2.10	12.50	V
	2800	-59.53	-13	-46.53	-68.42	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n26 SA / NR 40MHz / QPSK(ANT0)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1648	-66.58	-13	-53.58	-73.55	1.58	10.70	H
	2464	-60.44	-13	-47.44	-68.69	2.102	12.50	H
	3288	-61.20	-13	-48.20	-70.09	2.856	13.90	H
	1648	-66.10	-13	-53.10	-73.07	1.58	10.70	V
	2464	-60.29	-13	-47.29	-68.54	2.10	12.50	V
	3288	-61.66	-13	-48.66	-70.55	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n7 SA / NR 40MHz / QPSK(ANT5)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5036	-63.68	-25	-38.68	-73.89	3.03	13.24	H
	7556	-62.62	-25	-37.62	-72.07	3.56	13.01	H
	10062	-61.73	-25	-36.73	-71.25	3.92	13.44	H
	5036	-63.67	-25	-38.67	-73.88	3.03	13.24	V
	7556	-62.73	-25	-37.73	-72.18	3.56	13.01	V
	10062	-61.84	-25	-36.84	-71.36	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_5A_n7A / LTE 10MHz + NR 40MHz / QPSK (ANT5+0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5036	-64.62	-25	-39.62	-74.83	3.03	13.24	H
	7556	-63.13	-25	-38.13	-72.58	3.56	13.01	H
	10062	-62.32	-25	-37.32	-71.84	3.92	13.44	H
	5036	-64.75	-25	-39.75	-74.96	3.03	13.24	V
	7556	-63.26	-25	-38.26	-72.71	3.56	13.01	V
	10062	-62.48	-25	-37.48	-72.00	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_4A_n7A / LTE 10MHz + NR 40MHz / QPSK (ANT5+0) -other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5036	-64.61	-25	-39.61	-74.82	3.03	13.24	H
	7556	-63.04	-25	-38.04	-72.49	3.56	13.01	H
	10062	-61.88	-25	-36.88	-71.40	3.92	13.44	H
	5036	-64.73	-25	-39.73	-74.94	3.03	13.24	V
	7556	-63.16	-25	-38.16	-72.61	3.56	13.01	V
	10062	-61.91	-25	-36.91	-71.43	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n7A / LTE 10MHz + NR 40MHz / QPSK (ANT5+0) -other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5036	-64.52	-25	-39.52	-74.73	3.03	13.24	H
	7556	-63.26	-25	-38.26	-72.71	3.56	13.01	H
	10062	-61.70	-25	-36.70	-71.22	3.92	13.44	H
	5036	-64.35	-25	-39.35	-74.56	3.03	13.24	V
	7556	-62.60	-25	-37.60	-72.05	3.56	13.01	V
	10062	-62.00	-25	-37.00	-71.52	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n41 SA / NR 100MHz / QPSK(ANT5)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5092	-63.74	-25	-38.74	-73.95	3.03	13.24	H
	7626	-62.19	-25	-37.19	-71.64	3.56	13.01	H
	10188	-61.39	-25	-36.39	-70.91	3.92	13.44	H
	5092	-60.40	-25	-35.40	-70.61	3.03	13.24	V
	7626	-52.27	-25	-27.27	-61.72	3.56	13.01	V
	10188	-61.48	-25	-36.48	-71.00	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



UL MIMO n41 SA / NR 100MHz / QPSK(ANT5+ANT6)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5092	-63.28	-25	-38.28	-73.49	3.03	13.24	H
	7626	-57.25	-25	-32.25	-66.70	3.56	13.01	H
	10188	-61.37	-25	-36.37	-70.89	3.92	13.44	H
	5092	-63.96	-25	-38.96	-74.17	3.03	13.24	V
	7626	-56.79	-25	-31.79	-66.24	3.56	13.01	V
	10188	-61.24	-25	-36.24	-70.76	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_4A_n41A / LTE 10MHz + NR 100MHz / QPSK (ANT5+0) -other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5092	-64.80	-25	-39.80	-75.01	3.03	13.24	H
	7626	-63.03	-25	-38.03	-72.48	3.56	13.01	H
	10188	-61.38	-25	-36.38	-70.90	3.92	13.44	H
	5092	-64.67	-25	-39.67	-74.88	3.03	13.24	V
	7626	-61.11	-25	-36.11	-70.56	3.56	13.01	V
	10188	-61.72	-25	-36.72	-71.24	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n41A / LTE 10MHz + NR 100MHz / QPSK (ANT5+0) -other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5092	-64.66	-25	-39.66	-74.87	3.03	13.24	H
	7640	-62.85	-25	-37.85	-72.30	3.56	13.01	H
	10188	-61.52	-25	-36.52	-71.04	3.92	13.44	H
	5092	-64.93	-25	-39.93	-75.14	3.03	13.24	V
	7640	-62.01	-25	-37.01	-71.46	3.56	13.01	V
	10188	-61.89	-25	-36.89	-71.41	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n66 SA / NR 40MHz / QPSK(ANT5)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-57.28	-13	-44.28	-68.02	2.604	13.34	H
	5175	-52.92	-13	-39.92	-63.43	3.011	13.52	H
	6915	-55.99	-13	-42.99	-66.19	3.271	13.47	H
	3450	-57.87	-13	-44.87	-68.61	2.604	13.34	V
	5175	-55.09	-13	-42.09	-65.60	3.011	13.52	V
	6915	-55.50	-13	-42.50	-65.70	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_2A_n66A / LTE 10MHz + NR 40MHz / QPSK (ANT5+0) -other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-57.30	-13	-44.30	-68.04	2.604	13.34	H
	5175	-55.88	-13	-42.88	-66.39	3.011	13.52	H
	6915	-55.39	-13	-42.39	-65.59	3.271	13.47	H
	3450	-57.61	-13	-44.61	-68.35	2.604	13.34	V
	5175	-55.81	-13	-42.81	-66.32	3.011	13.52	V
	6915	-55.22	-13	-42.22	-65.42	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n66A / LTE 10MHz + NR 40MHz / QPSK (ANT5+0) -other PA								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-57.49	-13	-44.49	-68.23	2.604	13.34	H
	5175	-50.49	-13	-37.49	-61.00	3.011	13.52	H
	6915	-55.08	-13	-42.08	-65.28	3.271	13.47	H
	3450	-57.40	-13	-44.40	-68.14	2.604	13.34	V
	5175	-51.94	-13	-38.94	-62.45	3.011	13.52	V
	6915	-55.64	-13	-42.64	-65.84	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.