











		88																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3 ④_6905MHz																																																																																			
ANT	CDD 8+10																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level around 81.3 dBuV/m with a red limit line. A peak is labeled 'Wifi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7292.20</td> <td>58.80</td> <td>74.00</td> <td>-15.20</td> <td>38.86</td> <td>35.80</td> <td>14.89</td> <td>30.75</td> <td>0.00</td> <td>307</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7292.20	58.80	74.00	-15.20	38.86	35.80	14.89	30.75	0.00	307	54	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a signal level around 81.3 dBuV/m with a red limit line. A peak is labeled 'Wifi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.69</td> <td>-----</td> <td>-----</td> <td>72.08</td> <td>35.78</td> <td>14.46</td> <td>30.63</td> <td>0.00</td> <td>307</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.69	-----	-----	72.08	35.78	14.46	30.63	0.00	307	54	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7292.20	58.80	74.00	-15.20	38.86	35.80	14.89	30.75	0.00	307	54	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	91.69	-----	-----	72.08	35.78	14.46	30.63	0.00	307	54	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Average. The plot shows a signal level around 81.3 dBuV/m with a red limit line. A peak is labeled 'Wifi 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7318.12</td> <td>49.49</td> <td>54.00</td> <td>-4.51</td> <td>29.49</td> <td>35.80</td> <td>14.97</td> <td>30.77</td> <td>0.00</td> <td>307</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7318.12	49.49	54.00	-4.51	29.49	35.80	14.97	30.77	0.00	307	54	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Average. The plot shows a signal level around 81.3 dBuV/m with a red limit line. A peak is labeled 'Wifi 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>80.66</td> <td>-----</td> <td>-----</td> <td>60.92</td> <td>35.71</td> <td>14.62</td> <td>30.59</td> <td>0.00</td> <td>307</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.66	-----	-----	60.92	35.71	14.62	30.59	0.00	307	54	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7318.12	49.49	54.00	-4.51	29.49	35.80	14.97	30.77	0.00	307	54	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	80.66	-----	-----	60.92	35.71	14.62	30.59	0.00	307	54	AVERAGE																																																																								





		89																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484 ⑥_6905MHz																																																																																			
ANT	CDD 8+10																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7289.32</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>39.16</td> <td>35.80</td> <td>14.88</td> <td>30.74</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7289.32	59.10	74.00	-14.90	39.16	35.80	14.88	30.74	0.00	100	117	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>85.45</td> <td>-----</td> <td>-----</td> <td>65.69</td> <td>35.71</td> <td>14.63</td> <td>30.58</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.45	-----	-----	65.69	35.71	14.63	30.58	0.00	100	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7289.32	59.10	74.00	-14.90	39.16	35.80	14.88	30.74	0.00	100	117	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	85.45	-----	-----	65.69	35.71	14.63	30.58	0.00	100	117	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7261.96</td> <td>48.54</td> <td>54.00</td> <td>-5.46</td> <td>28.66</td> <td>35.80</td> <td>14.80</td> <td>30.72</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7261.96	48.54	54.00	-5.46	28.66	35.80	14.80	30.72	0.00	100	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>75.79</td> <td>-----</td> <td>-----</td> <td>56.08</td> <td>35.73</td> <td>14.58</td> <td>30.60</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	75.79	-----	-----	56.08	35.73	14.58	30.60	0.00	100	117	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7261.96	48.54	54.00	-5.46	28.66	35.80	14.80	30.72	0.00	100	117	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	75.79	-----	-----	56.08	35.73	14.58	30.60	0.00	100	117	AVERAGE																																																																								



		89																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484 @_6905MHz																																																																																			
ANT	CDD 8+10																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7376.44</td> <td>58.97</td> <td>74.00</td> <td>-15.03</td> <td>39.06</td> <td>35.80</td> <td>14.93</td> <td>30.82</td> <td>0.00</td> <td>320</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7376.44	58.97	74.00	-15.03	39.06	35.80	14.93	30.82	0.00	320	55	PEAK	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2000. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>87.96</td> <td>-----</td> <td>-----</td> <td>68.25</td> <td>35.73</td> <td>14.58</td> <td>30.60</td> <td>0.00</td> <td>320</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	87.96	-----	-----	68.25	35.73	14.58	30.60	0.00	320	55	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7376.44	58.97	74.00	-15.03	39.06	35.80	14.93	30.82	0.00	320	55	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	87.96	-----	-----	68.25	35.73	14.58	30.60	0.00	320	55	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>6745 6889. 7033. 7177. 7321. 7465</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7266.28</td> <td>49.30</td> <td>54.00</td> <td>-4.70</td> <td>29.40</td> <td>35.80</td> <td>14.82</td> <td>30.72</td> <td>0.00</td> <td>320</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7266.28	49.30	54.00	-4.70	29.40	35.80	14.82	30.72	0.00	320	55	AVERAGE	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2000. 4600. 6400. 8200. 10000</p> <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.00</td> <td>-----</td> <td>-----</td> <td>59.26</td> <td>35.71</td> <td>14.62</td> <td>30.59</td> <td>0.00</td> <td>320</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.00	-----	-----	59.26	35.71	14.62	30.59	0.00	320	55	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7266.28	49.30	54.00	-4.70	29.40	35.80	14.82	30.72	0.00	320	55	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	79.00	-----	-----	59.26	35.71	14.62	30.59	0.00	320	55	AVERAGE																																																																								



Mode	1	
	18G-40G	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	1																																																																																																																																																											
	30-1G																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																											
ANT	CDD 8+10																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>207.51</td><td>33.24</td><td>-10.26</td><td>43.50</td><td>48.34</td><td>14.90</td><td>2.11</td><td>32.11</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>292.87</td><td>36.30</td><td>-9.70</td><td>46.00</td><td>46.91</td><td>18.99</td><td>2.51</td><td>32.11</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>456.80</td><td>29.90</td><td>-16.10</td><td>46.00</td><td>36.17</td><td>22.85</td><td>3.11</td><td>32.23</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>627.52</td><td>27.83</td><td>-18.17</td><td>46.00</td><td>30.24</td><td>26.19</td><td>3.65</td><td>32.25</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>787.57</td><td>29.23</td><td>-16.77</td><td>46.00</td><td>29.48</td><td>27.97</td><td>4.08</td><td>32.30</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>954.41</td><td>32.74</td><td>-13.26</td><td>46.00</td><td>30.17</td><td>30.27</td><td>4.49</td><td>32.19</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	207.51	33.24	-10.26	43.50	48.34	14.90	2.11	32.11	---	Peak	2	292.87	36.30	-9.70	46.00	46.91	18.99	2.51	32.11	---	Peak	3	456.80	29.90	-16.10	46.00	36.17	22.85	3.11	32.23	---	Peak	4	627.52	27.83	-18.17	46.00	30.24	26.19	3.65	32.25	---	Peak	5	787.57	29.23	-16.77	46.00	29.48	27.97	4.08	32.30	---	Peak	6	954.41	32.74	-13.26	46.00	30.17	30.27	4.49	32.19	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>30.32</td><td>-9.68</td><td>40.00</td><td>38.54</td><td>23.44</td><td>0.54</td><td>32.20</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>198.78</td><td>27.00</td><td>-16.50</td><td>43.50</td><td>42.33</td><td>14.71</td><td>2.06</td><td>32.10</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>359.00</td><td>27.66</td><td>-18.34</td><td>46.00</td><td>36.57</td><td>20.54</td><td>2.77</td><td>32.22</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>491.72</td><td>30.67</td><td>-15.33</td><td>46.00</td><td>36.31</td><td>23.50</td><td>3.23</td><td>32.37</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>730.34</td><td>28.67</td><td>-17.33</td><td>46.00</td><td>29.68</td><td>27.31</td><td>3.94</td><td>32.26</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>933.07</td><td>31.79</td><td>-14.21</td><td>46.00</td><td>29.73</td><td>29.82</td><td>4.44</td><td>32.20</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	32.91	30.32	-9.68	40.00	38.54	23.44	0.54	32.20	---	Peak	2	198.78	27.00	-16.50	43.50	42.33	14.71	2.06	32.10	---	Peak	3	359.00	27.66	-18.34	46.00	36.57	20.54	2.77	32.22	---	Peak	4	491.72	30.67	-15.33	46.00	36.31	23.50	3.23	32.37	---	Peak	5	730.34	28.67	-17.33	46.00	29.68	27.31	3.94	32.26	---	Peak	6	933.07	31.79	-14.21	46.00	29.73	29.82	4.44	32.20	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	207.51	33.24	-10.26	43.50	48.34	14.90	2.11	32.11	---	Peak																																																																																																																																																		
2	292.87	36.30	-9.70	46.00	46.91	18.99	2.51	32.11	---	Peak																																																																																																																																																		
3	456.80	29.90	-16.10	46.00	36.17	22.85	3.11	32.23	---	Peak																																																																																																																																																		
4	627.52	27.83	-18.17	46.00	30.24	26.19	3.65	32.25	---	Peak																																																																																																																																																		
5	787.57	29.23	-16.77	46.00	29.48	27.97	4.08	32.30	---	Peak																																																																																																																																																		
6	954.41	32.74	-13.26	46.00	30.17	30.27	4.49	32.19	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	32.91	30.32	-9.68	40.00	38.54	23.44	0.54	32.20	---	Peak																																																																																																																																																		
2	198.78	27.00	-16.50	43.50	42.33	14.71	2.06	32.10	---	Peak																																																																																																																																																		
3	359.00	27.66	-18.34	46.00	36.57	20.54	2.77	32.22	---	Peak																																																																																																																																																		
4	491.72	30.67	-15.33	46.00	36.31	23.50	3.23	32.37	---	Peak																																																																																																																																																		
5	730.34	28.67	-17.33	46.00	29.68	27.31	3.94	32.26	---	Peak																																																																																																																																																		
6	933.07	31.79	-14.21	46.00	29.73	29.82	4.44	32.20	---	Peak																																																																																																																																																		



<Co-location>

		90																																																																																		
Mode		Band Edge																																																																																		
		2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																		
ANT		10																																																																																		
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a peak at 2478 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dB. The peak level is 98.20 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.96</td> <td>54.80</td> <td>74.00</td> <td>-19.20</td> <td>38.50</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>124</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.96	54.80	74.00	-19.20	38.50	32.40	8.87	30.97	6.00	124	129	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a peak at 2478 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dB. The peak level is 98.20 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>98.20</td> <td>-----</td> <td>-----</td> <td>81.89</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>124</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.20	-----	-----	81.89	32.40	8.88	30.97	6.00	124	129	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2497.96	54.80	74.00	-19.20	38.50	32.40	8.87	30.97	6.00	124	129	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2478.00	98.20	-----	-----	81.89	32.40	8.88	30.97	6.00	124	129	PEAK																																																																								
Avg	<p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows an average level at 2478 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dB. The average level is 45.18 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.60</td> <td>45.18</td> <td>54.00</td> <td>-8.82</td> <td>28.87</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>124</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.60	45.18	54.00	-8.82	28.87	32.40	8.88	30.97	6.00	124	129	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows an average level at 2478 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dB. The average level is 96.32 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>96.32</td> <td>-----</td> <td>-----</td> <td>80.01</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>124</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	96.32	-----	-----	80.01	32.40	8.88	30.97	6.00	124	129	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2491.60	45.18	54.00	-8.82	28.87	32.40	8.88	30.97	6.00	124	129	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2478.00	96.32	-----	-----	80.01	32.40	8.88	30.97	6.00	124	129	AVERAGE																																																																								



	90																																																																													
Mode	Band Edge																																																																													
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																													
ANT	10																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2493.28</td> <td>55.17</td> <td>74.00</td> <td>-18.83</td> <td>38.87</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>312 44 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2493.28	55.17	74.00	-18.83	38.87	32.40	8.87	30.97	6.00	312 44 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2478.00</td> <td>94.52</td> <td>-----</td> <td>-----</td> <td>78.21</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>312 44 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	94.52	-----	-----	78.21	32.40	8.88	30.97	6.00	312 44 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2493.28	55.17	74.00	-18.83	38.87	32.40	8.87	30.97	6.00	312 44 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2478.00	94.52	-----	-----	78.21	32.40	8.88	30.97	6.00	312 44 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2490.22</td> <td>45.19</td> <td>54.00</td> <td>-8.81</td> <td>28.88</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>312 44 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2490.22	45.19	54.00	-8.81	28.88	32.40	8.88	30.97	6.00	312 44 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2478.00</td> <td>92.66</td> <td>-----</td> <td>-----</td> <td>76.35</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>312 44 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	92.66	-----	-----	76.35	32.40	8.88	30.97	6.00	312 44 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2490.22	45.19	54.00	-8.81	28.88	32.40	8.88	30.97	6.00	312 44 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2478.00	92.66	-----	-----	76.35	32.40	8.88	30.97	6.00	312 44 AVERAGE																																																																					







Mode	90																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																																							
ANT	10																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3606.00</td> <td>47.75</td> <td>74.00</td> <td>-26.25</td> <td>69.94</td> <td>32.92</td> <td>10.55</td> <td>65.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>39.23</td> <td>74.00</td> <td>-34.77</td> <td>58.33</td> <td>34.26</td> <td>12.05</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7434.00</td> <td>43.16</td> <td>74.00</td> <td>-30.84</td> <td>57.38</td> <td>35.80</td> <td>15.15</td> <td>65.17</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3606.00	47.75	74.00	-26.25	69.94	32.92	10.55	65.66	0.00	--	--	Peak	2	4956.00	39.23	74.00	-34.77	58.33	34.26	12.05	65.41	0.00	--	--	PEAK	3	7434.00	43.16	74.00	-30.84	57.38	35.80	15.15	65.17	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3606.00</td> <td>45.01</td> <td>74.00</td> <td>-28.99</td> <td>67.20</td> <td>32.92</td> <td>10.55</td> <td>65.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>38.82</td> <td>74.00</td> <td>-35.18</td> <td>57.92</td> <td>34.26</td> <td>12.05</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7434.00</td> <td>42.47</td> <td>74.00</td> <td>-31.53</td> <td>56.69</td> <td>35.80</td> <td>15.15</td> <td>65.17</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3606.00	45.01	74.00	-28.99	67.20	32.92	10.55	65.66	0.00	--	--	Peak	2	4956.00	38.82	74.00	-35.18	57.92	34.26	12.05	65.41	0.00	--	--	PEAK	3	7434.00	42.47	74.00	-31.53	56.69	35.80	15.15	65.17	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	3606.00	47.75	74.00	-26.25	69.94	32.92	10.55	65.66	0.00	--	--	Peak																																																																																																																												
2	4956.00	39.23	74.00	-34.77	58.33	34.26	12.05	65.41	0.00	--	--	PEAK																																																																																																																												
3	7434.00	43.16	74.00	-30.84	57.38	35.80	15.15	65.17	0.00	--	--	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	3606.00	45.01	74.00	-28.99	67.20	32.92	10.55	65.66	0.00	--	--	Peak																																																																																																																												
2	4956.00	38.82	74.00	-35.18	57.92	34.26	12.05	65.41	0.00	--	--	PEAK																																																																																																																												
3	7434.00	42.47	74.00	-31.53	56.69	35.80	15.15	65.17	0.00	--	--	PEAK																																																																																																																												



	90																																																																																																
Mode	Band Edge																																																																																																
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.24</td> <td>78.10</td> <td>88.20</td> <td>-10.10</td> <td>59.63</td> <td>35.14</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>101</td> <td>228</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	78.10	88.20	-10.10	59.63	35.14	13.73	30.40	0.00	101	228	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>101.75</td> <td>-----</td> <td>-----</td> <td>91.42</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>0.00</td> <td>101</td> <td>228</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>100.15</td> <td>-----</td> <td>-----</td> <td>89.72</td> <td>35.22</td> <td>13.63</td> <td>30.42</td> <td>0.00</td> <td>101</td> <td>228</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.75	-----	-----	91.42	32.40	8.89	30.96	0.00	101	228	Peak	2	5955.00	100.15	-----	-----	89.72	35.22	13.63	30.42	0.00	101	228	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.24	78.10	88.20	-10.10	59.63	35.14	13.73	30.40	0.00	101	228	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	101.75	-----	-----	91.42	32.40	8.89	30.96	0.00	101	228	Peak																																																																																					
2	5955.00	100.15	-----	-----	89.72	35.22	13.63	30.42	0.00	101	228	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.37</td> <td>64.12</td> <td>68.20</td> <td>-4.08</td> <td>45.65</td> <td>35.14</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>101</td> <td>228</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	64.12	68.20	-4.08	45.65	35.14	13.73	30.40	0.00	101	228	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>93.10</td> <td>-----</td> <td>-----</td> <td>82.77</td> <td>32.40</td> <td>8.89</td> <td>30.96</td> <td>0.00</td> <td>101</td> <td>228</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>100.62</td> <td>-----</td> <td>-----</td> <td>82.19</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>101</td> <td>228</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	93.10	-----	-----	82.77	32.40	8.89	30.96	0.00	101	228	Average	2	5955.00	100.62	-----	-----	82.19	35.20	13.65	30.42	0.00	101	228	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.37	64.12	68.20	-4.08	45.65	35.14	13.73	30.40	0.00	101	228	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2467.00	93.10	-----	-----	82.77	32.40	8.89	30.96	0.00	101	228	Average																																																																																					
2	5955.00	100.62	-----	-----	82.19	35.20	13.65	30.42	0.00	101	228	AVERAGE																																																																																					







	90																																																																																																
Mode	Band Edge																																																																																																
	U-NII-5 5.925-6.425 802.11a_CH1 5955MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851 5877 5903 5929 5955</p> <p>Frequency (MHz)</p> <p>Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.67</td> <td>71.53</td> <td>88.20</td> <td>-16.67</td> <td>53.05</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>288</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	71.53	88.20	-16.67	53.05	35.15	13.73	30.40	0.00	288	72	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800 4600 6400 8200 10000</p> <p>Frequency (MHz)</p> <p>Wifi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>103.66</td> <td>-----</td> <td>-----</td> <td>93.32</td> <td>32.40</td> <td>8.90</td> <td>30.96</td> <td>0.00</td> <td>288</td> <td>72</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>110.70</td> <td>-----</td> <td>-----</td> <td>92.35</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>288</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	103.66	-----	-----	93.32	32.40	8.90	30.96	0.00	288	72	Peak	2	5955.00	110.70	-----	-----	92.35	35.20	13.65	30.42	0.00	288	72	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.67	71.53	88.20	-16.67	53.05	35.15	13.73	30.40	0.00	288	72	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2458.00	103.66	-----	-----	93.32	32.40	8.90	30.96	0.00	288	72	Peak																																																																																					
2	5955.00	110.70	-----	-----	92.35	35.20	13.65	30.42	0.00	288	72	PEAK																																																																																					
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851 5877 5903 5929 5955</p> <p>Frequency (MHz)</p> <p>Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.41</td> <td>59.50</td> <td>68.20</td> <td>-8.70</td> <td>41.02</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>288</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	59.50	68.20	-8.70	41.02	35.15	13.73	30.40	0.00	288	72	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800 4600 6400 8200 10000</p> <p>Frequency (MHz)</p> <p>Wifi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>83.94</td> <td>32.40</td> <td>8.90</td> <td>30.96</td> <td>0.00</td> <td>288</td> <td>72</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>102.15</td> <td>-----</td> <td>-----</td> <td>83.72</td> <td>35.22</td> <td>13.63</td> <td>30.42</td> <td>0.00</td> <td>288</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	94.20	-----	-----	83.94	32.40	8.90	30.96	0.00	288	72	Average	2	5955.00	102.15	-----	-----	83.72	35.22	13.63	30.42	0.00	288	72	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.41	59.50	68.20	-8.70	41.02	35.15	13.73	30.40	0.00	288	72	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2458.00	94.20	-----	-----	83.94	32.40	8.90	30.96	0.00	288	72	Average																																																																																					
2	5955.00	102.15	-----	-----	83.72	35.22	13.63	30.42	0.00	288	72	AVERAGE																																																																																					







Mode	90																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	CDD 8+10																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>49.86</td> <td>74.00</td> <td>-24.14</td> <td>56.78</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>300 360 PEAK</td> </tr> <tr> <td>2 11910.00</td> <td>42.71</td> <td>54.00</td> <td>-11.29</td> <td>49.63</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>300 360 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	49.86	74.00	-24.14	56.78	38.81	19.21	64.94	0.00	300 360 PEAK	2 11910.00	42.71	54.00	-11.29	49.63	38.81	19.21	64.94	0.00	300 360 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>57.61</td> <td>74.00</td> <td>-16.39</td> <td>64.53</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>100 303 PEAK</td> </tr> <tr> <td>2 11910.00</td> <td>46.72</td> <td>54.00</td> <td>-7.28</td> <td>53.64</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>100 303 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	57.61	74.00	-16.39	64.53	38.81	19.21	64.94	0.00	100 303 PEAK	2 11910.00	46.72	54.00	-7.28	53.64	38.81	19.21	64.94	0.00	100 303 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11910.00	49.86	74.00	-24.14	56.78	38.81	19.21	64.94	0.00	300 360 PEAK																																																																									
2 11910.00	42.71	54.00	-11.29	49.63	38.81	19.21	64.94	0.00	300 360 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11910.00	57.61	74.00	-16.39	64.53	38.81	19.21	64.94	0.00	100 303 PEAK																																																																									
2 11910.00	46.72	54.00	-7.28	53.64	38.81	19.21	64.94	0.00	100 303 AVERAGE																																																																									



		91																																																																																																																														
Mode	Band Edge																																																																																																																															
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																															
ANT	CDD 9+10																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal between 2440 and 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A peak is observed at 2486.92 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2486.92</td> <td>62.64</td> <td>74.00</td> <td>-11.36</td> <td>46.33</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>96</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2486.92	62.64	74.00	-11.36	46.33	32.40	8.88	30.97	6.00									100									96									PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is observed at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>108.35</td> <td>-----</td> <td>-----</td> <td>92.00</td> <td>32.40</td> <td>8.90</td> <td>30.95</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>96</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2462.00	108.35	-----	-----	92.00	32.40	8.90	30.95	6.00									100									96									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 2486.92	62.64	74.00	-11.36	46.33	32.40	8.88	30.97	6.00																																																																																																																								
								100																																																																																																																								
								96																																																																																																																								
								PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 2462.00	108.35	-----	-----	92.00	32.40	8.90	30.95	6.00																																																																																																																								
								100																																																																																																																								
								96																																																																																																																								
								PEAK																																																																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Horizontal polarization. The plot shows a signal between 2440 and 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A peak is observed at 2483.56 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>47.47</td> <td>54.00</td> <td>-6.53</td> <td>31.16</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>96</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.56	47.47	54.00	-6.53	31.16	32.40	8.88	30.97	6.00									100									96									AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The plot shows a signal between 1000 and 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A sharp peak is observed at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>98.37</td> <td>-----</td> <td>-----</td> <td>82.02</td> <td>32.40</td> <td>8.90</td> <td>30.95</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>96</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2462.00	98.37	-----	-----	82.02	32.40	8.90	30.95	6.00									100									96									AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 2483.56	47.47	54.00	-6.53	31.16	32.40	8.88	30.97	6.00																																																																																																																								
								100																																																																																																																								
								96																																																																																																																								
								AVERAGE																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 2462.00	98.37	-----	-----	82.02	32.40	8.90	30.95	6.00																																																																																																																								
								100																																																																																																																								
								96																																																																																																																								
								AVERAGE																																																																																																																								



		91																																																																																				
Mode	Band Edge																																																																																					
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																					
ANT	CDD 9+10																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.58</td> <td>62.73</td> <td>74.00</td> <td>-11.27</td> <td>46.42</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>327</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.58	62.73	74.00	-11.27	46.42	32.40	8.88	30.97	6.00	327	80	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.90</td> <td>-----</td> <td>-----</td> <td>90.56</td> <td>32.40</td> <td>8.90</td> <td>30.96</td> <td>6.00</td> <td>327</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	106.90	-----	-----	90.56	32.40	8.90	30.96	6.00	327	80	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2484.58	62.73	74.00	-11.27	46.42	32.40	8.88	30.97	6.00	327	80	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2462.00	106.90	-----	-----	90.56	32.40	8.90	30.96	6.00	327	80	PEAK																																																																										
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>47.89</td> <td>54.00</td> <td>-6.11</td> <td>31.58</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>327</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	47.89	54.00	-6.11	31.58	32.40	8.88	30.97	6.00	327	80	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.76</td> <td>-----</td> <td>-----</td> <td>80.42</td> <td>32.40</td> <td>8.90</td> <td>30.96</td> <td>6.00</td> <td>327</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	96.76	-----	-----	80.42	32.40	8.90	30.96	6.00	327	80	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2483.50	47.89	54.00	-6.11	31.58	32.40	8.88	30.97	6.00	327	80	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2462.00	96.76	-----	-----	80.42	32.40	8.90	30.96	6.00	327	80	AVERAGE																																																																										







Mode	91																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																																							
ANT	CDD 9+10																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3606.00</td> <td>47.97</td> <td>74.00</td> <td>-26.03</td> <td>70.16</td> <td>32.92</td> <td>10.55</td> <td>65.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>39.49</td> <td>74.00</td> <td>-34.51</td> <td>58.70</td> <td>34.25</td> <td>12.00</td> <td>65.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.48</td> <td>74.00</td> <td>-31.52</td> <td>56.85</td> <td>35.80</td> <td>14.87</td> <td>65.04</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3606.00	47.97	74.00	-26.03	70.16	32.92	10.55	65.66	0.00	--	--	Peak	2	4924.00	39.49	74.00	-34.51	58.70	34.25	12.00	65.46	0.00	--	--	PEAK	3	7386.00	42.48	74.00	-31.52	56.85	35.80	14.87	65.04	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3606.00</td> <td>45.15</td> <td>74.00</td> <td>-28.85</td> <td>67.34</td> <td>32.92</td> <td>10.55</td> <td>65.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>39.20</td> <td>74.00</td> <td>-34.80</td> <td>58.41</td> <td>34.25</td> <td>12.00</td> <td>65.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.13</td> <td>74.00</td> <td>-31.87</td> <td>56.50</td> <td>35.80</td> <td>14.87</td> <td>65.04</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3606.00	45.15	74.00	-28.85	67.34	32.92	10.55	65.66	0.00	--	--	Peak	2	4924.00	39.20	74.00	-34.80	58.41	34.25	12.00	65.46	0.00	--	--	PEAK	3	7386.00	42.13	74.00	-31.87	56.50	35.80	14.87	65.04	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	3606.00	47.97	74.00	-26.03	70.16	32.92	10.55	65.66	0.00	--	--	Peak																																																																																																																												
2	4924.00	39.49	74.00	-34.51	58.70	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																												
3	7386.00	42.48	74.00	-31.52	56.85	35.80	14.87	65.04	0.00	--	--	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	3606.00	45.15	74.00	-28.85	67.34	32.92	10.55	65.66	0.00	--	--	Peak																																																																																																																												
2	4924.00	39.20	74.00	-34.80	58.41	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																												
3	7386.00	42.13	74.00	-31.87	56.50	35.80	14.87	65.04	0.00	--	--	PEAK																																																																																																																												



91																																																							
Mode	Band Edge																																																						
U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																							
ANT	CDD 8+10																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.28</td> <td>67.37</td> <td>88.20</td> <td>-20.83</td> <td>48.89</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.28	67.37	88.20	-20.83	48.89	35.15	13.73	30.40	0.00	100	226	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.28	67.37	88.20	-20.83	48.89	35.15	13.73	30.40	0.00	100	226	PEAK																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>91.81</td> <td>-----</td> <td>-----</td> <td>81.49</td> <td>32.40</td> <td>8.88</td> <td>30.96</td> <td>0.00</td> <td>100</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>107.79</td> <td>-----</td> <td>-----</td> <td>89.36</td> <td>35.22</td> <td>13.63</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	91.81	-----	-----	81.49	32.40	8.88	30.96	0.00	100	226	Peak	2	5955.00	107.79	-----	-----	89.36	35.22	13.63	30.42	0.00	100	226	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2476.00	91.81	-----	-----	81.49	32.40	8.88	30.96	0.00	100	226	Peak																																											
2	5955.00	107.79	-----	-----	89.36	35.22	13.63	30.42	0.00	100	226	PEAK																																											
Avg	Horizontal																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.50</td> <td>54.26</td> <td>68.20</td> <td>-13.94</td> <td>35.78</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	54.26	68.20	-13.94	35.78	35.15	13.73	30.40	0.00	100	226	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5922.50	54.26	68.20	-13.94	35.78	35.15	13.73	30.40	0.00	100	226	AVERAGE																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>87.95</td> <td>-----</td> <td>-----</td> <td>77.63</td> <td>32.40</td> <td>8.88</td> <td>30.96</td> <td>0.00</td> <td>100</td> <td>226</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>99.70</td> <td>-----</td> <td>-----</td> <td>81.27</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	87.95	-----	-----	77.63	32.40	8.88	30.96	0.00	100	226	Average	2	5955.00	99.70	-----	-----	81.27	35.20	13.65	30.42	0.00	100	226	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2476.00	87.95	-----	-----	77.63	32.40	8.88	30.96	0.00	100	226	Average																																											
2	5955.00	99.70	-----	-----	81.27	35.20	13.65	30.42	0.00	100	226	AVERAGE																																											



	91																																																																																																
Mode	Band Edge																																																																																																
	U-NII-5 5.925-6.425 802.11a_CH1 5955MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Peak at 5923.54 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.54</td> <td>68.95</td> <td>88.20</td> <td>-19.25</td> <td>50.47</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>290</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	68.95	88.20	-19.25	50.47	35.15	13.73	30.40	0.00	290	67	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peaks at 2476.00 MHz and 5955.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>90.01</td> <td>-----</td> <td>-----</td> <td>79.69</td> <td>32.40</td> <td>8.88</td> <td>30.96</td> <td>0.00</td> <td>290</td> <td>67</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>111.30</td> <td>-----</td> <td>-----</td> <td>92.95</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>290</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	90.01	-----	-----	79.69	32.40	8.88	30.96	0.00	290	67	Peak	2	5955.00	111.30	-----	-----	92.95	35.20	13.65	30.42	0.00	290	67	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.54	68.95	88.20	-19.25	50.47	35.15	13.73	30.40	0.00	290	67	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2476.00	90.01	-----	-----	79.69	32.40	8.88	30.96	0.00	290	67	Peak																																																																																					
2	5955.00	111.30	-----	-----	92.95	35.20	13.65	30.42	0.00	290	67	PEAK																																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Average level at 5923.67 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.67</td> <td>55.96</td> <td>68.20</td> <td>-12.24</td> <td>37.48</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>290</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	55.96	68.20	-12.24	37.48	35.15	13.73	30.40	0.00	290	67	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average levels at 2476.00 MHz and 5955.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>85.99</td> <td>-----</td> <td>-----</td> <td>75.67</td> <td>32.40</td> <td>8.88</td> <td>30.96</td> <td>0.00</td> <td>290</td> <td>67</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5955.00</td> <td>102.88</td> <td>-----</td> <td>-----</td> <td>84.45</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>290</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	85.99	-----	-----	75.67	32.40	8.88	30.96	0.00	290	67	Average	2	5955.00	102.88	-----	-----	84.45	35.20	13.65	30.42	0.00	290	67	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.67	55.96	68.20	-12.24	37.48	35.15	13.73	30.40	0.00	290	67	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2476.00	85.99	-----	-----	75.67	32.40	8.88	30.96	0.00	290	67	Average																																																																																					
2	5955.00	102.88	-----	-----	84.45	35.20	13.65	30.42	0.00	290	67	AVERAGE																																																																																					



Mode	91																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	CDD 8+10																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>48.30</td> <td>74.00</td> <td>-25.70</td> <td>55.22</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11910.00</td> <td>37.12</td> <td>54.00</td> <td>-16.88</td> <td>44.02</td> <td>38.81</td> <td>19.22</td> <td>64.93</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	11910.00	48.30	74.00	-25.70	55.22	38.81	19.21	64.94	0.00	300	360	PEAK	2	11910.00	37.12	54.00	-16.88	44.02	38.81	19.22	64.93	0.00	300	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>62.15</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11910.00</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>51.78</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	11910.00	55.23	74.00	-18.77	62.15	38.81	19.21	64.94	0.00	100	303	PEAK	2	11910.00	44.86	54.00	-9.14	51.78	38.81	19.21	64.94	0.00	100	303	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																		
1	11910.00	48.30	74.00	-25.70	55.22	38.81	19.21	64.94	0.00	300	360	PEAK																																																																														
2	11910.00	37.12	54.00	-16.88	44.02	38.81	19.22	64.93	0.00	300	360	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																		
1	11910.00	55.23	74.00	-18.77	62.15	38.81	19.21	64.94	0.00	100	303	PEAK																																																																														
2	11910.00	44.86	54.00	-9.14	51.78	38.81	19.21	64.94	0.00	100	303	AVERAGE																																																																														




Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	99.05	-	-	10Hz
11be EHT20	99.55	-	-	10Hz
11be EHT40	100.00	-	-	10Hz
11be EHT80	100.00	-	-	10Hz
11be EHT160	99.32	-	-	10Hz
11be EHT320	98.19	-	-	10Hz
11be EHT80 Large RU484+242	98.67	-	-	10Hz
11be EHT160 Large RU996+484	98.41	-	-	10Hz
11be EHT320 Large RU996*3	96.44	0.488	2.049	2.2KHz
11be EHT320 Large RU996*2+484	96.98	0.578	1.730	1.8KHz
11be EHT320 Large RU996*3+484	95.98	0.430	2.326	2.4KHz
11be EHT20 Single RU 52	100.00	-	-	10Hz
11be EHT20 Single RU 106	99.58	-	-	10Hz
11be EHT20 Small RU 106+26	99.56	-	-	10Hz
11be EHT80 Puncturing 20M	100.00	-	-	10Hz
11be EHT160 Puncturing 40M	100.00	-	-	10Hz
11be EHT160 Puncturing 20M	99.56	-	-	10Hz
11be EHT320 Puncturing 80M+40M	99.53	-	-	10Hz
11be EHT320 Puncturing 80M	99.52	-	-	10Hz
11be EHT320 Puncturing 40M	99.51	-	-	10Hz



802.11a




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT320






802.11be EHT80 Large RU484+242




802.11be EHT160 Large RU996+484






802.11be EHT320 Large RU996*3




802.11be EHT320 Large RU996*2+484





802.11be EHT320 Large RU996*3+484




802.11be EHT20 Single RU 52






802.11be EHT20 Single RU 106




802.11be EHT20 Small RU 106+26






802.11be EHT80 Puncturing 20M




802.11be EHT160 Puncturing 40M






802.11be EHT160 Puncturing 20M




802.11be EHT320 Puncturing 80M+40M





802.11be EHT320 Puncturing 80M



802.11be EHT320 Puncturing 40M

