




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	43.72	54.00	10.28	43.83	V	175.2	2.00
1	5,150.000	43.70	54.00	10.30	43.83	V	175.2	2.00
1	5,192.500	82.47			44.02	V	223	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5190MHz: Fundamental frequency.



CHANNEL	TX Channel 46	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,145.350	60.29	74.00	13.71	43.82	H	89.2	2.00
2	5,150.000	58.11	74.00	15.89	43.83	H	89.2	2.00
2	5,224.800	101.14			43.85	H	89.2	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,147.800	43.39	54.00	10.61	43.82	H	88.1	2.00
2	5,150.000	43.27	54.00	10.73	43.83	H	88.1	2.00
2	5,232.150	87.92			43.80	H	134.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,128.200	57.79	74.00	16.21	43.78	V	359.1	1.00
2	5,150.000	57.45	74.00	16.55	43.83	V	359.1	1.00
2	5,234.250	95.42			43.79	V	226.7	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,145.350	42.89	54.00	11.11	43.82	V	181.2	2.00
2	5,150.000	42.89	54.00	11.11	43.83	V	181.2	2.00
2	5,232.150	82.55			43.80	V	227.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5230MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.150	43.97	54.00	10.03	43.83	H	108.4	2.00
1	5,150.000	43.93	54.00	10.07	43.83	H	108.4	2.00
1	5,178.850	94.04			43.96	H	108.4	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,128.900	58.11	74.00	15.89	43.78	V	267.3	1.00
1	5,150.000	57.60	74.00	16.40	43.83	V	359	1.00
1	5,182.900	99.41			43.98	V	226.6	2.00






- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5180MHz: Fundamental frequency.



CHANNEL	TX Channel 40	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.100	57.71	74.00	16.29	43.83	H	357.6	1.00
2	5,150.000	56.90	74.00	17.10	43.83	H	83.2	2.00
2	5,200.300	104.65			44.02	H	42.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,147.800	43.35	54.00	10.65	43.82	H	90.4	2.00
2	5,150.000	43.29	54.00	10.71	43.83	H	90.4	2.00
2	5,198.800	92.56			44.03	H	42.6	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,129.500	58.10	74.00	15.90	43.78	V	133.4	2.00
2	5,150.000	56.89	74.00	17.11	43.83	V	272.1	2.00
2	5,200.000	97.72			44.02	V	225.5	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5200MHz: Fundamental frequency.



CHANNEL	TX Channel 48	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,112.625	57.79	74.00	16.21	43.74	H	359	1.00
3	5,150.000	56.71	74.00	17.29	43.83	H	132.2	1.00
3	5,240.130	105.54			43.75	H	28.2	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,144.125	42.98	54.00	11.02	43.82	H	278.1	1.00
3	5,150.000	42.93	54.00	11.07	43.83	H	42.6	1.00
3	5,239.000	92.38			43.76	H	42.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,110.375	58.16	74.00	15.84	43.73	V	34.2	2.00
3	5,149.750	57.13	74.00	16.87	43.83	V	1	2.00
3	5,240.500	99.39			43.75	V	224.3	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.000	42.88	54.00	11.12	43.83	V	147.7	1.00
3	5,150.000	42.85	54.00	11.15	43.83	V	33	2.00
3	5,239.000	86.74			43.76	V	221.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5240MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	45.13	54.00	8.87	43.83	H	88.1	2.00
1	5,150.000	45.33	54.00	8.67	43.83	H	88.1	2.00
1	5,192.500	88.19			44.02	H	135.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.500	59.66	74.00	14.34	43.83	V	180.1	2.00
1	5,150.000	60.41	74.00	13.59	43.83	V	180.1	2.00
1	5,184.000	94.12			43.98	V	226.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.000	43.29	54.00	10.71	43.83	V	213.5	2.00
1	5,150.000	43.32	54.00	10.68	43.83	V	213.5	2.00
1	5,188.000	82.07			44.00	V	213.5	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5190MHz: Fundamental frequency.



CHANNEL	TX Channel 46	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,118.400	58.02	74.00	15.98	43.75	H	178.9	1.00
2	5,150.000	56.38	74.00	17.62	43.83	H	40.2	1.00
2	5,235.650	101.32			43.78	H	134.6	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.200	43.16	54.00	10.84	43.83	H	98.7	2.00
2	5,150.000	43.08	54.00	10.92	43.83	H	98.7	2.00
2	5,224.100	86.78			43.86	H	98.7	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,142.900	58.04	74.00	15.96	43.81	V	181.3	2.00
2	5,150.000	57.09	74.00	16.91	43.83	V	226.7	2.00
2	5,226.550	95.08			43.84	V	226.7	2.00





- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5230MHz: Fundamental frequency.




802.11ac (80MHz)

CHANNEL	TX Channel 42	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,146.550	69.26	74.00	4.74	43.82	H	84.4	2.00
10	5,150.000	68.46	74.00	5.54	43.83	H	84.4	2.00
10	5,205.625	97.04			43.98	H	84.4	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	46.82	54.00	7.18	43.83	H	82.1	2.00
10	5,150.000	47.06	54.00	6.94	43.83	H	82.1	2.00
10	5,207.750	84.38			43.97	H	41.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,146.975	63.08	74.00	10.92	43.82	V	177.7	2.00
10	5,150.000	60.39	74.00	13.61	43.83	V	182.4	1.00
10	5,205.625	91.83			43.98	V	177.7	2.00

