

- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5210MHz: Fundamental frequency.




Band 2

802.11a

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.480	106.64			43.65	H	269.6	1.00
4	5,350.000	58.23	74.00	15.77	43.55	H	354.9	2.00
4	5,370.525	59.15	74.00	14.85	43.55	H	273.2	2.00






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	95.04			43.64	H	94	2.00
4	5,350.000	44.42	54.00	9.58	43.55	H	42.6	1.00
4	5,350.575	44.43	54.00	9.57	43.55	H	42.6	1.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	87.92			43.64	V	183.6	2.00
4	5,350.000	44.12	54.00	9.88	43.55	V	227.8	2.00
4	5,352.000	44.21	54.00	9.79	43.55	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.




CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.900	106.46			43.45	H	133.4	2.00
5	5,350.000	60.49	74.00	13.51	43.55	H	359	2.00
5	5,350.700	60.49	74.00	13.51	43.55	H	41.4	1.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	98.70			43.45	V	181.3	2.00
5	5,350.000	58.15	74.00	15.85	43.55	V	86.8	1.00
5	5,360.900	59.13	74.00	14.87	43.55	V	6.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	86.55			43.45	V	1	1.00
5	5,350.000	44.24	54.00	9.76	43.55	V	224.3	2.00
5	5,352.500	44.29	54.00	9.71	43.55	V	224.3	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,323.200	108.69			43.50	H	85.7	2.00
6	5,350.000	67.19	74.00	6.81	43.55	H	359	2.00
6	5,351.200	68.83	74.00	5.17	43.55	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	95.76			43.49	H	85.7	2.00
6	5,350.000	47.52	54.00	6.48	43.55	H	41.3	1.00
6	5,350.800	47.10	54.00	6.90	43.55	H	0.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,323.200	100.58			43.50	V	178.8	2.00
6	5,350.000	62.13	74.00	11.87	43.55	V	5.1	1.00
6	5,350.400	63.48	74.00	10.52	43.55	V	353.8	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	93.14			43.64	H	91.6	2.00
4	5,350.000	44.38	54.00	9.62	43.55	H	359	2.00
4	5,351.525	44.45	54.00	9.55	43.55	H	1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.325	98.19			43.63	V	229.1	2.00
4	5,350.000	57.98	74.00	16.02	43.55	V	84.5	1.00
4	5,381.450	59.05	74.00	14.95	43.55	V	39	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,303.300	105.36			43.46	H	91.6	2.00
5	5,350.000	58.46	74.00	15.54	43.55	H	1	2.00
5	5,351.600	59.64	74.00	14.36	43.55	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	93.78			43.45	H	95.3	2.00
5	5,350.000	44.56	54.00	9.44	43.55	H	95.3	2.00
5	5,351.600	44.63	54.00	9.37	43.55	H	95.3	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	98.09			43.45	V	5.8	1.00
5	5,350.000	58.17	74.00	15.83	43.55	V	359	2.00
5	5,372.000	58.92	74.00	15.08	43.55	V	319.9	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

=ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,319.600	106.55			43.49	H	90.5	2.00
6	5,350.000	66.34	74.00	7.66	43.55	H	90.5	2.00
6	5,350.800	66.33	74.00	7.67	43.55	H	42.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	94.24			43.49	H	91.6	2.00
6	5,350.000	45.72	54.00	8.28	43.55	H	91.6	2.00
6	5,350.800	45.58	54.00	8.42	43.55	H	91.6	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,319.600	99.51			43.49	V	182.4	2.00
6	5,350.000	61.11	74.00	12.89	43.55	V	227.8	2.00
6	5,351.600	60.55	74.00	13.45	43.55	V	227.8	2.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




802.11n (40MHz)

CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,265.300	103.59			43.61	H	88.1	2.00
3	5,350.000	59.82	74.00	14.18	43.55	H	88.1	2.00
3	5,362.833	60.07	74.00	13.93	43.55	H	42.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.867	90.58			43.60	H	85.6	2.00
3	5,350.000	44.74	54.00	9.26	43.55	H	43.8	1.00
3	5,350.367	44.77	54.00	9.23	43.55	H	43.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.267	94.43			43.58	V	116.6	1.00
3	5,350.000	58.73	74.00	15.27	43.55	V	134.6	2.00
3	5,355.867	59.20	74.00	14.80	43.55	V	318.8	2.00

