




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,271.900	82.51			43.58	V	178.8	2.00
3	5,350.000	44.29	54.00	9.72	43.55	V	5.1	1.00
3	5,352.200	44.32	54.00	9.68	43.55	V	358.9	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 62	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,308.000	101.13			43.47	H	84.5	2.00
4	5,350.000	67.87	74.00	6.13	43.55	H	42.6	1.00
4	5,350.500	66.75	74.00	7.25	43.55	H	42.6	1.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,312.000	88.89			43.48	H	41.3	1.00
4	5,350.000	47.30	54.00	6.70	43.55	H	41.3	1.00
4	5,350.500	47.22	54.00	6.78	43.55	H	41.3	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,311.000	93.78			43.47	V	28.2	1.00
4	5,350.000	61.84	74.00	12.16	43.55	V	6.6	2.00
4	5,350.500	61.93	74.00	12.07	43.55	V	224.2	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,312.000	81.31			43.48	V	359	1.00
4	5,350.000	44.67	54.00	9.33	43.55	V	356.2	1.00
4	5,351.000	44.69	54.00	9.31	43.55	V	359	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	92.95			43.64	H	43.7	1.00
4	5,350.000	44.53	54.00	9.47	43.55	H	43.7	1.00
4	5,351.525	44.50	54.00	9.50	43.55	H	43.7	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.850	98.45			43.64	V	212.3	2.00
4	5,350.000	58.48	74.00	15.52	43.55	V	359	2.00
4	5,375.750	59.22	74.00	14.78	43.55	V	325.9	1.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.




<b>CHANNEL</b>	TX Channel 60	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,302.100	104.44			43.46	H	83.3	2.00
5	5,350.000	57.86	74.00	16.14	43.55	H	284.1	1.00
5	5,362.700	59.77	74.00	14.23	43.55	H	83.3	2.00








**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,302.100	96.33			43.46	V	359.1	1.00
5	5,350.000	58.55	74.00	15.45	43.55	V	1	1.00
5	5,378.000	59.12	74.00	14.88	43.55	V	123.8	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	84.54			43.45	V	359.1	1.00
5	5,350.000	44.28	54.00	9.72	43.55	V	17.5	1.00
5	5,352.200	44.33	54.00	9.67	43.55	V	23.6	2.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 64	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	106.36			43.49	H	40.2	1.00
6	5,350.000	67.54	74.00	6.46	43.55	H	40.2	1.00
6	5,352.000	66.46	74.00	7.54	43.55	H	40.2	1.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	93.32			43.49	H	41.4	1.00
6	5,350.000	46.37	54.00	7.63	43.55	H	41.4	1.00
6	5,350.800	46.26	54.00	7.74	43.55	H	41.4	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	98.47			43.49	V	5.1	1.00
6	5,350.000	59.50	74.00	14.50	43.55	V	359	1.00
6	5,351.200	60.90	74.00	13.10	43.55	V	1	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	85.98			43.49	V	5.1	1.00
6	5,350.000	44.54	54.00	9.46	43.55	V	182.5	2.00
6	5,350.400	44.52	54.00	9.48	43.55	V	359.1	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.867	87.78			43.60	H	76	2.00
3	5,350.000	44.54	54.00	9.46	43.55	H	126.2	2.00
3	5,350.733	44.67	54.00	9.33	43.55	H	46.2	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.267	93.34			43.58	V	169.4	2.00
3	5,350.000	58.42	74.00	15.58	43.55	V	356.7	1.00
3	5,427.000	59.41	74.00	14.59	43.82	V	181.3	1.00






- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
  2. Margin value = Limit value- Emission level.
  3. 5270MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 62	<b>DETECTOR</b> <b>FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,308.000	101.27			43.47	H	83.3	2.00
4	5,350.000	67.79	74.00	6.21	43.55	H	359	2.00
4	5,351.500	68.62	74.00	5.38	43.55	H	318.7	2.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,308.000	88.51			43.47	H	41.3	1.00
4	5,350.000	47.37	54.00	6.63	43.55	H	41.3	1.00
4	5,351.000	47.25	54.00	6.75	43.55	H	41.3	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,315.000	94.00			43.48	V	359.1	1.00
4	5,350.000	60.54	74.00	13.46	43.55	V	355.3	1.00
4	5,351.500	63.76	74.00	10.24	43.55	V	359.1	1.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,277.400	82.05			43.55	H	80.9	2.00
1	5,350.000	48.48	54.00	5.52	43.55	H	44.9	1.00
1	5,354.400	49.05	54.00	4.95	43.55	H	44.9	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,297.933	90.89			43.45	V	174.1	2.00
1	5,350.000	63.02	74.00	10.98	43.55	V	355.8	1.00
1	5,358.433	64.47	74.00	9.53	43.55	V	355.8	1.00

