

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.




**Band 3**


**802.11a**


<b>CHANNEL</b>	TX Channel 100	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	65.58	74.00	8.42	44.18	H	86.8	2.00
7	5,460.000	65.64	74.00	8.36	44.19	H	86.8	2.00
7	5,502.450	109.94			44.67	H	322.3	1.00









**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,449.975	58.86	74.00	15.14	44.08	H	49.8	2.00
8	5,460.000	58.07	74.00	15.93	44.18	H	355.6	2.00
8	5,581.730	107.21			44.45	H	349.4	1.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,453.800	44.14	54.00	9.86	44.13	H	92.7	2.00
8	5,460.000	43.99	54.00	10.01	44.19	H	355.5	2.00
8	5,581.725	95.18			44.45	H	359	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,439.775	59.21	74.00	14.79	43.97	V	359	1.00
8	5,460.000	58.52	74.00	15.48	44.19	V	220.6	1.00
8	5,582.150	101.83			44.44	V	5.1	1.00






- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
  2. Margin value = Limit value- Emission level.
  3. 5580MHz: Fundamental frequency.
  4. #: Out of restricted band.




<b>CHANNEL</b>	TX Channel 140	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.000	103.97			44.48	H	355	2.00
10	5,725.000	63.01	68.20	5.19	44.48	H	134.6	2.00
10	5,726.600	63.60	68.20	4.60	44.48	H	1	2.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.




<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.500	104.93			44.48	H	355.5	2.00
9	5,850.000	57.77	68.20	10.43	44.73	H	359.1	1.00
9	5,894.500	59.46	68.20	8.74	44.57	H	41.4	1.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	44.88	54.00	9.12	44.19	H	0.9	2.00
7	5,460.000	44.87	54.00	9.13	44.18	H	0.9	2.00
7	5,498.850	94.28			44.63	H	1	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.900	60.10	74.00	13.90	44.17	V	5	1.00
7	5,460.000	59.29	74.00	14.71	44.19	V	5	1.00
7	5,499.750	101.20			44.64	V	5	1.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz	<b>FUNCTION</b>	Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.525	59.05	74.00	14.95	44.11	H	5.8	2.00
8	5,460.000	59.27	74.00	14.73	44.19	H	40.2	2.00
8	5,582.580	105.66			44.44	H	359.1	1.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,453.800	44.21	54.00	9.79	44.13	H	359	2.00
8	5,460.000	44.11	54.00	9.89	44.18	H	359	1.00
8	5,579.175	95.59			44.45	H	317.6	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,438.925	59.23	74.00	14.77	43.96	V	321.1	1.00
8	5,460.000	58.11	74.00	15.89	44.18	V	83.2	2.00
8	5,582.150	99.15			44.44	V	5	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,456.350	44.11	54.00	9.89	44.16	V	41.4	1.00
8	5,460.000	43.94	54.00	10.06	44.17	V	359.1	1.00
8	5,578.750	88.04			44.46	V	5.2	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 140	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.000	103.57			44.48	H	91.7	2.00
10	5,725.000	64.11	68.20	4.09	44.48	H	355	2.00
10	5,726.600	64.27	68.20	3.93	44.48	H	227.9	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,697.675	98.20			44.48	V	183.6	2.00
10	5,725.000	58.48	68.20	9.72	44.48	V	359	1.00
10	5,727.250	59.83	68.20	8.37	44.48	V	85.7	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.



<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.000	103.20			44.48	H	89.2	2.00
9	5,850.000	58.43	68.20	9.77	44.73	H	318.7	2.00
9	5,899.500	59.23	68.20	8.97	44.55	H	1	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,719.500	99.31			44.48	V	178.9	2.00
9	5,850.000	58.20	68.20	10.00	44.73	V	0.9	2.00
9	5,854.500	59.15	68.20	9.05	44.71	V	89.3	1.00



**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	46.71	54.00	7.29	44.19	H	355.3	1.00
5	5,460.000	46.90	54.00	7.10	44.20	H	355.3	1.00
5	5,508.000	91.05			44.73	H	359	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,453.500	61.45	74.00	12.55	44.12	V	359	1.00
5	5,460.000	60.57	74.00	13.43	44.20	V	1	1.00
5	5,504.500	98.34			44.70	V	138.2	1.00

