

REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,667.500	101.82			44.41	H	355	2.00
8	5,725.000	59.57	68.20	8.63	44.48	H	0.9	2.00
8	5,727.000	60.51	68.20	7.69	44.48	H	42.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,667.500	96.54			44.41	V	178.9	2.00
8	5,725.000	58.83	68.20	9.37	44.48	V	318.8	2.00
8	5,728.500	59.30	68.20	8.90	44.48	V	134.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,707.130	101.14			44.48	H	1	2.00
9	5,850.000	57.59	68.20	10.61	44.73	H	1	2.00
9	5,865.900	59.17	68.20	9.03	44.67	H	359	2.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,458.867	49.36	54.00	4.64	44.18	H	353.8	1.00
2	5,460.000	49.12	54.00	4.88	44.19	H	353.8	1.00
2	5,532.467	85.46			44.65	H	319.9	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,458.100	61.96	74.00	12.04	44.17	V	226.6	2.00
2	5,460.000	60.80	74.00	13.20	44.18	V	354.6	1.00
2	5,537.833	91.63			44.62	V	4.4	1.00






- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5530MHz: Fundamental frequency.
 4. #: Out of restricted band.




CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,612.725	99.37			44.34	H	1	1.00
3	5,725.000	59.33	68.20	8.87	44.48	H	134.6	2.00
3	5,727.675	60.43	68.20	7.77	44.48	H	359	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5610MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,675.533	99.13			44.43	H	1	1.00
4	5,850.000	57.51	68.20	10.69	44.73	H	227.9	1.00
4	5,859.700	59.35	68.20	8.85	44.70	H	359.1	1.00





- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5690MHz: Fundamental frequency.
 4. #: Out of restricted band.




BAND 4


802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,623.438	59.50	68.20	8.70	44.32	H	359	2.00
12	5,746.560	105.26			44.51	H	358.4	1.00
13	5,934.375	59.75	68.20	8.45	44.36	H	1	2.00






- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5745MHz: Fundamental frequency.



CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,628.750	59.54	68.20	8.66	44.34	H	5.1	1.00
12	5,783.440	104.13			44.64	H	359.1	1.00
13	5,951.625	59.14	68.20	9.06	44.27	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,610.000	59.48	68.20	8.72	44.35	V	348	1.00
12	5,783.750	98.51			44.64	V	84.5	1.00
13	5,990.625	59.11	68.20	9.09	44.39	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,602.813	59.94	68.20	8.26	44.37	H	146.5	2.00
12	5,823.750	103.18			44.74	H	358.6	1.00
13	5,933.250	58.96	68.20	9.24	44.37	H	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,620.000	59.35	68.20	8.85	44.32	V	146.6	2.00
12	5,829.688	95.90			44.74	V	85.6	1.00
13	5,989.500	59.26	68.20	8.94	44.38	V	53.3	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.




CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,643.750	59.59	68.20	8.61	44.37	H	1	1.00
12	5,783.750	102.52			44.64	H	359	2.00
13	5,981.625	59.02	68.20	9.18	44.34	H	187.3	2.00






- REMARKS:**
1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
 2. Margin value = Limit value- Emission level.
 3. 5785MHz: Fundamental frequency.




CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,612.813	59.97	68.20	8.23	44.34	H	354.9	2.00
12	5,823.130	100.87			44.73	H	359	2.00
13	5,982.750	58.99	68.20	9.21	44.35	H	359	2.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.