





BUREAU VERITAS

Test Report No.: PSU-QBJ2508070215RF01



26(824-849)-10MHz-QPSK-26915-1RB#0-30~1000-PASS

26(824-849)-10MHz-QPSK-26915-1RB#0-1000~3000-PASS





26(824-849)-10MHz-QPSK-26915-1RB#0-3000~10000-PASS

26(824-849)-10MHz-QPSK-26990-1RB#0-30~1000-PASS




BUREAU VERITAS

Test Report No.: PSU-QBJ2508070215RF01



26(824-849)-10MHz-QPSK-26990-1RB#0-1000~3000-PASS

26(824-849)-10MHz-QPSK-26990-1RB#0-3000~10000-PASS




26(824-849)-15MHz-QPSK-26865-1RB#0-30~1000-PASS

26(824-849)-15MHz-QPSK-26865-1RB#0-1000~3000-PASS




BUREAU VERITAS

Test Report No.: PSU-QBJ2508070215RF01



26(824-849)-15MHz-QPSK-26865-1RB#0-3000~10000-PASS

26(824-849)-15MHz-QPSK-26915-1RB#0-30~1000-PASS




26(824-849)-15MHz-QPSK-26915-1RB#0-1000~3000-PASS

26(824-849)-15MHz-QPSK-26915-1RB#0-3000~10000-PASS




BUREAU VERITAS

Test Report No.: PSU-QBJ2508070215RF01



26(824-849)-15MHz-QPSK-26965-1RB#0-30~1000-PASS

26(824-849)-15MHz-QPSK-26965-1RB#0-1000~3000-PASS




26(824-849)-15MHz-QPSK-26965-1RB#0-3000~10000-PASS



BUREAU
VERITAS

Test Report No.: PSU-QBJ2508070215RF01



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



APPENDIX : FREQUENCY STABILITY

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(824-849)	10MHz	QPSK	26840	50RB#0	VN	NT	739.38	0.891898	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	VL	NT	659.13	0.795085	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	VH	NT	749.75	0.904400	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	VN	NT	689.98	0.817511	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	VL	NT	1619.33	1.918640	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	VH	NT	1949.60	2.309951	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	-30	-170.66	-0.205865	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	-20	319.94	0.385939	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	-10	1199.29	1.446667	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	0	1099.94	1.326823	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	10	1829.27	2.206596	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	20	1009.07	1.217218	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	30	399.95	0.482446	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	40	1329.50	1.603742	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	50	1259.14	1.518861	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-30	580.10	0.687326	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-20	940.50	1.114340	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-10	1210.10	1.433770	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	0	1480.19	1.753781	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	10	640.32	0.758673	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	20	770.42	0.912826	±2.5	PASS



BUREAU
VERITAS

Test Report No.: PSU-QBJ2508070215RF01

849)										
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	30	1131.00	1.340046	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	40	1730.44	2.050283	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	50	1290.54	1.529073	±2.5	PASS

--END--