







BUREAU VERITAS Test Report No.: PSU-QBJ2508070215RF05







BUREAU VERITAS Test Report No.: PSU-QBJ2508070215RF05




26(814-824)-5MHz-QPSK-26715-1RB#0-30~1000-PASS



26(814-824)-5MHz-QPSK-26715-1RB#0-1000~3000-PASS



26(814-824)-5MHz-QPSK-26715-1RB#0-3000~10000-PASS



26(814-824)-5MHz-QPSK-26740-1RB#0-30~1000-PASS


Huarui 7layers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU VERITAS Test Report No.: PSU-QBJ2508070215RF05



26(814-824)-5MHz-QPSK-26740-1RB#0-1000~3000-PASS

26(814-824)-5MHz-QPSK-26740-1RB#0-3000~10000-PASS



26(814-824)-5MHz-QPSK-26765-1RB#0-30~1000-PASS

26(814-824)-5MHz-QPSK-26765-1RB#0-1000~3000-PASS

Huarui 7layers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




BUREAU VERITAS Test Report No.: PSU-QBJ2508070215RF05




26(814-824)-5MHz-QPSK-26765-1RB#0-3000~10000-PASS

26(814-824)-10MHz-QPSK-26740-1RB#0-30~1000-PASS



26(814-824)-10MHz-QPSK-26740-1RB#0-1000~3000-PASS



26(814-824)-10MHz-QPSK-26740-1RB#0-3000~10000-PASS

Huarui 7layers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU VERITAS Test Report No.: PSU-QBJ2508070215RF05



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



APPENDIX : FREQUENCY STABILITY

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(814-824)	5MHz	QPSK	26715	25RB#0	VN	NT	809.45	0.991370	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	VL	NT	1609.37	1.971062	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	VH	NT	1579.86	1.934922	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	VN	NT	900.49	1.09615	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	VL	NT	560.90	0.68278	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	VH	NT	1250.45	1.52215	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-30	1739.98	2.131022	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-20	1229.19	1.505442	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-10	1839.31	2.252671	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	0	1429.01	1.750169	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	10	1329.98	1.628879	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	20	1249.11	1.529831	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	30	579.98	0.710319	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	40	429.28	0.525757	±2.5	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	NV	50	1399.52	1.714047	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-30	1600.79	1.948613	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-20	300.21	0.365439	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-10	1000.23	1.217566	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	NV	0	-719.88	0.876302	±2.5	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	NV	10	-529.25	0.6442	±2.5	PASS



BUREAU VERITAS Test Report No.: PSU-QBJ2508070215RF05

								54		
26(81 4-824)	5MHz	QPSK	26765	25RB#0	NV	20	1650.0 3	2.0085 63	±2.5	PASS
26(81 4-824)	5MHz	QPSK	26765	25RB#0	NV	30	1180.23	1.4366 79	±2.5	PASS
26(81 4-824)	5MHz	QPSK	26765	25RB#0	NV	40	300.48	0.3657 75	±2.5	PASS
26(81 4-824)	5MHz	QPSK	26765	25RB#0	NV	50	-960.00	- 1.1685 94	±2.5	PASS

---END---