




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.267	91.76			43.58	H	328.1	1.00
3	5,350.000	44.91	54.00	9.09	43.55	H	337	2.00
3	5,352.200	44.85	54.00	9.15	43.55	H	328.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,266.400	96.14			43.60	V	197.8	2.00
3	5,350.000	57.90	74.00	16.10	43.55	V	181.2	1.00
3	5,350.367	59.24	74.00	14.76	43.55	V	5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.867	83.81			43.60	V	250.6	1.00
3	5,350.000	44.44	54.00	9.56	43.55	V	199	2.00
3	5,351.100	44.43	54.00	9.57	43.55	V	199	2.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.




CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	90.46			43.47	H	319.8	1.00
4	5,350.000	46.42	54.00	7.58	43.55	H	319.8	1.00
4	5,350.500	46.41	54.00	7.59	43.55	H	319.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,306.000	94.82			43.46	V	193.1	2.00
4	5,350.000	62.35	74.00	11.65	43.55	V	183.6	1.00
4	5,351.500	63.26	74.00	10.74	43.55	V	252.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	82.46			43.47	V	178.2	2.00
4	5,350.000	44.79	54.00	9.21	43.55	V	200.8	2.00
4	5,350.500	44.71	54.00	9.29	43.55	V	200.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,298.667	83.47			43.45	H	299.6	1.00
1	5,350.000	48.65	54.00	5.35	43.55	H	299.6	1.00
1	5,350.367	48.57	54.00	5.43	43.55	H	299.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,295.733	92.05			43.46	V	229.1	1.00
1	5,350.000	58.39	74.00	15.61	43.55	V	322.3	1.00
1	5,363.200	61.19	74.00	12.81	43.55	V	226.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,295.000	76.74			43.47	V	166.9	1.00
1	5,350.000	45.68	54.00	8.32	43.55	V	166.9	1.00
1	5,350.367	45.56	54.00	8.44	43.55	V	166.9	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.




Band 3

802.11a


CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.000	64.83	74.00	9.17	44.16	H	355	2.00
7	5,460.000	64.56	74.00	9.44	44.19	H	358.4	1.00
7	5,499.750	111.05			44.64	H	308	1.00




○ PK+ Level @CriticalPoint √ PK+ Level @Spectrum Overview √ PK+ Limit @5G WiFi 20M B3_CH100





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,452.500	59.30	74.00	14.70	44.11	V	355	2.00
7	5,460.000	58.48	74.00	15.52	44.19	V	221.8	1.00
7	5,500.650	105.47			44.65	V	131	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,451.150	44.40	54.00	9.60	44.10	V	148.9	1.00
7	5,460.000	44.36	54.00	9.64	44.19	V	148.9	1.00
7	5,498.850	91.79			44.63	V	148.9	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,450.825	59.32	74.00	14.68	44.09	H	88	1.00
8	5,460.000	57.41	74.00	16.59	44.19	H	353.8	1.00
8	5,578.325	110.17			44.46	H	322.2	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,450.825	44.25	54.00	9.75	44.09	H	292.3	1.00
8	5,460.000	43.97	54.00	10.03	44.19	H	1	1.00
8	5,579.175	99.88			44.45	H	292.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,432.975	59.04	74.00	14.96	43.89	V	108.4	2.00
8	5,460.000	57.26	74.00	16.74	44.19	V	352.6	1.00
8	5,578.750	104.87			44.46	V	133.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,451.250	44.21	54.00	9.79	44.10	V	0.9	2.00
8	5,460.000	43.81	54.00	10.19	44.19	V	227.9	2.00
8	5,579.175	91.44			44.45	V	153.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.325	105.25			44.48	H	306.8	1.00
10	5,725.000	63.69	68.20	4.51	44.48	H	261.3	1.00
10	5,725.625	64.26	68.20	3.94	44.48	H	319.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,701.250	99.40			44.48	V	172.9	1.00
10	5,725.000	58.99	68.20	9.21	44.48	V	128.6	1.00
10	5,725.625	58.99	68.20	9.21	44.48	V	128.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,720.000	106.31			44.48	H	306.8	1.00
9	5,850.000	58.39	68.20	9.81	44.73	H	231.6	2.00
9	5,850.500	60.06	68.20	8.14	44.73	H	262.5	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.500	101.64			44.48	V	176.4	1.00
9	5,850.000	57.79	68.20	10.41	44.73	V	132.2	1.00
9	5,889.500	59.60	68.20	8.60	44.59	V	6.5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	45.42	54.00	8.58	44.19	H	309.1	1.00
7	5,460.000	45.42	54.00	8.58	44.19	H	309.1	1.00
7	5,498.850	97.86			44.63	H	309.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,441.250	59.43	74.00	14.57	43.98	V	358.6	1.00
7	5,460.000	58.38	74.00	15.62	44.18	V	263.7	1.00
7	5,505.150	102.67			44.70	V	129.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,450.700	44.30	54.00	9.70	44.09	V	174.1	1.00
7	5,460.000	44.04	54.00	9.96	44.19	V	174.1	1.00
7	5,501.100	90.02			44.66	V	129.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,439.350	59.43	74.00	14.57	43.96	H	131	1.00
8	5,460.000	57.87	74.00	16.13	44.18	H	96.3	2.00
8	5,581.300	110.54			44.45	H	309.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.100	44.31	54.00	9.69	44.11	H	359.1	1.00
8	5,460.000	43.90	54.00	10.10	44.18	H	359.1	1.00
8	5,579.175	96.80			44.45	H	263.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.100	59.72	74.00	14.28	44.11	V	49.7	2.00
8	5,460.000	58.04	74.00	15.96	44.18	V	5.1	1.00
8	5,581.300	103.76			44.45	V	129.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,451.675	44.19	54.00	9.81	44.10	V	354.9	2.00
8	5,460.000	43.84	54.00	10.16	44.18	V	1	1.00
8	5,578.750	91.00			44.46	V	129.8	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,702.225	97.68			44.48	V	178.8	1.00
10	5,725.000	59.48	68.20	8.72	44.48	V	223	1.00
10	5,725.625	59.96	68.20	8.24	44.48	V	132.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.000	107.68			44.48	H	310.4	1.00
9	5,850.000	58.59	68.20	9.61	44.73	H	264.9	1.00
9	5,871.500	59.04	68.20	9.16	44.65	H	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,723.500	102.94			44.48	V	174.1	1.00
9	5,850.000	58.30	68.20	9.90	44.73	V	348	1.00
9	5,886.000	59.60	68.20	8.60	44.60	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	44.90	54.00	9.10	44.19	H	334	1.00
5	5,460.000	45.09	54.00	8.91	44.20	H	334	1.00
5	5,508.000	91.45			44.73	H	310.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	62.04	74.00	11.96	44.19	H	334.6	2.00
5	5,460.000	61.00	74.00	13.00	44.20	H	328.7	1.00
5	5,508.000	104.11			44.73	H	306.1	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,454.288	59.42	74.00	14.58	44.13	H	235.5	1.00
6	5,460.000	58.30	74.00	15.70	44.18	H	162.7	1.00
6	5,546.360	104.37			44.57	H	313.8	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,450.663	44.50	54.00	9.50	44.09	H	328.1	1.00
6	5,460.000	44.18	54.00	9.82	44.19	H	328.1	1.00
6	5,547.813	91.35			44.56	H	304.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,447.400	59.16	74.00	14.84	44.05	V	356.1	2.00
6	5,460.000	58.25	74.00	15.75	44.18	V	71.4	1.00
6	5,551.800	99.78			44.55	V	162.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,451.025	44.29	54.00	9.71	44.10	V	32.6	1.00
6	5,460.000	43.96	54.00	10.04	44.19	V	234.3	1.00
6	5,547.450	86.23			44.57	V	155.5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,671.000	104.86			44.42	H	325.1	1.00
8	5,725.000	63.48	68.20	4.72	44.48	H	354.9	2.00
8	5,737.000	64.11	68.20	4.09	44.49	H	279.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,450.663	44.50	54.00	9.50	44.09	H	328.1	1.00
6	5,460.000	44.18	54.00	9.82	44.19	H	328.1	1.00
6	5,547.813	91.35			44.56	H	304.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,707.867	99.96			44.48	V	174.1	1.00
9	5,850.000	57.81	68.20	10.39	44.73	V	15.3	1.00
9	5,862.233	59.53	68.20	8.67	44.69	V	334.6	2.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,438.167	45.86	54.00	8.14	43.95	H	354.9	2.00
2	5,460.000	45.48	54.00	8.52	44.19	H	354.9	2.00
2	5,533.617	83.59			44.64	H	278.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,455.417	59.71	74.00	14.29	44.14	V	225.4	1.00
2	5,460.000	58.03	74.00	15.97	44.19	V	133.4	1.00
2	5,536.300	96.01			44.63	V	133.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,450.050	44.45	54.00	9.55	44.08	V	139.4	1.00
2	5,460.000	44.21	54.00	9.79	44.19	V	139.4	1.00
2	5,533.617	80.19			44.64	V	139.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5530MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,603.230	101.50			44.37	H	325.8	1.00
3	5,725.000	58.84	68.20	9.36	44.48	H	269.7	2.00
3	5,739.550	60.25	68.20	7.95	44.50	H	325.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,604.650	93.64			44.37	V	227.8	1.00
3	5,725.000	58.43	68.20	9.77	44.48	V	181.2	1.00
3	5,728.625	59.22	68.20	8.98	44.48	V	134.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5610MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,683.330	101.05			44.45	H	319.8	1.00
4	5,850.000	58.25	68.20	9.95	44.73	H	3.4	2.00
4	5,896.533	59.43	68.20	8.77	44.56	H	180	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,662.967	94.08			44.40	V	183.6	1.00
4	5,850.000	58.27	68.20	9.93	44.73	V	317.5	2.00
4	5,862.733	59.12	68.20	9.08	44.68	V	317.5	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5690MHz: Fundamental frequency.
4. #: Out of restricted band.




BAND 4

802.11a			
CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,631.875	59.34	68.20	8.86	44.34	H	355	2.00
12	5,746.250	106.91			44.51	H	266	1.00
13	5,947.500	59.01	68.20	9.19	44.29	H	48.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,612.813	59.22	68.20	8.98	44.34	V	217	1.00
12	5,743.438	97.10			44.50	V	294.7	1.00
13	5,933.625	59.29	68.20	8.91	44.36	V	359.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.



CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,640.625	59.72	68.20	8.48	44.36	H	355	2.00
12	5,787.810	108.24			44.65	H	264.8	1.00
13	5,939.250	58.82	68.20	9.38	44.33	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,618.125	59.73	68.20	8.47	44.32	V	84.4	2.00
12	5,786.563	98.76			44.65	V	267.3	1.00
13	5,944.875	59.57	68.20	8.63	44.30	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.750	59.51	68.20	8.69	44.36	H	355	2.00
12	5,823.750	106.33			44.74	H	269.6	1.00
13	5,946.000	58.92	68.20	9.28	44.30	H	43.8	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,623.750	59.82	68.20	8.38	44.33	V	359	2.00
12	5,829.060	103.92			44.74	V	129.8	1.00
13	5,931.750	59.30	68.20	8.90	44.38	V	0.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,608.750	59.54	68.20	8.66	44.35	V	352.7	1.00
12	5,743.440	100.25			44.50	V	267.2	1.00
13	5,994.750	58.68	68.20	9.52	44.41	V	47.3	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.



CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,633.750	59.87	68.20	8.33	44.35	H	359.1	1.00
12	5,783.440	106.48			44.64	H	261.3	1.00
13	5,994.000	60.19	68.20	8.01	44.40	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,609.375	60.04	68.20	8.16	44.35	V	1	1.00
12	5,786.875	99.07			44.65	V	267.2	1.00
13	5,968.500	59.32	68.20	8.88	44.28	V	0.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,636.250	59.09	68.20	9.11	44.35	H	1	1.00
12	5,827.810	106.36			44.74	H	262.4	1.00
13	5,951.625	59.36	68.20	8.84	44.27	H	359	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,608.125	59.41	68.20	8.79	44.36	V	5	1.00
12	5,823.438	96.73			44.73	V	275.6	2.00
13	5,995.500	59.15	68.20	9.05	44.41	V	324.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,641.563	59.60	68.20	8.60	44.36	V	354.9	2.00
11	5,757.500	98.90			44.54	V	269.5	1.00
12	5,992.875	59.45	68.20	8.75	44.40	V	2.3	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5755MHz: Fundamental frequency.



CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,646.563	60.07	68.20	8.13	44.37	H	107.8	1.00
11	5,792.810	101.69			44.67	H	314.4	2.00
12	5,977.125	59.28	68.20	8.92	44.32	H	223.6	1.00

