

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 295 of 312

		5700	-10	120	5580.100	5470 to 5725	Pass
			0	120	5580.040	5470 to 5725	Pass
			10	120	5580.040	5470 to 5725	Pass
			30	120	5580.080	5470 to 5725	Pass
			40	120	5579.960	5470 to 5725	Pass
			50	120	5580.040	5470 to 5725	Pass
		5700	20	102	5700.060	5470 to 5725	Pass
				120	5700.040	5470 to 5725	Pass
				138	5700.100	5470 to 5725	Pass
			-30	120	5700.040	5470 to 5725	Pass
			-20	120	5700.000	5470 to 5725	Pass
			-10	120	5700.020	5470 to 5725	Pass
			0	120	5699.980	5470 to 5725	Pass
			10	120	5699.980	5470 to 5725	Pass
			30	120	5700.100	5470 to 5725	Pass
			40	120	5699.960	5470 to 5725	Pass
			50	120	5700.020	5470 to 5725	Pass
			5745	20	102	5744.940	5725 to 5850
		120			5745.020	5725 to 5850	Pass
		138			5744.960	5725 to 5850	Pass
		-30		120	5745.080	5725 to 5850	Pass
		-20		120	5745.000	5725 to 5850	Pass
		-10		120	5744.980	5725 to 5850	Pass
		0		120	5745.020	5725 to 5850	Pass
		10		120	5745.040	5725 to 5850	Pass
		30		120	5745.000	5725 to 5850	Pass
		40		120	5745.060	5725 to 5850	Pass
		50		120	5745.060	5725 to 5850	Pass
		5785		20	102	5785.120	5725 to 5850
			120		5784.940	5725 to 5850	Pass
			138		5785.000	5725 to 5850	Pass
			-30	120	5785.020	5725 to 5850	Pass
			-20	120	5785.040	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.020	5725 to 5850	Pass
			10	120	5785.000	5725 to 5850	Pass
30	120		5785.020	5725 to 5850	Pass		
40	120		5785.000	5725 to 5850	Pass		
50	120		5785.060	5725 to 5850	Pass		
5825	20		102	5825.000	5725 to 5850	Pass	
		120	5825.060	5725 to 5850	Pass		
		138	5824.960	5725 to 5850	Pass		
	-30	120	5825.020	5725 to 5850	Pass		
	-20	120	5825.000	5725 to 5850	Pass		
	-10	120	5825.020	5725 to 5850	Pass		
	0	120	5825.060	5725 to 5850	Pass		
	10	120	5825.020	5725 to 5850	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 296 of 312

			30	120	5825.040	5725 to 5850	Pass
			40	120	5825.080	5725 to 5850	Pass
			50	120	5825.100	5725 to 5850	Pass
		5720	20	102	5720.000	5470 to 5850	Pass
				120	5720.060	5470 to 5850	Pass
				138	5720.100	5470 to 5850	Pass
			-30	120	5720.080	5470 to 5850	Pass
			-20	120	5720.060	5470 to 5850	Pass
			-10	120	5720.080	5470 to 5850	Pass
			0	120	5720.040	5470 to 5850	Pass
			10	120	5720.140	5470 to 5850	Pass
			30	120	5720.000	5470 to 5850	Pass
			40	120	5720.020	5470 to 5850	Pass
			50	120	5720.040	5470 to 5850	Pass
			802.11n (HT20)	SISO	5180	20	102
120	5180.040	5150 to 5250					Pass
138	5180.080	5150 to 5250					Pass
-30	120	5180.140				5150 to 5250	Pass
-20	120	5180.040				5150 to 5250	Pass
-10	120	5180.060				5150 to 5250	Pass
0	120	5180.020				5150 to 5250	Pass
10	120	5180.000				5150 to 5250	Pass
30	120	5180.060				5150 to 5250	Pass
40	120	5180.040				5150 to 5250	Pass
50	120	5180.020				5150 to 5250	Pass
5200	20	102				5200.020	5150 to 5250
		120			5200.080	5150 to 5250	Pass
		138			5200.100	5150 to 5250	Pass
	-30	120			5199.960	5150 to 5250	Pass
	-20	120	5200.080	5150 to 5250	Pass		
	-10	120	5200.020	5150 to 5250	Pass		
	0	120	5200.040	5150 to 5250	Pass		
	10	120	5200.000	5150 to 5250	Pass		
	30	120	5200.000	5150 to 5250	Pass		
5240	20	102	5240.020	5150 to 5250	Pass		
		120	5239.960	5150 to 5250	Pass		
		138	5240.080	5150 to 5250	Pass		
	-30	120	5240.040	5150 to 5250	Pass		
	-20	120	5240.040	5150 to 5250	Pass		
	-10	120	5240.000	5150 to 5250	Pass		
	0	120	5240.060	5150 to 5250	Pass		
	10	120	5239.980	5150 to 5250	Pass		
	30	120	5240.080	5150 to 5250	Pass		
40	120	5240.040	5150 to 5250	Pass			
50	120	5240.040	5150 to 5250	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 297 of 312

5260	20	102	5259.980	5250 to 5350	Pass
		120	5259.940	5250 to 5350	Pass
		138	5260.000	5250 to 5350	Pass
	-30	120	5259.980	5250 to 5350	Pass
	-20	120	5260.020	5250 to 5350	Pass
	-10	120	5259.980	5250 to 5350	Pass
	0	120	5260.020	5250 to 5350	Pass
	10	120	5260.060	5250 to 5350	Pass
	30	120	5260.080	5250 to 5350	Pass
	40	120	5260.040	5250 to 5350	Pass
50	120	5260.020	5250 to 5350	Pass	
5300	20	102	5300.040	5250 to 5350	Pass
		120	5300.020	5250 to 5350	Pass
		138	5300.080	5250 to 5350	Pass
	-30	120	5300.040	5250 to 5350	Pass
	-20	120	5300.000	5250 to 5350	Pass
	-10	120	5300.020	5250 to 5350	Pass
	0	120	5300.120	5250 to 5350	Pass
	10	120	5299.980	5250 to 5350	Pass
	30	120	5300.060	5250 to 5350	Pass
	40	120	5300.040	5250 to 5350	Pass
50	120	5299.940	5250 to 5350	Pass	
5320	20	102	5319.940	5250 to 5350	Pass
		120	5320.020	5250 to 5350	Pass
		138	5319.960	5250 to 5350	Pass
	-30	120	5320.020	5250 to 5350	Pass
	-20	120	5320.020	5250 to 5350	Pass
	-10	120	5320.040	5250 to 5350	Pass
	0	120	5320.040	5250 to 5350	Pass
	10	120	5320.120	5250 to 5350	Pass
	30	120	5320.040	5250 to 5350	Pass
	40	120	5320.020	5250 to 5350	Pass
50	120	5320.020	5250 to 5350	Pass	
5500	20	102	5500.000	5470 to 5725	Pass
		120	5500.000	5470 to 5725	Pass
		138	5500.040	5470 to 5725	Pass
	-30	120	5500.020	5470 to 5725	Pass
	-20	120	5500.080	5470 to 5725	Pass
	-10	120	5500.020	5470 to 5725	Pass
	0	120	5500.040	5470 to 5725	Pass
	10	120	5500.040	5470 to 5725	Pass
	30	120	5499.980	5470 to 5725	Pass
	40	120	5500.000	5470 to 5725	Pass
50	120	5500.040	5470 to 5725	Pass	
5580	20	102	5580.020	5470 to 5725	Pass
		120	5580.100	5470 to 5725	Pass
		138	5580.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 298 of 312

			-30	120	5580.060	5470 to 5725	Pass
			-20	120	5580.080	5470 to 5725	Pass
			-10	120	5580.060	5470 to 5725	Pass
			0	120	5580.080	5470 to 5725	Pass
			10	120	5580.100	5470 to 5725	Pass
			30	120	5580.020	5470 to 5725	Pass
			40	120	5579.960	5470 to 5725	Pass
			50	120	5580.080	5470 to 5725	Pass
		5700	20	102	5700.020	5470 to 5725	Pass
				120	5700.000	5470 to 5725	Pass
				138	5700.020	5470 to 5725	Pass
			-30	120	5699.960	5470 to 5725	Pass
			-20	120	5700.060	5470 to 5725	Pass
			-10	120	5700.000	5470 to 5725	Pass
			0	120	5700.080	5470 to 5725	Pass
			10	120	5700.040	5470 to 5725	Pass
			30	120	5700.020	5470 to 5725	Pass
			40	120	5700.060	5470 to 5725	Pass
		50	120	5700.020	5470 to 5725	Pass	
		5745	20	102	5744.960	5725 to 5850	Pass
				120	5745.020	5725 to 5850	Pass
				138	5745.040	5725 to 5850	Pass
			-30	120	5744.960	5725 to 5850	Pass
			-20	120	5744.980	5725 to 5850	Pass
			-10	120	5745.060	5725 to 5850	Pass
			0	120	5745.000	5725 to 5850	Pass
			10	120	5745.080	5725 to 5850	Pass
			30	120	5745.000	5725 to 5850	Pass
		40	120	5745.000	5725 to 5850	Pass	
		50	120	5744.980	5725 to 5850	Pass	
		5785	20	102	5785.020	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass
				138	5784.960	5725 to 5850	Pass
			-30	120	5785.020	5725 to 5850	Pass
			-20	120	5785.100	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.020	5725 to 5850	Pass
			10	120	5785.040	5725 to 5850	Pass
			30	120	5785.120	5725 to 5850	Pass
			40	120	5785.020	5725 to 5850	Pass
		50	120	5785.120	5725 to 5850	Pass	
		5825	20	102	5825.080	5725 to 5850	Pass
				120	5825.020	5725 to 5850	Pass
				138	5825.080	5725 to 5850	Pass
			-30	120	5825.020	5725 to 5850	Pass
			-20	120	5824.920	5725 to 5850	Pass
			-10	120	5825.120	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 299 of 312

			0	120	5825.020	5725 to 5850	Pass			
			10	120	5825.060	5725 to 5850	Pass			
			30	120	5824.940	5725 to 5850	Pass			
			40	120	5825.120	5725 to 5850	Pass			
			50	120	5825.020	5725 to 5850	Pass			
		5720	20	102	5720.080	5470 to 5850	Pass			
				120	5720.040	5470 to 5850	Pass			
				138	5720.040	5470 to 5850	Pass			
			-30	120	5719.980	5470 to 5850	Pass			
			-20	120	5720.000	5470 to 5850	Pass			
			-10	120	5720.020	5470 to 5850	Pass			
			0	120	5720.060	5470 to 5850	Pass			
			10	120	5720.040	5470 to 5850	Pass			
			30	120	5720.060	5470 to 5850	Pass			
			40	120	5720.060	5470 to 5850	Pass			
			50	120	5720.040	5470 to 5850	Pass			
			802.11n (HT40)	SISO	5190	20	102	5190.080	5150 to 5250	Pass
							120	5190.120	5150 to 5250	Pass
							138	5190.040	5150 to 5250	Pass
-30	120	5190.080				5150 to 5250	Pass			
-20	120	5190.040				5150 to 5250	Pass			
-10	120	5190.040				5150 to 5250	Pass			
0	120	5190.040				5150 to 5250	Pass			
10	120	5190.080				5150 to 5250	Pass			
30	120	5190.120				5150 to 5250	Pass			
40	120	5190.080				5150 to 5250	Pass			
50	120	5190.080				5150 to 5250	Pass			
5230	20	102				5230.080	5150 to 5250	Pass		
		120				5230.080	5150 to 5250	Pass		
		138				5230.040	5150 to 5250	Pass		
	-30	120			5230.080	5150 to 5250	Pass			
	-20	120			5230.080	5150 to 5250	Pass			
	-10	120			5230.040	5150 to 5250	Pass			
	0	120			5230.080	5150 to 5250	Pass			
	10	120			5230.080	5150 to 5250	Pass			
	30	120	5230.080	5150 to 5250	Pass					
	40	120	5230.080	5150 to 5250	Pass					
5270	20	102	5270.080	5250 to 5350	Pass					
		120	5270.080	5250 to 5350	Pass					
		138	5270.080	5250 to 5350	Pass					
	-30	120	5270.040	5250 to 5350	Pass					
	-20	120	5270.080	5250 to 5350	Pass					
	-10	120	5270.080	5250 to 5350	Pass					
	0	120	5270.120	5250 to 5350	Pass					
	10	120	5270.040	5250 to 5350	Pass					
	30	120	5270.080	5250 to 5350	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 300 of 312

		40	120	5270.040	5250 to 5350	Pass	
			50	120	5270.080	5250 to 5350	Pass
		5310	20	102	5310.080	5250 to 5350	Pass
				120	5310.080	5250 to 5350	Pass
				138	5310.080	5250 to 5350	Pass
			-30	120	5310.080	5250 to 5350	Pass
			-20	120	5310.080	5250 to 5350	Pass
			-10	120	5310.120	5250 to 5350	Pass
			0	120	5310.080	5250 to 5350	Pass
			10	120	5310.080	5250 to 5350	Pass
			30	120	5310.040	5250 to 5350	Pass
			40	120	5310.080	5250 to 5350	Pass
			50	120	5310.080	5250 to 5350	Pass
		5510	20	102	5510.040	5470 to 5725	Pass
				120	5510.080	5470 to 5725	Pass
				138	5510.080	5470 to 5725	Pass
			-30	120	5510.040	5470 to 5725	Pass
			-20	120	5510.080	5470 to 5725	Pass
			-10	120	5510.080	5470 to 5725	Pass
			0	120	5510.080	5470 to 5725	Pass
			10	120	5510.080	5470 to 5725	Pass
			30	120	5510.080	5470 to 5725	Pass
			40	120	5510.080	5470 to 5725	Pass
			50	120	5510.040	5470 to 5725	Pass
		5550	20	102	5550.080	5470 to 5725	Pass
				120	5550.080	5470 to 5725	Pass
				138	5550.120	5470 to 5725	Pass
			-30	120	5550.040	5470 to 5725	Pass
			-20	120	5550.040	5470 to 5725	Pass
			-10	120	5550.080	5470 to 5725	Pass
			0	120	5550.080	5470 to 5725	Pass
			10	120	5550.040	5470 to 5725	Pass
			30	120	5550.040	5470 to 5725	Pass
			40	120	5550.080	5470 to 5725	Pass
			50	120	5550.040	5470 to 5725	Pass
		5670	20	102	5670.080	5470 to 5725	Pass
				120	5670.080	5470 to 5725	Pass
				138	5670.080	5470 to 5725	Pass
			-30	120	5670.040	5470 to 5725	Pass
			-20	120	5670.080	5470 to 5725	Pass
-10	120		5670.080	5470 to 5725	Pass		
0	120		5670.080	5470 to 5725	Pass		
10	120		5670.080	5470 to 5725	Pass		
30	120		5670.080	5470 to 5725	Pass		
40	120		5670.080	5470 to 5725	Pass		
50	120		5670.040	5470 to 5725	Pass		
5755	20	102	5755.120	5725 to 5850	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 301 of 312

				120	5755.080	5725 to 5850	Pass	
				138	5755.080	5725 to 5850	Pass	
				-30	120	5755.000	5725 to 5850	Pass
				-20	120	5755.040	5725 to 5850	Pass
				-10	120	5755.040	5725 to 5850	Pass
				0	120	5755.080	5725 to 5850	Pass
				10	120	5755.080	5725 to 5850	Pass
				30	120	5755.040	5725 to 5850	Pass
				40	120	5755.040	5725 to 5850	Pass
				50	120	5755.040	5725 to 5850	Pass
		5795		20	102	5795.040	5725 to 5850	Pass
					120	5795.080	5725 to 5850	Pass
					138	5795.120	5725 to 5850	Pass
				-30	120	5795.080	5725 to 5850	Pass
				-20	120	5795.040	5725 to 5850	Pass
				-10	120	5795.120	5725 to 5850	Pass
				0	120	5795.080	5725 to 5850	Pass
				10	120	5795.040	5725 to 5850	Pass
				30	120	5795.080	5725 to 5850	Pass
				40	120	5795.080	5725 to 5850	Pass
		50	120	5795.040	5725 to 5850	Pass		
		5710		20	102	5710.080	5470 to 5850	Pass
					120	5710.040	5470 to 5850	Pass
					138	5710.080	5470 to 5850	Pass
				-30	120	5710.120	5470 to 5850	Pass
				-20	120	5710.080	5470 to 5850	Pass
				-10	120	5710.080	5470 to 5850	Pass
				0	120	5710.040	5470 to 5850	Pass
				10	120	5710.080	5470 to 5850	Pass
				30	120	5710.080	5470 to 5850	Pass
40	120			5710.040	5470 to 5850	Pass		
50	120	5710.080	5470 to 5850	Pass				
802.11ac (VHT20)	SISO	5180	20	102	5180.000	5150 to 5250	Pass	
				120	5180.060	5150 to 5250	Pass	
				138	5180.080	5150 to 5250	Pass	
			-30	120	5180.120	5150 to 5250	Pass	
			-20	120	5180.060	5150 to 5250	Pass	
			-10	120	5180.040	5150 to 5250	Pass	
			0	120	5180.020	5150 to 5250	Pass	
			10	120	5180.000	5150 to 5250	Pass	
			30	120	5180.060	5150 to 5250	Pass	
			40	120	5180.060	5150 to 5250	Pass	
		50	120	5179.960	5150 to 5250	Pass		
		5200		20	102	5200.100	5150 to 5250	Pass
					120	5200.000	5150 to 5250	Pass
					138	5200.020	5150 to 5250	Pass
-30	120			5200.060	5150 to 5250	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 302 of 312

			-20	120	5200.060	5150 to 5250	Pass	
			-10	120	5200.100	5150 to 5250	Pass	
			0	120	5200.040	5150 to 5250	Pass	
			10	120	5200.020	5150 to 5250	Pass	
			30	120	5200.020	5150 to 5250	Pass	
			40	120	5200.020	5150 to 5250	Pass	
			50	120	5200.100	5150 to 5250	Pass	
		5240	20	102	5240.100	5150 to 5250	Pass	
				120	5240.040	5150 to 5250	Pass	
				138	5240.040	5150 to 5250	Pass	
				-30	120	5240.100	5150 to 5250	Pass
				-20	120	5240.020	5150 to 5250	Pass
				-10	120	5240.100	5150 to 5250	Pass
				0	120	5240.120	5150 to 5250	Pass
				10	120	5240.020	5150 to 5250	Pass
				30	120	5240.020	5150 to 5250	Pass
				40	120	5240.040	5150 to 5250	Pass
				50	120	5240.000	5150 to 5250	Pass
			5260	20	102	5260.100	5250 to 5350	Pass
					120	5260.060	5250 to 5350	Pass
		138			5260.080	5250 to 5350	Pass	
				-30	120	5260.080	5250 to 5350	Pass
				-20	120	5260.140	5250 to 5350	Pass
				-10	120	5260.060	5250 to 5350	Pass
				0	120	5260.020	5250 to 5350	Pass
				10	120	5260.060	5250 to 5350	Pass
				30	120	5260.100	5250 to 5350	Pass
				40	120	5260.060	5250 to 5350	Pass
			50	120	5259.940	5250 to 5350	Pass	
		5300	20	102	5300.060	5250 to 5350	Pass	
				120	5300.020	5250 to 5350	Pass	
				138	5300.100	5250 to 5350	Pass	
				-30	120	5300.040	5250 to 5350	Pass
				-20	120	5300.020	5250 to 5350	Pass
				-10	120	5300.040	5250 to 5350	Pass
				0	120	5300.080	5250 to 5350	Pass
				10	120	5300.060	5250 to 5350	Pass
				30	120	5300.080	5250 to 5350	Pass
				40	120	5300.040	5250 to 5350	Pass
			50	120	5300.040	5250 to 5350	Pass	
		5320	20	102	5320.040	5250 to 5350	Pass	
				120	5320.040	5250 to 5350	Pass	
				138	5320.040	5250 to 5350	Pass	
				-30	120	5320.120	5250 to 5350	Pass
				-20	120	5320.060	5250 to 5350	Pass
				-10	120	5319.980	5250 to 5350	Pass
			0	120	5320.060	5250 to 5350	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 303 of 312

			10	120	5320.020	5250 to 5350	Pass
			30	120	5320.040	5250 to 5350	Pass
			40	120	5320.080	5250 to 5350	Pass
			50	120	5320.020	5250 to 5350	Pass
5500	20		102	5500.040	5470 to 5725	Pass	
			120	5500.000	5470 to 5725	Pass	
			138	5500.080	5470 to 5725	Pass	
		-30	120	5499.960	5470 to 5725	Pass	
		-20	120	5500.060	5470 to 5725	Pass	
		-10	120	5500.020	5470 to 5725	Pass	
		0	120	5500.020	5470 to 5725	Pass	
		10	120	5500.000	5470 to 5725	Pass	
		30	120	5500.040	5470 to 5725	Pass	
		40	120	5500.020	5470 to 5725	Pass	
		50	120	5500.040	5470 to 5725	Pass	
		5580	20		102	5580.020	5470 to 5725
120					5580.040	5470 to 5725	Pass
138	5579.980				5470 to 5725	Pass	
	-30		120	5580.000	5470 to 5725	Pass	
	-20		120	5580.020	5470 to 5725	Pass	
	-10		120	5580.080	5470 to 5725	Pass	
	0		120	5580.060	5470 to 5725	Pass	
	10		120	5580.120	5470 to 5725	Pass	
	30		120	5580.080	5470 to 5725	Pass	
	40		120	5580.100	5470 to 5725	Pass	
	50		120	5580.020	5470 to 5725	Pass	
	5700		20		102	5700.040	5470 to 5725
		120			5700.020	5470 to 5725	Pass
138		5700.100			5470 to 5725	Pass	
		-30	120	5700.000	5470 to 5725	Pass	
		-20	120	5700.020	5470 to 5725	Pass	
		-10	120	5700.120	5470 to 5725	Pass	
		0	120	5700.060	5470 to 5725	Pass	
		10	120	5700.100	5470 to 5725	Pass	
		30	120	5700.060	5470 to 5725	Pass	
		40	120	5700.060	5470 to 5725	Pass	
		50	120	5700.060	5470 to 5725	Pass	
		5745	20		102	5744.960	5725 to 5850
	120				5745.100	5725 to 5850	Pass
138	5745.080				5725 to 5850	Pass	
	-30		120	5745.100	5725 to 5850	Pass	
	-20		120	5744.980	5725 to 5850	Pass	
	-10		120	5744.980	5725 to 5850	Pass	
	0		120	5744.980	5725 to 5850	Pass	
	10		120	5745.080	5725 to 5850	Pass	
	30		120	5744.980	5725 to 5850	Pass	
	40		120	5744.980	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 304 of 312

		5785	50	120	5745.060	5725 to 5850	Pass
			20	102	5784.980	5725 to 5850	Pass
				120	5785.000	5725 to 5850	Pass
				138	5785.020	5725 to 5850	Pass
				120	5785.040	5725 to 5850	Pass
			-30	120	5785.040	5725 to 5850	Pass
			-20	120	5785.080	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.020	5725 to 5850	Pass
			10	120	5784.980	5725 to 5850	Pass
			30	120	5785.040	5725 to 5850	Pass
			40	120	5785.040	5725 to 5850	Pass
		50	120	5785.040	5725 to 5850	Pass	
		5825	20	102	5825.100	5725 to 5850	Pass
				120	5824.980	5725 to 5850	Pass
				138	5825.120	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
			-30	120	5825.000	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.000	5725 to 5850	Pass
			0	120	5825.080	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5825.040	5725 to 5850	Pass
			40	120	5825.020	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
		5720	20	102	5720.060	5470 to 5850	Pass
				120	5720.020	5470 to 5850	Pass
				138	5720.020	5470 to 5850	Pass
				120	5720.040	5470 to 5850	Pass
			-30	120	5720.040	5470 to 5850	Pass
			-20	120	5720.080	5470 to 5850	Pass
			-10	120	5720.080	5470 to 5850	Pass
			0	120	5720.020	5470 to 5850	Pass
			10	120	5720.040	5470 to 5850	Pass
			30	120	5720.020	5470 to 5850	Pass
			40	120	5719.980	5470 to 5850	Pass
50	120		5720.000	5470 to 5850	Pass		
802.11ac (VHT40)	SISO	5190	20	102	5190.080	5150 to 5250	Pass
				120	5190.040	5150 to 5250	Pass
				138	5190.080	5150 to 5250	Pass
				120	5190.080	5150 to 5250	Pass
			-30	120	5190.080	5150 to 5250	Pass
			-20	120	5190.080	5150 to 5250	Pass
			-10	120	5190.120	5150 to 5250	Pass
			0	120	5190.080	5150 to 5250	Pass
			10	120	5190.080	5150 to 5250	Pass
			30	120	5190.120	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.040	5150 to 5250	Pass
		5230	20	102	5230.120	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

			138	5230.080	5150 to 5250	Pass	
		-30	120	5230.080	5150 to 5250	Pass	
		-20	120	5230.080	5150 to 5250	Pass	
		-10	120	5230.080	5150 to 5250	Pass	
		0	120	5230.080	5150 to 5250	Pass	
		10	120	5230.080	5150 to 5250	Pass	
		30	120	5230.080	5150 to 5250	Pass	
		40	120	5230.080	5150 to 5250	Pass	
		50	120	5230.120	5150 to 5250	Pass	
	5270	20	102	5270.040	5250 to 5350	Pass	
			120	5270.080	5250 to 5350	Pass	
			138	5270.040	5250 to 5350	Pass	
			-30	120	5270.040	5250 to 5350	Pass
			-20	120	5270.040	5250 to 5350	Pass
			-10	120	5270.080	5250 to 5350	Pass
			0	120	5270.040	5250 to 5350	Pass
			10	120	5270.040	5250 to 5350	Pass
			30	120	5270.080	5250 to 5350	Pass
			40	120	5270.080	5250 to 5350	Pass
			50	120	5270.120	5250 to 5350	Pass
		5310	20	102	5310.120	5250 to 5350	Pass
				120	5310.080	5250 to 5350	Pass
	138			5310.080	5250 to 5350	Pass	
			-30	120	5310.080	5250 to 5350	Pass
			-20	120	5310.080	5250 to 5350	Pass
			-10	120	5310.040	5250 to 5350	Pass
			0	120	5310.080	5250 to 5350	Pass
			10	120	5310.080	5250 to 5350	Pass
			30	120	5310.080	5250 to 5350	Pass
			40	120	5310.080	5250 to 5350	Pass
		50	120	5310.080	5250 to 5350	Pass	
	5510	20	102	5510.080	5470 to 5725	Pass	
			120	5510.080	5470 to 5725	Pass	
			138	5510.080	5470 to 5725	Pass	
			-30	120	5510.080	5470 to 5725	Pass
			-20	120	5510.040	5470 to 5725	Pass
			-10	120	5510.040	5470 to 5725	Pass
			0	120	5510.080	5470 to 5725	Pass
			10	120	5510.080	5470 to 5725	Pass
			30	120	5510.080	5470 to 5725	Pass
			40	120	5510.080	5470 to 5725	Pass
		50	120	5510.080	5470 to 5725	Pass	
	5550	20	102	5550.080	5470 to 5725	Pass	
			120	5550.040	5470 to 5725	Pass	
			138	5550.080	5470 to 5725	Pass	
			-30	120	5550.080	5470 to 5725	Pass
			-20	120	5550.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 306 of 312

			-10	120	5550.080	5470 to 5725	Pass
			0	120	5550.040	5470 to 5725	Pass
			10	120	5550.080	5470 to 5725	Pass
			30	120	5550.120	5470 to 5725	Pass
			40	120	5550.080	5470 to 5725	Pass
			50	120	5550.080	5470 to 5725	Pass
		5670	20	102	5670.080	5470 to 5725	Pass
				120	5670.080	5470 to 5725	Pass
				138	5670.000	5470 to 5725	Pass
			-30	120	5670.080	5470 to 5725	Pass
			-20	120	5670.040	5470 to 5725	Pass
			-10	120	5670.040	5470 to 5725	Pass
			0	120	5670.080	5470 to 5725	Pass
			10	120	5670.000	5470 to 5725	Pass
			30	120	5670.040	5470 to 5725	Pass
			40	120	5670.080	5470 to 5725	Pass
			50	120	5670.040	5470 to 5725	Pass
			5755	20	102	5755.040	5725 to 5850
		120			5755.040	5725 to 5850	Pass
		138			5755.040	5725 to 5850	Pass
		-30		120	5755.040	5725 to 5850	Pass
		-20		120	5755.080	5725 to 5850	Pass
		-10		120	5755.040	5725 to 5850	Pass
		0		120	5755.040	5725 to 5850	Pass
		10		120	5755.040	5725 to 5850	Pass
		30		120	5755.080	5725 to 5850	Pass
		40		120	5755.120	5725 to 5850	Pass
		50		120	5755.040	5725 to 5850	Pass
		5795		20	102	5795.040	5725 to 5850
			120		5795.080	5725 to 5850	Pass
			138		5795.080	5725 to 5850	Pass
			-30	120	5795.040	5725 to 5850	Pass
			-20	120	5795.120	5725 to 5850	Pass
			-10	120	5795.080	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.080	5725 to 5850	Pass
30	120		5795.080	5725 to 5850	Pass		
40	120		5795.040	5725 to 5850	Pass		
50	120		5795.040	5725 to 5850	Pass		
5710	20		102	5710.040	5470 to 5850	Pass	
		120	5710.120	5470 to 5850	Pass		
		138	5710.080	5470 to 5850	Pass		
	-30	120	5710.120	5470 to 5850	Pass		
	-20	120	5710.080	5470 to 5850	Pass		
	-10	120	5710.080	5470 to 5850	Pass		
	0	120	5710.040	5470 to 5850	Pass		
	10	120	5710.040	5470 to 5850	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 307 of 312

			30	120	5710.000	5470 to 5850	Pass
			40	120	5710.040	5470 to 5850	Pass
			50	120	5710.040	5470 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	102	5210.075	5150 to 5250	Pass
				120	5210.150	5150 to 5250	Pass
				138	5210.075	5150 to 5250	Pass
			-30	120	5210.075	5150 to 5250	Pass
			-20	120	5210.150	5150 to 5250	Pass
			-10	120	5210.075	5150 to 5250	Pass
			0	120	5210.075	5150 to 5250	Pass
			10	120	5210.150	5150 to 5250	Pass
			30	120	5210.075	5150 to 5250	Pass
			40	120	5210.075	5150 to 5250	Pass
			50	120	5210.150	5150 to 5250	Pass
			5290	20	102	5290.150	5250 to 5350
		120			5290.075	5250 to 5350	Pass
		138			5290.075	5250 to 5350	Pass
		-30		120	5290.150	5250 to 5350	Pass
		-20		120	5290.075	5250 to 5350	Pass
		-10		120	5290.075	5250 to 5350	Pass
		0		120	5290.150	5250 to 5350	Pass
		10		120	5290.075	5250 to 5350	Pass
		30		120	5290.075	5250 to 5350	Pass
		40		120	5290.075	5250 to 5350	Pass
		50		120	5290.150	5250 to 5350	Pass
		5530		20	102	5530.075	5470 to 5725
			120		5530.075	5470 to 5725	Pass
			138		5530.075	5470 to 5725	Pass
			-30	120	5530.000	5470 to 5725	Pass
			-20	120	5530.075	5470 to 5725	Pass
			-10	120	5530.150	5470 to 5725	Pass
			0	120	5530.075	5470 to 5725	Pass
			10	120	5530.150	5470 to 5725	Pass
			30	120	5530.150	5470 to 5725	Pass
			40	120	5530.075	5470 to 5725	Pass
			50	120	5530.075	5470 to 5725	Pass
			5610	20	102	5610.075	5470 to 5725
		120			5610.075	5470 to 5725	Pass
		138			5610.075	5470 to 5725	Pass
		-30		120	5610.075	5470 to 5725	Pass
		-20		120	5610.075	5470 to 5725	Pass
		-10		120	5610.075	5470 to 5725	Pass
		0		120	5610.075	5470 to 5725	Pass
		10		120	5610.075	5470 to 5725	Pass
		30		120	5610.075	5470 to 5725	Pass
40	120	5610.075		5470 to 5725	Pass		
50	120	5610.075		5470 to 5725	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800345805

Page: 308 of 312

		5775	20	102	5775.075	5725 to 5850	Pass
				120	5775.075	5725 to 5850	Pass
				138	5775.075	5725 to 5850	Pass
			-30	120	5775.150	5725 to 5850	Pass
			-20	120	5775.075	5725 to 5850	Pass
			-10	120	5775.150	5725 to 5850	Pass
			0	120	5775.075	5725 to 5850	Pass
			10	120	5775.075	5725 to 5850	Pass
			30	120	5775.075	5725 to 5850	Pass
			40	120	5775.150	5725 to 5850	Pass
		50	120	5775.075	5725 to 5850	Pass	
		5690	20	102	5690.075	5470 to 5850	Pass
				120	5690.150	5470 to 5850	Pass
				138	5690.075	5470 to 5850	Pass
			-30	120	5690.150	5470 to 5850	Pass
			-20	120	5690.000	5470 to 5850	Pass
			-10	120	5690.075	5470 to 5850	Pass
			0	120	5690.075	5470 to 5850	Pass
			10	120	5690.075	5470 to 5850	Pass
			30	120	5690.150	5470 to 5850	Pass
40	120		5690.150	5470 to 5850	Pass		
50	120	5690.075	5470 to 5850	Pass			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 6. DFS


#### 6.1 Test Result

##### 6.1.1 Rader





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

### 6.1.2 Duty cycle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

### 6.1.3 5290MHz:



#### Time Index Info



T0 : -0.0240 S (Radar Injection Start)  
 T1 : 0.0000 S (Radar Injection Stop)  
 T2 : 0.2000 S (200msec Interval)  
 T3 : 0.3445 S (Channel Move Time)

Time Per Bin: 0.4999833  
 T2-T3 Bins Over Threshold:  
 = 6 Bins

Channel Move Time: 0.3444885 S  
 Channel Close Time: 0.0029999 S



### 6.1.4 5530MHz:



Time Index Info

T0 : -0.0240 S (Radar Injection Start)	Time Per Bin: 0.4999833	Channel Move Time: 0.3509883 S
T1 : 0.0000 S (Radar Injection Stop)	T2-T3 Bins Over Threshold: = 2 Bins	Channel Close Time: 0.001 S
T2 : 0.2000 S (200msec Interval)		
T3 : 0.3510 S (Channel Move Time)		

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com