


Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.8000	78.78	16.86	95.64	122.20	-26.56	Peak	No Limit
2	5850.0000	39.92	16.87	56.79	122.20	-65.41	Peak	
3	5860.0000	36.54	16.88	53.42	109.40	-55.98	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17473.2050	37.40	21.40	58.80	68.20	-9.40	Peak	
2 *	17474.6050	25.74	21.40	47.14	54.00	-6.86	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	40.66	16.79	57.45	109.40	-51.95	Peak	
2	5725.0000	60.03	16.80	76.83	122.20	-45.37	Peak	
3 *	5744.2000	94.91	16.81	111.72	122.20	-10.48	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17233.4400	32.82	20.47	53.29	54.00	-0.71	AVG	
2	17242.4800	43.97	20.51	64.48	68.20	-3.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	36.08	16.79	52.87	109.40	-56.53	Peak	
2	5725.0000	41.97	16.80	58.77	122.20	-63.43	Peak	
3 *	5743.2000	72.93	16.81	89.74	122.20	-32.46	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17233.6950	37.69	20.47	58.16	68.20	-10.04	Peak	
2 *	17235.5800	26.40	20.48	46.88	54.00	-7.12	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5784.0000	94.00	16.83	110.83	122.20	-11.37	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17356.7000	44.55	20.95	65.50	68.20	-2.70	Peak	
2 *	17361.4400	32.58	20.97	53.55	54.00	-0.45	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5786.4000	78.45	16.83	95.28	122.20	-26.92	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17352.5600	26.12	20.93	47.05	54.00	-6.95	AVG	
2	17354.6850	37.59	20.94	58.53	68.20	-9.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.0000	92.08	16.86	108.94	122.20	-13.26	Peak	No Limit
2	5850.0000	45.22	16.87	62.09	122.20	-60.11	Peak	
3	5860.0000	38.12	16.88	55.00	109.40	-54.40	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17473.1600	32.49	21.40	53.89	54.00	-0.11	AVG	
2	17483.1400	44.10	21.43	65.53	68.20	-2.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.0000	77.55	16.86	94.41	122.20	-27.79	Peak	No Limit
2	5850.0000	38.73	16.87	55.60	122.20	-66.60	Peak	
3	5860.0000	36.29	16.88	53.17	109.40	-56.23	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17472.7850	25.74	21.39	47.13	54.00	-6.87	AVG	
2	17475.8250	37.86	21.41	59.27	68.20	-8.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	55.15	16.79	71.94	109.40	-37.46	Peak	
2	5725.0000	63.11	16.80	79.91	122.20	-42.29	Peak	
3 *	5756.6000	90.73	16.82	107.55	122.20	-14.65	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17266.4400	42.98	20.60	63.58	68.20	-4.62	Peak	
2 *	17267.3699	32.67	20.60	53.27	54.00	-0.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	39.98	16.79	56.77	109.40	-52.63	Peak	
2	5725.0000	43.97	16.80	60.77	122.20	-61.43	Peak	
3 *	5756.2000	74.99	16.82	91.81	122.20	-30.39	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17263.8550	38.16	20.59	58.75	68.20	-9.45	Peak	
2 *	17267.2400	26.30	20.60	46.90	54.00	-7.10	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5794.0000	91.55	16.84	108.39	122.20	-13.81	Peak	No Limit
2	5850.0000	42.97	16.87	59.84	122.20	-62.36	Peak	
3	5860.0000	40.61	16.88	57.49	109.40	-51.91	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17383.2000	42.36	21.05	63.41	68.20	-4.79	Peak	
2 *	17387.1900	32.06	21.06	53.12	54.00	-0.88	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.8000	75.47	16.84	92.31	122.20	-29.89	Peak	No Limit
2	5850.0000	36.68	16.87	53.55	122.20	-68.65	Peak	
3	5860.0000	36.24	16.88	53.12	109.40	-56.28	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17382.8900	25.71	21.05	46.76	54.00	-7.24	AVG	
2	17385.6950	37.32	21.06	58.38	68.20	-9.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5647.5000	50.76	16.75	67.51	68.20	-0.69	Peak	
2	5715.0000	67.00	16.79	83.79	109.40	-25.61	Peak	
3	5725.0000	68.46	16.80	85.26	122.20	-36.94	Peak	
4	5797.5000	91.79	16.84	108.63	122.20	-13.57	Peak	No Limit
5	5850.0000	61.94	16.87	78.81	122.20	-43.39	Peak	
6	5860.0000	60.55	16.88	77.43	109.40	-31.97	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17287.6000	43.59	20.68	64.27	68.20	-3.93	Peak	
2 *	17303.7000	33.15	20.74	53.89	54.00	-0.11	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	48.91	16.79	65.70	109.40	-43.70	Peak	
2	5725.0000	51.46	16.80	68.26	122.20	-53.94	Peak	
3 *	5801.0000	76.47	16.84	93.31	122.20	-28.89	Peak	No Limit
4	5850.0000	46.58	16.87	63.45	122.20	-58.75	Peak	
5	5860.0000	44.80	16.88	61.68	109.40	-47.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	17324.8400	37.60	20.82	58.42	68.20	-9.78	Peak	
2 *	17327.0050	26.19	20.83	47.02	54.00	-6.98	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

The worst case of simultaneous transmission:

Test Mode	TX WLAN 2.4G B Mode 2462MHz + WLAN 5G AC40 Mode 5270MHz	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		4923.896	49.02	5.73	54.75	68.30	-13.55	peak	
2		4924.012	47.85	5.73	53.58	54.00	-0.42	AVG	
3	*	15808.356	37.61	16.08	53.69	54.00	-0.31	AVG	
4		15810.105	48.19	16.08	64.27	68.30	-4.03	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX WLAN 2.4G B Mode 2462MHz + WLAN 5G AC40 Mode 5270MHz	Polarization	Horizontal
-----------	---	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	4923.853	39.42	5.73	45.15	54.00	-8.85	AVG	
2		4923.996	43.88	5.73	49.61	68.30	-18.69	peak	
3		15808.869	39.25	16.08	55.33	68.30	-12.97	peak	
4		15810.568	26.85	16.08	42.93	54.00	-11.07	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	34.49	19.10
40	5200	35.55	19.90
48	5240	34.99	18.90

CH36




Date: 3.JUN.2021 15:04:27

CH40
26 dB Bandwidth




Date: 3.JUN.2021 15:05:12

CH48




Date: 3.JUN.2021 15:23:24


99 % Occupied Bandwidth



Date: 3.JUN.2021 15:04:13



Date: 3.JUN.2021 15:04:58




Date: 3.JUN.2021 15:23:10

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	37.19	20.90
40	5200	38.89	20.80
48	5240	35.81	18.70

CH36




Date: 3.JUN.2021 15:13:33

CH40
26 dB Bandwidth




Date: 3.JUN.2021 15:14:16

CH48




Date: 3.JUN.2021 15:16:28


99 % Occupied Bandwidth



Date: 3.JUN.2021 15:13:20



Date: 3.JUN.2021 15:14:02




Date: 3.JUN.2021 15:16:13

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	72.59	38.00
46	5230	78.39	38.80

CH38




Date: 3.JUN.2021 15:33:42

CH46
26 dB Bandwidth




Date: 3.JUN.2021 15:34:12

99 % Occupied Bandwidth



Date: 3.JUN.2021 15:17:36




Date: 3.JUN.2021 15:18:46

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	162.80	78.80

CH42 26 dB Bandwidth



Date: 3.JUN.2021 15:27:58

99 % Occupied Bandwidth




Date: 3.JUN.2021 15:27:19

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.19	17.20
60	5300	24.89	17.10
64	5320	23.29	17.10

CH52




Date: 3.JUN.2021 17:22:57

CH60
26 dB Bandwidth




Date: 3.JUN.2021 17:23:32

CH64




Date: 3.JUN.2021 17:24:15


99 % Occupied Bandwidth



Date: 3.JUN.2021 17:22:38



Date: 3.JUN.2021 17:23:13




Date: 3.JUN.2021 17:23:47

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.89	17.90
60	5300	23.60	17.90
64	5320	23.79	17.90

CH52




Date: 3.JUN.2021 17:33:14

CH60
26 dB Bandwidth




Date: 3.JUN.2021 17:33:54

CH64




Date: 3.JUN.2021 17:34:38


99 % Occupied Bandwidth



Date: 3.JUN.2021 17:32:54



Date: 3.JUN.2021 17:33:31




Date: 3.JUN.2021 17:34:15

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	189.99	90.80

CH58 26 dB Bandwidth



Date: 3.JUN.2021 17:37:47

99 % Occupied Bandwidth




Date: 3.JUN.2021 17:37:36

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	31.99	17.70
116	5580	30.10	17.40
140	5700	26.59	17.30

CH100




Date: 3.JUN.2021 20:16:50

CH116
26 dB Bandwidth




Date: 3.JUN.2021 20:17:25

CH140




Date: 3.JUN.2021 20:17:45


99 % Occupied Bandwidth



Date: 3.JUN.2021 19:54:15



Date: 3.JUN.2021 19:54:58




Date: 3.JUN.2021 19:55:27

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	36.19	19.10
116	5580	35.05	18.40
140	5700	31.40	18.10

CH100




Date: 3.JUN.2021 20:02:00

CH116
26 dB Bandwidth




Date: 3.JUN.2021 20:03:31

CH140




Date: 3.JUN.2021 20:04:06


99 % Occupied Bandwidth



Date: 3.JUN.2021 20:01:43



Date: 3.JUN.2021 20:03:15




Date: 3.JUN.2021 20:03:51

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	89.80	53.20
110	5550	93.30	51.80
134	5670	84.79	47.20

CH102




Date: 3.JUN.2021 20:24:34

CH110
26 dB Bandwidth




Date: 3.JUN.2021 20:24:56

CH134




Date: 3.JUN.2021 20:25:32


99 % Occupied Bandwidth



Date: 3.JUN.2021 20:04:33



Date: 3.JUN.2021 20:05:27




Date: 3.JUN.2021 20:05:51

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	94.79	77.20
122	5610	187.80	100.40

CH106




Date: 3.JUN.2021 20:06:30

CH122
26 dB Bandwidth




Date: 3.JUN.2021 20:06:49

99 % Occupied Bandwidth



Date: 12.MAR.2021 16:02:51




Date: 3.JUN.2021 20:06:41


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.79	25.80	0.50	Complies
157	5785	17.76	25.10	0.50	Complies
165	5825	17.90	24.40	0.50	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Occupied Bandwidth



Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.50	47.00	0.50	Complies
159	5795	36.50	45.40	0.50	Complies

CH151




Date: 3.JUN.2021 14:30:35

CH159 6 dB Bandwidth




Date: 3.JUN.2021 14:31:42

99 % Occupied Bandwidth



Date: 3.JUN.2021 14:30:07




Date: 3.JUN.2021 14:31:14

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.40	95.60	0.50	Complies

CH155 6 dB Bandwidth



Date: 3.JUN.2021 14:33:17

99 % Occupied Bandwidth



Date: 3.JUN.2021 14:32:51

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.01	0.00	15.01	30.00	1.0000	Complies
40	5200	15.52	0.00	15.52	30.00	1.0000	Complies
48	5240	14.68	0.00	14.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.16	0.00	15.16	30.00	1.0000	Complies
40	5200	16.35	0.00	16.35	30.00	1.0000	Complies
48	5240	14.31	0.00	14.31	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.10	29.04	0.8017	Complies
40	5200	18.97	29.04	0.8017	Complies
48	5240	17.51	29.04	0.8017	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.84	0.00	16.84	30.00	1.0000	Complies
40	5200	16.04	0.00	16.04	30.00	1.0000	Complies
48	5240	14.90	0.00	14.90	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.97	0.00	16.97	30.00	1.0000	Complies
40	5200	15.90	0.00	15.90	30.00	1.0000	Complies
48	5240	15.02	0.00	15.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.92	29.04	0.8017	Complies
40	5200	18.98	29.04	0.8017	Complies
48	5240	17.97	29.04	0.8017	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.22	0.00	12.22	30.00	1.0000	Complies
46	5230	15.10	0.00	15.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.14	0.00	12.14	30.00	1.0000	Complies
46	5230	15.07	0.00	15.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.19	29.04	0.8017	Complies
46	5230	18.10	29.04	0.8017	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.05	0.00	17.05	30.00	1.0000	Complies
40	5200	16.13	0.00	16.13	30.00	1.0000	Complies
48	5240	15.13	0.00	15.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.12	0.00	17.12	30.00	1.0000	Complies
40	5200	16.12	0.00	16.12	30.00	1.0000	Complies
48	5240	15.13	0.00	15.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.10	29.04	0.8017	Complies
40	5200	19.14	29.04	0.8017	Complies
48	5240	18.14	29.04	0.8017	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.34	0.00	12.34	30.00	1.0000	Complies
46	5230	15.22	0.00	15.22	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.27	0.00	12.27	30.00	1.0000	Complies
46	5230	15.16	0.00	15.16	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.32	29.04	0.8017	Complies
46	5230	18.20	29.04	0.8017	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.01	0.00	11.01	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.18	0.00	11.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.11	29.04	0.8017	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.71	0.00	14.71	24.00	0.25	Complies
60	5300	13.96	0.00	13.96	24.00	0.25	Complies
64	5320	14.27	0.00	14.27	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.35	0.00	14.35	24.00	0.25	Complies
60	5300	13.53	0.00	13.53	24.00	0.25	Complies
64	5320	13.56	0.00	13.56	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.54	22.85	0.1928	Complies
60	5300	16.76	22.85	0.1928	Complies
64	5320	16.94	22.85	0.1928	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.97	0.00	14.97	24.00	0.25	Complies
60	5300	14.02	0.00	14.02	24.00	0.25	Complies
64	5320	14.56	0.00	14.56	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.89	0.00	14.89	24.00	0.25	Complies
60	5300	13.94	0.00	13.94	24.00	0.25	Complies
64	5320	14.43	0.00	14.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.94	22.85	0.1928	Complies
60	5300	16.99	22.85	0.1928	Complies
64	5320	17.51	22.85	0.1928	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.98	0.00	13.98	24.00	0.25	Complies
62	5310	11.61	0.00	11.61	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.80	0.00	13.80	24.00	0.25	Complies
62	5310	11.53	0.00	11.53	24.00	0.25	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.90	22.85	0.1928	Complies
62	5310	14.58	22.85	0.1928	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.15	0.00	15.15	24.00	0.25	Complies
60	5300	14.13	0.00	14.13	24.00	0.25	Complies
64	5320	14.71	0.00	14.71	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.11	0.00	15.11	24.00	0.25	Complies
60	5300	14.05	0.00	14.05	24.00	0.25	Complies
64	5320	14.62	0.00	14.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.14	22.85	0.1928	Complies
60	5300	17.10	22.85	0.1928	Complies
64	5320	17.68	22.85	0.1928	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.11	0.00	14.11	24.00	0.25	Complies
62	5310	11.78	0.00	11.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.03	0.00	14.03	24.00	0.25	Complies
62	5310	11.64	0.00	11.64	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.08	22.85	0.1928	Complies
62	5310	14.72	22.85	0.1928	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.52	0.00	11.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.63	0.00	11.63	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.59	22.85	0.1928	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.58	0.00	14.58	24.00	0.25	Complies
116	5580	14.84	0.00	14.84	24.00	0.25	Complies
140	5700	14.97	0.00	14.97	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.62	0.00	14.62	24.00	0.25	Complies
116	5580	14.92	0.00	14.92	24.00	0.25	Complies
140	5700	14.92	0.00	14.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.61	23.16	0.2070	Complies
116	5580	17.89	23.16	0.2070	Complies
140	5700	17.96	23.16	0.2070	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.94	0.00	14.94	24.00	0.25	Complies
116	5580	14.14	0.00	14.14	24.00	0.25	Complies
140	5700	14.26	0.00	14.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.89	0.00	14.89	24.00	0.25	Complies
116	5580	14.11	0.00	14.11	24.00	0.25	Complies
140	5700	14.10	0.00	14.10	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.93	23.16	0.2070	Complies
116	5580	17.14	23.16	0.2070	Complies
140	5700	17.19	23.16	0.2070	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.36	0.00	12.36	24.00	0.25	Complies
110	5550	18.97	0.00	18.97	24.00	0.25	Complies
134	5670	19.00	0.00	19.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.22	0.00	12.22	24.00	0.25	Complies
110	5550	18.93	0.00	18.93	24.00	0.25	Complies
134	5670	19.01	0.00	19.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.30	23.16	0.2070	Complies
110	5550	21.96	23.16	0.2070	Complies
134	5670	22.02	23.16	0.2070	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.03	0.00	15.03	24.00	0.25	Complies
116	5580	14.36	0.00	14.36	24.00	0.25	Complies
140	5700	14.34	0.00	14.34	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.98	0.00	14.98	24.00	0.25	Complies
116	5580	14.29	0.00	14.29	24.00	0.25	Complies
140	5700	14.25	0.00	14.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.02	23.16	0.2070	Complies
116	5580	17.34	23.16	0.2070	Complies
140	5700	17.31	23.16	0.2070	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.53	0.00	12.53	24.00	0.25	Complies
110	5550	19.12	0.00	19.12	24.00	0.25	Complies
134	5670	19.15	0.00	19.15	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.44	0.00	12.44	24.00	0.25	Complies
110	5550	19.09	0.00	19.09	24.00	0.25	Complies
134	5670	19.13	0.00	19.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.50	23.16	0.2070	Complies
110	5550	22.12	23.16	0.2070	Complies
134	5670	22.15	23.16	0.2070	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.52	0.00	11.52	24.00	0.25	Complies
122	5610	17.54	0.00	17.54	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.68	0.00	11.68	24.00	0.25	Complies
122	5610	17.62	0.00	17.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.61	23.16	0.2070	Complies
122	5610	20.59	23.16	0.2070	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.62	0.00	17.62	30.00	1.0000	Complies
157	5785	17.71	0.00	17.71	30.00	1.0000	Complies
165	5825	17.24	0.00	17.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.84	0.00	16.84	30.00	1.0000	Complies
157	5785	16.99	0.00	16.99	30.00	1.0000	Complies
165	5825	16.58	0.00	16.58	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.26	29.70	0.9333	Complies
157	5785	20.38	29.70	0.9333	Complies
165	5825	19.93	29.70	0.9333	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.42	0.00	15.42	30.00	1.0000	Complies
157	5785	15.25	0.00	15.25	30.00	1.0000	Complies
165	5825	13.91	0.00	13.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.45	0.00	15.45	30.00	1.0000	Complies
157	5785	15.32	0.00	15.32	30.00	1.0000	Complies
165	5825	13.92	0.00	13.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.45	29.70	0.9333	Complies
157	5785	18.30	29.70	0.9333	Complies
165	5825	16.93	29.70	0.9333	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.03	0.00	17.03	30.00	1.0000	Complies
159	5795	18.54	0.00	18.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.92	0.00	16.92	30.00	1.0000	Complies
159	5795	18.47	0.00	18.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.99	29.70	0.9333	Complies
159	5795	21.52	29.70	0.9333	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.55	0.00	15.55	30.00	1.0000	Complies
157	5785	15.45	0.00	15.45	30.00	1.0000	Complies
165	5825	14.08	0.00	14.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.61	0.00	15.61	30.00	1.0000	Complies
157	5785	15.55	0.00	15.55	30.00	1.0000	Complies
165	5825	14.08	0.00	14.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.59	29.70	0.9333	Complies
157	5785	18.51	29.70	0.9333	Complies
165	5825	17.09	29.70	0.9333	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.12	0.00	17.12	30.00	1.0000	Complies
159	5795	18.65	0.00	18.65	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.08	0.00	17.08	30.00	1.0000	Complies
159	5795	18.58	0.00	18.58	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.11	29.70	0.9333	Complies
159	5795	21.63	29.70	0.9333	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.49	0.00	19.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.34	0.00	19.34	30.00	1.0000	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.43	29.70	0.9333	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.89	0.00	10.89	17.00	Complies
40	5200	10.89	0.00	10.89	17.00	Complies
48	5240	10.35	0.00	10.35	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.26	0.00	9.26	17.00	Complies
40	5200	9.63	0.00	9.63	17.00	Complies
48	5240	9.27	0.00	9.27	17.00	Complies






Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.16	16.04	Complies
40	5200	13.32	16.04	Complies
48	5240	12.85	16.04	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.45	0.00	10.45	17.00	Complies
40	5200	10.41	0.00	10.41	17.00	Complies
48	5240	9.63	0.00	9.63	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.89	0.00	8.89	17.00	Complies
40	5200	9.25	0.00	9.25	17.00	Complies
48	5240	8.63	0.00	8.63	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.75	16.04	Complies
40	5200	12.88	16.04	Complies
48	5240	12.17	16.04	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.70	0.00	6.70	17.00	Complies
46	5230	6.63	0.00	6.63	17.00	Complies

CH38



Date: 3.JUN.2021 15:18:11

CH46




Date: 3.JUN.2021 15:19:22

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.11	0.00	6.11	17.00	Complies
46	5230	6.34	0.00	6.34	17.00	Complies

CH38



Date: 3.JUN.2021 15:46:37

CH46




Date: 3.JUN.2021 15:47:09

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.43	16.04	Complies
46	5230	9.50	16.04	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.12	0.00	4.12	17.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.59	0.00	3.59	17.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.87	16.04	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.51	0.00	6.51	11.00	Complies
60	5300	6.79	0.00	6.79	11.00	Complies
64	5320	6.81	0.00	6.81	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.05	0.00	6.05	11.00	Complies
60	5300	6.06	0.00	6.06	11.00	Complies
64	5320	6.47	0.00	6.47	11.00	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.30	9.85	Complies
60	5300	9.45	9.85	Complies
64	5320	9.65	9.85	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.40	0.00	6.40	11.00	Complies
60	5300	6.78	0.00	6.78	11.00	Complies
64	5320	6.51	0.00	6.51	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.29	0.00	6.29	11.00	Complies
60	5300	6.60	0.00	6.60	11.00	Complies
64	5320	6.36	0.00	6.36	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.36	9.85	Complies
60	5300	9.70	9.85	Complies
64	5320	9.45	9.85	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.73	0.00	6.73	11.00	Complies
62	5310	6.77	0.00	6.77	11.00	Complies

CH54



Date: 3.JUN.2021 16:49:15

CH62




Date: 3.JUN.2021 16:49:53

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.58	0.00	6.58	11.00	Complies
62	5310	6.41	0.00	6.41	11.00	Complies

CH54



Date: 3.JUN.2021 17:03:06

CH62




Date: 3.JUN.2021 17:06:35

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.67	9.85	Complies
62	5310	9.60	9.85	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.92	0.00	3.92	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.08	0.00	3.08	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.53	9.85	Complies